

AI AUTOMATION

Comisión 96920
Módulo 8

**Construcción de un
Ecosistema de
Automatización IA**

ENTREGA FINAL

Alumno: Kyu Min Chung
Fecha: 2026-SEP-03

TABLA DE CONTENIDOS

	Página
#Caso De Uso	3
#Diagrama De Flujo	4
#Diagrama De Flujo - JSON	5
#Airtable - Tabla Post Ideas	12
#Airtable - Tabla Post Ideas - Prompt	12
#Airtable - Tabla Post Ideas - Schema	12
#Airtable - Tabla Post Ideas - Schema JSON	13
#Airtable - Tabla Workflow Log	14
#Airtable - Tabla Workflow Log - Prompt	14
#Airtable - Tabla Workflow Log - Schema	16
#Airtable - Tabla Workflow Log - Schema JSON	17
#Airtable - Workflow Performance Dashboard	19
#n8n Workflows	19
#n8n Workflows - Decisiones Tomadas	20
#n8n Workflows - Tabla Comparativa De Costos	21
#n8n Workflows - Ejecuciones Del Workflow	21
#n8n Workflows - Prompt Inicial	24
#n8n Workflows - Prompt Con Comentario	26

GitHub:

https://github.com/Rumbaman/AI_Automation

Airtable Tabla "Post Ideas":

<https://airtable.com/app9ayaylrWBYzGgl/shrfmf3i5MZAq0P02>

Airtable Tabla "Workflow Log":

<https://airtable.com/app9ayaylrWBYzGgl/shrfmf3i5MZAq0P02>

Airtable "Workflow Performance Dashboard":

<https://airtable.com/app9ayaylrWBYzGgl/shrX1gshZz1lopx0C>

Caso de Uso: Creación de contenido educativo automatizado con IA

Este caso de uso se trata de la creación de contenido educativo generado con IA, con revisión y aprobación humana para su publicación en el canal general **#social** de Slack de una hipotética compañía.

Cuando en la tabla de Airtable, se genera un nuevo registro con el campo **State** como **Pendiente** y el campo **Seed Idea** está poblado, el proceso de creación de contenido se dispara.

Un modelo de IA genera el contenido y lo envía a un humano para su revisión y aprobación.

Únicamente cuando el revisor humano lo aprueba, el workflow realiza la publicación del contenido en el canal general **#social** de Slack.


El Content Manager sólo debe ingresar una corta frase en un nuevo registro en Airtable, y esto no requiere que ingrese ninguna información personal ni confidencia, así como tampoco se envía ningún dato personal y/o confidencial al workflow.

Además, el prompt contiene salvaguardas para que el tono del contenido sea profesional y respetuoso, y el contenido se apegue a la idea semilla, reduciendo la posibilidad de alucinaciones.

Estas medidas adoptadas están en línea con el principio de minimización de datos de la GDPR. Y por el lado de AI Act, se clasifica como de *riesgo limitado*.

DIAGRAMA DE FLUJO

GENERACIÓN DE CONTENIDO AUTÓNOMO CON HITL + MANEJO DE ERRORES



JSON

```
{
  "version": "31.4.0",
  "pages": [
    {
      "id": "blBDF3F0GfE-jokBptqM",
      "name": "Page-1",
      "cells": [
        {
          "id": "1",
          "type": "layer"
        },
        {
          "id": "lkxn-wZv6XQ3b0gzX5p_-2",
          "type": "node",
          "parent": "1",
          "label": "GENERACIÓN DE CONTENIDO AUTÓNOMO\nCON HITL +  
MANEJO DE ERRORES",
          "html": "GENERACIÓN DE CONTENIDO AUTÓNOMO<div>CON  
HITL&nbsp;<span style=\"background-color: transparent; color:  
light-dark(rgb(26, 26, 46), rgb(213, 213, 230));\">+ MANEJO DE  
ERRORES</span></div>"
        },
        {
          "id": "lkxn-wZv6XQ3b0gzX5p_-7",
          "type": "edge",
          "parent": "1",
          "source": "lkxn-wZv6XQ3b0gzX5p_-4",
          "target": "lkxn-wZv6XQ3b0gzX5p_-6"
        },
        {
          "id": "lkxn-wZv6XQ3b0gzX5p_-9",
          "type": "edge",
          "parent": "1",
          "source": "lkxn-wZv6XQ3b0gzX5p_-4",
          "target": "lkxn-wZv6XQ3b0gzX5p_-8"
        },
        {
          "id": "lkxn-wZv6XQ3b0gzX5p_-4",
          "type": "node",
          "parent": "1",
          "label": "NODO DE IA\n\nGeneración autónoma de contenido  
por la IA.",
          "html": "<b>NODO DE IA</b><div><br><div>Generación  
autónoma de contenido por la IA.</div></div>"
        },
        {
          "id": "lkxn-wZv6XQ3b0gzX5p_-35",
          "type": "edge",
          "parent": "1",

```

```

    "source": "lkxn-wZv6XQ3b0gzX5p_-6",
    "target": "lkxn-wZv6XQ3b0gzX5p_-33"
  },
  {
    "id": "lkxn-wZv6XQ3b0gzX5p_-6",
    "type": "node",
    "parent": "1",
    "label": "MANEJO DE ERRORES\n\n3 reintentos",
    "html": "<b>MANEJO DE ERRORES</b><div><br></div><div>3
reintentos</div>"
  },
  {
    "id": "lkxn-wZv6XQ3b0gzX5p_-19",
    "type": "edge",
    "parent": "1",
    "source": "lkxn-wZv6XQ3b0gzX5p_-8",
    "target": "lkxn-wZv6XQ3b0gzX5p_-18"
  },
  {
    "id": "lkxn-wZv6XQ3b0gzX5p_-8",
    "type": "node",
    "parent": "1",
    "label": "PAUSA HITL\n\nSe envía un mensaje por Slack al
revisor, con la URL del contenido.",
    "html": "<b>PAUSA HITL</b><div><br></div><div>Se envía
un mensaje por Slack al revisor, con la URL del contenido.</div>"
  },
  {
    "id": "lkxn-wZv6XQ3b0gzX5p_-12",
    "type": "edge",
    "parent": "1",
    "source": "lkxn-wZv6XQ3b0gzX5p_-33",
    "target": "lkxn-wZv6XQ3b0gzX5p_-8"
  },
  {
    "id": "lkxn-wZv6XQ3b0gzX5p_-13",
    "type": "node",
    "parent": "1",
    "label": "SI"
  },
  {
    "id": "lkxn-wZv6XQ3b0gzX5p_-41",
    "type": "edge",
    "parent": "1",
    "source": "lkxn-wZv6XQ3b0gzX5p_-14"
  },
  {
    "id": "lkxn-wZv6XQ3b0gzX5p_-14",
    "type": "node",
    "parent": "1",

```

```

        "label": "TRIGGER\\n\\nTabla de Airtable:\\nEstado =
Pendiente\\n&\\nSeed Idea != ''",
        "html": "<b>TRIGGER</b><br><br><div><span
style=\\\"background-color: transparent; color: light-dark(rgb(0, 0,
0), rgb(255, 255, 255));\\\">Tabla de
Airtable:</span></div><div>Estado =
<b><i>Pendiente</i></b></div><div>&amp;</div><div><b><i>Seed
Idea</i></b> != ''</div>"
    },
    {
        "id": "lkxn-wZv6XQ3b0gzX5p_-32",
        "type": "edge",
        "parent": "1",
        "source": "lkxn-wZv6XQ3b0gzX5p_-15",
        "target": "lkxn-wZv6XQ3b0gzX5p_-31"
    },
    {
        "id": "lkxn-wZv6XQ3b0gzX5p_-15",
        "type": "node",
        "parent": "1",
        "label": "LOG DEL ERROR\\nLog del error en la tabla de
Airtable.",
        "html": "<div><b>LOG DEL
ERROR</b></div><div><br></div>Log del error en la tabla de
Airtable."
    },
    {
        "id": "lkxn-wZv6XQ3b0gzX5p_-17",
        "type": "node",
        "parent": "1",
        "label": "NO"
    },
    {
        "id": "lkxn-wZv6XQ3b0gzX5p_-20",
        "type": "edge",
        "parent": "1",
        "source": "lkxn-wZv6XQ3b0gzX5p_-18"
    },
    {
        "id": "lkxn-wZv6XQ3b0gzX5p_-25",
        "type": "edge",
        "parent": "1",
        "source": "lkxn-wZv6XQ3b0gzX5p_-18",
        "target": "lkxn-wZv6XQ3b0gzX5p_-24"
    },
    {
        "id": "lkxn-wZv6XQ3b0gzX5p_-18",
        "type": "node",
        "parent": "1",
        "label": "¿Aprobado?"
    },
    },

```

```

{
  "id": "lkxn-wZv6XQ3b0gzX5p_-21",
  "type": "node",
  "parent": "1",
  "label": "NO"
},
{
  "id": "lkxn-wZv6XQ3b0gzX5p_-22",
  "type": "node",
  "parent": "1",
  "label": "La IA modifica el contenido siguiendo los
lineamientos del comentario."
},
{
  "id": "lkxn-wZv6XQ3b0gzX5p_-28",
  "type": "edge",
  "parent": "1",
  "source": "lkxn-wZv6XQ3b0gzX5p_-24",
  "target": "lkxn-wZv6XQ3b0gzX5p_-27"
},
{
  "id": "lkxn-wZv6XQ3b0gzX5p_-24",
  "type": "node",
  "parent": "1",
  "label": "APROBADO\n\nSe marca el checkbox de Aprobado
en la tabla de Airtable.",
  "html": "<b>APROBADO</b><br><div><br></div><div>Se marca
el checkbox de <b><i>Aprobado</i></b>&nbsp;en la tabla de
Airtable.</div>"
},
{
  "id": "lkxn-wZv6XQ3b0gzX5p_-26",
  "type": "node",
  "parent": "1",
  "label": "SI"
},
{
  "id": "lkxn-wZv6XQ3b0gzX5p_-30",
  "type": "edge",
  "parent": "1",
  "source": "lkxn-wZv6XQ3b0gzX5p_-27",
  "target": "lkxn-wZv6XQ3b0gzX5p_-29"
},
{
  "id": "lkxn-wZv6XQ3b0gzX5p_-27",
  "type": "node",
  "parent": "1",
  "label": "PUBLICACION\n\nLa IA realiza la publicación en
un canal general de Slack.",
  "html": "<b>PUBLICACION</b><div><br></div><div>La IA
realiza la publicación en un canal general de Slack.</div>"
}

```



```

    },
    {
      "id": "lkxn-wZv6XQ3b0gzX5p_-29",
      "type": "node",
      "parent": "1",
      "label": "FIN DEL PROCESO\n\nSe actualiza el estado a  
Publicado en la tabla de Airtable y se envía un mensaje por Slack  
al revisor.",
      "html": "<b>FIN DEL PROCESO</b><br><br>Se actualiza el  
estado a <b><i>Publicado</i></b>&nbsp;en la tabla de Airtable y se  
envía un mensaje por Slack al revisor."
    },
    {
      "id": "lkxn-wZv6XQ3b0gzX5p_-31",
      "type": "node",
      "parent": "1",
      "label": "FIN DEL PROCESO\n\nSe envía un mensaje del  
error al grupo de soporte en Slack.",
      "html": "<b>FIN DEL PROCESO</b><br><br>Se envía un  
mensaje del error al grupo de soporte en Slack."
    },
    {
      "id": "lkxn-wZv6XQ3b0gzX5p_-36",
      "type": "edge",
      "parent": "1",
      "source": "lkxn-wZv6XQ3b0gzX5p_-33",
      "target": "lkxn-wZv6XQ3b0gzX5p_-15"
    },
    {
      "id": "lkxn-wZv6XQ3b0gzX5p_-33",
      "type": "node",
      "parent": "1"
    },
    {
      "id": "lkxn-wZv6XQ3b0gzX5p_-34",
      "type": "node",
      "parent": "1",
      "label": "¿Recuperación exitosa?"
    },
    {
      "id": "lkxn-wZv6XQ3b0gzX5p_-52",
      "type": "edge",
      "parent": "1",
      "source": "lkxn-wZv6XQ3b0gzX5p_-51",
      "target": "lkxn-wZv6XQ3b0gzX5p_-4"
    },
    {
      "id": "lkxn-wZv6XQ3b0gzX5p_-51",
      "type": "node",
      "parent": "1",

```

```

        "label": "FILTRO\n\nState = Pending\n&\nSeed Idea !=
'',
        "html": "<b>FILTRO</b><br><div><br></div><div>State =
Pending</div><div>&</div><div>Seed Idea != ''</div>"
    },
    {
        "id": "lkxn-wZv6XQ3b0gzX5p_-53",
        "type": "node",
        "parent": "1",
        "label": "TRIGGER / DISPARADOR"
    },
    {
        "id": "lkxn-wZv6XQ3b0gzX5p_-54",
        "type": "node",
        "parent": "1",
        "label": "INPUT / ACCIÓN"
    },
    {
        "id": "lkxn-wZv6XQ3b0gzX5p_-55",
        "type": "node",
        "parent": "1",
        "label": "INPUT / ACCIÓN"
    },
    {
        "id": "lkxn-wZv6XQ3b0gzX5p_-56",
        "type": "node",
        "parent": "1",
        "label": "INPUT / ACCIÓN"
    },
    {
        "id": "lkxn-wZv6XQ3b0gzX5p_-57",
        "type": "node",
        "parent": "1",
        "label": "INPUT / ACCIÓN"
    },
    {
        "id": "lkxn-wZv6XQ3b0gzX5p_-58",
        "type": "node",
        "parent": "1",
        "label": "INPUT / ACCIÓN"
    },
    {
        "id": "lkxn-wZv6XQ3b0gzX5p_-59",
        "type": "node",
        "parent": "1",
        "label": "INPUT / ACCIÓN"
    },
    {
        "id": "lkxn-wZv6XQ3b0gzX5p_-60",
        "type": "node",
        "parent": "1",

```

```

    "label": "INPUT / ACCIÓN"
  },
  {
    "id": "lkxn-wZv6XQ3b0gzX5p_-61",
    "type": "node",
    "parent": "1",
    "label": "IF"
  },
  {
    "id": "lkxn-wZv6XQ3b0gzX5p_-62",
    "type": "node",
    "parent": "1",
    "label": "IF"
  },
  {
    "id": "lkxn-wZv6XQ3b0gzX5p_-63",
    "type": "node",
    "parent": "1",
    "label": "SALIDA"
  },
  {
    "id": "lkxn-wZv6XQ3b0gzX5p_-64",
    "type": "node",
    "parent": "1",
    "label": "SALIDA"
  }
}
]
}
]
}

```

AIRTABLE - TABLA "POST IDEAS"

Prompt para crear la tabla en Airtable:

Create a table called "Post Ideas" that will be used to generate educational content to be published in the Slack channel #social. It must contain the following fields:

- ID - Type: Auto-number
- Seed Idea - Type: Text
- Context - Type: Long Text
- State - Type: Drop-Down (Options: Pending - Value: 1, Generating - Value: 2, Processed By AI - Value: 3, Pending Approval - Value: 4, Approved By Human - Value: 5, Published - Value: 6, Error - Value: 7, Default: Pending)
- AI Draft - Type: Long Text
- Approved - Type: Checkbox - Default: False
- Comments For Review - Type: Long Text
- Created On - Type: Date-Time, record's created date
- Updated On - Type: Date-Time, record's last modified date
- Published On - Type: Date-Time
- Error Log - Type: Long Text

Schema de la tabla

Field Name	Type	Details
ID	Auto-number	• Primary field • Auto-incrementing unique identifier
Seed Idea	Single line text	
Context	Single line text	
State	Single select	Options: • Pending (Default) • Generating • Processed By AI • Pending Approval • Approved By Human • Published • Error
AI Draft	Long text	
Approved	Checkbox	Default: False
Comments For Review	Long text	
Created On	Date	Formula: CREATED_TIME()
Updated On	Date	Formula: LAST_MODIFIED_TIME()
Published On	Date	Formula: DATETIME.NOW()
Error Log	Long text	

Schema de la tabla (JSON):

```
{
  "tableName": "Post Ideas",
  "description": "Organize and track all Slack educational content
from idea to publication.",
  "fields": [
    {
      "name": "ID",
      "type": "Autonumber",
      "primary": true
    },
    {
      "name": "Seed Idea",
      "type": "Single line text"
    },
    {
      "name": "Context",
      "type": "Long text"
    },
    {
      "name": "State",
      "type": "Single select",
      "choices": [
        "Pending",
        "Generating",
        "Processed By AI",
        "Pending Approval",
        "Approved By Human",
        "Published",
        "Error"
      ]
    },
    {
      "name": "AI Draft",
      "type": "Long text"
    },
    {
      "name": "Approved",
      "type": "Checkbox"Table Contents
    },
    {
      "name": "Comments For Review",
      "type": "Long text"
    },
    {
      "name": "Created On",
      "type": "Created time",
      "formula": "CREATED_TIME()"
    },
  ]
}
```

```

    "name": "Updated On",
    "type": "Last modified time",
    "formula": "LAST_MODIFIED_TIME()"
  },
  {
    "name": "Published On",
    "type": "Date",
    "formula": "DATETIME.NOW()"
  },
  {
    "name": "Error Log",
    "type": "Long text"
  }
]
}

```

AIRTABLE - TABLA "WORKFLOW LOG"

Prompt para crear la tabla en Airtable:

In Content Pipeline base, create a new table called "Workflow Log" with the following fields. Use the exact field names and types specified below.

FIELD DEFINITIONS:

01. Field Name: "Id"
Field Type: Auto-number
Description: Unique record identifier and it's the primary key.
02. Field Name: "Workflow"
Field Type: Single line text
Description: The name of the workflow that was executed.
03. Field Name: "Post ID"
Field Type: Single line text
Description: The unique identifier for the post being processed.
04. Field Name: "State"
Field Type: Single select
Options:
 - Draft
 - Awaiting Approval
 - Re-Generating Post
 - Approved
 - Rejected
 - Published
 - Error

Default: Draft

Description: The current state of the workflow execution.

05. *Field Name: "Error Message"*

Field Type: Long text

Description: The detailed error message if the workflow failed.

06. *Field Name: "Node"*

Field Type: Single line text

Description: The name of the n8n node where the error occurred.

07. *Field Name: "Seed Idea"*

Field Type: Long text

Description: The original seed idea used to generate the post.

08. *Field Name: "Context"*

Field Type: Long text

Description: The audience and pain point context for the post.

09. *Field Name: "Reviewer Feedback"*

Field Type: Long text

Description: The comment provided by the reviewer if the post was rejected.

10. *Field Name: "Revision Count"*

Field Type: Number

Format: Integer

Default: 0

Description: Number of revision cycles the post has gone through.

11. *Field Name: "Published Date"*

Field Type: Date

Format: Date with time (ISO 8601)

Include time: true

Time format: 24 hour

Use the same time zone for all collaborators: true

Time zone: America/Argentina/Buenos_Aires

Description: The date and time the post was successfully published.

12. *Field Name: "Post Content"*

Field Type: Long text

Description: The actual post content that was generated.

13. *Field Name: "Record ID"*

Field Type: Integer

Description: The Airtable record ID of the original post record.

14. Field Name: "Execution Date"
 Field Type: Date
 Format: Date with time (ISO 8601)
 Include time: true
 Time format: 24 hour
 Use the same time zone for all collaborators: true
 Time zone: America/Argentina/Buenos_Aires
 Description: The date and time the workflow was triggered.

ADDITIONAL SETTINGS:

- Enable "Record timestamps" to automatically add "Created Time" and "Last Modified Time" fields
- Create a view called "All Executions" showing all records
- Create a view called "Recent Errors" filtered by State = "Error" sorted by Execution Date descending
- Create a view called "Pending Approval" filtered by State = "Pending Approval"
- Create a view called "Today's Activity" filtered by Execution Date = Today

PRIMARY FIELD:

- Set "Id" as the primary field
- Format the date as "YYYY-MM-DD HH:mm:ss"

GROUPING & SORTING:

- Default sort: Execution Date descending (newest first)
- Group by State for the "All Executions" view

Please create this table with all fields and views as specified.

Schema de la Tabla

Field Name	Type	Details
Id	Auto-Number	• Primary Key
Workflow	Single line text	
Post ID	Single line text	
State	Single select	Options: • Draft (Default) • Awaiting Approval • Re-Generating Post • Approved • Rejected • Published • Error
Error Message	Long text	
Node	Single line text	
Seed Idea	Long text	

Context	Long text	
Reviewer Feedback	Long text	
Revision Count	Number	• Format: Integer • Default: 0
Published Date	Date	• Format: Date with time • Time Format: 24 hour
Post Content	Long text	
Record ID	Number	• Format: Integer
Execution Date	Date	• Format: Date with time • Time Format: 24 hour

Schema de la Tabla (JSON):

```
{
  "name": "Workflow Log",
  "description": "Tracks every workflow execution for posts with details, errors, and history.",
  "fields": [
    {
      "name": "Id",
      "type": "Autonumber",
      "primary": true
    },
    {
      "name": "Workflow",
      "type": "Single line text"
    },
    {
      "name": "Post ID",
      "type": "Single line text"
    },
    {
      "name": "State",
      "type": "Single select",
      "choices": [
        "Draft",
        "Awaiting Approval",
        "Re-Generating Post",
        "Approved",
        "Rejected",
        "Published",
        "Error"
      ]
    },
    {
      "name": "Error Message",
      "type": "Long text"
    }
  ]
}
```

```

    },
    {
      "name": "Node",
      "type": "Single line text"
    },
    {
      "name": "Seed Idea",
      "type": "Long text"
    },
    {
      "name": "Context",
      "type": "Long text"
    },
    {
      "name": "Reviewer Feedback",
      "type": "Long text"
    },
    {
      "name": "Revision Count",
      "type": "Number",
      "numberFormat": "integer"
    },
    {
      "name": "Published Date",
      "type": "Date"
    },
    {
      "name": "Post Content",
      "type": "Long text"
    },
    {
      "name": "Record ID",
      "type": "Number",
      "numberFormat": "integer"
    },
    {
      "name": "Execution Date",
      "type": "Date"
    }
  ]
}

```

AIRTABLE – WORKFLOW PERFORMANCE DASHBOARD

Workflow Performance Dashboard


Workflow Log

Count
9

By State




Revision Counts




n8n WORKFLOWS

Workflow de Creación de Contenido Autónomo



WF Error Handler



Decisiones tomadas:

- **Modelo de IA: deepseek-v4-flash**

- Se eligió este modelo, que es equivalente al gpt-5-mini o al Claude Haiku 4.5, ya que no es necesario procesar ni generar grandes tamaños de texto, y para generar un contenido educativo corto, es más que suficiente.

El desempeño de este modelo de IA es muy similar a los modelos de ChatGPT o Claude, y el costo de los tokens es muy inferior a los de su competencia.

- **HITL con Slack**

- Se decidió utilizar un canal de Slack para la revisión y aprobación del post, porque es un canal mucho más dinámico que el email, y por ende, la respuesta del revisor es más rápida.

- **Filtro**

- La decisión de usar un filtro, en vez de un IF, fue porque el filtro sólo deja pasar al siguiente nodo cuando se cumplen las condiciones, descartando cuando no se cumplen, ahorrándonos la configuración del mismo.

Y como ventaja adicional, ayuda a simplificar el workflow.

- **Edit Fields (Set)**

- Se decidió utilizar dos de estos nodos para preparar el prompt que se le enviaría a la IA, porque sin estos nodos, no fue posible agregar al prompt el comentario del revisor, que se utiliza para regenerar el post.

En el primer **Edit Fields**, se prepara el prompt sólo con los textos de **Seed Ideas** y del **Context**.

En el segundo **Edit Fields**, además de los dos anteriores, se le agrega al prompt el texto del **Comments For Review**, el feedback del revisor humano.

Y de esta manera, se logró que la IA regenere el post teniendo en cuenta el feedback del revisor humano.

- **Manejo de errores**

- Si ocurre algún error, el nodo de IA reintenta 3 veces.

Si al tercer intento no logra recuperarse, actualiza la tabla de Airtable con el mensaje del error, y luego envía un mensaje en Slack al canal del equipo de soporte **#ai_automation_support**.

- Se agregó un workflow adicional, llamado **WF Error Handler**, que se dispara sólo en caso de que el trigger tenga algún error.


Éste envía un mensaje en Slack al canal del equipo de soporte **#ai_automation_support**.

Tabla Comparativa De Costos (USD por 1 Millón de Tokens)


Modelo	Precio por Input	Precio por Output
DeepSeek-V4-Flash	\$0.14	\$0.28
GPT-5-mini	\$0.25	\$2.00
Claude Haiku 4.5	\$1.00	\$5.00

Ejecuciones Del Workflow

Caso: Aprobado



Workflow Log								Tools
ID	A	Seed Idea	Context	State	AI Draft	Approved	Comments For...	Created C
1	1	5 minute simple meditation...	A short 5 minutes meditat...	Error				2026-08-27
2	3	Aumentar la productividad...	Las personas estamos cad...	Pending				2026-08-31
3	4	Aumentar la productividad...	Las personas estamos cad...	Published	Aumenta tu producti...	✓		2026-09-03



Today, before your next high-stakes task, take five minutes to breathe, notice, and return—each return is a rep for your attention.

Try it before your next deep-work block.

#DeepWork #Focus #Meditation #Productivity #StressRelief



n8n Connect APP 7:30 AM

Aumenta tu productividad con la regla 80-20

Tienes cada vez más tareas y la productividad no mejora solo con hacer más; necesitas elegir las tareas de mayor impacto.

• **Enumera:** Escribe todas tus tareas actuales en una sola lista.


• **Filtra:** Aplica la regla 80-20 y quédate solo con el 20% que produce el 80% de tus resultados.

• **Ataca:** Trabaja primero en ese 20%; el resto puede esperar.

Hoy, aplica el filtro 80-20 a tu lista y empieza por el 20% de tus tareas de mayor impacto.

Pruébalo en tu próxima lista de pendientes.

#Productividad #ReglaPareto #8020 #Foco #TrabajoInteligente



Here is the new post and it's ready for your review.

Aumenta tu productividad con la regla 80-20

Tienes cada vez más tareas y la productividad no mejora solo con hacer más; necesitas elegir las tareas de mayor impacto.

- **Enumera:** Escribe todas tus tareas actuales en una sola lista.
- **Filtra:** Aplica la regla 80-20 y quédate solo con el 20% que produce el 80% de tus resultados.
- **Ataca:** Trabaja primero en ese 20%; el resto puede esperar.

Hoy, aplica el filtro 80-20 a tu lista y empieza por el 20% de tus tareas de mayor impacto.

Pruébalo en tu próxima lista de pendientes.

#Productividad #ReglaPareto #8020 #Foco #TrabajoInteligente

=====

Please click on "Respond" button.

Reply "OK" if you approve the post.



Otherwise, provide a feedback.

Respond

The post you approved has been published!

Please check it out at "#social" channel.

Caso: Rechazado / Re-regeneración del post



Pruébalo en tu próxima lista de pendientes.

#Productividad #ReglaPareto #8020 #Foco #TrabajoInteligente



Menos tareas, mayor impacto con la regla 80/20

Cada día tenemos más tareas y, a la vez, somos menos productivos: el problema no es falta de tiempo, sino falta de selección.


- **Identifica** tus tareas de alto impacto: ese 20% que produce el 80% de tus resultados.
- **Reduce** el 80% de tareas que solo produce el 20% de tus resultados: aplaza, delega o elimina lo que no sea imprescindible.
- **Protege** en tu calendario un bloque de tiempo para esa tarea crítica y hazla antes de atender lo urgente.

Hoy escribe tus 5 tareas, elige la de mayor impacto y hazla en un bloque de tiempo protegido.

Pruébalo mañana con una pregunta: ¿qué tarea hará que el resto sea más fácil o incluso innecesaria?

#Productividad #Regla8020 #Pareto #GestionDelTiempo #TrabajoInteligente

Revisión aplicada: separé con espacios cada verbo de acción —Identifica, Reduce, Protege— para que los pasos se lean con más claridad, tal como se pidió.



7:55

Here is the new post and it's ready for your review.

Menos tareas, mayor impacto con la regla 80/20

Cada día tenemos más tareas y, a la vez, somos menos productivos: el problema no es falta de tiempo, sino falta de selección.

- **Identifica** tus tareas de alto impacto: ese 20% que produce el 80% de tus resultados.
- **Reduce** el 80% de tareas que solo produce el 20% de tus resultados: aplaza, delega o elimina lo que no sea imprescindible.
- **Protege** en tu calendario un bloque de tiempo para esa tarea crítica y hazla antes de atender lo urgente.

Hoy escribe tus 5 tareas, elige la de mayor impacto y hazla en un bloque de tiempo protegido.

Pruébalo mañana con una pregunta: ¿qué tarea hará que el resto sea más fácil o incluso innecesaria?

#Productividad #Regla8020 #Pareto #GestionDelTiempo #TrabajoInteligente

Revisión aplicada: separé con espacios cada verbo de acción —Identifica, Reduce, Protege— para que los pasos se lean con más claridad, tal como se pidió.

=====

Please click on "Respond" button.

Reply "OK" if you approve the post.

Otherwise, provide a feedback.

Respond

The post you approved has been published!

Please check it out at "#social" channel.


Post IdeasWorkflow LogAdd or importTools

Grid view

Create new...Find a viewGrid view

ID	Seed Idea	Context	State	AI Draft	Approved	Comments For...	Created On
1	An easy 5 minute meditati...	A short 5 minutes meditat...	Pending				2026-08-27 00:09
2	An easy 5 minute meditati...	A short 5 minutes meditat...	Pending				2026-08-31 06:38
3	Aumentar la productividad...	Las personas estamos cad...	Published	Menos tareas, mayor ...	✓	Agrega un espacio entre "...	2026-09-03 07:27
4	An easy 5 minute meditati...	A short 5 minutes meditat...	Pending				2026-09-03 07:34
5	An easy 5 minute meditati...	A short 5 minutes meditat...	Pending				2026-09-03 07:41

Caso: Error



Post IdeasWorkflow LogAdd or importTools

Grid view

Create new...Find a viewGrid view

ID	Seed Idea	Context	State	AI Draft	Approved	Comments For...	Created On
1	5 minute simple meditatio...	A short 5 minutes meditat...	Error				2026-08-27 00:09
2	Aumentar la productividad...	Las personas estamos cad...	Pending				2026-08-31 06:38

Channels

ai_automation_support

ai_post_review

all-techmandev

new-channel

social

testing-slack-spoke

Add channels

Direct messages

idoru9 you

Invite people

Agents & apps

Slackbot

n8n Connect

ServiceNow Connect TEST

Slack

Connect apps

Workflow Name: Final Delivery

Error Message: No prompt specified

Timestamp: 2026-09-03T03:56:55.000Z

Flow Run ID: recNtSHXjUUnfMoEt

Automated with this n8n workflow

An error has occurred:

Workflow Name: Final Delivery

Error Message: No prompt specified

Timestamp: 2026-09-03T03:56:55.000Z

Flow Run ID: recNtSHXjUUnfMoEt

n8n Connect

7:16 AM

An error has occurred:

Workflow Name: Autonomous Post Creation

Error Message: No prompt specified

Timestamp: 2026-09-03T10:16:52.000Z

Flow Run ID: recNtSHXjUUnfMoEt

B I U

Prompt Inicial

Act as a Senior Technical Trainer and Content Strategist with 15 years of experience in instructional design. Your specialty is translating complex, niche topics into digestible, actionable 60-second reads for busy professionals.

Generate a short, practical educational post based on the Seed Idea, Context, and Content Category provided below. The post must teach the reader one specific, actionable skill or mental model they can use today.

Seed Idea: {{ \$('Airtable Trigger').item.json.fields['Seed Idea'] }}

Context: {{ \$('Airtable Trigger').item.json.fields.Context }}

Reviewer Feedback:

CONDITIONAL INSTRUCTION:

- IF "Reviewer Feedback" is empty or contains only whitespace: Generate a new post from scratch based solely on the "Seed Idea" and "Context".*
- IF "Reviewer Feedback" contains any text: Treat this as a revision request. Carefully read and analyze the feedback. Apply every actionable point to regenerate the post while maintaining the original "Seed Idea" and "Context".*

REVISION INSTRUCTIONS (only apply if "Reviewer Feedback" is not empty):

- Carefully read and analyze the "Reviewer Feedback" provided above.*
- Identify all specific change requests, critiques, and suggestions mentioned.*
- Apply every actionable piece of feedback to the regenerated post.*
- If feedback is vague or contradictory, prioritize the most recent or most specific comment.*
- Do not ignore, dismiss, or "work around" any feedback—treat it as mandatory.*
- Maintain the original "Seed Idea" and "Context" unless the feedback explicitly requests a change.*
- If feedback requests a change that contradicts the "Seed Idea", note this in the output and default to the "Seed Idea".*

STRICT CONSTRAINTS AND SAFEGUARDS:

- 1. Stick to the Seed. Extract every claim, framework, and step directly from the "Seed Idea" provided. Do not invent external case studies, statistics, testimonials, or research unless explicitly stated in the "Context".*

2. No fluff. Eliminate generic advice like "stay positive" or "work hard." Every sentence must serve a mechanical or logical purpose related to the "Seed Idea".
3. Source Attribution. If the "Seed Idea" implies a known author or book, mention it only if contextually necessary. If the "Seed Idea" is original, do not attribute it to a fictitious expert.
4. Fact-Check Gate. If the "Seed Idea" lacks a specific number, step, or metric, do not guess. Use a placeholder like "set the timer that you feel is most comfortable to you" or reframe the sentence to avoid the missing data.
5. Tone. Professional, authoritative, and conversational. No marketing hype. Avoid words like "game-changing" or "revolutionary" unless the "Seed Idea" uses them exactly.
6. Feedback Integration (if applicable). Every point in the "Reviewer Feedback" must be addressed in the regenerated post. If a point cannot be addressed, explicitly state why in a brief note after the post.

UNICODE BOLD FORMATTING RULES:

- Apply Unicode bold characters to the following elements ONLY:
 - Headline (full headline in bold)
 - The first 1-2 words of each bullet point in the Core Framework (the "action verb" or "key term")
 - The Actionable Takeaway (full sentence in bold)
- Do NOT bold entire paragraphs or more than 3-4 words per bullet point. Overuse reduces visual impact.
- Use these Unicode bold characters for letters: **A B C D E F G H I J K L M N O P Q R S T U V W X Y Z**
- Use these for numbers: **0 1 2 3 4 5 6 7 8 9**
- Use these for punctuation: include commas and periods within bolded sections.
- For apostrophes and quotes, use standard ASCII characters (they convert automatically in Unicode bold context).
- All other text (body copy, CTAs, hashtags) remains in standard plain text.

OUTPUT STRUCTURE - VISUAL POST:

- Headline (Hook): Bolded entirely. Max 10 words.
- The Problem (1 sentence): Plain text.
- The Core Framework (3 bullet points): Each bullet starts with 1-2 bolded words (the action verb or key term), followed by plain text explanation.
- The Actionable Takeaway (1 sentence): Bolded entirely.
- Call to Action: Plain text.
- Related Hashtags: Plain text. Maximum 5. Mix broad and niche tags. No spaces or special characters. Format as a single line separated by spaces.

REVISION SUMMARY (ONLY include if "Reviewer Feedback" is not empty):

After the visual post, include a brief summary of the changes made based on feedback. This helps the reviewer confirm their feedback was incorporated.

GENERATION NOTE (ONLY include if "Reviewer Feedback" is empty):
Do not include any revision summary or feedback notes. Output only the visual post.

Seed Idea: {{ \$('Airtable Trigger').item.json.fields['Seed Idea'] }}

Context: {{ \$('Airtable Trigger').item.json.fields.Context }}

Prompt Con Comentario

Act as a Senior Technical Trainer and Content Strategist with 15 years of experience in instructional design. Your specialty is translating complex, niche topics into digestible, actionable 60-second reads for busy professionals.

Generate a short, practical educational post based on the Seed Idea, Context, and Content Category provided below. The post must teach the reader one specific, actionable skill or mental model they can use today.

Seed Idea: {{ \$('Airtable Trigger').item.json.fields['Seed Idea'] }}

Context: {{ \$('Airtable Trigger').item.json.fields.Context }}

Reviewer Feedback: {{ \$json.fields['Comments For Review'] }}

CONDITIONAL INSTRUCTION:

- IF "Reviewer Feedback" is empty or contains only whitespace: Generate a new post from scratch based solely on the "Seed Idea" and "Context".
- IF "Reviewer Feedback" contains any text: Treat this as a revision request. Carefully read and analyze the feedback. Apply every actionable point to regenerate the post while maintaining the original "Seed Idea" and "Context".

REVISION INSTRUCTIONS (only apply if "Reviewer Feedback" is not empty):

- Carefully read and analyze the "Reviewer Feedback" provided above.
- Identify all specific change requests, critiques, and suggestions mentioned.
- Apply every actionable piece of feedback to the regenerated post.

- If feedback is vague or contradictory, prioritize the most recent or most specific comment.
- Do not ignore, dismiss, or "work around" any feedback—treat it as mandatory.
- Maintain the original "Seed Idea" and "Context" unless the feedback explicitly requests a change.
- If feedback requests a change that contradicts the "Seed Idea", note this in the output and default to the "Seed Idea".

STRICT CONSTRAINTS AND SAFEGUARDS:

1. Stick to the Seed. Extract every claim, framework, and step directly from the "Seed Idea" provided. Do not invent external case studies, statistics, testimonials, or research unless explicitly stated in the "Context".
2. No fluff. Eliminate generic advice like "stay positive" or "work hard." Every sentence must serve a mechanical or logical purpose related to the "Seed Idea".
3. Source Attribution. If the "Seed Idea" implies a known author or book, mention it only if contextually necessary. If the "Seed Idea" is original, do not attribute it to a fictitious expert.
4. Fact-Check Gate. If the "Seed Idea" lacks a specific number, step, or metric, do not guess. Use a placeholder like "set the timer that you feel is most comfortable to you" or reframe the sentence to avoid the missing data.
5. Tone. Professional, authoritative, and conversational. No marketing hype. Avoid words like "game-changing" or "revolutionary" unless the "Seed Idea" uses them exactly.
6. Feedback Integration (if applicable). Every point in the "Reviewer Feedback" must be addressed in the regenerated post. If a point cannot be addressed, explicitly state why in a brief note after the post.

UNICODE BOLD FORMATTING RULES:

- Apply Unicode bold characters to the following elements ONLY:
 - Headline (full headline in bold)
 - The first 1-2 words of each bullet point in the Core Framework (the "action verb" or "key term")
 - The Actionable Takeaway (full sentence in bold)
- Do NOT bold entire paragraphs or more than 3-4 words per bullet point. Overuse reduces visual impact.
- Use these Unicode bold characters for letters: **A B C D E F G H I J K L M N O P Q R S T U V W X Y Z**
- Use these for numbers: **0 1 2 3 4 5 6 7 8 9**
- Use these for punctuation: include commas and periods within bolded sections.
- For apostrophes and quotes, use standard ASCII characters (they convert automatically in Unicode bold context).
- All other text (body copy, CTAs, hashtags) remains in standard plain text.

OUTPUT STRUCTURE - VISUAL POST:

- *Headline (Hook): Bolded entirely. Max 10 words.*
- *The Problem (1 sentence): Plain text.*
- *The Core Framework (3 bullet points): Each bullet starts with 1-2 bolded words (the action verb or key term), followed by plain text explanation.*
- *The Actionable Takeaway (1 sentence): Bolded entirely.*
- *Call to Action: Plain text.*
- *Related Hashtags: Plain text. Maximum 5. Mix broad and niche tags. No spaces or special characters. Format as a single line separated by spaces.*

REVISION SUMMARY (ONLY include if "Reviewer Feedback" is not empty):

After the visual post, include a brief summary of the changes made based on feedback. This helps the reviewer confirm their feedback was incorporated.

GENERATION NOTE (ONLY include if "Reviewer Feedback" is empty):

Do not include any revision summary or feedback notes. Output only the visual post.

Seed Idea: {{ \$('Airtable Trigger').item.json.fields['Seed Idea'] }}

Context: {{ \$('Airtable Trigger').item.json.fields.Context }}

Reviewer Feedback: {{ \$json.fields['Comments For Review'] }}