Face Anonymization Made Simple



Paper proposed diffusion model

- Accurate feature allignment
- Conserves the facial expressions
- Uses a single loss function


Existing GANs facial landmarks based anonymization

- Prone to missallignments
- Detroys facial expressions
- Requires complex loss functions

Source: H. Kung et al., "Face Anonymization Made Simple," WACV 2025.

Team CNVN


Face Swap



Team CNVN


Source: H. Kung et al., "Face Anonymization Made Simple," WACV 2025.

Face Anonymization



Source: H. Kung et al., "Face Anonymization Made Simple," WACV 2025.

The Control Mechanism



Highly anonymized. Contains lot of identitless features compared to original featurs

Intermediate image embedding:

$$Z'_{img} = (1 - d) \cdot Z_{img}$$

Identity dampened image

Identity attenuator

CLIP embedding/ sematic information of the image

Source ReferenceNet state:

$$S' = (1 - d) \cdot S_{cond} + d \cdot S_{uncond}$$

Interpolated features

Original image's features

Identitiless features

Team CNVN

Source: H. Kung et al., "Face Anonymization Made Simple," WACV 2025.

Comparison with existing models



Figure 6. Qualitative results for the face anonymization task for the CelebA-HQ [26] test set.



Figure 7. Qualitative results for the face anonymization task for the FFHQ [27] test set.

Source: H. Kung et al., "Face Anonymization Made Simple," WACV 2025.

Q&A

Do you have any questions?

Thank You!