

Strategic Analysis and Architectural Report: Project Averdi NextJS

1. Strategic Context: The Intersection of Indigenous Economy and Digital Accountancy

The digital transformation of Averdi Karasjok AS represents a sophisticated convergence of localized economic knowledge, regulatory compliance, and advanced software architecture. The project is not merely a website redesign; it is the construction of a digital infrastructure designed to mirror the complex reality of the Sámi distinctive administrative area (STN) and the specific economic mechanisms of the Sámi Parliament (Sametinget). The analysis of the provided research material indicates that the primary objective is to translate Averdi's localized dominance—evidenced by its physical proximity to institutions like the *E-skuvla* and the dental health service in Karasjok ¹—into a digital authority signal recognized by both human users and algorithmic auditors.

1.1 The Regulatory Landscape of the STN-Area

The core differentiator for Averdi lies in its mastery of the "Virkeområdet for tilskudd til næringsutvikling" (STN-area). Our analysis of Sametinget's budget proposals and annual reports reveals a regulatory environment that is fundamentally distinct from the rest of Norway.² This distinction is the cornerstone of the content strategy and profile building.

Businesses within the STN-area operate under a unique set of incentives designed to preserve settlement patterns and cultural integrity. The research highlights that the business development grants are not monolithic; they are segmented into direct grants (*direkte tilskudd*) for cultural institutions and application-based grants (*søkerbaserte tilskudd*) for commercial enterprises.² For an accounting firm, this necessitates a bifurcation in service profiles. General Norwegian accounting competence is insufficient. The digital platform must demonstrate specific capability in navigating the application windows, which the research identifies as strictly defined—opening on January 1st with a deadline of November 3rd, and a processing guarantee of three months.³

Furthermore, the reporting requirements for these grants are rigorous. Recipients are obligated to report on all public support received for three fiscal years following the grant.³ This specific data point has critical implications for the "Integreringsguide" and client communication modules. The system cannot simply be a passive repository of data; it must be an active compliance engine that tracks these three-year windows and alerts clients to their reporting duties, thereby reducing the manual "guiding" load on Averdi's staff.

1.2 The Duodji Economy and Primary Industry Integration

A significant portion of the research focuses on the Duodji (traditional handicraft) industry, which, alongside reindeer husbandry and agriculture, forms the economic backbone of municipalities like Kautokeino and Karasjok.⁴ The data reveals that in these specific municipalities, Duodji-related grants constitute over half of all application-based funding.⁴

However, the regulatory framework for Duodji is increasingly professionalized. The research indicates a shift from cultural subsidies to "business development" grants where the primary criteria are professionalism and profitability.⁵ Applicants must demonstrate that they are "lønnsomme bedrifter" (profitable companies) that contribute to the local community.³ Additionally, there are complex rules regarding "egenprodusert duodji" (self-produced goods) versus reselling, which impacts tax deductions and grant eligibility.⁵

This creates a specific "Expertise" requirement for Averdi's employee profiles. To achieve visibility in this niche, profiles cannot simply list "VAT" or "Bookkeeping" as skills. They must explicitly reference "Duodji Profitability Analysis," "Primary Industry Deductions," and "Sametinget Grant Compliance." The research shows that historically, subsidies favored combining reindeer husbandry with Duodji, a complex intersection of tax codes that requires specialized accounting treatment.⁶ By encoding this specific knowledge into the employee profiles, Averdi positions itself not just as an accountant, but as a strategic partner for the specific industries that dominate the region.

1.3 Physical Presence as a Digital Trust Signal

In the digital realm, trust is often abstract. However, for local service providers, physical integration with the community is a powerful validator. The research confirms that Averdi is co-located with the *E-skuvla* in Karasjok.¹ This is not trivial data; it is a verifiable "Experience" signal. The *E-skuvla* is a hub for Sámi language learning and adult education¹, placing Averdi physically at the center of capacity building in the region.

The project leverages this by integrating this geolocation data into the "Local Connection" components of the site. It validates that Averdi is not a remote entity but a physically present stakeholder in the community. This aligns with the "Experience" component of Google's E-E-A-T guidelines, proving that the firm has tangible, real-world connections to the markets it serves.⁷

2. SEO Architecture: E-E-A-T and Y-M-Y-L in the Age of AI

The financial services sector is classified by search engines as "Your Money or Your Life" (Y-M-Y-L). This classification implies that the content on Averdi's site has the potential to

impact a user's financial stability, and therefore, it is held to the highest possible standard of quality and accuracy.⁷ The project's SEO strategy is built entirely around the E-E-A-T framework: Experience, Expertise, Authoritativeness, and Trustworthiness.

2.1 The "Experience" Factor: The New Differentiator

Recent updates to Google's quality algorithms have added "Experience" to the traditional E-A-T framework.⁷ While "Expertise" refers to theoretical knowledge, "Experience" refers to practical, first-hand engagement with the topic.

For a national chain, demonstrating experience in Sámi business development is difficult. For Averdi, it is intrinsic. The research provides the evidence needed to digitize this experience. The site utilizes the project's repository of Sametinget reports¹¹ to create "Case Studies" and "Insight Articles" that detail the practical realities of applying for the *Etablererstipend* (Founder's Grant). By discussing the specific barriers to entrepreneurship identified in the research—such as capital access and welfare goods¹¹—Averdi demonstrates that it understands the *lived experience* of its clients, not just the tax code.

2.2 Constructing Authoritativeness via Rich Employee Profiles

A key insight from the E-E-A-T research is that "people trust people, not brands," and that author reputation is a critical ranking factor.¹² The project explicitly rejects the use of generic "Admin" or "Team Averdi" bylines. Instead, it utilizes the specific employee data identified in the research: Ingvald Laiti, Jan Atle Guttorm, Alida G. Norvang, Linda Marja Anti Kildedam, and Tonje Iren Anti.¹⁴

Each of these individuals is treated as a distinct entity within the site's architecture. Their profiles are designed to function as authoritative landing pages.

- **The "KnowsAbout" Graph:** We use the Sametinget research to populate the metadata of these profiles. Ingvald Laiti is not just an "Accountant"; the system tags him as knowing about "Reindriftsbeskatning" and "Sametinget Regulatory Frameworks."
- **Publication History:** The system links these profiles to the articles they write. When Alida G. Norvang writes a guide on the new grant deadlines³, the system creates a bidirectional link between the content and her profile, transferring the authority of the content to the author and vice versa.¹⁵

2.3 Trustworthiness: Transparency and Verification

Trustworthiness is the foundational layer of E-E-A-T. It is established through transparency and external validation.¹⁰

- **Regulatory Verification:** The research snippet¹⁶ confirms Averdi Karasjok AS is a licensed entity (*Autorisert regnskapsførerselskap*) with organization number 980 383 571 and license FT00071017. The site architecture mandates that this data is not buried in a

legal page but is visible in the global footer and strictly marked up with Organization schema.

- **Client Validation:** Snippets showing reviews for other Averdi entities ¹⁷ suggest the importance of social proof. The platform includes a dedicated component for collecting and displaying verified reviews from local clients, marked up with JSON-LD Review objects to appear in search results.

3. The Semantic Web & LLM Optimization Strategy

The user query explicitly requests a setup for "search against LLMs." This requires a shift from keyword-based SEO to semantic SEO. Large Language Models (LLMs) like ChatGPT and Google Gemini understand content through relationships and context, not just string matching. The project utilizes JSON-LD (JavaScript Object Notation for Linked Data) to translate Averdi’s human-readable content into a machine-readable Knowledge Graph.¹⁵

3.1 Advanced JSON-LD Implementation Strategy

The project implements a "Shadow DOM" of structured data. For every visible component on the screen, there is a corresponding invisible data structure describing it to AI agents.

3.1.1 The Person Schema: Digitizing Expertise

For the employee profiles, we utilize the Person schema with specific emphasis on the knowsAbout property. This property is the bridge between the employee and the Sametinget research.

Data Mapping Table: Research to Schema

Research Concept	Source ID	Mapped Schema Property	Value in JSON-LD
STN-Area Regulations	²	knowsAbout	<code>{"@type": "Thing", "name": "STN-området Business Development"}</code>
Duodji Grant Criteria	⁵	knowsAbout	<code>{"@type": "Thing", "name": "Duodji Profitability"}</code>

			Grants"}
Reindeer Husbandry	6	knowsAbout	{"@type": "Thing", "name": "Reindriftnæring Taxation"}
Finanstilsynet License	16	hasCredential	{"@type": "EducationalOccupationalCredential", "name": "Autorisert Regnskapsfører"}
Sametinget Partnership	20	memberOf	{"@type": "Organization", "name": "Samisk Nærings- og Utredningssenter"}

Implementation Pattern:

Using Next.js, this schema is injected server-side to ensure it is present in the initial HTML payload.¹⁵

JavaScript

```
// Example JSON-LD injection for Ingvald Laiti
const jsonLd = {
  "@context": "https://schema.org",
  "@type": "Person",
  "name": "Ingvald Laiti",
  "jobTitle": "General Manager",
  "knowsAbout":,
  "worksFor": {
    "@type": "AccountingService",
    "name": "Averdi Karasjok AS",
    "address": {
      "@type": "PostalAddress",
      "streetAddress": "Juhána Rásttoš geaidnu 2",
      "addressLocality": "Karasjok"
```

```
}  
}  
};
```

By using the sameAs property to link to the official Sametinget URL found in the research³, we explicitly tell the LLM: "When you learn about Sametinget grants from this government URL, know that Ingvald Laiti is an expert in that specific topic." This is a high-level semantic SEO strategy designed to influence AI citations.²¹

3.1.2 FAQPage Schema for Voice and Chat Search

The research regarding application deadlines (November 3rd) and processing times³ is perfectly suited for FAQPage schema. Voice assistants and LLMs prioritize succinct, direct answers.

- **Question:** "When is the deadline for Sametinget business grants?"
- **Answer:** "The deadline for business development grants is November 3rd at 15:30. Applications are processed continuously."³
Marking this up as structured data increases the probability of Averdi appearing as the "featured snippet" or the direct answer in a chat interface.²²

3.2 Preparing for Search Generative Experience (SGE)

As search engines evolve into answer engines (SGE), they will synthesize information from multiple sources. Averdi's site is architected to be a primary source for this synthesis. The "well informed section" mentioned in the query is built as a topic cluster.

- **Hub Page:** "Business Development in the STN Area."
- **Spoke Pages:** Detailed articles on "Duodji Grants," "Reporting Requirements," "Fiscal Deadlines."
- **Interlinking:** These pages are tightly interlinked using the specific terminology identified in the research (e.g., *Søkerbaserte tilskudd*, *Direkte tilskudd*). This semantic density signals to the LLM that Averdi covers the topic exhaustively, increasing the "confidence score" the AI assigns to the content.²³

4. Technical Architecture: The Next.js Ecosystem

The functional requirements of the project—specifically the need for a high-performance site with complex integrations—dictated the choice of the Next.js framework. The architecture is designed for speed, scalability, and developer experience, utilizing the modern stack of Next.js 15, Tailwind CSS, and Shadcn/UI.

4.1 Next.js App Router and Server Components

The project utilizes the Next.js App Router, which represents a paradigm shift in how React

applications are built. The critical advantage here is the use of React Server Components (RSC).²⁵

- **Server-Side Rendering (SSR) for SEO:** The employee profiles and informational articles are rendered entirely on the server. This means the HTML delivered to the browser (and to Googlebot) contains all the semantic content and JSON-LD data immediately. There is no "loading" state for the crawler to wait for, which is essential for ranking in competitive Y-M-Y-L verticals.²⁷
- **Performance:** By rendering components on the server, we reduce the amount of JavaScript sent to the client. This improves Core Web Vitals, specifically Interaction to Next Paint (INP) and Largest Contentful Paint (LCP), which are ranking factors.²⁷

4.2 Design System: Tailwind v4 and Shadcn/UI

To maintain a professional, trustworthy aesthetic while ensuring rapid development, the project employs **Tailwind CSS v4** and **Shadcn/UI**.²⁶

- **Shadcn/UI Strategy:** Unlike traditional component libraries that lock you into a specific look, Shadcn provides accessible, unstyled components (primitives) that we copy directly into the codebase. This allows full customization. We can style the "Accordion" component used for the FAQ section to match Averdi's brand colors exactly, while retaining the accessible keyboard navigation and screen reader support provided by the underlying Radix UI primitives.²⁹
- **Tailwind v4:** The adoption of Tailwind v4 allows for a token-based design system. We define semantic tokens like `--color-primary-brand` and `--spacing-grant-card` in the CSS configuration. If Averdi undergoes a rebranding, we simply update these tokens, and the changes propagate across the entire site, including the Vipps Wizard and Integreringsguide.²⁶
- **Dark Mode Support:** Using next-themes, the site supports dark mode out of the box. This is not just a cosmetic feature; it is an accessibility requirement that signals technical competence and care for user experience.²⁶

4.3 State Management for Complex Flows

While Server Components handle the static content, the interactive elements—specifically the Vipps Wizard—require robust client-side state management. The project avoids "prop drilling" (passing data through too many layers) by using **Zustand** or **React Context** to manage the global state of the user's session (e.g., selected service, pricing tier, authentication status).³¹ This ensures that if a user navigates away from the wizard and returns, their data is preserved.

5. Functional Innovation: The Universal Vipps Wizard

The "Vipps Wizard" is the convergence point of the site's commercial logic. It is a reusable,

multi-step component designed to handle user identification, product selection, and payment settlement. The user query emphasizes that this wizard must be "universal," capable of use across the entire site for any product.

5.1 API Analysis: Recurring vs. Checkout

A critical architectural challenge identified in the research is the distinction between the various Vipps MobilePay API products. A "universal" wizard must abstract these differences away from the user.³⁴

Comparative Analysis of Vipps APIs for the Wizard

Feature	Checkout API	Recurring API	Ecom API	Universal Wizard Strategy
Primary Use Case	One-time purchases, e-commerce baskets.	Subscriptions, retainers, fixed interval payments.	Legacy one-time payments (Card/Wallet).	Dynamically switch API based on productType prop.
Payment Type	Immediate Settlement.	"Agreement" (Mandate) + "Charge".	Immediate Settlement.	If type='subscription', call Recurring endpoints.
User Identification	Integrated (Log in with Vipps).	Requires separate Login or manual entry.	Phone number entry required.	Use "Log in with Vipps" as Step 1 to fetch user data for <i>both</i> flows.
Shipping	Supported.	Not Supported. ³⁷	N/A	Disable shipping step if productType='service'.

Universal Logic:

The wizard component accepts a configuration object:

TypeScript

```
interface WizardProps {  
  productType: 'one-time' | 'subscription';  
  price: number;  
  interval?: 'monthly' | 'yearly';  
  productName: string;  
}
```

If the productType is 'subscription', the wizard's backend logic targets the Recurring API, creating a "Draft Agreement" and redirecting the user to sign the mandate.³⁸ If it is 'one-time', it targets the Checkout API to create a session for immediate payment.³⁵ This abstraction allows the same UI component to be dropped into a "Buy Consultation" page or a "Monthly Retainer" page without code duplication.

5.2 Architectural Pattern: The State Machine

To manage the multi-step nature of the wizard (Contact Info -> Product Config -> Summary -> Payment), the project implements a **Finite State Machine (FSM)** pattern.³⁹

- **Why FSM?** In a linear form, Step 2 should not be accessible unless Step 1 is valid. A state machine strictly defines the transitions (e.g., IDLE -> VALIDATING_USER -> SELECTING_PRODUCT). This prevents the common bug where users can skip required steps by manipulating the URL.
- **Implementation:** We utilize react-hook-form for form validation within each step, integrated with the global state store to persist data between steps.⁴¹

5.3 Security and Server Actions

The wizard interacts with the Vipps API, which requires sensitive credentials (client_secret, subscription_key).⁴³ To secure these, all API interactions are encapsulated in **Next.js Server Actions**.²⁵

- **The Flow:** When the user clicks "Pay," the client component calls a Server Action `initiateVippsPayment(data)`.
- **Server-Side Logic:** This action runs exclusively on the server. It retrieves the API keys from environment variables (never exposed to the client), constructs the signed payload required by Vipps, and returns the secure redirectUrl to the frontend.⁴⁴ This architecture ensures that the Averdī API keys are never leaked to the browser.

6. Operational Efficiency: The Integreringsguide & Validation Layer

The "Integreringsguide" (Integration Guide) addresses the user's requirement for "full control of communication with any integration partner" and "reducing client guiding on general tasks." The research highlights that a significant operational cost for accounting firms is the manual correction of malformed data received from clients or third-party systems.

6.1 The Problem: Data Quality vs. Support Load

The research on customer support reduction strategies emphasizes that "Self-Service" and "Proactive Guidance" are the most effective ways to lower ticket volume.⁴⁵ If a client sends a file with a missing VAT code, an accountant must manually intervene. The Integreringsguide moves this validation to the *entry point*.

6.2 The Solution: Middleware-Based Validation Portal

The Integreringsguide is not just a static documentation page; it is an interactive **Data Ingestion Portal**. It functions as a firewall for data quality.

6.2.1 Intelligent Data Validation with Zod

The project utilizes **Zod**, a schema declaration library, to enforce strict data contracts.⁴⁷ We define a "Golden Standard" schema for every data type Averdi accepts (e.g., Invoices, Receipts, Employee Lists).

The Zod Validation Pattern:

1. Schema Definition:

```
TypeScript
const InvoiceSchema = z.object({
  issueDate: z.string().date(),
  dueDate: z.string().date(),
  amount: z.number().positive(),
  // Specific logic for STN grants
  grantReference: z.string().optional().refine(val => !val |
```

```
| val.startsWith("STN-"), {
  message: "Grant references in the STN area must start with 'STN-'."
})
}).refine(data => new Date(data.dueDate) > new Date(data.issueDate), {
```

```
message: "Due date must be after issue date."
});
...
```

2. API Middleware: When a partner (e.g., a webshop integration) sends data to Averdi's API, a Next.js Middleware intercepts the request.⁴⁹ It runs the payload against the InvoiceSchema.

3. Automated Feedback: If the data violates the schema (e.g., the Due Date is before the Issue Date), the API immediately rejects it with a 400 Bad Request and a precise error message: "Validation Error: Due date must be after issue date."

Operational Impact:

This mechanism ensures that invalid data never reaches the accountant's desk. The integration partner (or the client's software) is forced to correct the data before submission. This directly fulfills the requirement of "optimizing the data they have received" and "reducing client guiding" [User Query], as the API effectively guides the client automatically.

6.3 Dynamic Documentation and Contextual Help

To further support the self-service model, the Integreringsguide includes a "Validator Tool."

- **Interactive Sandbox:** A developer or client can paste their JSON data into a text box on the site. The site runs the same Zod schema in the browser (client-side validation) and instantly highlights errors.⁴¹
- **Contextual Linking:** If a validation error occurs related to "Grant Reporting," the error message links directly to the relevant article in the FAQ section (Section 3.1.2), explaining the three-year reporting rule.³ This creates a closed loop of education and validation, drastically reducing the need for human support interaction.

7. Future-Proofing: Scalability and Design

The platform is designed to be a living ecosystem, capable of evolving with Averdi's growth and the changing digital landscape.

7.1 Scalable Design System

By adopting the token-based architecture of Tailwind v4 and the modularity of Shadcn/UI, the site effectively eliminates "design debt." New features—such as a potential "Client Dashboard" or "Grant Application Tracker"—can be assembled rapidly using existing primitives (Cards, Tables, Forms) that automatically inherit the brand's typography, spacing, and color palette.²⁶

7.2 AI Readiness and Voice Search

The strategic investment in deep, structured data (JSON-LD) ensures that Averdi is ready for the next generation of search. As AI assistants like Siri and Google Assistant become more sophisticated, they will rely on the "Knowledge Graph" connections established by this

project. When a user asks, "Find me an accountant in Karasjok who knows about Duodji grants," the explicit semantic links between *Location* (Karasjok), *Person* (Ingvald Laiti), and *Topic* (Duodji Grants) provide the structured confidence needed for the AI to recommend Averdi as the primary solution.

7.3 Performance as a Feature

Finally, the architecture prioritizes performance metrics (Core Web Vitals) through the use of Next.js Image Optimization, script deferral for the Vipps integration, and efficient server-side rendering. This ensures that the site is not only rich in information but also fast and responsive on mobile devices, which is critical for users in rural areas with potentially variable connectivity.²⁷

Conclusion

The Averdi NextJS project is a comprehensive digital transformation that aligns technical architecture with specific business strategy. By rigorously analyzing the unique regulatory environment of the Sametinget STN-area and digitizing this knowledge into structured employee profiles, the project establishes Averdi as a verified authority in its niche. The implementation of the Universal Vipps Wizard and the automated Integreringsguide transforms the platform from a passive brochure into an active business tool that generates revenue and reduces operational overhead. This report confirms that the architectural decisions—leveraging Next.js, Zod validation, and advanced JSON-LD—are directly mapped to the strategic goals of visibility, efficiency, and trust.

Works cited

1. Saal 2 (Copy) - e-skuvla.no, accessed December 19, 2025, <https://www.e-skuvla.no/yj/product/saal2-bergen/>
2. Sametingets budsjett 2025, accessed December 19, 2025, https://sametinget.no/_f/p1/ib658fea5-7333-4ad1-af8e-57822f7afb6a/sametinget-s-budsjett-2025-sametingsradets-forslag-til-innstilling.pdf
3. Variert næringsliv - Sametinget, accessed December 19, 2025, <https://sametinget.no/stipend-og-tilskudd/oversikt-over-tilskuddsordninger/naringsvariert-naringsliv/>
4. Meld. St. 37 (2020–2021) - regjeringen.no, accessed December 19, 2025, <https://www.regjeringen.no/no/dokumenter/meld.-st.-37-20202021/id2861398/?ch=5>
5. Investerings- og utviklingstiltak, HMS og etableringstilskudd - Sametinget, accessed December 19, 2025, <https://sametinget.no/stipend-og-tilskudd/oversikt-over-tilskuddsordninger/naringsg/duodji/investerings-og-utviklingstiltak-hms-og-etableringstilskudd/>
6. 3. Sametingets bidrag til næringsutvikling i samiske områder – en analyse av

- endringer i politikk og virkemidler, accessed December 19, 2025, https://samilogutmuitalit.no/sites/default/files/publications/sametingets_bidrag_til_naeringsutvikling_i_samiske_omrader_-_2021_k3.pdf
7. Google's EEAT Signals Explained: How Professional Services Firms Can Build Trust and Boost Rankings - Zenovate Marketing, accessed December 19, 2025, <https://www.zenovatemarketing.com.au/blogs/googles-eeat-signals-explained-how-professional-services-firms-can-build-trust-and-boost-rankings>
 8. Google E-E-A-T: What Is It & How To Demonstrate It For SEO - Search Engine Journal, accessed December 19, 2025, <https://www.searchenginejournal.com/google-e-e-a-t-how-to-demonstrate-first-hand-experience/474446/>
 9. This is what your practice needs to know about Google EEAT • Knowledge - PracticeWeb, accessed December 19, 2025, <https://www.practiceweb.co.uk/knowledge/this-is-what-your-practice-needs-to-know-about-google-eeat/>
 10. Google E-E-A-T: How to Create People-First Content (+ Free Audit), accessed December 19, 2025, <https://backlinko.com/google-e-e-a-t>
 11. MULIGHETER OG BARRIERER FOR ENTREPRENØRSKAP I SAMISKE OMRÅDER - Sametinget.no, accessed December 19, 2025, https://sametinget.no/_f/p1/i4e9a18fe-fa6e-4f40-9a92-9391acc4faa1/rapport-muligheter-og-barrierer-for-entreprenorskap-i-samiske-omrader.pdf
 12. Google E-E-A-T (2024 Ultimate Guide) | Boostability, accessed December 19, 2025, <https://www.boostability.com/resources/google-e-e-a-t-guide/>
 13. Google E-E-A-T: What It Is & How It Affects SEO, accessed December 19, 2025, <https://www.semrush.com/blog/eeat/>
 14. Avdeling Karasjok, accessed December 19, 2025, <https://www.averdi.no/karasjok>
 15. Guides: JSON-LD - Next.js, accessed December 19, 2025, <https://nextjs.org/docs/app/guides/json-ld>
 16. Egendefinert rapport - Finanstilsynet, accessed December 19, 2025, [https://www.finanstilsynet.no/api/virkereg/no/reports/xlsx?json={%22licenceCodes%22:\[%22REGNSN%22,%22REGP%22,%22REGS%22,%22REVP%22,%22REVS%22,%22REVTHIRD%22\],%22serviceIds%22:\[\],%22countyNumber%22:null,%22passporting%22:%22Domestic%22,%22countryCode%22:null,%22includedProviderTypes%22:\[\],%22pageSize%22:25,%22page%22:1}](https://www.finanstilsynet.no/api/virkereg/no/reports/xlsx?json={%22licenceCodes%22:[%22REGNSN%22,%22REGP%22,%22REGS%22,%22REVP%22,%22REVS%22,%22REVTHIRD%22],%22serviceIds%22:[],%22countyNumber%22:null,%22passporting%22:%22Domestic%22,%22countryCode%22:null,%22includedProviderTypes%22:[],%22pageSize%22:25,%22page%22:1})
 17. On-Site & Location-Based Storage Solutions from A-Verdi, accessed December 19, 2025, <https://averdi.com/storage-solutions/>
 18. Service Areas | New York State Coverage - A-Verdi Storage Containers, accessed December 19, 2025, <https://averdi.com/service-areas/>
 19. How to Use Next SEO with JSON-LD for Better SEO in Next.js ? - SW Habitation, accessed December 19, 2025, <https://www.swhabitation.com/blogs/how-to-use-next-seo-json-ld-nextjs>
 20. Samarbeidspartnere og eiere - Sápmi Næringshage, accessed December 19, 2025, <https://www.sapminh.no/samarbeidspartnere>
 21. knowsAbout schema: A Short Guide (2025) - Aubrey Yung, accessed December 19, 2025, <https://aubreyyung.com/knowsabout-schema/>

22. Add Structured Data to your Next.js site with JSON-LD for better SEO | Mike Bifulco, accessed December 19, 2025, <https://mikebifulco.com/posts/structured-data-json-ld-for-next-js-sites>
23. Implementing JSON-LD in Next.js for SEO - Wisp CMS, accessed December 19, 2025, <https://www.wisp.blog/blog/implementing-json-ld-in-nextjs-for-seo>
24. Creating Helpful, Reliable, People-First Content | Google Search Central | Documentation, accessed December 19, 2025, <https://developers.google.com/search/docs/fundamentals/creating-helpful-content>
25. Getting Started: Updating Data - Next.js, accessed December 19, 2025, <https://nextjs.org/docs/app/getting-started/updating-data>
26. Building a Modern Application 2025: A Complete Guide for Next.js 15, React 19, Tailwind CSS v4, and Shadcn. - Medium, accessed December 19, 2025, <https://medium.com/@dilit/building-a-modern-application-2025-a-complete-guide-for-next-js-1b9f278df10c>
27. Data Fetching Patterns and Best Practices - Next.js, accessed December 19, 2025, <https://nextjs.org/docs/14/app/building-your-application/data-fetching/patterns>
28. SEO: Metadata - Next.js, accessed December 19, 2025, <https://nextjs.org/learn/seo/metadata>
29. Top 10 Next.js UI Libraries in 2025 | RetroUI Blogs, accessed December 19, 2025, <https://www.retroui.dev/blogs/top-10-nextjs-ui-library>
30. Looking for resources on building a design system with Next.js (15+), Tailwind CSS v4, and shadcn/ui (new to Next.js) - Reddit, accessed December 19, 2025, https://www.reddit.com/r/DesignSystems/comments/1ltcai7/looking_for_resources_on_building_a_design_system/
31. Understanding state management in Next.js - LogRocket Blog, accessed December 19, 2025, <https://blog.logrocket.com/guide-state-management-next-js/>
32. State Management in React & Next.js | by Mykhailo (Michael) Hrynkevych | Medium, accessed December 19, 2025, <https://medium.com/@hrynkevych/state-management-in-react-next-js-7525f53c48ce>
33. What is best way for global state management in nextjs? - Reddit, accessed December 19, 2025, https://www.reddit.com/r/nextjs/comments/13zy8xw/what_is_best_way_for_global_state_management_in/
34. Recurring API guide | Vipps MobilePay Developer Docs, accessed December 19, 2025, <https://developer.vippsmobilepay.com/docs/APIs/recurring-api/recurring-api-guide/>
35. Checkout API guide | Vipps MobilePay Developer Docs, accessed December 19, 2025, <https://developer.vippsmobilepay.com/docs/APIs/checkout-api/checkout-api-guide/>
36. eCom API guide - Vipps MobilePay Developer Docs, accessed December 19,

2025,

<https://developer.vippsmobilepay.com/docs/APIs/ecom-api/vipps-ecom-api/>

37. Checkout API Frequently asked questions | Vipps MobilePay Developer Docs, accessed December 19, 2025, <https://developer.vippsmobilepay.com/docs/APIs/checkout-api/checkout-api-faq/>
38. Vipps Recurring And MobilePay Recurring — INFO-Subscription documentation, accessed December 19, 2025, <https://docs.info-subscription.com/en/latest/payments/providers/vipps.html>
39. How to proceed with multi step wizard forms in Next JS? : r/nextjs - Reddit, accessed December 19, 2025, https://www.reddit.com/r/nextjs/comments/h108h1/how_to_proceed_with_multi_step_wizard_forms_in/
40. Building a Multi-Step Wizard Form with Next.js , Redux, and React Hook Form - YouTube, accessed December 19, 2025, <https://www.youtube.com/watch?v=ZF5Tv7ldJo4>
41. Building a reusable multi-step form with React Hook Form and Zod - LogRocket Blog, accessed December 19, 2025, <https://blog.logrocket.com/building-reusable-multi-step-form-react-hook-form-zod/>
42. Next JS | Multi-Step Form - DEV Community, accessed December 19, 2025, <https://dev.to/shubhamtiwari909/next-js-multistep-form-2gc9>
43. Vipps Payment Integration - Crystallize.com, accessed December 19, 2025, <https://crystallize.com/docs/developer/integrations/payment-gateways/vipps>
44. SDK - Vipps MobilePay Developer Docs, accessed December 19, 2025, <https://developer.vippsmobilepay.com/docs/SDKs/>
45. 11 Ways to Effectively Reduce Customer Support Load - Userpilot, accessed December 19, 2025, <https://userpilot.com/blog/reduce-customer-support-load/>
46. How to Reduce SaaS Customer Support Load Effectively - a Guide - UserGuiding, accessed December 19, 2025, <https://userguiding.com/blog/reduce-support-load>
47. Validating API Requests with Zod in Express | by Galtzabari | Medium, accessed December 19, 2025, <https://medium.com/@galtzabari1/validating-api-requests-with-zod-in-express-7df915199182>
48. Data Validation on Next.js API Route Handlers with Zod - YouTube, accessed December 19, 2025, <https://www.youtube.com/watch?v=dcicL7Nmahg>
49. How To Use Matcher in Next JS Middleware | by Turingvang - Medium, accessed December 19, 2025, <https://medium.com/@turingvang/how-to-use-matcher-in-next-js-middleware-cf18f441d52a>