

Roco Prompts Teardown

How rocoprompt.com's "bots" are built, what model they call, and the exact prompts and templates behind every one of them. All 14 generators were recovered from the client code the site serves.

Audited 2026-09-03 Method: fetch + client bundle decoding 14 of 14 bots read

What it runs on

WordPress shell. Each bot is a Google AI Studio "Build" app on Cloud Run, embedded in an iframe. No custom backend, no fine-tuning.

What model it calls

Mostly `gemini-2.5-flash`. Sora 2 uses `gemini-2.5-pro`. The three newest bots use `gemini-3-flash-preview`.

Where the prompts live

Hard-coded in the browser JavaScript. Several still carry the heading "Instrucciones completas del GPT personalizado": they were ported from Custom GPTs.

The "30+ bots" claim

Is one Nano Banana app with 14 task templates, each in a basic and an advanced variant. Gemini only writes short image captions for it.

1. Architecture

The product is a membership wrapper around 14 vibe-coded single-page apps. "Trained by Roco" means a system prompt or a fill-in-the-blank template he wrote.

LAYER	WHAT IT IS	EVIDENCE
Site	WordPress, Elementor 4.2, theme "bridgetop"	Script tags on every page
Membership	Paid Memberships Pro + Ultimate Member. Level 1 "Rocoprompt Gratis" is granted manually over WhatsApp after buying the Roco Digital "Master en IA" course.	Gate message on tool pages; WhatsApp deep links; roco.digital/ia-2 CTA
Bots	Google AI Studio "Build" exports on Cloud Run, us-west1. React 19 + Tailwind CDN, source embedded as base64 modules in an import map.	21 *.run.app hosts across four GCP project numbers
Model	gemini-2.5-flash (10 bots), gemini-2.5-pro (Sora 2), gemini-3-flash-preview (Suno, Frames Master, Scene Master)	Model string in each app
API key	Browser calls /api-proxy on the same host, which injects the key and forwards to Google. A WebSocket interceptor rewrites Live API sockets the same way.	websocket-interceptor.js, inline key placeholder
Inputs	Textareas with keyword chips, dropdown forms, or 1 to 3 uploaded images sent as inline base64	App.js of each bot
Iteration	Veo, Kling, Midjourney and Sora bots have a "refine" mode: the previous output plus a change request are sent back with the same system prompt and a rule to change only what was asked.	REGLAS DE ITERACIÓN blocks

Two things worth knowing before you copy this pattern

The membership gate only hides the iframe. Every Cloud Run app answers to anyone with the URL, and two WordPress pages (Suno, Cinematic Multi-Shot) are not gated at all.

The /api-proxy endpoint responded to an unauthenticated request, so their Gemini key is effectively usable by anyone who finds a host. I did not send any generation calls through it. If you build the same way, put auth in front of the proxy.

2. Three ways the bots formulate prompts

Not every bot is a system prompt. There are three distinct mechanisms, and knowing which is which matters more than any single prompt.

A • GENERATOR

System prompt writes the prompt

User idea in, finished prompt out. Persona, objective, numbered rules, a mandatory structure, examples, "output only the prompt".

10 bots: Suno, Frames, Scene, both Veo, all three Kling, Midjourney Prompt, Sora 2.

B • TEMPLATE

Fixed Spanish text, LLM fills blanks

Hand-written templates with `[Imagen 1]` placeholders. Gemini only writes a one-line caption per uploaded image, which is substituted in. "Advanced" appends a technical-details clause.

2 bots: Nano Banana (14 tasks), Cambio de Perspectiva (hybrid).

C • CATALOG

Curated codes, LLM concatenates

33 hand-picked Midjourney `--sref` style codes in 6 categories with preview images. Gemini translates the idea to English and glues it to the style description and code.

1 bot: Midjourney Estilos.

Plus one UI trick used by the Veo and Kling bots: dropdown chips that append fixed phrases like "Capturado con RED Komodo 6K" or "Con acento Mexicano neutral" to the textarea. The vocabulary lives in the interface, not in the prompt.

The generator formula (mechanism A)

1 Expert persona, one sentence

"Eres un director creativo y técnico especializado en spots cinemáticos de producto",
"Eres un Master Cinematographer", "Eres un Arquitecto de Prompts Musicales experto".

2 One objective, always "generate a prompt for tool X"

Never "help the user". The target tool's constraints drive everything: 50 words for Kling, 200 characters for Suno's style box, JSON for Veo, a single code block for Sora.

3 Numbered rules that are constraints, not advice

Language of the output, length caps, forbidden things ("NUNCA parámetros de Midjourney", "SIN frases narrativas", "NO FLUFF"), literalness ("no añadas elementos fantásticos si no se piden").

4 A strict ordered structure with named slots

Midjourney: 10 comma-separated parts. Kling: style, subject+action, camera, atmosphere. Veo: a JSON schema. Sora: 7 sections plus timestamped blocks. Cinematic bots: CUADRO 1/2/3 with Óptica, Iluminación, Textura.

5 Example values inside every slot

"85mm f/1.4", "Black Pro-Mist 1/4", "camera rotates around subject", "neon lights reflecting on wet asphalt". This is the actual training. The model reuses the vocabulary it was shown.

6 One or more full worked examples

Input idea and complete output, so the format is demonstrated rather than described.

7 Image handling rule: "analyse, don't describe"

When an image is uploaded, the prompt must describe the animation or the changes, never what is already visible. Used by Veo image, Kling image, and both angle bots.

8 Iteration block

"If given a current prompt and a refinement request, change ONLY what was asked, keep the structure, ignore the original idea."

9 Templated user message, then post-processing

Fields interpolated into a fixed layout with defaults. Output is regex-split (Veo summary vs JSON), trimmed to a mandatory opening phrase (Scene Master), or stripped of code fences (Sora).

3. Bot inventory

Every generator on the site, with its mechanism, model, inputs and the shape of what it returns. Full verbatim source for each is in the companion file.

BOT	PAGE	MECH.	MODEL	INPUTS	OUTPUT
Nano Banana Bot	/nano-banana/	B	2.5-flash (captions only)	1 to 3 images, task picker, optional text, 6 advanced fields	Spanish prompt, basic + advanced
Cambio de Perspectiva	/nano-banana/	A	2.5-flash	1 image, 11 camera angles, text	Spanish prompt, no MJ params
VEO 3.1 JSON prompts	/veo-3-bot/	A	2.5-flash	Text + 11 chip menus (camera, lens, voice, accent...)	Spanish summary + English JSON
VEO 3.1 Imagen a video	/veo-3-bot/	A	2.5-flash	Optional image + text	Spanish narrative paragraph + negative line
VEO 3.1 Transiciones	/veo-3-bot/	A	2.5-flash	Start image, end image, notes	English, no cap
Kling Imagen a video	/kling-2/	A	2.5-flash	Image + text + chips	English, one sentence, ≤50 words
Kling Transiciones	/kling-2/	A	2.5-flash	Start image, end image, notes	English, ≤500 characters
Kling Texto a video	/kling-2/	A	2.5-flash	Text	English, one sentence, ≤50 words
Midjourney Bot para Prompts	/midjourney-2/	A	2.5-flash	Text, refine box	English, 10-part comma string, no params

Midjourney Bot de estilos	/midjourney-2/	C	2.5-flash	Text, style card, style weight	English + <code>--sref</code> + <code>--sw</code>
Sora 2	/sora-2/	A	2.5-pro	Idea, 11 video types, 10 or 15 s, iterate mode	7-section scene in a code block
Suno Arquitecto	/suno/	A	3-flash-preview	8 form fields	JSON: style ≤200 chars + lyrics
Frames Master	/cinematic-multi-shot/	A	3-flash-preview, t=0.4	Grid image + person image	Spanish, per-frame optics
Scene Master = Angle Master	/cinematic-multi-shot/	A	3-flash-preview, t=0.7	Image + notes	Spanish, 3-frame grid. Same app embedded twice.

4. Nano Banana Bot: the "30+ bots"

This is the headline product and it contains no prompt engineering at all. Fourteen task types, each a hand-written Spanish template. The uploaded images are captioned by Gemini and the caption is substituted for the placeholder, so the pasted prompt reads "[Referencia de Imagen 1: una mujer con un mono negro de pie en un jardín]" instead of "[Imagen 1]".

Nano Banana Bot template rocopromts-nanobanana-688843110097.us-west1.run.app		
THE 14 TASKS		
TASK	IMAGES	FREE TEXT
Cambio de ropa	Sujeto, Referencia de Outfit	no
Cambio de Pose	Sujeto, Referencia de Pose	no

Cambio de Escenario	Sujeto	background description
Integración de 2 personajes	Personaje 1, Personaje 2, Pose (optional)	scene and interaction
Restauración y Colorización	Foto a Restaurar	no (Gemini suggests period-correct clothing colours)
Transferencia de estilo	Contenido, Estilo	desired result
Mejora fotográfica profesional	Foto	optional, plus an "analyse" button
Foto de producto	Producto	background or style
Figura coleccionable	Sujeto, Referencia de Empaque	figure style
Tu foto con famoso	Tu Foto, Foto del Famoso	scene
Cambio de época	Sujeto/Escena	era and style
Agregar objetos o accesorios	Escena, Objeto	optional (Gemini infers the interaction)
Cambio de ángulo o perspectiva	Escena	new angle
Aplicar logo en mockups	Producto/Superficie, Logo	how to apply

TEMPLATE EXAMPLE: CAMBIO DE ROPA (VERBATIM)

Toma al sujeto de [Imagen 1] y vístelo con toda la ropa y accesorios de [Imagen 2]. Asegúrate de que el outfit se vea integrado de forma realista, manteniendo la identidad, postura y proporciones originales del sujeto de [Imagen 1]. El estilo debe reflejar fielmente el conjunto de [Imagen 2], con un look limpio y moderno. NOTAS: Se debe mantener la postura, expresión e identidad del sujeto.

TEMPLATE EXAMPLE: FOTO DE PRODUCTO (VERBATIM)

Transforma esta imagen de producto de [Imagen 1] en una fotografía publicitaria de alto impacto. Mantén el producto original sin

modificaciones, pero optimiza la iluminación, el enfoque y los colores para que se vean nítidos y realistas. `{{backgroundInstruction}}` Evita distorsiones, reflejos difíciles, sombras duras o fondos confusos. Asegúrate de que la textura y los detalles del producto se vean naturales y de alta resolución, listos para una campaña profesional.

// backgroundInstruction when the user typed nothing:

Analiza el producto de la imagen y colócalo en el mejor escenario para una fotografía publicitaria. El fondo debe ser profesional, evocar un estilo de vida aspiracional y realzar las cualidades del producto para atraer a su público objetivo.

"ADVANCED" VARIANT

// Six optional text fields, appended as one clause:

`{{base}}`. Detalles técnicos: cámara: `{{camera}}`, lente: `{{lens}}`, iluminación: `{{lighting}}`, atmósfera: `{{atmosphere}}`, estilo: `{{style}}`, nivel de detalle: `{{detailLevel}}`.

THE GEMINI CALLS IT DOES MAKE (VERBATIM)

describeImage (every uploaded image, gemini-2.5-flash):

Describe el sujeto principal o el contenido de esta imagen en una frase corta y descriptiva. Sé muy conciso. Por ejemplo: "una mujer con un mono negro de pie en un jardín" o "un uniforme militar de camuflaje". La descripción se usará dentro de un prompt más grande. Responde en español.

analyzeClothingColors (restoration task):

Analiza la ropa y los accesorios en esta fotografía antigua en blanco y negro. Basándote en el estilo y la época aparente, sugiere una paleta de colores históricamente apropiada para la vestimenta y la joyería. Responde con una frase concisa que pueda insertarse en un prompt más grande. Por ejemplo: "vestimenta con colores como azul marino y beige, y joyería metálica". Responde en español.

isImageClothing (outfit task, JSON schema `{isClothing: boolean}`):

Analiza esta imagen. ¿El objeto principal es una prenda de vestir o un accesorio que se puede usar (ropa, zapatos, bolso, sombrero, etc.)? Responde únicamente con un JSON con la clave "isClothing" y un valor booleano.

getInteractionSuggestion (add-object task, the only real prompt in this app):

Eres un director de arte experto en composición fotorrealista para IA generativa. Tu misión es crear una descripción técnica y precisa de cómo un objeto debe integrarse en una escena.

[...considers logical interaction, transparency and refraction, reflections,

texture, perspective and scale, lighting, shadows. Ends with a worked example: a person holding a glass Coca-Cola bottle in a park.]

Why it works. Nano Banana responds well to plain Spanish instructions that name the images by position. The templates encode the two rules that matter: keep identity, match light and perspective. The caption substitution makes the prompt self-contained if the user pastes it without the images.

5. Video bots: Veo 3.1, Kling, Sora 2

VEO 3.1 JSON prompts

generator

rocoprompt-para-veo-3-688843110097.us-west1.run.app

MODEL

gemini-2.5-flash

OUTPUT

2 parts: Spanish
summary + JSON

INPUTS

text + 11 chip menus

REFINE

yes

SYSTEM INSTRUCTION (ABRIDGED, FULL TEXT IN COMPANION FILE)

Instrucciones completas del GPT personalizado

Eres un director creativo y técnico especializado en spots cinemáticos de producto.

Tu tarea es transformar una idea breve en un prompt JSON estructurado para generar un video cinemático.

Responde siempre en dos partes: Parte 1 - Resumen en español (3-6 líneas) .
Parte 2 - Prompt JSON en inglés (bloque ``json).

Prioridad a la literalidad: No añadas elementos surrealistas o fantásticos a menos que se soliciten explícitamente.

Audio por defecto: NO incluyas música de fondo a menos que el usuario lo pida.

Estructura obligatoria del JSON:

```
{ "description", "style", "camera", "lighting", "environment", "elements":  
[], "motion", "ending",  
  "text": "none", "dialogue": "optional, user-provided dialogue in its  
original language",
```

```
"keywords": ["16:9", ...3-6 more], "timeline": [{ "timestamp": "00:00-00:02", "action" }],  
"negative_prompts": ["No subtitles", "no text overlays", "no hard cuts",  
"no music background"] }
```

Manejo de diálogos: incluir en `dialogue` manteniendo el idioma original. Hablados, no cantados.
La cámara debe ser continua, sin cortes bruscos. El ending siempre muestra el producto centrado.

Estética según marca (si se menciona):
Apple: minimalismo blanco, transiciones suaves, foco en productos flotando.
Pepsi: futurismo urbano, colores neón, explosión de energía, festival holográfico.
Dior: lujo onírico, sedas, pétalos, jardines flotantes. Corona: playa que se transforma en fiesta/rave al atardecer.
IKEA: caja → ensamble rápido de habitación escandinava. NYC: contenedor → skyline armado en hiperlapso.
Mecha/Transformers: huevo metálico → criatura robótica.

Banco de keywords: Estilos: cinematic, photorealistic, premium minimalism...
Cámara: ultra close-up, macro, dolly out, crane up, orbital shot...
Iluminación: golden hour, neon glow, volumetric rays... Acciones: explode, morph, levitate, unfold, assemble, hyper-lapse transformation.

REGLAS DE ITERACIÓN: si hay "JSON Actual" + "Solicitud de Refinamiento", modifica ÚNICAMENTE lo pedido. NO generes desde cero.

[Full worked example: perfume bottle releasing a floating garden.]

CHIP MENUS THAT APPEND TEXT TO THE IDEA

Tipos de video	iPhone, GoPro POV, Cámara en grúa, Car rig POV, Time-lapse, Cámara lenta, Dron, Cámara de seguridad, Stop motion, Close-up / Macro
Look	Cinematográfico, Vintage 8mm, VHS, Cine noir, Orange & Teal, Minimalista, Dreamy, Cartoon, Surrealista, Sketch, Publicitario
Cámaras	Canon EOS R5, RED Komodo 6K, Blackmagic, Arri Alexa Mini, Sony FX3, iPhone, GoPro
Lentes	Ojo de pez 8mm, Gran angular 24mm, Retrato 85mm, Macro 100mm, Anamórfico

Iluminación	Suave, Luz dura de flash, Cálida, Fría, Luz de sol, Hora dorada, Hora azul, Candlelight
Movimientos	Dolly, Zoom, Paneo, Tilt, Travelling lateral, Plano secuencia, Cámara en mano, Tracking, Orbit, Steadicam
Efectos	Grano de película, Lens flare, Motion blur, Light leaks, HDR, Halation, Bloom
Voz masculina / femenina / especial	9 options each, e.g. "Rasposa profunda", "Suave y angelical", "Épica de tráiler de cine"
Acentos	Mexicano neutral, Español de España, Argentino, Colombiano, Inglés US, Inglés UK, Portugués de Brasil, Francés

VEO 3.1 Imagen a video

generator

rocoprompt-para-veo-3-basada-en-imagen-y-prompt-688843110097.us-west1.run.app

MODEL gemini-2.5-flash	OUTPUT Spanish narrative paragraph	INPUTS optional image + text	REFINE yes
----------------------------------	--	--	----------------------

SYSTEM INSTRUCTION (VERBATIM CORE)

Eres un asistente experto en la creación de prompts para la generación de video. Tu tarea es convertir la idea de un usuario en un prompt de texto narrativo, detallado y en español, listo para ser usado por un modelo de video.

- Respuesta única:** SIEMPRE únicamente el prompt narrativo. NO incluyas resúmenes ni "Aquí está el prompt:".
- Idioma:** completamente en español.
- Estructura:** párrafo cohesivo, frases cortas, en este orden:
 - Tipo de video (Ej: Video cinematográfico.)
 - Sujeto y acción
 - Diálogo entre comillas (Ej: Él dice: "soy adicto a la IA".)
 - Voz y acento
 - Movimiento de cámara
 - Detalles extra: iluminación, ambiente, estilo
 - Termina siempre con "Prompts negativos: sin subtítulos, sin texto, sin música de fondo" en una nueva línea.

4. **Manejo de imágenes (MUY IMPORTANTE):** Si el usuario sube una imagen:
- NO describas lo que ya está en la imagen.
 - Sujeto y acción = la **animación** que debe realizar (ej: El hombre en la foto levanta la mirada lentamente.)
 - Detalles extra = **cambios o adiciones** (ej: Añade un destello de lente cinemático y un sutil grano de película.)
 - Sin instrucciones, infiere una acción sutil (ej: Sutil movimiento de respiración.)
5. **Literalidad:** No añadas elementos complejos o fantásticos si no se piden.

REGLAS DE ITERACIÓN: modifica ÚNICAMENTE según la solicitud, mantén flujo y estructura.

[Worked example: bearded man in a torn black suit on a dim basketball court says "soy adicto a la IA", neutral Mexican accent, slow dolly in.]

Transiciones (Veo and Kling, same prompt)

generator

roco-prompt-trancisiones-veo-3 · kling-transiciones

MODEL

gemini-2.5-flash

OUTPUT

English text

INPUTS

start image, end
image, notes

DIFFERENCE

Kling adds a 500-
character hard cap

PROMPT (VERBATIM, ENGLISH IN THE SOURCE)

You are an expert creative director specializing in cinematic video transitions for AI video generation. Your goal is to write a detailed, imaginative, and script-like prompt in English that describes a seamless and visually spectacular transition from the 'Start Image' to the 'End Image'.

Analyze both images carefully. The transition must be more than a simple fade or cut. Think about transforming key elements, dynamic camera movements, visual effects (VFX), and thematic connections between the two scenes.

// when the user leaves notes empty:

The user has not provided specific creative direction. Your task is to deeply analyze both images to imagine the best possible transition that can be generated without any cuts, as if it were a single, continuous shot. Connect elements, colors, or themes between the 'Start Image' and the 'End Image' to create a fluid and logical cinematic bridge. The camera should move seamlessly or elements should morph organically to connect the two scenes into one uninterrupted sequence.

Based on the images and the provided direction (or your creative analysis if none was given), generate ONLY the detailed text prompt in English, ready to be used in a video generation model.

The prompt must be direct, without titles, headers, asterisks, JSON quotes, or additional explanations.

CRITICAL CONSTRAINT (Kling only): The final output text MUST NOT exceed 500 characters.

Kling Imagen a video / Texto a video

generator

kling-imagen-a-video · kling-texto-a-video

MODEL

gemini-2.5-flash

OUTPUT

English, one sentence, ≤50 words

INPUTS

image + text / text

REFINE

image version only

SYSTEM INSTRUCTION (VERBATIM CORE)

Eres un asistente experto en la creación de prompts para Kling, una IA de generación de video. Tu tarea es generar un único prompt efectivo de hasta 50 palabras, en INGLÉS, siguiendo una estructura estricta.

1. **Solo el Prompt.** 2. **Idioma:** INGLÉS, incluso si la idea está en español.
3. **Formato:** Una sola oración, máximo 50 palabras. Comas, no conectores largos.
4. **Estilo:** tercera persona, lenguaje visual concreto. Evita subjetividad, redundancia, contradicciones.

Estructura (Orden Estricto):

1. Estilo Visual (Obligatorio): cinematic video, anime scene, 3D animated style, digital painting, watercolor animation, hyperrealistic short film, surreal dreamlike video.
2. Sujetos y Acción (Obligatorio): a wolf chasing a deer through the woods, two astronauts repairing a satellite in orbit...
3. Movimiento de Cámara (uno o dos): camera slowly zooms in, tracking shot from behind, overhead drone-like shot, camera rotates around subject, camera tilts upward, top-down static shot, handheld camera effect, dramatic dolly zoom, steadycam following subject, first-person view.
4. Detalles Estéticos: dense fog and cold morning light, neon lights reflecting on wet asphalt, fireflies glowing in the dark, sunset with long shadows...

Manejo de Imágenes: Analiza, no Describas. Enfócate en la Acción (la

animación) y en los Cambios al entorno.

Ejemplo: Cinematic video, two samurai fighting on a snowy bridge, camera rotates slowly around them, wind blowing snowflakes, dramatic lighting and cold fog rising from the river below.

Sora 2

generator

generador-de-prompts-sora-2-688843110097.us-west1.run.app

MODEL

gemini-2.5-pro

OUTPUT

7 sections in one
code block

INPUTS

structured JSON:
mode, video_type,
duration, idea

REFINE

ITERATE_SCENE
mode

The most engineered prompt on the site, and the only one on the Pro model. The app sends a JSON object as the user message and the system prompt explains every field.

SYSTEM INSTRUCTION (ABRIDGED, FULL TEXT IN COMPANION FILE)

IDENTIDAD DEL MODELO

Eres un Creador Experto de Escenas Cinematográficas para SORA 2. Tu tarea es transformar cualquier idea del usuario en una escena audiovisual de 10 o 15 segundos, según duration_seconds.

AJUSTE DE ESTILO OBLIGATORIO Y TÉCNICO

- Estilo técnico, conciso y cinematográfico. Instrucciones directas para un director, no una novela.
- Visual y táctil, no narrativo. Frases cortas.
- Evitar: descripciones poéticas, metáforas, emociones internas como "determinación", "angustia profunda". Describe la emoción a través de la acción física.
- Cada bloque de tiempo incluye: Acción principal, Movimiento de cámara, Atmósfera/emoción, y SFX con onomatopeyas entre asteriscos (*boom grave*). Siempre UNA SOLA escena, sin variantes. Nunca explicas tu proceso. Respuesta dentro de un solo bloque ```.

1. **INPUT** mode: NEW_SCENE | ITERATE_SCENE · video_type · duration_seconds: 10 | 15 · user_idea · previous_prompt · next_scene_idea

2. **video_type** (11): Trailer cinematográfico, Comercial de producto, Video de celular sin cortes, GoPro POV, Cámara de seguridad, Tomas aéreas de drone, ASMR, Vlog Selfie, Unboxing de producto, Story Vertical, Video Old VHS. Each has a one-line aesthetic rule, e.g. "Vlog Selfie → cámara frontal, movimientos naturales de brazo, respiración, microgestos faciales."

3. **TIMESTAMPS** 10 s → 0-3s / 3-7s / 7-10s · 15 s → 0-4s / 4-10s / 10-15s.

Header: 🕒 Secuencia por segundos (duración: [10/15]s)

4. **ESTRUCTURA** 1 Descripción (empieza con el video_type exacto + ":") · 2 Look · 3 Dirección de cámara · 4 Luz · 5 Ritmo · 6 Secuencia por segundos · 7 Sonido y voz

6. **ITERATE_SCENE** mantiene ubicación, personajes, estética, cámara, luz y tono del previous_prompt e incorpora next_scene_idea.

7. **PERSONALIZACIÓN** @roodelaportilla12 tono mexicano natural, rostro claro, ropa negra elegante, chamarra puff negra o gorro. La mención siempre aislada por espacios: "(@roodelaportilla12) sonríe".

Why it works. Sora responds to shot-list language, so the prompt bans prose and forces timestamped action blocks with sound effects. Section 7 is a cameo hook for Roco's own Sora character, which is why his students' videos look like his.

6. Image bots: Midjourney and the angle bot

Midjourney Bot para Prompts

generator

midjourney-prompt-688843110097.us-west1.run.app

MODEL

gemini-2.5-flash

OUTPUT

English, one line, 10
comma-separated
parts

INPUTS

text, refine box

PARAMS

none allowed

PROMPT (VERBATIM, ENGLISH IN THE SOURCE)

You are an expert Midjourney prompt generation bot. Your sole purpose is to take a user's simple idea and transform it into a rich, detailed, and creative prompt in English for the Midjourney image generation service.

You must follow a strict 10-part structure, with each part separated by a comma. The final output must be a single line of text.

1. Image Type (cinematic photo, 3D render, watercolor painting)
2. Subject and Action (based on the user's input, but embellished)
3. Environment or Location
4. Mood or Emotion
5. Aesthetic and Visual Details (glowing elements, detailed textures, fog in

the background)

6. Camera Angle (low angle, aerial view, bird's-eye view)

7. Lighting Style (cinematic lighting, golden hour light, neon lighting)

8. Shot Type (wide shot, macro shot, full body shot)

9. Camera or Lens (captured with Canon EOS R5, shot on 35mm film, fisheye lens)

10. Artistic Inspiration or Style (in the style of Wes Anderson, inspired by Studio Ghibli)

Crucial Rules: ALWAYS English. NEVER Midjourney parameters (--v, --ar, --style). Commas. AVOID conversational language. Single continuous string.

Example 1: "a dragon on a mountain" → cinematic photo of a majestic dragon perched atop a craggy peak, on a snowy mountain under a stormy sky, mysterious and dramatic mood, with glowing embers drifting from its mouth and fog swirling in the background, low-angle shot, dramatic lighting from a lightning strike, wide shot, captured with RED Komodo camera, in the style of Dark Souls visual tone.

Midjourney Bot de estilos

catalog

midjourney-estilos-vista-lateral-688843110097.us-west1.run.app

MODEL

gemini-2.5-flash

OUTPUT

idea + style text + --sref + --sw

CATALOG

33 styles, 6 categories

PREVIEW IMAGES

Cloudinary

SYSTEM INSTRUCTION (VERBATIM)

You are RocoPrompts, an assistant that generates Midjourney prompts in English. Your task is to combine a user's idea with a specific visual style and style weight.

1. Translate the idea to English if needed. 2. Combine with the provided style description. 3. Append the --sref code. 4. Append --sw at the very end. 5. Single fluent line. 6. No extra text.

Example: Idea "un mapache tocando el piano" + "nostalgic 90s compact camera aesthetic, warm tones, natural light, fine grain" + sref 3622211966 + sw 100 → a raccoon playing the piano, nostalgic 90s compact camera aesthetic, warm tones, natural light, fine grain --sref 3622211966 --sw 100

CATALOG CATEGORIES (33 CODES, ALL IN THE COMPANION FILE)

1 Fotografía y Estética Analógica	7 styles: Analógica Casual (3622211966), Retro Cinemático Borroso (3521709204), Azul Moderna, B&N Clásico, Horror Vintage, Fisheye Amateur, Minimalismo B&N
2 Pintura y Arte Clásico	5: Fauvismo, Óleo Rembrandt, Cubismo Abstracto, Cubismo Colorido, Surrealismo Dalí
3 Arquitectura y Diseño Técnico	4: Minimalismo Futurista, Blueprint, Isométrico, ...
4 Fantasía y Estilos Oscuros	5
5 Ilustración y Cultura Pop	7
6 Futurismo y Look Digital	5

Why it works. The value is the curation. Roco tested sref codes and photographed the results. The LLM does nothing a string concatenation could not.

Cambio de Perspectiva (Nano Banana)

generator

rocopromts-cambios-de-angulo-688843110097.us-west1.run.app

MODEL

gemini-2.5-flash

OUTPUT

Spanish, natural language only

INPUTS

image, 11 angles, text

SPECIAL CASE

Extreme Close-up branch

PROMPT (VERBATIM CORE)

Tu rol es el de un director de escena virtual. Tu tarea es re-imaginar una escena completa desde un ángulo de cámara totalmente nuevo. Analiza la imagen proporcionada. Ahora, genera un prompt para recrear esa escena desde este ángulo: `{{angle}}`.

Instrucción CRÍTICA: No solo cambies el ángulo del sujeto. Debes describir

cómo se transforma TODO el entorno. Imagina que tomas una cámara y te mueves físicamente a una nueva posición. El fondo original desaparecerá y será reemplazado por una nueva vista coherente con la nueva perspectiva. Por ejemplo, si cambias de un plano frontal a un Side Shot, lo que estaba directamente detrás del sujeto ya no se ve.

Describe: 1. Sujeto: nueva pose. 2. Entorno: el NUEVO fondo. 3. Atmósfera.

Formato: Comienza con un concepto adaptado de "Toma mi escena y modifica su perspectiva completa, incluido el sujeto y el fondo, para transformarla en una...". No uses esa frase literal.

Regla CLAVE: El prompt es para 'nano banana' (Gemini). Puramente descriptivo en lenguaje natural. NO incluyas NUNCA parámetros de Midjourney (--ar, ::, -v).

Idioma: español.

// appended only when angle = Extreme Close-up:

Si el sujeto lleva accesorios cerca del ojo (gafas, sombreros, piercings), DEBES incluirlos. Composición macro. Reflejos en el cristal o en el ojo. Debe terminar con la frase exacta: ", texturas realistas de piel, HDR, tomado con un lente macro 70mm."

THE 11 ANGLES

Plano picado, Plano contrapicado, Cenital, Cuerpo completo, Plano general, Side Shot, Toma posterior, Plano medio, Close-up, Extreme Close-up (ojo), Toma aérea de dron. Each carries a one-line definition shown to the user and passed to the model.

7. Music and cinematic bots (from Part 1)

Suno Arquitecto, Frames Master and Scene Master were covered in full in the first pass and are unchanged. Their prompts are in the companion file. Short version:

- **Suno Arquitecto** returns JSON with a comma-separated style line capped at 200 characters and structured lyrics with [Verse]/[Chorus] tags. The edge is the dropdown vocabulary: Corridos Tumbados, Banda Sinaloense, Sierreño, Tololoche, Requito.
- **Frames Master** takes a film-still grid plus a photo of a person and writes a per-frame optics prompt in Spanish that starts with a fixed sentence addressed to the image model. Temperature 0.4.
- **Scene Master** takes one image and writes a three-frame grid prompt, with a rule that names the failure mode (subject sitting in every frame) and hands the model

contrasting shot types. Temperature 0.7. Angle Master is this same app embedded a second time.