Wishwell — Product Requirements Document

> ***The celebration layer on top of payments*** *— a single page to manage an event, receive gifts, collect well-wishes, and keep the memories, for weddings, birthdays, and baby showers.*

Document owner	Product
Status	Draft for review
Version	1.0
Last updated	25 September 2026
Source material	Wishwell User Stories v0.2 (June 2026); implemented core-domain backend (`wishwell_api`)
Target release	MVP (P0 scope)

---

1. Overview

Wishwell is a web platform where a **host** creates one shareable page for a celebration — a wedding, a birthday, a baby shower — and **guests** arrive via a link (no account needed) to RSVP, send money gifts, contribute to goals, reserve physical wishlist items, and leave well-wishes.

The phrase *"on top of payments"* is load-bearing. The defensible, monetizable core is **money moving toward a person on an occasion**. RSVP, wishes, and event details are the social wrapper that makes that money flow feel natural and trustworthy. Every scope decision in this document protects that core.

1.1 Why now

- Cash and bank-transfer gifting for Nigerian celebrations is fragmented, awkward, and impossible for diaspora guests to participate in cleanly.
- Existing tools are either generic (registries built for other markets) or purely social (event pages with no real money rail).
- A single page that is **warm enough to feel like a gift and sober enough to trust with money** is an unoccupied position.

1.2 Vision

Every celebrant has one beautiful link. They share it once; gifts, RSVPs, and good wishes find their way home. After the day, the page becomes a keepsake.

---

2. Goals, non-goals & success metrics

2.1 Goals (MVP)

1. Let a host publish a celebration page and collect money **safely and legally** within minutes.
2. Let any guest gift, contribute, RSVP, reserve, or wish **without creating an account**.
3. Make the money side **trustworthy**: identity verification, clear fees, a real wallet, and clean withdrawals.
4. Protect the guest experience even at the system's edges (e.g. a host who has hit the receiving cap).

2.2 Non-goals (explicitly out of MVP)

- Co-hosts / multiple owners per page (v1 is single-owner).
- Multi-currency / diaspora settlement rails (designed for, not built).
- Premium cosmetic upsell (custom themes, custom URLs, premium covers).
- Native mobile apps (responsive web only).
- The post-event photo gallery ("Memories") ships as a **fast follow**, not MVP.

2.3 Success metrics

> *Targets are **proposals to be ratified** with the team against a baseline once instrumentation lands. They are directional, not committed.*

METRIC	DEFINITION	WHY IT MATTERS	PROPOSED TARGET
Activation	% of new hosts who publish an event	First value moment	≥ 60%
Gift conversion	% of unique event visitors who complete a gift or contribution	The revenue engine	≥ 8%
Gift volume (GMV)	Total kobo confirmed-paid per period	Revenue base (fee is a % of this)	Growth MoM
Verification completion	% of hosts who complete NIN before withdrawal	Unblocks payout & lifts cap	≥ 90% of withdrawing hosts
Cap-block leakage	% of gift attempts blocked by an unverified capped host	A3 friction to minimize	< 2% of attempts
Withdrawal success	% of withdrawal requests that reach "paid"	Trust in the money rail	≥ 99%
Time to publish	Median minutes from signup to first published event	Onboarding friction	< 10 min

Guardrail metrics: chargeback rate, payment-failure rate, support tickets per 100 events, page P75 load time on 3G.

3. Personas

PERSONA	ROLE & NEEDS
Host	The account owner who creates and runs the page and **owns the funds**. May be the celebrant or someone acting for them (e.g. a parent for a baby shower). v1 is single-owner: no co-hosts; a couple nominates one person. Needs: fast setup, gifts that never stop mid-event, clear money, easy withdrawal.
Guest	Arrives via a shared link, usually **without an account**. RSVPs, gifts, contributes, reserves, leaves wishes, and later uploads photos. Needs: instant understanding of the page, a frictionless gift, and privacy control.
Platform	Handles collection and payout, identity verification, and earns the **withdrawal fee**. Needs: to never hold pooled funds it shouldn't, to stay KYC-compliant, and to minimize chargeback exposure.

4. Scope & prioritization

PRIORITY	MEANING
P0	MVP cannot ship without it.
P1	Fast follow.
P2	Designed for, not built yet.

PRIORITY	SCOPE
v1 (P0)	Auth + KYC cap; event create/edit; event page + RSVP; physical wishlist with reserve-lock; direct monetary gifts and goal contributions with two-axis privacy; wishes with moderation; wallet and withdrawal; dashboard; settings; free unlimited events.
Fast follow (P1)	Post-event memory gallery; table assignments.
Later (P2)	Premium cosmetic upsell; co-hosts and roles; multi-currency / diaspora.

MVP screen inventory (~18 core screens):

- **Public:** Landing, How fees work, Login, Sign up
- **Host:** Dashboard, Create/Edit Event, Event Detail (RSVP + modules), Wishlist, Contributions, Wishes, Wallet, Settings
- **Guest:** Event Page, Gift Reservation, Direct Gift checkout, Contribution checkout, Wish submission
- **Shared:** Identity verification flow

5. Functional requirements

Requirements are grouped by epic. Each story is *"As a [user], I want [capability] so that [benefit]"* with acceptance criteria. IDs (A1, E1…) are stable references for design, engineering, and QA.

Epic A — Account & Identity

A1 [P0] — Host signup. *As a host, I want to sign up with email and phone so I can create an event.* - Email and phone are captured and verified by OTP **before** an event can collect money. - Standard login, logout, and forgot-password flows.

A2 [P0] — Verify before the cap. *As a host, I want to verify my identity before my page outgrows the receiving cap, so gifts never stop mid-event.* - Cumulative amount received is tracked per host (see §6). - At cumulative **₦100,000**, new incoming gifts are blocked until NIN verification completes; **the single gift that crosses the line is allowed to finish.** - NIN verification is instant and automated; on success the cap lifts permanently. - Verification is nudged at signup and again near **₦70,000**, and can be done voluntarily at any time. - The lock is **money-only** — RSVP, wishes, and wishlist claims keep working while funds are paused.

A3 [P0] — Graceful capped state for guests. *As a guest, when a host has hit their cap, I want a clear, non-broken message so I don't think the page failed.* - The guest sees a friendly "gift box is full for now" state, can **still leave a wish**, and the host is notified that gifts are waiting. - The friction is the **host's** to clear, never the guest's.

Epic B — Event Creation & Management (Host)

B1 [P0] — Create an event. *As a host, I want to create an event with all its details so guests have one place to celebrate me.* - Fields: title, description, cover image, date, time, venue (optional), dress code (optional), occasion type. - Host chooses which modules the page shows: wishlist, monetary gifts, contribution goals, wishes. - The event gets a shareable link on publish.

B2 [P0] — Edit or unpublish. *As a host, I want to edit or unpublish an event so I can fix details or take it down.* - Any field is editable after publish; changes reflect on the live page. - Unpublishing hides the page **without destroying** received gifts or data.

B3 [P1] — Table assignments. *As a host, I want to assign tables so attending guests know where to sit.* - Optional table list; assigned guests see their table after they RSVP "attending".

Epic C — The Event Page & RSVP (Guest)

C1 [P0] — Land and understand instantly. *As a guest, I want to land directly on the event page and understand it instantly.* - The page shows the cover, the details, and whichever modules the host enabled. - **No guest account required.** - The host controls visibility: public link vs invite-only.

C2 [P0] — RSVP. *As a guest, I want to RSVP so the host knows I'm coming.* - Options: attending, maybe, not attending. - If attending and a table is assigned, the table number is shown.

C3 [P0] — RSVP overview (host). *As a host, I want to see RSVPs grouped by status with a running headcount.*

Epic D — Gifting: Physical Wishlist

D1 [P0] — Build a wishlist. *As a host, I want to build a wishlist so guests know what I'd love.* - Item fields: name, image, description, optional external link. - Item status: available or reserved.

D2 [P0] — Reserve an item. *As a guest, I want to reserve a wishlist item so two of us don't buy the same thing.* - Reserving **locks** the item to "reserved" for everyone else (must be race-safe — see §10). - The guest chooses whether their name shows next to the reservation. - The guest can release a reservation if plans change.

Epic E — Gifting: Monetary

E1 [P0] — Send a money gift. *As a guest, I want to send a money gift directly to the celebrant, with or without a goal.* - Enter amount, optional message, and pay. - **Two independent controls:** show my name / stay anonymous, and show the amount / hide it. - The card fee is added **on top** at checkout and paid by the giver, so the celebrant receives the clean amount (mandatory for international cards, which have no fee cap).

E2 [P0] — Contribution goals. *As a host, I want to create contribution goals so guests can rally toward something specific.* - Goal fields: name, target amount, progress. - The progress bar is **motivational** — funds reach the host regardless of whether the goal is met.

E3 [P0] — Contribute to a goal. *As a guest, I want to contribute to a goal with a message, the same way I'd send a direct gift.* - Select goal, enter amount, add an optional message, apply the same privacy controls, and pay.

Epic F — Well-Wishes

F1 [P0] — Leave a wish. *As a guest, I want to leave a wish so the celebrant hears from me.* - Message and name; submitted with **no account**.

F2 [P0] — Reply & moderate. *As a host, I want to reply to and moderate wishes.* - Reply inline; hide or delete an abusive wish.

Epic G — Wallet & Withdrawal

G1 [P0] — Wallet. *As a host, I want a wallet showing what I've received and what I can take out.* - **Available** balance (cleared), **pending** balance (in the settlement and chargeback window), and withdrawal history.

G2 [P0] — Withdraw. *As a host, I want to withdraw to my bank.* - Withdraw to a verified bank account. - The platform withdrawal fee is applied (model under Open Decision D1, §7). - A **minimum withdrawal (₦2,000)** prevents fee-stacking on tiny pulls; the interface nudges a single post-event withdrawal. - Withdrawal is blocked until identity is verified where required.

Epic H — Dashboard

H1 [P0] — Activity dashboard. *As a host, I want a dashboard summarising my activity.* - Totals: events, gifts (count and value), contributions, and wishes. - Quick links into each event.

Epic I — Settings, Notifications & Privacy

- **I1 [P0]** Profile settings (name, photo, bank details).

- **I2 [P0]** Notification settings — new gift, new wish, contribution milestone, approaching receiving cap, and withdrawal status.
- **I3 [P0]** Privacy controls — page visibility, default amount visibility, and who can see contributor names.

Epic J — Memories (Fast Follow)

- **J1 [P1]** Guest uploads photos after the event so the day lives in one place.
- **J2 [P1]** Host moderates the gallery (remove a photo).
- *Rationale:* it's what stops the page going dead the day after — but the core money and wish loop ships without it.

Epic K — Monetization & Plans

- **K1 [P0]** Event creation is free and unlimited; revenue is the **withdrawal fee only**. This maximises gift volume, which is the revenue base.
- **K2 [P2]** Premium cosmetic upsell — custom themes, custom URL, premium covers — once there is volume to upsell into.

---

6. KYC & verification tiers

TIER	TRIGGER	REQUIREMENT	EFFECT
0	Account creation	Phone + email verification	Can create pages and receive up to a cumulative **₦100,000**
1	Cumulative received reaches ₦100,000	NIN verification (instant, automated)	Incoming funds unblocked; withdrawal enabled above the threshold

The threshold is measured on **cumulative received, not per gift** — so ₦500,000 arriving as ten ₦50,000 gifts still triggers it. The transaction that crosses the line completes; the lock applies afterward.

Key constants (implemented in `config/constants.py`): cap `₦100,000`; verification nudge `₦70,000`; minimum withdrawal `₦2,000`.

---

7. Monetization & fees

Creating a page and collecting gifts is free and unlimited. Money is touched in exactly two places, both disclosed up front:

1. **Card fee — paid by the giver.** Added on top at checkout so the celebrant receives the clean amount.
2. **Withdrawal fee — the platform's only revenue.** Model is **Open Decision D1**; the system is built **fee-agnostic** so it can be switched with a one-line change (`wallet/fees.py`, `ACTIVE_FEE`).

MODEL	FEE ON ₦50,000	FEE ON ₦500,000	TRADE-OFF
Flat (₦1k / ₦2k)	₦1,000	₦2,000	Predictable and host-friendly; caps platform upside.
Percentage (1%)	₦500	₦5,000	Scales revenue with gift volume; takes more from large celebrants.

---

8. Money-handling principles

- **All money is stored as integer kobo** (1 naira = 100 kobo). No floats, ever. Display formatting is a presentation concern only.
- A gift becomes "real" **only** on gateway-confirmed payment (webhook), at which point: the host's cumulative-received increments, the wallet's *pending* balance is credited, and any linked goal's raised total bumps. This is the single place money is recognized.
- Funds sit in **pending** through the settlement/chargeback window, then move to **available** on settlement confirmation — protecting against early withdrawal of reversible money.
- **Custody (Open Decision D2):** the wallet represents the host's *view* of their balance. The intended production design routes settlement through the gateway (sub-accounts / dedicated virtual accounts) so the platform never legally holds pooled funds.

---

9. Architecture & technical requirements

- **Backend:** Django + DRF, API-first. External services (payments, identity) sit behind **interfaces** (`integrations/gateways.py`) and ship as stubs so the system runs and is testable without live keys. Real providers drop in without touching domain code.
- **Frontend:** Next.js (App Router) consuming the DRF API. Guest/public pages are **server-rendered** so a shared link produces a real link preview (Open Graph) for WhatsApp/Instagram/iMessage — the sharing loop is the primary acquisition channel and depends on this. Host dashboard is a client app.
- **Payments:** Paystack (replace `StubPaymentGateway` → `PaystackGateway`). Webhook must **verify the signature** before confirming a gift (see §10).
- **Identity/NIN:** a provider such as Dojah (replace `StubIdentityVerifier` → `DojahVerifier`).
- **Idempotency:** payment confirmation must be idempotent (webhooks retry); confirming an already-paid gift is a no-op.

---

10. Non-functional requirements

Security & integrity - Payment webhooks **must** verify the gateway signature before acting. *(Known gap: currently a TODO in `integrations/views.py`.)* - Wishlist reservation must be **race-safe** — concurrent

reserves on the same item must not both succeed. *(Known gap:* `ReserveView` *check-then-set has no row lock.)* - No secrets in the client bundle; bank details and PII encrypted at rest. - Rate-limit guest actions (gift init, RSVP, wish) to deter abuse.

Privacy - Two-axis gift privacy (name, amount) honored on every public surface and in every payload the API returns. - Host privacy controls (page visibility, default amount visibility, contributor-name visibility) enforced server-side, not just hidden in UI.

Performance & reliability - Guest event page P75 load < 2.5s on a 3G-class mobile connection. - Money operations are transactional; a failed step never leaves a wallet or ledger half-updated. - Double-entry ledger for every balance change (audit trail).

Accessibility - WCAG 2.1 AA: color contrast, focus states, keyboard paths, and touch-target sizing across guest and host flows.

Compliance - KYC tiers enforced as in §6; withdrawal gated on verification; auditable record of verification events.

---

11. Analytics & instrumentation

Minimum events to land with MVP (names indicative):

`host_signed_up`, `otp_verified`, `event_published`, `event_page_viewed`, `rsvp_submitted`, `gift_initiated`, `gift_paid`, `gift_blocked_capped`, `goal_contribution_paid`, `wishlist_item_reserved`, `wish_left`, `nudge_verification_shown`, `nin_verification_started`, `nin_verification_succeeded`, `withdrawal_requested`, `withdrawal_paid`.

Each money event carries `amount_kobo`, `event_id`, and privacy flags where relevant. These directly feed the §2.3 metrics.

---

12. Dependencies & integrations

DEPENDENCY	PURPOSE	STATUS
Paystack	Card collection, settlement, payout	Interface stubbed; live integration pending keys
NIN provider (e.g. Dojah)	Identity verification	Interface stubbed; live integration pending
SMS/Email OTP provider	Phone + email verification (A1)	To be selected
Object storage	Cover images, wishlist images, memory photos (P1)	To be selected

---

13. Open decisions

ID	DECISION	STATUS	RECOMMENDATION
D1	Fee model: flat (₦1k/₦2k) vs 1%. Blocks the wallet build's final numbers.	Open	Ship **flat** for launch (predictable, host-friendly); revisit once GMV data exists. System is fee-agnostic, so switching is one line.
D2	Custody: where the pooled balance legally sits before withdrawal.	Open	Route settlement through the gateway (sub-accounts) so the platform never holds pooled funds.
D3	Chargebacks: who absorbs a reversed gift after the host has withdrawn.	Open	Needs a policy before enabling withdrawal of recently-settled funds; the pending window mitigates but does not eliminate.
D4	Anchor occasion for launch and marketing (build is occasion-agnostic).	Open	Pick one occasion to concentrate early demand; recommend weddings (highest gift sizes).
D5	Plan gating: free unlimited events vs a 1-event free cap.	Open	**Free unlimited** (recommended) — maximises gift volume, which is the revenue base.

14. Risks & mitigations

RISK	IMPACT	MITIGATION
Guest sees a "broken" page when a host is capped	Lost gifts, brand damage	A3 graceful state; host notified; wish still works
Webhook spoofing / unverified confirmations	Fraudulent "paid" gifts	Mandatory signature verification before confirm (§10)
Double-reservation of a wishlist item	Two guests buy the same gift	Row-level lock on reserve (§10)
Chargeback after withdrawal	Platform absorbs loss	Pending window + D3 policy
Verification friction stalls withdrawals	Hosts can't get paid; churn	Instant automated NIN; nudges at ₦70k and signup
Low gift conversion	Weak revenue base	Fast, low-friction checkout; social proof; occasion focus (D4)

15. Release plan (indicative)

1. **M1 — Money spine:** auth + OTP, event create/publish, guest event page, direct gift with confirm/webhook, wallet pending→available, KYC cap + NIN, withdrawal. *(This is the demonstrable end-to-end loop.)*
2. **M2 — Full guest surface:** goals + contributions, wishlist + reserve-lock, wishes + moderation, RSVP overview, dashboard, settings, notifications, privacy controls.
3. **M3 — Harden & launch:** signature verification, race-safety, rate limits, accessibility pass, analytics, live Paystack + NIN keys.
4. **Fast follow (P1):** memory gallery, table assignments.

Appendix — Glossary

- **Kobo** — smallest naira unit (1 naira = 100 kobo); the storage unit for all money.
- **Cumulative received** — running total a host has ever received; drives the KYC cap.
- **Crossing gift** — the single gift that takes a host from under the cap to over it; allowed to complete.
- **Pending / available** — money in the settlement window vs cleared money withdrawable now.
- **Motivational goal** — a target with a progress bar; funds reach the host whether or not it's met.
- **Reserve-lock** — the mechanism that marks a wishlist item claimed so no one buys it twice.
- **The seal** — the product's signature trust/celebration mark (design-system element).

Derived from Wishwell User Stories v0.2 and the implemented core-domain backend. Targets and open decisions marked as such are proposals for team ratification, not commitments.