7-1

```
create table test7_01 as
select sid, name, birthday
from pub.student

create index name_index on test7_01(substr(name,1,1))
```

7-2

```
create table test7_02 as
select sid, name, birthday
from pub.student

Update test7_02 set birthday=to_date('19881018','yyyymmdd') where substr(sid,12,1)='0'
create index birthday_index on test7_02(birthday)
```

7-3

```
create view test7_03 as
select * from
(select sid,name,birthday,
(select count(*) from pub.student
where name like substr(t1.name,1,1)||'%'
) samefirstname
from pub.student_testindex t1) where samefirstname=7
```

7-4

```
create or replace view test7_04 as
select * from
(select sid,name,birthday,
(select count(*) from pub.student
where birthday >= trunc(t1.birthday,'mm') and birthday <= last_day(t1.birthday)
) sameyearmonth,
(select count(*) from pub.student
   where birthday >= trunc(t1.birthday,'yy') and birthday
<=last_day(add_months(trunc(t1.birthday,'yy'),11))
) sameyear
  from pub.student_testindex t1) where sameyearmonth=35
```

7-5

```
create or replace view test7_05 as
select * from
(select sid,name,birthday,
(select count(*) from pub.student
where birthday = t1.birthday + 1
) nextbirthday
```

from pub.student_testindex t1) where nextbirthday=7