

## LOGIN.html

```
<!DOCTYPE HTML>
<html>
<head>
<title>login form</title>
<style>
.form {
margin:200px;
padding-bottom:20px;
padding-left:350px;
color:#ffffff;
}
a:hover{
color:red;
}
a{
color:#ff7777;
}
fname{
margin-top:5px;
}
pw{
margin-top:5px;
}
</style>
</head>
<body style="background-image: url('backg.jpg');background-size:100vw 100vh;">
<div class="form">
<h2>LOGIN FORM</h2>
<form name="myform">
<b><label for="uname">Username</label><br>
<input type="text" id="uname" name="uname" placeholder="Enter your name"/><br>
<label for="pw">Password</label><br>
<input type="Password" id="pw" name="pw" placeholder="Enter Password"/><br>
<a href="#" style="margin-left:0px;margin-top:10px;">Forgot password</a><br>
<button type="submit" style="margin-left:60px;margin-top:10px;" />
<a href="home.html" style="color:#000000;text-decoration: none;">LOGIN</a>
</button>
```

```

<br>
<div id="usererror" style="color:red;"></div>
<div id="error" style="color:red;"></div>
<div id="message" style="color:white;"></div>
<p style="margin-left:80px;margin-top:10px;">or</p>
<p>create new account <a href="signup.html">sign up</a></b><br>
</form>
</div>
</body>
</html>

```

## SIGNUP

```

<!DOCTYPE HTML>
<html>
<head>
<title>Sign up Form</title>
<style>
.form {
margin:200px;
padding-bottom:20px;
padding-left:350px;
color:#ffffff;
}
a:hover{
color:red;
}
a{
color:#ff7777;
}
</style>
</head>
<body style="background-image: url('backg.jpg');background-size:100vw 100vh">
<div class="form">
<h2>SIGNUP FORM</h2>
<form>
<b><label for="fname">First Name</label><br>
<input type="text" id="fname" name="ufame" placeholder="First Name" style="margin-top:5px;"/><br>
<label for="lname">lastname</label><br>
<input type="text" id="lname" name="lname" placeholder="Last Name" style="margin-top:5px;"/><br>
<label for="pw">Password</label><br>
<input type="Password" id="pw" name="pw" placeholder="Enter Password" style="margin-top:5px;"/><br>

```

```

<label for="cw">Confirm Password</label><br>
<input type="Password" id="cw" name="cw" placeholder="Enter Password" style="margin-top:5px;"/><br>
<button type="submit" style="margin-left:60px;margin-top:10px;" />
<a href="home.html" style="color:#000000;text-decoration: none;">LOGIN</a>
</button>
<br>
<p>Already have account <a href="loginform.html">login</a></b>
</div>
</form>
</body>
</html>

```

### HOME.html

```

<!DOCTYPE HTML>
<html>
<head>
<title>Ticket Reservation</title>
</head>
<body style="background-image:url('movie.jpg');background-size:100vw 100vh;">
<style>
ul{
position:absolute;
top:20px;
display:block;
margin-left:650px;
font-size:25px;
}
li{
display:inline;
padding:30px;
}
li a{
text-decoration:none;
color:#ffffff;
}
li a:hover{
color:#000000;
}
#ds{
margin-top:40px;
margin-left:50px;
padding:20px;

```

```
padding-right:70px;
}
table{
margin-top:40px;
margin-left:650px;
}
</style>
<div>
<ul><b>
<li><a href="home.html">Movie</a></li>
<li><a href="event.html">Events</a></li>
<li><a href="bus.html">Bus</a></li>
<li><a href="train.html">Train</a></li>
</b>
</ul>
<table>
<tr>
<td><a href="Demonslayer.html"></a></td>
<td><a href="jjk.html"></a></td>
</tr>
<tr>
<td><a href="sc.html"></a></td>
<td><a href="dm.html"></a></td>
</tr>
</table>
</div>
</body>
</html>
```

#### **STYLE.css**

```
form{
color:#ffffff;
margin-left:950px;
padding-top:0px;
}
#uname{
padding-right:160px;
}
#start{
padding-right:160px;
}
#destination{
padding-right:160px;
```

```
}  
#seat{  
padding-right:160px;  
}  
#Date{  
padding-right:200px;  
}  
#session{  
padding-right:150px;  
}  
#pays{  
padding-right:150px;  
}  
#DSM{  
color:white;  
margin-left:830px;  
padding-top:50px;  
}  
pre{  
color:white;  
font-size:20px;  
margin-left:830px;  
padding-top:50px;  
}  
button{  
color:white;  
margin-left:1300px;  
}  
table{  
color:white;  
font-size:30px;  
margin-left:970px;  
margin-top:50px;  
border:4px solid white;  
}  
table, td{  
border:2px ridge black;  
font-size:25px;  
border-collapse:collapse;  
padding:1em 1em 1em 1em  
}  
td{
```

```
text-align:center;
}
```

### **DS.html**

```
<!DOCTYPE HTML>
<html>
<head>
<title>Demon Slayer</title>
<link rel="stylesheet" href="style.css">
<style>
.layered-image{
margin-top:-30px;
margin-left:-70px;
width:1420px;
height:652px;
background:linear-gradient(to right,transparent,rgba(0,0,0,1)60%),url("DSI.jpg");
}
</style>
</head>
<body>
<div class="layered-image">
<h1 id="DSM">DEMON SLAYER:INFINITY CASTLE</h1>
<pre>The Demon Slayer Corps enter Muzan's shifting
Infinity Castle for a final,desperate battle
against the Upper Rank demons and Muzan himself,
facing their greatest challenges yet in a visually
stunning and emotionally charged showdown.
```

Rating: 9.1/10 IMDB</pre>

```
<button type="submit" style="margin-left:1000px;">
<a href="DS1.html" style="color:#000000;text-decoration: none;">Ticket Booking</a>
</button>
</div>
</body>
</html>
```

### **DS1.html**

```
<!DOCTYPE HTML>
<html>
<head>
<title>Demon Slayer</title>
<link rel="stylesheet" href="style.css">
```

```

<style>
.layered-image{
margin-top:-30px;
margin-left:-70px;
width:1420px;
height:652px;
background:linear-gradient(to right,transparent,rgba(0,0,0,1)60%),url("DSI.jpg");
}
</style>
</head>
<body>
<div class="layered-image">
<h1 id="DSM">DEMON SLAYER:INFINITY CASTLE</h1>
<form id="rform">
<label for="uname">Name</label><br><br>
<input type="text" id="uname" name="uname" placeholder="Enter your name"/><br><br>
<label for="Date">Date</label><br><br>
<input type="date" id="Date" placeholder="DD/MM/YYYY"/><br><br>
<label for="session">Show Time</label>
<select name="session" id="session">
<option value="Morning">Morning</option>
<option value="afternoon">Afternoon</option>
<option value="Evening">Evening</option>
<option value="Night">Night</option>
</select><br><br>
<label for="seat">Seat Number</label><br><br>
<input type="text" id="seat" placeholder="Eg.A1"/><br><br>
<label for="seat">Payment</label><br><br>
<input type="text" id="pays" placeholder="250"/><br><br><br>
<button type="button" style="margin-left:100px;color:black;" onclick="Booking()">Reserve</button>
</form>
<div id="output"></div>
<script>
function Booking() {
var name = document.getElementById("uname").value;
var Date = document.getElementById("Date").value;
var session = document.getElementById("session").value;
var seat = document.getElementById("seat").value;
var pays = document.getElementById("pays").value;
var result=`
<table>
<tr>

```

```

<td>Name</td>
<td>${name}</td>
</tr>
<tr>
<td>Date</td>
<td>${Date}</td>
</tr>
<tr>
<td>Session</td>
<td>${session}</td>
</tr>
<tr>
<td>Seat No</td>
<td>${seat}</td>
</tr><tr>
<td>Payment</td>
<td>${pays}</td>
</tr>
</table>
`;
document.getElementById("rform").style.display = "none";
document.getElementById("output").innerHTML = result;
console.log(result);
}
</script>
</body>
</html>

```

### JJK.html

```

<!DOCTYPE HTML>
<html>
<head>
<title>Jujutsu Kaisen</title>
<link rel="stylesheet" href="style.css">
<style>
div{
background-image:url(jjk1.jpg);
background-repeat:no-repeat;
margin-top:-30px;
margin-left:-70px;
height:650px;
}
</style>

```



```

</head>
<body>
<div>
<h1 id="DSM">JUJUTSU KAISEN:HIDDEN INVENTORY</h1>
<pre>"Hidden Inventory" in Jujutsu Kaisen focuses on
Gojo and Geto's past as young Sorcerers,tasked with
protecting the star plasma vessel,Rko Amanai,which
leads to tragic eventthat alters their paths and
perspective on the world and their roles within it.

```

```

Rating: 9.1/10 IMDB</pre>
<button type="submit" style="margin-left:1000px;">
<a href="jjk1.html" style="color:#000000;text-decoration: none;">Ticket Booking</a>
</button>
</div>
</body>
</html>

```

#### JJK1.html

```

<!DOCTYPE HTML>
<html>
<head>
<title>Demon Slayer</title>
<link rel="stylesheet" href="style.css">
<style>
#jjk{
background-image:url(jjk1.jpg);
background-repeat:no-repeat;
margin-top:-30px;
margin-left:-70px;
height:650px;
}
</style>
</head>
<body>
<div id="jjk">
<h1 id="DSM">JUJUTSU KAISEN:HIDDEN INVENTORY</h1>
<form id="rform">
<label for="uname">Name</label><br><br>
<input type="text" id="uname" name="uname" placeholder="Enter your name"/><br><br>
<label for="Date">Date</label><br><br>

```

```

<input type="date" id="Date" placeholder="DD/MM/YYYY"/><br><br>
<label for="session">Show Time</label>
<select name="session" id="session">
  <option value="Morning">Morning</option>
  <option value="afternoon">Afternoon</option>
  <option value="Evening">Evening</option>
  <option value="Night">Night</option>
</select><br><br>
<label for="seat">Seat Number</label><br><br>
<input type="text" id="seat" placeholder="Eg.A1"/><br><br>
<label for="seat">Payment</label><br><br>
<input type="text" id="pays" placeholder="250"/><br><br><br>
<button type="button" style="margin-left:100px;color:black;" onclick="Booking()">Reserve</button>
</form>
<div id="output"></div>
<script>
function Booking() {
  var name = document.getElementById("uname").value;
  var Date = document.getElementById("Date").value;
  var session = document.getElementById("session").value;
  var seat = document.getElementById("seat").value;
  var pays = document.getElementById("pays").value;
  var result=`
<table>
<tr>
<td>Name</td>
<td>${name}</td>
</tr>
<tr>
<td>Date</td>
<td>${Date}</td>
</tr>
<tr>
<td>Session</td>
<td>${session}</td>
</tr>
<tr>
<td>Seat No</td>
<td>${seat}</td>
</tr><tr>
<td>Payment</td>
<td>${pays}</td>

```

```
</tr>
</table>
`;
document.getElementById("rform").style.display = "none";
document.getElementById("output").innerHTML = result;
console.log(result);
}
</script>
</body>
</html>
```

### SC.html

```
<!DOCTYPE HTML>
<html>
<head>
<title>Shinchan</title>
<link rel="stylesheet" href="style.css">
<style>
.layered-image{
margin-top:0px;
margin-left:-70px;
width:1420px;
height:652px;
background:linear-gradient(to right,transparent,rgba(0,0,0,1)60%),url("sc.jpg");
}
</style>
</head>
<body>
<div class="layered-image">
<h1 id="DSM">SHINCHAN:THE MOVIE</h1>
<pre>The new Shin Chan movie, "Crayon Shin-chan
the Movie: Super Magnificent! Scorching Kasukabe
Dancers," is set in India and features the Kasukabe
Defense Force participating in a dance competition.
The movie will also include Bollywood-style
dance numbers. One teaser visual shows Bo-chan
saying, "Goodbye, Shin-chan," suggesting a
significant plot point. The film is scheduled for
release in the summer of 2025.
```

Rating: 9.1/10 IMDB</pre>

```

<button type="submit" style="margin-left:1000px;">
<a href="sc1.html" style="color:#000000;text-decoration: none;">Ticket Booking</a>
</button>
</div>
</body>
</html>

```

### SC1.html

```

<!DOCTYPE HTML>
<html>
<head>
<title>shinchan</title>
<link rel="stylesheet" href="style.css">
<style>
.layered-image{
margin-top:0px;
margin-left:-70px;
width:1420px;
height:652px;
background:linear-gradient(to right,transparent,rgba(0,0,0,1)60%),url("sc.jpg");
}
</style>
</head>
<body>
<div class="layered-image">
<h1 id="DSM">SHINCHAN:THE MOVIE</h1>
<form id="rform">
<label for="uname">Name</label><br><br>
<input type="text" id="uname" name="uname" placeholder="Enter your name"/><br><br>
<label for="Date">Date</label><br><br>
<input type="date" id="Date" placeholder="DD/MM/YYYY"/><br><br>
<label for="session">Show Time</label>
<select name="session" id="session">
<option value="Morning">Morning</option>
<option value="afternoon">Afternoon</option>
<option value="Evening">Evening</option>
<option value="Night">Night</option>
</select><br><br>
<label for="seat">Seat Number</label><br><br>
<input type="text" id="seat" placeholder="Eg.A1"/><br><br>
<label for="seat">Payment</label><br><br>
<input type="text" id="pays" placeholder="250"/><br><br><br>
<button type="button" style="margin-left:100px;color:black;" onclick="Booking()">Reserve</button>

```

```

</form>
<div id="output"></div>
<script>
function Booking() {
var name = document.getElementById("uname").value;
var Date = document.getElementById("Date").value;
var session = document.getElementById("session").value;
var seat = document.getElementById("seat").value;
var pays = document.getElementById("pays").value;
var result=`
<table>
<tr>
<td>Name</td>
<td>${name}</td>
</tr>
<tr>
<td>Date</td>
<td>${Date}</td>
</tr>
<tr>
<td>Session</td>
<td>${session}</td>
</tr>
<tr>
<td>Seat No</td>
<td>${seat}</td>
</tr><tr>
<td>Payment</td>
<td>${pays}</td>
</tr>
</table>
`;
document.getElementById("rform").style.display = "none";
document.getElementById("output").innerHTML = result;
console.log(result);
}
</script>
</body>
</html>
DM.html
<!DOCTYPE HTML>
<html>

```

```

<head>
<title>Doraemon</title>
<link rel="stylesheet" href="style.css">
<style>
.layered-image{
margin-top:-30px;
margin-left:-70px;
width:1420px;
height:652px;
background:linear-gradient(to right,transparent,rgba(0,0,0,1)60%),url("dm.jpg");
}
</style>
</head>
<body>
<div class="layered-image">
<h1 id="DSM">DORAEMON:THE MOVIE</h1>
<pre>The newest Doraemon movie, "Nobita's Earth
Symphony," is a musical adventure where Doraemon
and his friends must use music to save the world
from a mysterious force threatening to silence
all sound.

Rating: 9.1/10 IMDB</pre>
<button type="submit" style="margin-left:1000px;">
<a href="dm1.html" style="color:#000000;text-decoration: none;">Ticket Booking</a>
</button>
</div>
</body>
</html>

```

#### **DM1.html**

```

<!DOCTYPE HTML>
<html>
<head>
<title>Doraemon</title>
<link rel="stylesheet" href="style.css">
<style>
.layered-image{
margin-top:-30px;
margin-left:-70px;
width:1420px;

```

```

height:652px;
background:linear-gradient(to right,transparent,rgba(0,0,0,1)60%),url("dm.jpg");
}
</style>
</head>
<body>
<div class="layered-image">
<h1 id="DSM">DORAEMON:THE MOVIE</h1>
<form id="rform">
<label for="uname">Name</label><br><br>
<input type="text" id="uname" name="uname" placeholder="Enter your name"/><br><br>
<label for="Date">Date</label><br><br>
<input type="date" id="Date" placeholder="DD/MM/YYYY"/><br><br>
<label for="session">Show Time</label>
<select name="session" id="session">
<option value="Morning">Morning</option>
<option value="afternoon">Afternoon</option>
<option value="Evening">Evening</option>
<option value="Night">Night</option>
</select><br><br>
<label for="seat">Seat Number</label><br><br>
<input type="text" id="seat" placeholder="Eg.A1"/><br><br>
<label for="seat">Payment</label><br><br>
<input type="text" id="pays" placeholder="250"/><br><br><br>
<button type="button" style="margin-left:100px;color:black;" onclick="Booking()">Reserve</button>
</form>
<div id="output"></div>
<script>
function Booking() {
var name = document.getElementById("uname").value;
var Date = document.getElementById("Date").value;
var session = document.getElementById("session").value;
var seat = document.getElementById("seat").value;
var pays = document.getElementById("pays").value;
var result=`
<table>
<tr>
<td>Name</td>
<td>${name}</td>
</tr>
<tr>
<td>Date</td>

```

```

<td>${Date}</td>
</tr>
<tr>
<td>Session</td>
<td>${session}</td>
</tr>
<tr>
<td>Seat No</td>
<td>${seat}</td>
</tr><tr>
<td>Payment</td>
<td>${pays}</td>
</tr>
</table>
`;
document.getElementById("rform").style.display = "none";
document.getElementById("output").innerHTML = result;
console.log(result);
}
</script>
</body>
</html>

```

### **EVENT.html**

```

<!DOCTYPE HTML>
<html>
<head>
<title>Ticket Reservation</title>
</head>
<body style="background-image:url('event.jpg');background-size:100vw 100vh;">
<style>
ul{
position:absolute;
top:20px;
display:block;
margin-left:650px;
font-size:25px;
}
li{
display:inline;
padding:30px;
}
li a{

```



```

text-decoration:none;
color:#ffffff;
}
li a:hover{
color:#000000;
}
#ds{
margin-top:40px;
margin-left:50px;
padding:20px;
padding-right:70px;
}
table{
margin-top:80px;
margin-left:250px;
}
</style>
<div>
<ul><b>
<li><a href="home.html">Movie</a></li>
<li><a href="event.html">Events</a></li>
<li><a href="bus.html">Bus</a></li>
<li><a href="train.html">Train</a></li>
</b>
</ul>
<table>
<tr>
<td><a href="bts.html"></a></td>
<td><a href="bp.html"></a></td>
</tr>
</table>
</div>
</body>
</html>
BTS.html
<!DOCTYPE HTML>
<html>
<head>
<title>BTS</title>
<link rel="stylesheet" href="style.css">
<style>
.layered-image{

```

```

margin-top:-30px;
margin-left:-70px;
width:1420px;
height:652px;
background:linear-gradient(to right,transparent,rgba(0,0,0,1)60%),url("bts1.jpg");
}
</style>
</head>
<body>
<div class="layered-image">
<h1 id="DSM">BTS CONCERT</h1>
<form id="rform">
<label for="uname">Name</label><br><br>
<input type="text" id="uname" name="uname" placeholder="Enter your name"/><br><br>
<label for="Date">Date</label><br><br>
<input type="date" id="Date" placeholder="DD/MM/YYYY"/><br><br>
<label for="session">Show Time</label>
<select name="session" id="session">
<option value="Morning">Morning</option>
<option value="Evening">Evening</option>
</select><br><br>
<label for="seat">Seat Number</label><br><br>
<input type="text" id="seat" placeholder="Eg.A1"/><br><br>
<label for="seat">Payment</label><br><br>
<input type="text" id="pays" placeholder="50k"/><br><br><br>
<button type="button" style="margin-left:100px;color:black;" onclick="Booking()">Reserve</button>
</form>
<div id="output"></div>
<script>
function Booking() {
var name = document.getElementById("uname").value;
var Date = document.getElementById("Date").value;
var session = document.getElementById("session").value;
var seat = document.getElementById("seat").value;
var pays = document.getElementById("pays").value;
var result=`
<table>
<tr>
<td>Name</td>
<td>${name}</td>
</tr>
<tr>

```

```

<td>Date</td>
<td>${Date}</td>
</tr>
<tr>
<td>Session</td>
<td>${session}</td>
</tr>
<tr>
<td>Seat No</td>
<td>${seat}</td>
</tr><tr>
<td>Payment</td>
<td>${pays}</td>
</tr>
</table>
`;
document.getElementById("rform").style.display = "none";
document.getElementById("output").innerHTML = result;
console.log(result);
}

```

```

</script>
</body>
</html>

```

### BP.html

```

<!DOCTYPE HTML>
<html>
<head>
<title>BLACKPINK</title>
<link rel="stylesheet" href="style.css">
<style>
.layered-image{
margin-top:-30px;
margin-left:-70px;
width:1420px;
height:652px;
background:linear-gradient(to right,transparent,rgba(0,0,0,1)60%),url("bp1.jpg");
}
</style>
</head>
<body>
<div class="layered-image">
<h1 id="DSM">BLACKPINK CONCERT</h1>

```

```

<form id="rform">
<label for="uname">Name</label><br><br>
<input type="text" id="uname" name="uname" placeholder="Enter your name"/><br><br>
<label for="Date">Date</label><br><br>
<input type="date" id="Date" placeholder="DD/MM/YYYY"/><br><br>
<label for="session">Show Time</label>
<select name="session" id="session">
<option value="Morning">Morning</option>
<option value="Evening">Evening</option>
</select><br><br>
<label for="seat">Seat Number</label><br><br>
<input type="text" id="seat" placeholder="Eg.A1"/><br><br>
<label for="seat">Payment</label><br><br>
<input type="text" id="pays" placeholder="50k"/><br><br><br>
<button type="button" style="margin-left:100px;color:black;" onclick="Booking()">Reserve</button>
</form>
<div id="output"></div>
<script>
function Booking() {
var name = document.getElementById("uname").value;
var Date = document.getElementById("Date").value;
var session = document.getElementById("session").value;
var seat = document.getElementById("seat").value;
var pays = document.getElementById("pays").value;
var result=`
<table>
<tr>
<td>Name</td>
<td>${name}</td>
</tr>
<tr>
<td>Date</td>
<td>${Date}</td>
</tr>
<tr>
<td>Session</td>
<td>${session}</td>
</tr>
<tr>
<td>Seat No</td>
<td>${seat}</td>
</tr><tr>

```

```

<td>Payment</td>
<td>${pays}</td>
</tr>
</table>
`;
document.getElementById("rform").style.display = "none";
document.getElementById("output").innerHTML = result;
console.log(result);
}
</script>
</body>
</html>

```

### **BUS.html**

```

<!DOCTYPE HTML>
<html>
<head>
<title>Bus</title>
<link rel="stylesheet" href="style.css">
<style>
.layered-image{
margin-top:-30px;
margin-left:-70px;
width:1420px;
height:652px;
background:linear-gradient(to right,transparent,rgba(0,0,0,1)60%),url("bus.jpg");
}
</style>
</head>
<body>
<div class="layered-image">
<h1 id="DSM">BUS TICKET RESERVATION</h1>
<form id="rform">
<label for="uname">Start</label><br><br>
<input type="text" id="start" name="uname" placeholder="city name"/><br><br>
<label for="uname">Destination</label><br><br>
<input type="text" id="destination" name="uname" placeholder="Destination"/><br><br>
<label for="Date">Date</label><br><br>
<input type="date" id="Date" placeholder="DD/MM/YYYY"/><br><br>
<label for="session">Time</label>
<select name="session" id="session">
<option value="Morning">Morning</option>
<option value="afternoon">Afternoon</option>

```

```

<option value="Evening">Evening</option>
<option value="Night">Night</option>
</select><br><br>
<label for="seat">Seat Number</label><br><br>
<input type="text" id="seat" placeholder="Eg.A1"/><br><br>
<label for="seat">Payment</label><br><br>
<input type="text" id="pays" placeholder="500"/><br><br>
<button type="button" style="margin-left:100px;color:black;" onclick="Booking()">Reserve</button>
</form>
<div id="output"></div>
<script>
function Booking() {
var Date = document.getElementById("Date").value;
var session = document.getElementById("session").value;
var seat = document.getElementById("seat").value;
var pays = document.getElementById("pays").value;
var start = document.getElementById("start").value;
var destination = document.getElementById("destination").value;
var result=`
<table>
<tr>
<td>Start</td>
<td>${start}</td>
</tr>
<tr>
<td>Destination</td>
<td>${destination}</td>
</tr>
<tr>
<td>Date</td>
<td>${Date}</td>
</tr>
<tr>
<td>Session</td>
<td>${session}</td>
</tr>
<tr>
<td>Seat No</td>
<td>${seat}</td>
</tr><tr>
<td>Payment</td>
<td>${pays}</td>

```

```

</tr>
</table>
`;
document.getElementById("rform").style.display = "none";
document.getElementById("output").innerHTML = result;
console.log(result);
}
</script>
</body>
</html>

```

### TRAIN.html

```

<!DOCTYPE HTML>
<html>
<head>
<title>Train</title>
<link rel="stylesheet" href="style.css">
<style>
.layered-image{
margin-top:-30px;
margin-left:-70px;
width:1420px;
height:652px;
background:linear-gradient(to right,transparent,rgba(0,0,0,1)60%),url("train.jpg");
}
</style>
</head>
<body>
<div class="layered-image">
<h1 id="DSM">TRAIN TICKET RESERVATION</h1>
<form id="rform">
<label for="uname">Start</label><br><br>
<input type="text" id="start" name="uname" placeholder="city name"/><br><br>
<label for="uname">Destination</label><br><br>
<input type="text" id="destination" name="uname" placeholder="Destination"/><br><br>
<label for="Date">Date</label><br><br>
<input type="date" id="Date" placeholder="DD/MM/YYYY"/><br><br>
<label for="session">Time</label>
<select name="session" id="session">
<option value="Morning">Morning</option>
<option value="afternoon">Afternoon</option>
<option value="Evening">Evening</option>
<option value="Night">Night</option>

```

```
</select><br><br>
<label for="seat">Seat Number</label><br><br>
<input type="text" id="seat" placeholder="Eg.A1"/><br><br>
<label for="seat">Payment</label><br><br>
<input type="text" id="pays" placeholder="500"/><br><br>
<button type="button" style="margin-left:100px;color:black;" onclick="Booking()">Reserve</button>
</form>
<div id="output"></div>
<script>
function Booking() {
var Date = document.getElementById("Date").value;
var session = document.getElementById("session").value;
var seat = document.getElementById("seat").value;
var pays = document.getElementById("pays").value;
var start = document.getElementById("start").value;
var destination = document.getElementById("destination").value;
var result=`
<table>
<tr>
<td>Start</td>
<td>${start}</td>
</tr>
<tr>
<td>Destination</td>
<td>${destination}</td>
</tr>
<tr>
<td>Date</td>
<td>${Date}</td>
</tr>
<tr>
<td>Session</td>
<td>${session}</td>
</tr>
<tr>
<td>Seat No</td>
<td>${seat}</td>
</tr><tr>
<td>Payment</td>
<td>${pays}</td>
</tr>
</table>
```



```
`;  
document.getElementById("rform").style.display = "none";  
document.getElementById("output").innerHTML = result;  
console.log(result);  
}  
</script>  
</body>  
</html>
```