

## Index.html

```
<html>
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>The Gadget Galaxy</title>
<link rel="stylesheet" href="style.css">
</head>
<body>
<div class="container">
<ul>
<li><a href="index.html">HOME</a></li>
<li><a href="loc.html">location</a></li>
<li><a href="loginform\loginform.html">login/signup</a></li>
</ul>
</div>
<div id="gad">
<h1>THE GADGET GALAXY</h1>
<pre>      Gadgets Galaxy is a curated collection of my favorite
electronic devices — from immersive TVs and powerful laptops
to sound-blazing headphones and pocket-sized smart tools.

      Dive into different sections and explore how these
gadgets make daily life smarter,faster, and more fun.
</pre>
</div>

<map name="gadgetsmap">
  <area shape="circle" coords="293,84,76" href="smartwatch.html" alt="Smartwatch">
  <area shape="rect" coords="355,132,509,257" href="laptop.html" alt="Laptop">
  <area shape="circle" coords="140,189,108" href="headphones.html" alt="Speaker">
  <area shape="rect" coords="195,224,257,303" href="Smartphone.html" alt="Smartphone">
  <area shape="rect" coords="328,270,453,312" href="powerbank.html" alt="Power Bank">
</map>
<button><a href="tut.html">watch video</a></button>
</body>
```

## Login.html

```
<!DOCTYPE HTML>
<html>
<head>
<title>login form</title>
<style>
.form {
margin:200px;
padding-bottom:20px;
padding-left:350px;
color:white;
}
a:hover{
color:red;
}
a{
color:#ff9999;
}
fname{
margin-top:5px;
}
pw{
margin-top:5px;
}
</style>
</head>
<body style="background-image: url('backg.jpg');background-size:contain;">
<div class="form">
<h2>LOGIN FORM</h2>
<form name="myform" onsubmit="return validatefunction()">
<label for="uname">Username</label><br>
<input type="text" id="uname" name="uname" required placeholder="Enter your name"/><br>
<label for="pw">Password</label><br>
<input type="Password" id="pw" name="pw" required placeholder="Enter Password"/><br>
<a href="#" style="margin-left:0px;margin-top:10px;">Forgot password</a><br>
<button type="submit" style="margin-left:60px;margin-top:10px;" />LOGIN</button><br>
<div id="usererror" style="color:red;"></div>
```

```
<div id="error" style="color:red;"></div>
<div id="message" style="color:white;"></div>
<p style="margin-left:80px;margin-top:10px;">or</p>
<p>create new account <a href="signup.html">sign up</a>
</form>
</div>
<script>
function validatefunction(){
const myform = document.getElementById('myform');
const error = document.getElementById('error');
const usererror = document.getElementById('usererror');
const username = document.getElementById('uname').value;
const password = document.getElementById('pw').value;
const message = document.getElementById('message').value;
const password_pattern=/^[a-zA-Z\d@$!%*#?&]{8}$/;
if(!password_pattern.test(password)){
error.innerHTML="password must be exactly 8 characters long and include atleast one uppercase
letter,one lowercase letter,one digit,and one special character";
return false;
error.style.display='block';
}
if(username !== 'Rupa Shree'){
usererror.innerHTML="Invalid username or password";
usererror.style.display='block';
return false;
}
messgae.innerHTML="Login successful!";
message.style.display='block';
setTimeout(() => {
windows.location.href="dashboard.html";
},2000);
return false;
}
</script>
</body>
</html>
```

## Signup.html

```
<!DOCTYPE HTML>
<html>
<head>
<title>Sign up Form</title>
<style>
.form {
margin:200px;
padding-bottom:20px;
padding-left:350px;
color:white;
}
a:hover{
color:red;
}
a{
color:#ff9999;
}
</style>
</head>
<body style="background-image: url('backg.jpg');background-size:contain">
<div class="form">
<h2>SIGNUP FORM</h2>
<form>
<label for="fname">First Name</label><br>
<input type="text" id="fname" name="ufame" required placeholder="First Name" style="margin-top:5px;"/><br>
<label for="lname">lastname</label><br>
<input type="text" id="lname" name="lname" required placeholder="Last Name" style="margin-top:5px;"/><br>
<label for="pw">Password</label><br>
<input type="Password" id="pw" name="pw" required placeholder="Enter Password" style="margin-top:5px;"/><br>
<label for="cw">Confirm Password</label><br>
<input type="Password" id="cw" name="cw" required placeholder="Enter Password" style="margin-top:5px;"/><br>
```

```



```

### Laptop.html

```

<!DOCTYPE html>
<html>
<head>
  <title>Laptop Bill</title>
  <link rel="stylesheet" href="styles.css">
</head>
<body>
<div class="container"><h2><strong>LAPTOP</strong></h2></div>
<br>
<audio controls>
<source src="aud.mp3" type="audio/mpeg">
</audio>
<h1>Bill</h1>
<p><strong>Product:</strong> Laptop</p>
<p><strong>Price:</strong> ₹45,999</p>
<button type="submit">Buy</button><br><br>
<div id="cart" ondrop="drop(event)" ondragover="allowDrop(event)">
  Drop Here to Add to Cart
</div>
<a href="index.html">← Back to Products</a><br><br>
<script src="script.js"></script>
</body>
</html>

```

### Smartphones.html

```

<!DOCTYPE html>
<html>
<head>
  <title>Smartphone Bill</title>

```

```

    <link rel="stylesheet" href="styles.css">
</head>
<body>
<div class="container"><h2><strong>Smartphone</strong><h2></div>
<br>
<audio controls>
<source src="aud.mp3" type="audio/mpeg">
</audio>
<h1>Bill</h1>
<p><strong>Product:</strong> Smartphone</p>
<p><strong>Price:</strong> ₹45,000</p>
<button type="submit">Buy</button><br><br>
<div id="cart" ondrop="drop(event)" ondragover="allowDrop(event)">
    Drop Here to Add to Cart
</div>
<a href="index.html">← Back to Products</a><br><br>
<script src="script.js"></script>
</body>
</html>

```

### Headphones.html

```

<!DOCTYPE html>
<html>
<head>
    <title>Headphones Bill</title>
    <link rel="stylesheet" href="styles.css">
</head>
<body>
<div class="container"><h2><strong>SPEAKER</strong><h2></div>
<br>
<audio controls>
<source src="aud.mp3" type="audio/mpeg">
</audio>
<h1>Bill</h1>

```

```

<p><strong>Product:</strong> headphones</p>
<p><strong>Price:</strong> ₹5,000</p>
<button type="submit">Buy</button><br><br>
<div id="cart" ondrop="drop(event)" ondragover="allowDrop(event)">
  Drop Here to Add to Cart
</div>
<a href="index.html">← Back to Products</a><br><br>
<script src="script.js"></script>
</body>
</html>

```

### Powerbank.html

```

<!DOCTYPE html>
<html>
<head>
  <title>powerbank Bill</title>
  <link rel="stylesheet" href="styles.css">
</head>
<body>
<div class="container"><h2><strong>PowerBank</strong></h2></div>
<br>
<audio controls>
<source src="aud.mp3" type="audio/mpeg">
</audio>
<h1>Bill</h1>
<p><strong>Product:</strong> powerbank</p>
<p><strong>Price:</strong> ₹15,000</p>
<button type="submit">Buy</button><br><br>
<div id="cart" ondrop="drop(event)" ondragover="allowDrop(event)">
  Drop Here to Add to Cart
</div>
<a href="index.html">← Back to Products</a><br><br>
<script src="script.js"></script>
</body>
</html>

```

## Styles.css

```
#cart {
    width: 200px;
    height: 200px;
    border: 2px dashed #333;
    margin: 10px auto;
    margin-right: 270px;
    text-align: center;
    line-height: 200px;
}
body{
background-image:url('bag.jpg');
background-size:cover;
}
img{
    margin-top:60px;
    height:400px;
    width:600px;
    margin-left:0px;
}
audio{
width:600px;
}
h1{
font-family:Arial;
margin-left:950px;
margin-top:-450px;
}
p{
font-family:Arial;
margin-left:900px;
margin-top:10px;
}
a{
font-family:Arial;
margin-left:900px;
margin-top:-400px;
}
```



```
button{
font-family:Arial;
margin-left:900px;
margin-top:-400px;
padding-left:50px;
padding-right:50px;
}
.container{
background-color:black;
height:100px;
margin-top:-40px;
margin-left:-10px;
margin-right:-8px;
color:white;
}
div h2{
padding:40px;
padding-left:600px;
}
}
```

### **Scripts.js**

```
function allowDrop(event) {
    event.preventDefault();
}

function drag(event) {
    event.dataTransfer.setData("text", event.target.id);
}

function drop(event) {
    event.preventDefault();
    const data = event.dataTransfer.getData("text");
    const draggedItem = document.getElementById(data).cloneNode(true);
    draggedItem.style.width = "150px";
    draggedItem.style.height = "175px";
    draggedItem.style.margin = "10px";
```

```
const cart = document.getElementById("cart");
  cart.innerHTML = ""; // Clear "Drop Here" text
  cart.appendChild(draggedItem);
}
```

### **Tutorial.html**

```
<!DOCTYPE html>
<html>
<head>
  <title>video</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
<div class="container">
<h2>Tutorial Video</h2>
</div>
<video width="800" controls>
<source src="tutorial.mp4" type="video/mp4">
</video><br><br>
<a href="index.html" style="margin-left:650px;"><← Back to Home</a>
</body>
```

### **Location.html**

```
<!DOCTYPE html>
<html>
<head>
  <title>Location Map</title>
  <meta charset="utf-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="https://unpkg.com/leaflet/dist/leaflet.css" />
  <style>
    #map {
      height: 400px;
      width: 100%;
      margin-top: 20px;
    }
  </style>
</head>
<body>
  <div>
    <img alt="Map showing a location" />
  </div>
  <div>
    <img alt="Bag icon" />
  </div>
</body>
</html>
```

```

        background-size:cover;
    }
</style>
</head>
<body>
<h2>Location on Map</h2>
<p id="demo"></p>
<div id="map"></div>
<script src="https://unpkg.com/leaflet/dist/leaflet.js"></script>
<script>
    const lat = 9.428915;
    const lon = 77.7847211;
    document.getElementById("demo").innerHTML = "Latitude: " + lat + "<br>Longitude: " + lon;
    const map = L.map('map').setView([lat, lon], 13);
    L.tileLayer('https://{s}.tile.openstreetmap.org/{z}/{x}/{y}.png', {
        maxZoom: 19,
        attribution: '© OpenStreetMap'
    }).addTo(map);
    L.marker([lat, lon]).addTo(map)
        .bindPopup("This is our shop location.")
        .openPopup();
</script>
</body>
</html>

```

### Style.css


```

body{
background-image:url('bag.jpg');
background-size:cover;
}
.container{
background-color:black;
height:100px;
margin-top:-40px;
margin-left:-10px;

```

```
margin-right:-8px;
}
ul{
position:relative;
top:50px;
right:50px;
}
li{
display:inline;
}
li a{
padding:30px;
text-decoration:none;
font-size:20px;
color:white;
}
a:hover{
color:blue;
}
a{
text-decoration:none;
font-size:20px;
color:black;
}
#gad{
position:relative;
top:120px;
}
img{
margin-top:-150px;
margin-right:100px;
}
button{
margin-left:220px;
margin-top:130px;
}
```

```
h1{
margin-left:120px;
margin-top:-10px;
}
pre{
margin-left:70px;
font-family:Arial;
}
h2{
color:white;
padding:40px;
padding-left:600px;
}
video{
margin-top:40px;
margin-left:300px;
}
```



SIGNUP FORM

First Name

First Name

lastname

Last Name

Password

Enter Password

Confirm Password

Enter Password

SIGN UP

Already have account [login](#)

HOMElocationlogin/signup

THE GADGET GALAXY

Gadgets Galaxy is a curated collection of my favorite electronic devices — from immersive TVs and powerful laptops to sound-blasting headphones and pocket-sized smart tools.

Dive into different sections and explore how these gadgets make daily life smarter, faster, and more fun.

watch video



## Tutorial Video



[← Back to Home](#)

## PowerBank



### Bill

**Product:** powerbank

**Price:** ₹15,000


[Buy](#)

Drop Here to Add to Cart

[← Back to Products](#)




## PowerBank



**Bill**

Product: powerbank  
Price: ₹15,000

[Buy](#)



[← Back to Products](#)

0:00 / 2:35

## Location on Map

Latitude: 9.428915  
Longitude: 77.7847211

