

Source Code :

```
<?php

session_start();

error_reporting(0);

include('includes/dbconnection.php');

if (strlen($_SESSION['ccmsaid']==0)) {

    header('location:logout.php');

} else{

    if(isset($_POST['submit']))

    {

        $adminid=$_SESSION['ccmsaid'];

        $AName=$_POST['adminname'];

        $mobno=$_POST['mobilenumber'];

        $email=$_POST['email'];

        $query=mysqli_query($con, "update tbladmin set AdminName='$AName', MobileNumber
        ='$mobno', Email= '$email' where ID='$adminid'");

        if ($query) {

            $msg="Admin profile has been updated.";

        }

        else

        {

            $msg="Something Went Wrong. Please try again.";

        }

    }

}
```

```
}
```

```
?>
```

```
<!doctype html>
```

```
<html class="no-js" lang="en">
```

```
<head>
```

```
<title>CCMS Admin Profile</title>
```

```
<link rel="apple-touch-icon" href="apple-icon.png">
```

```
<link rel="stylesheet" href="vendors/bootstrap/dist/css/bootstrap.min.css">
```

```
<link rel="stylesheet" href="vendors/font-awesome/css/font-awesome.min.css">
```

```
<link rel="stylesheet" href="vendors/themify-icons/css/themify-icons.css">
```

```
<link rel="stylesheet" href="vendors/flag-icon-css/css/flag-icon.min.css">
```

```
<link rel="stylesheet" href="vendors/selectFX/css/cs-skin-elastic.css">
```

```
<link rel="stylesheet" href="assets/css/style.css">
```

```
<link href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800' rel='stylesheet'  
type='text/css'>
```

</head>

<body>

<!-- Left Panel -->

<?php include_once('includes/sidebar.php');?>

<div id="right-panel" class="right-panel">

<!-- Header-->

<?php include_once('includes/header.php');?>

<div class="breadcrumbs">

<div class="col-sm-4">

<div class="page-header float-left">

<div class="page-title">

<h1>Admin Profile</h1>

</div>

</div>

</div>

<div class="col-sm-8">

<div class="page-header float-right">

<div class="page-title">

```
<ol class="breadcrumb text-right">

    <li><a href="dashboard.php">Dashboard</a></li>

    <li><a href="adminprofile.php">Admin Profile</a></li>

    <li class="active">Update</li>

</ol>

</div>

</div>

</div>

</div>

<div class="content mt-3">

    <div class="animated fadeIn">

        <div class="row">

            <div class="col-lg-6">

                <!-- .card -->

            </div>

            <!-- /.col -->

        </div>

        <div class="col-lg-12">

            <div class="card">

                <div class="card-header"><strong>Admin</strong><small> Profile</small></div>

                <form name="profile" method="post" action="">
```

```

        <p style="font-size:16px; color:red" align="center"> <?php if($msg){

            echo $msg;

        } ?> </p>

        <div class="card-body card-block">

            <?php

$adminid=$_SESSION['ccmsaid'];

$ret=mysqli_query($con,"select * from tbladmin where ID='$adminid'");

$cnt=1;

while ($row=mysqli_fetch_array($ret)) {

    ?>

        <div class="form-group"><label for="company" class=" form-control-label">Admin
Name</label><input type="text" name="adminname" value="<?php echo $row['AdminName'];?>"
class="form-control" required='true'></div>

        <div class="form-group"><label for="vat" class=" form-control-label">User
Name</label><input type="text" name="username" value="<?php echo $row['UserName'];?>"
class="form-control" readonly=""></div>

        <div class="form-group"><label for="street" class=" form-control-label">Contact
Number</label><input type="text" name="mobilenumber" value="<?php echo
$row['MobileNumber'];?>" class="form-control" maxlength='10' required='true'></div>

        <div class="row form-group">

            <div class="col-12">

                <div class="form-group"><label for="city" class=" form-control-
label">Email</label><input type="email" name="email" value="<?php echo $row['Email'];?>"
class="form-control" required='true'></div>

            </div>

            <div class="col-12">

```

```
        <div class="form-group"><label for="postal-code" class=" form-control-label">Admin Registration Date</label><input type="text" name="" value="<?php echo $row['AdminRegdate'];?>" readonly="" class="form-control"></div>
```

```
    </div>
```

```
</div>
```

```
</div>
```

```
<?php } ?>
```

```
<div class="card-footer">
```

```
        <p style="text-align: center;"><button type="submit" class="btn btn-primary btn-sm" name="submit" id="submit">
```

```
            <i class="fa fa-dot-circle-o"></i> Update
```

```
        </button></p>
```

```
    </div>
```

```
</div>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
</div><!-- .animated -->
```

```
</div><!-- .content -->
```

```
</div><!-- /#right-panel -->
```

```
<!-- Right Panel -->
```

```
<script src="vendors/jquery/dist/jquery.min.js"></script>

<script src="vendors/popper.js/dist/umd/popper.min.js"></script>

<script src="vendors/jquery-validation/dist/jquery.validate.min.js"></script>

<script src="vendors/jquery-validation-
unobtrusive/dist/jquery.validate.unobtrusive.min.js"></script>

<script src="vendors/bootstrap/dist/js/bootstrap.min.js"></script>

<script src="assets/js/main.js"></script>

</body>
</html>
<?php } ?>
```

View User.php:

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
if (strlen($_SESSION['ccmsaid']==0)) {
    header('location:logout.php');
} else{
```

?>

<!doctype html>

<html class="no-js" lang="en">

<head>

<title>CCMS New Users</title>

<link rel="apple-touch-icon" href="apple-icon.png">

<link rel="shortcut icon" href="favicon.ico">

<link rel="stylesheet" href="vendors/bootstrap/dist/css/bootstrap.min.css">

<link rel="stylesheet" href="vendors/font-awesome/css/font-awesome.min.css">

<link rel="stylesheet" href="vendors/themify-icons/css/themify-icons.css">

<link rel="stylesheet" href="vendors/flag-icon-css/css/flag-icon.min.css">

<link rel="stylesheet" href="vendors/selectFX/css/cs-skin-elastic.css">


```
<link rel="stylesheet" href="assets/css/style.css">
```

```
<link  
href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800'  
rel='stylesheet' type='text/css'>
```

```
</head>
```

```
<body>
```

```
<!-- Left Panel -->
```

```
<?php include_once('includes/sidebar.php');?>
```

```
<div id="right-panel" class="right-panel">
```

```
<!-- Header-->
```

```
<?php include_once('includes/header.php');?>
```

```
<div class="breadcrumbs">
```

```
<div class="col-sm-4">
```

```
<div class="page-header float-left">
```

```
<div class="page-title">

    <h1>New Users</h1>

</div>

</div>

</div>

<div class="col-sm-8">

    <div class="page-header float-right">

        <div class="page-title">

            <ol class="breadcrumb text-right">

                <li><a href="dashboard.php">Dashboard</a></li>

                <li><a href="manage-newusers.php">New Users</a></li>

                <li class="active">New Users</li>

            </ol>

        </div>

    </div>

</div>

</div>

</div>

<div class="content mt-3">

    <div class="animated fadeIn">

        <div class="row">

            <div class="col-lg-12">
```

```

<div class="card">

    <div class="card-header">

        <strong class="card-title">New Users</strong>

    </div>

    <div class="card-body">

        <table class="table">

            <thead>

                <tr>

                    <tr>

<th>S.NO</th>
<th>EntryID</th>
<th>Full Name</th>
<th>Action</th>
</tr>

                </tr>

            </thead>

            <?php

$ret=mysqli_query($con,"select *from tblusers");

$cnt=1;
while ($row=mysqli_fetch_array($ret)) {

?>

```

```
<tr>
```

```
<td><?php echo $cnt;?></td>
```

```
<td><?php echo $row['EntryID'];?></td>
```

```
<td><?php echo $row['UserName'];?></td>
```

```
<td><a href="view-user-detail.php?upid=<?php echo  
$row['ID'];?>">View</a>
```

```
</tr>
```

```
<?php
```

```
$cnt=$cnt+1;
```

```
</table>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div><!-- .animated -->
```

</div><!-- .content -->

</div><!-- /#right-panel -->

<!-- Right Panel -->

<script src="vendors/jquery/dist/jquery.min.js"></script>

<script src="vendors/popper.js/dist/umd/popper.min.js"></script>

<script src="vendors/bootstrap/dist/js/bootstrap.min.js"></script>

<script src="assets/js/main.js"></script>

</body>

</html>

<?php } ?>

<?php

session_start();

error_reporting(0);

```
include('includes/dbconnection.php');
```

```
if (strlen($_SESSION['ccmsaid']==0)) {
```

```
    header('location:logout.php');
```

```
}
```

```
?>
```

```
<!doctype html>
```

```
<html class="no-js" lang="en">
```

```
<head>
```

```
    <title>CCMS Admin Dashboard</title>
```

```
    <link rel="apple-touch-icon" href="apple-icon.png">
```

```
    <link rel="stylesheet" href="vendors/bootstrap/dist/css/bootstrap.min.css">
```

```
    <link rel="stylesheet" href="vendors/font-awesome/css/font-  
awesome.min.css">
```

```
    <link rel="stylesheet" href="vendors/themify-icons/css/themify-icons.css">
```

```
    <link rel="stylesheet" href="vendors/flag-icon-css/css/flag-icon.min.css">
```

```
    <link rel="stylesheet" href="vendors/selectFX/css/cs-skin-elastic.css">
```

```
    <link rel="stylesheet" href="vendors/jqvmap/dist/jqvmap.min.css">
```

```
<link rel="stylesheet" href="assets/css/style.css">
```

```
<link  
href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800'  
rel='stylesheet' type='text/css'>
```

```
</head>
```

```
<body>
```

```
<?php include_once('includes/sidebar.php');?>
```

```
<div id="right-panel" class="right-panel">
```

```
<?php include_once('includes/header.php');?>
```

```
<!-- Header-->
```

```
<div class="breadcrumbs">
```

```
<div class="col-sm-4">
```

```
<div class="page-header float-left">
```

```
  <div class="page-title">
```

```
    <h1>Dashboard</h1>
```

```
  </div>
```

```
</div>
```

```
</div>
```

```
<div class="col-sm-8">
```

```
  <div class="page-header float-right">
```

```
    <div class="page-title">
```

```
      <ol class="breadcrumb text-right">
```

```
        <li class="active">Dashboard</li>
```

```
      </ol>
```

```
    </div>
```

```
  </div>
```

```
</div>
```

```
</div>
```

```
<div class="content mt-3">
```



```

<div class="col-sm-6 col-lg-6">

    <div class="card text-white bg-flat-color-4">

        <div class="card-body pb-0">

            <div class="dropdown float-right">

                <button class="btn bg-transparent dropdown-toggle theme-
toggle text-light" type="button" id="dropdownMenuButton4" data-
toggle="dropdown">

                    <i class="fa fa-cog"></i>

                </button>

                <div class="dropdown-menu" aria-
labelledby="dropdownMenuButton4">

                    <div class="dropdown-menu-content">

                        <a class="dropdown-item" href="view-
allusers.php">Action</a>

                    </div>

                </div>

            </div>

        </div>

    </div>

    <?php $query=mysqli_query($con,"Select * from tblusers");
$usercounts=mysqli_num_rows($query);
?>

    <h4 class="mb-0">

        <span class="count"><?php echo $usercounts;?></span>

```

</h4>

<p class="text-light">Total Number of Users</p>

<div class="chart-wrapper px-3" style="height:70px;" height="70">

<canvas id="widgetChart4"></canvas>

</div>

</div>

</div>

</div>

<!--/.col-->

<div class="col-sm-6 col-lg-6">

<div class="card text-white bg-flat-color-2">

<div class="card-body pb-0">

<div class="dropdown float-right">

<button class="btn bg-transparent dropdown-toggle theme-toggle text-light" type="button" id="dropdownMenuButton2" data-toggle="dropdown">

<i class="fa fa-cog"></i>

</button>

<div class="dropdown-menu" aria-labelledby="dropdownMenuButton2">

```
<div class="dropdown-menu-content">

    <a class="dropdown-item" href="manage-
computer.php">Action</a>

</div>

</div>

</div>

<?php $query1=mysqli_query($con,"Select * from tblcomputers");
$totalcomp=mysqli_num_rows($query1);
?>

<h4 class="mb-0">

    <span class="count"><?php echo $totalcomp;?></span>

</h4>

<p class="text-light">Total Computers</p>

<div class="chart-wrapper px-0" style="height:70px;" height="70">

    <canvas id="widgetChart2"></canvas>

</div>

</div>

</div>

</div>
```

```
</div> <!-- .content -->  
</div><!-- /#right-panel -->
```

```
<!-- Right Panel -->
```

```
<script src="vendors/jquery/dist/jquery.min.js"></script>  
<script src="vendors/popper.js/dist/umd/popper.min.js"></script>  
<script src="vendors/bootstrap/dist/js/bootstrap.min.js"></script>  
<script src="assets/js/main.js"></script>
```

```
<script src="vendors/chart.js/dist/Chart.bundle.min.js"></script>  
<script src="assets/js/dashboard.js"></script>  
<script src="assets/js/widgets.js"></script>  
<script src="vendors/jqvmap/dist/jquery.vmap.min.js"></script>
```

```
<script
src="vendors/jqvmmap/examples/js/jquery.vmap.sampledata.js"></script>

<script src="vendors/jqvmmap/dist/maps/jquery.vmap.world.js"></script>

<script>

    (function($) {

        "use strict";


        jQuery('#vmap').vectorMap({

            map: 'world_en',

            backgroundColor: null,

            color: '#ffffff',

            hoverOpacity: 0.7,

            selectedColor: '#1de9b6',

            enableZoom: true,

            showTooltip: true,

            values: sample_data,

            scaleColors: ['#1de9b6', '#03a9f5'],

            normalizeFunction: 'polynomial'

        });

    })(jQuery);

</script>
```

</body>

</html>

<?php

session_start();

error_reporting(0);

include('includes/dbconnection.php');

if (strlen(\$_SESSION['ccmsaid']==0)) {

header('location:logout.php');

}

?>

<!doctype html>

<html class="no-js" lang="en">

<head>

<title>CCMS Admin Dashboard</title>

<link rel="apple-touch-icon" href="apple-icon.png">

<link rel="stylesheet" href="vendors/bootstrap/dist/css/bootstrap.min.css">

<link rel="stylesheet" href="vendors/font-awesome/css/font-awesome.min.css">

<link rel="stylesheet" href="vendors/themify-icons/css/themify-icons.css">

<link rel="stylesheet" href="vendors/flag-icon-css/css/flag-icon.min.css">

<link rel="stylesheet" href="vendors/selectFX/css/cs-skin-elastic.css">

<link rel="stylesheet" href="vendors/jqvmap/dist/jqvmap.min.css">

<link rel="stylesheet" href="assets/css/style.css">

<link
href='https://fonts.googleapis.com/css?family=Open+Sans:400,600,700,800'
rel='stylesheet' type='text/css'>

</head>

<body>

<?php include_once('includes/sidebar.php');?>

<div id="right-panel" class="right-panel">

```
<?php include_once('includes/header.php');?>
```

```
<!-- Header-->
```

```
<div class="breadcrumbs">
```

```
  <div class="col-sm-4">
```

```
    <div class="page-header float-left">
```

```
      <div class="page-title">
```

```
        <h1>Dashboard</h1>
```

```
      </div>
```

```
    </div>
```

```
</div>
```

```
<div class="col-sm-8">
```

```
  <div class="page-header float-right">
```

```
    <div class="page-title">
```

```
      <ol class="breadcrumb text-right">
```

```
        <li class="active">Dashboard</li>
```

```
      </ol>
```

```
    </div>
```

```
</div>
```

```
</div>
```

```
</div>
```



```
<div class="content mt-3">
```

```
<div class="col-sm-6 col-lg-6">
```

```
<div class="card text-white bg-flat-color-4">
```

```
<div class="card-body pb-0">
```

```
<div class="dropdown float-right">
```

```
<button class="btn bg-transparent dropdown-toggle theme-  
toggle text-light" type="button" id="dropdownMenuButton4" data-  
toggle="dropdown">
```

```
<i class="fa fa-cog"></i>
```

```
</button>
```

```
<div class="dropdown-menu" aria-  
labelledby="dropdownMenuButton4">
```

```
<div class="dropdown-menu-content">
```

```
<a class="dropdown-item" href="view-  
allusers.php">Action</a>
```

```
</div>
```

```
</div>
```

</div>

<?php \$query=mysqli_query(\$con,"Select * from tblusers");

\$usercounts=mysqli_num_rows(\$query);

?>

<h4 class="mb-0">

<?php echo \$usercounts;?>

</h4>

<p class="text-light">Total Number of Users</p>

<div class="chart-wrapper px-3" style="height:70px;" height="70">

<canvas id="widgetChart4"></canvas>

</div>

</div>

</div>

</div>

<!--/.col-->

<div class="col-sm-6 col-lg-6">

<div class="card text-white bg-flat-color-2">

<div class="card-body pb-0">

<div class="dropdown float-right">

```
<button class="btn bg-transparent dropdown-toggle theme-  
toggle text-light" type="button" id="dropdownMenuButton2" data-  
toggle="dropdown">
```

```
<i class="fa fa-cog"></i>
```

```
</button>
```

```
<div class="dropdown-menu" aria-  
labelledby="dropdownMenuButton2">
```

```
<div class="dropdown-menu-content">
```

```
<a class="dropdown-item" href="manage-  
computer.php">Action</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<?php $query1=mysqli_query($con,"Select * from tblcomputers");  
$totalcomp=mysqli_num_rows($query1);  
?>
```

```
<h4 class="mb-0">
```

```
<span class="count"><?php echo $totalcomp;?></span>
```

```
</h4>
```

```
<p class="text-light">Total Computers</p>
```

```
<div class="chart-wrapper px-0" style="height:70px;" height="70">
```

```
        <canvas id="widgetChart2"></canvas>
    </div>

</div>

</div>

</div>
```

```
</div> <!-- .content -->

</div><!-- /#right-panel -->
```

```
<!-- Right Panel -->
```

```
<script src="vendors/jquery/dist/jquery.min.js"></script>

<script src="vendors/popper.js/dist/umd/popper.min.js"></script>

<script src="vendors/bootstrap/dist/js/bootstrap.min.js"></script>

<script src="assets/js/main.js"></script>
```

```
<script src="vendors/chart.js/dist/Chart.bundle.min.js"></script>

<script src="assets/js/dashboard.js"></script>

<script src="assets/js/widgets.js"></script>

<script src="vendors/jqvmap/dist/jquery.vmap.min.js"></script>

<script
src="vendors/jqvmap/examples/js/jquery.vmap.sampledata.js"></script>

<script src="vendors/jqvmap/dist/maps/jquery.vmap.world.js"></script>

<script>

    (function($) {

        "use strict";


        jQuery('#vmap').vectorMap({

            map: 'world_en',

            backgroundColor: null,

            color: '#ffffff',

            hoverOpacity: 0.7,

            selectedColor: '#1de9b6',

            enableZoom: true,

            showTooltip: true,

            values: sample_data,

            scaleColors: ['#1de9b6', '#03a9f5'],
```

```
normalizeFunction: 'polynomial'
```

```
});
```

```
})(jQuery);
```


```
</script>
```

```
</body>
```


```
</html>
```

APPENDIX: SNAPSHOTS


1. ADMIN PAGE:



DASHBOARD PAGE:



ALL USERS:



The screenshot displays the CCMS ADMIN interface. The top navigation bar includes the text "CCMS ADMIN | Admin" and a red notification bell icon. A sidebar on the left contains a menu with items: Dashboard, Computer, Users, Search, and Reports. The main content area is titled "New Users" and shows a breadcrumb trail: "Dashboard / New Users / New Users". Below this, a table lists five new users with columns for S.NO, EntryID, Full Name, and Action.

S.NO	EntryID	Full Name	Action
1	398365517	Sourabh Patil	View
2	285255862	Sandesh Patil	View
3	305642534	Kiran	View
4	634737642	Pratik	View
5	883144278	Rohan	View