

MEMBER SECRETARY



भारत सरकार  
केन्द्रीय भूमि जल प्राधिकरण  
जल संसाधन, नदी विकास  
और गंगा संरक्षण मंत्रालय

File No: - 21-4/831/OR/MIN/2015-1084

NOC No: - CGWA/NOC/MIN/ORIG/2017/2622

Government of India  
Central Ground Water Authority  
Ministry of Water Resources,  
River Development & Ganga Rejuvenation

Date:- 31 MAY 2017

To,

✓ M/s Daitari Iron Ore Mines,  
Odisha Mining Corporation Limited,  
OMC House, Block Bhubaneswar,  
District Khordha, Odisha – 751001

**Sub:- NOC for ground water withdrawal to M/s Daitari Iron Ore Mines in respect of their existing Iron Ore Manufacturing Project located at Daitari Iron Ore Mines, Village Talpada, Block Harichandanpur, District Kendujhar, Odisha – reg.**

Refer to your application on the above cited subject. Based on recommendations of Regional Director, Central Ground Water Board South Eastern Region, Bhubaneswar vide their recommendations dated 27/07/2016 with clarification dated 22/02/2016, 22/02/2016 and further deliberations on the subject, the NOC of Central Ground Water Authority is hereby accorded to **M/s Daitari Iron Ore Mines in respect of their existing Iron Ore Manufacturing Project located at Daitari Iron Ore Mines, Village Talpada, Block Harichandanpur, District Kendujhar, Odisha.** The NOC is, however subject to the following conditions:-

1. The firm may abstract **750 cu.m/day** (not exceeding **2,25,000 cu.m/year**) of ground water through proposed eleven (11) borewells only. No additional ground water abstraction structures to be constructed for this purpose without prior approval of the CGWA.
2. All the wells to be fitted with water meter by the firm at its own cost and monitoring of ground water abstraction to be undertaken accordingly on regular basis, at least once in a month. The ground water quality to be monitored twice in a year during pre- monsoon and post- monsoon periods.
3. **M/s Daitari Iron Ore Mines** shall, in consultation with the Regional Director, Central Ground Water Board South Eastern Region, Bhubaneswar implement ground water recharge measures to the tune of **32,06,693 cu.m/year** as proposed, for augmenting the ground water resources of the area within six months from the date of issue of this letter. **Rain water harvesting and water conservation measures to be taken up by adopting ponds in nearby villages.** Firm shall also undertake periodic maintenance of recharge structures at its own cost
4. The photographs of the recharge structures after completion of the same are to be furnished immediately to the Regional Director, Central Ground Water Board South

West Block - 2, Wing - 3, Sector - 1, R.K. Puram, New Delhi - 110066

Tel : 011-26175362, 26175373, 26175379 • Fax : 011-26175369

Website : [www.cgwa-noc.gov.in](http://www.cgwa-noc.gov.in)

स्वच्छ सुरक्षित जल - सुन्दर खुशहाल कल

CONSERVE WATER - SAVE LIFE

Eastern Region, Bhubaneswar for verification and under intimation to this office.

5. The firm at its own cost shall install five (5) piezometers at suitable locations and execute ground water regime monitoring programme in and around the project area on regular basis in consultation with the Central Ground Water Board South Eastern Region, Bhubaneswar.

6. The ground water monitoring data in respect of S. No. 2 & 5 to be submitted to Central Ground Water Board South Eastern Region, Bhubaneswar on regular basis at least once in a year.

7. The firm shall ensure proper recycling and reuse of waste water after adequate treatment.

8. Action taken report in respect of S. No. 1 to 7 may be submitted to CGWA within one year period.

9. The permission is liable to be cancelled in case of non-compliance of any of the conditions as mentioned in S. No. 1 to 8.

10. This NOC is subject to prevailing Central/State Government rules/laws or Court orders related to construction of tubewell/ ground water withdrawal/ construction of recharge or conservation structures/ discharge of effluents or any such matter as applicable.

11. This NOC does not absolve the applicant / proponent of his obligation / requirement to obtain other statutory and administrative clearances from other statutory and administrative authorities.

12. The NOC does not imply that other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would consider the project on merits and be taking decisions independently of the NOC.

13. This NOC is valid from 26/05/2017 till 25/05/2019.

  
30.5.17  
Member Secretary

**Copy to:**

1. The Member Secretary, Odisha Pollution Control Board Paribesh Bhawan, A/118, Nilakantha Nagar, Unit - VIII, Bhubaneswar - 751012, **with a request to ensure that the conditions mentioned in the NOC are complied by the firm in consultation with the Collector & District Magistrate, District Kendujhar, Odisha.**

2. The Collector and District Magistrate, District Kendujhar, Odisha for necessary action.

3. The Regional Director, Central Ground Water Board South Eastern Region, Bhubaneswar. This has reference to your recommendation dated 27/07/2016 with clarification dated 22/02/2016, 22/02/2016.

4. TS to the Chairman, Central Ground Water Authority, Shram Shakti Bhawan, Rafi Marg, New Delhi.

5. Guard File 2017-18.

/   
Member Secretary