Automated root cause analysis for industrial machinery

"I am researching about "In automated industrial plants, unexpected machine breakdowns trigger dozens of confusing sensor alarms at once. Without an automated way to trace the root cause, technicians must manually hunt through hundreds of pages of equipment manuals and past shift notes to figure out what went wrong, turning simple mechanical or electrical faults into hours of costly assembly line downtime." , kindly help me research" *Generated by LeapSpace*

Automated Root-Cause Diagnosis for Industrial Plant Breakdowns at a Glance

Key Findings Table

Key finding	Relevance to the plant-breakdown scenario	Evidence population / setting	Citations
The core problem is not just alarm overload, but tracing alarms back to the initiating fault	Best-performing studies increasingly focus on causal localization of the first failed variable, subsystem, or alarm chain rather than simple alarm suppression	Process plants, industrial control systems, multivariate process benchmarks	[1] [2] [3] [4] [5] [6] [7]
Hybrid knowledge-driven plus data-driven diagnosis is more practical than black-box-only methods	Combining alarm streams with plant hierarchy, engineering knowledge, topology, or expert rules improves localization and explainability	Process plants, packaging machinery, Tennessee Eastman and other industrial case studies	[2] [8] [9] [10] [11] [12] [13]
Alarm-flood filtering works best when paired with event correlation or causal reasoning	Sequence mining, similarity grouping, Bayesian/causal graphs, and transfer entropy can reduce nuisance alarms while preserving meaningful propagation structure	Ethylene, BASF, natural gas, chemical distillation, nuclear and benchmark studies	[14] [15] [16] [17] [18] [19] [20]
Sensor time-series RCA is moving from anomaly detection to initiating-variable detection	Causal-discovery and propagation-path methods outperform plain anomaly flags for root-cause localization	Tennessee Eastman, coal pulverizer, hot rolling, penicillin fermentation, cigarette and synthesis processes	[5] [6] [7] [21] [22]

Key finding	Relevance to the plant-breakdown scenario	Evidence population / setting	Citations
Maintenance manuals, work orders, and shift logs are valuable but noisy diagnostic evidence	Useful symptom-cause-action information exists in text, but abbreviations, misspellings, and missing context make generic NLP unreliable	CMMS records, maintenance logs, work orders, engineering reports	[23] [24] [25] [26] [27] [28] [29] [30]
Domain-adapted NLP is necessary for industrial text	Custom tokenization, continued pretraining, clustering, NER, and technical preprocessing improve extraction and classification	Industrial logs, maintenance work orders, technical reports	[26] [27] [31] [32] [33] [34]
Knowledge graphs are emerging as the unifying layer across alarms, telemetry, and documents	KGs support multi-hop reasoning from symptoms to component, cause, history, and repair action with better traceability	Fault KGs, industrial maintenance KGs, LLM-grounded maintenance systems	[35] [36] [37] [38] [39] [40]
Multimodal fusion is promising but still immature end-to-end	Combining telemetry, logs, and text usually beats single-modality diagnosis, but full live plant deployments remain sparse	Power equipment, manufacturing, process operations, multimodal anomaly studies	[41] [42] [43] [44] [45] [46]
Operational benefits are reported, but hard business metrics are uneven	Some studies show faster analysis or reduced downtime, yet standardized MTTR and downtime-hour reporting is limited	Nuclear experiment, haul trucks, lubricant diagnostics, plant maintenance workflows	[18] [47] [48] [49] [50]

Direct Answer

Yes—your research problem is strongly supported by the literature. The best-supported answer is **not** a single algorithm, but a **hybrid automated diagnosis stack** that does four things in sequence: **(1) groups and filters alarm floods, (2) infers causal propagation from sensor streams, (3) retrieves relevant manual sections and similar maintenance/shift notes using domain-adapted NLP, and (4) explains the likely root cause through a knowledge graph or causal graph that technicians can inspect** [2] [4] [5] [6] [26] [27] [38] [42].

For your exact scenario—dozens of alarms plus technicians searching manuals and notes—the strongest design choice is to prioritize **traceable root-cause localization** over pure fault classification, because the literature repeatedly shows that purely predictive systems often lack the explanation chain needed for maintenance adoption [51] [52] [53] [54].

A practical evidence-backed architecture would be:

1. **Alarm flood grouping and prioritization** using causal graphs, Bayesian networks, transfer entropy, similarity analysis, or sequence mining to identify the initiating alarm chain and suppress consequential alarms [1] [2] [3] [4] [20].
2. **Sensor-based fault localization** using causal-discovery or propagation-path models to identify the first abnormal variable or subsystem rather than only flagging “anomaly detected” [5] [6] [7].
3. **Text mining over manuals, work orders, and shift notes** using domain-adapted tokenization, NER, clustering, and retrieval to extract symptoms, causes, and repair actions from noisy industrial language [26] [27] [30] [33].
4. **KG-grounded explanation and recommendation** linking alarms, components, failure modes, historical cases, and repair actions so the system can return ranked causes plus evidence and next inspection steps [35] [36] [37] [39] [40].

Taken together, these findings suggest that the most useful system for automated plants is an **evidence-ranking assistant** rather than a single-answer predictor: it should output top probable causes, confidence, supporting alarms, abnormal variables, relevant manual passages, and similar historical cases [38] [55] [56].

Confidence level: High - The input evidence is rich, internally consistent, and directly aligned with alarm floods, sensor RCA, maintenance text mining, and explainable multimodal diagnosis [2] [5] [12] [27] [42].

Study Scope

- **Time period covered:** roughly foundational alarm-management work through recent studies concentrated in about 2015-2025, depending on subtopic [57] [58] [59].
- **Disciplines covered:** industrial alarm management, process monitoring, fault diagnosis, predictive maintenance, NLP for maintenance text, causal inference, knowledge graphs, and multimodal AI [1] [11] [23] [60] [61].
- **Methods covered:** causal graphs, Bayesian networks, transfer entropy, Granger causality, clustering, sequence mining, CNN-LSTM, Transformers, interpretable statistical diagnostics, NER/relation extraction, KG reasoning, and multimodal fusion [13] [20] [22] [27] [42] [62] [63].
- **Industrial settings covered:** chemical/process plants, natural-gas processing, packaging machinery, welding lines, electrical equipment, haul trucks, power systems, refinery and manufacturing case studies [47] [62] [64] [65].

Assumptions & Limitations

- The literature is much stronger on **technical validation** than on standardized plant-level business outcomes such as MTTR reduction or technician document-search time [47] [48] [49].
- Many studies rely on **benchmark processes**, especially Tennessee Eastman, which limits comparability to real assembly-line environments with overlapping faults and incomplete logs [66] [67] [68].

- Maintenance text evidence is valuable but constrained by **noisy abbreviations, inconsistent records, and missing context**, which limits plug-and-play deployment of generic NLP [30] [69] [70] [71].
- There is no strong evidence here of a **widely benchmarked, mature, fully deployed end-to-end system** that simultaneously ingests live alarm floods, telemetry, manuals, and shift notes in one production workflow [46] [59] [72].

Suggested Further Research

- Build and compare **hybrid causal + KG + NLP systems** against pure deep-learning baselines on real plant data [12] [13] [39].
- Create **real-plant multimodal benchmarks** that jointly include alarm floods, sensor histories, manuals, logs, and ground-truth causes [44] [67] [73].
- Report **business-facing metrics** such as MTTR reduction, downtime-hours saved, and reduction in manual document search time [47] [48] [49].
- Study **simultaneous and partially hidden faults**, where alarm sequences are interrupted and initiating causes are not fully labeled [46] [68] [74].
- Evaluate **retrieval-only LLM assistants versus KG-grounded assistants versus classical expert systems** for traceability and technician usefulness [39] [75] [76].

Full Report Body

Introduction: Why Automated Root-Cause Diagnosis Matters

Unexpected industrial breakdowns often create a diagnostic bottleneck: many alarms appear at once, sensor effects propagate across subsystems, and the evidence needed to interpret them is split across control histories, manuals, work orders, and shift notes [1] [23] [61]. The literature consistently treats this as a **root-cause tracing problem**, not merely an alarm reduction problem, because the operational cost arises when technicians must manually infer which fault started the cascade [1] [3] [5].

Across alarm management, sensor analytics, and maintenance informatics, the field is moving toward automated systems that can connect **symptoms to initiating causes** and then ground those causes in plant knowledge that operators can validate [4] [5] [11] [54]. This matters because narrowing 30 alarms to one likely actuator, cable, bearing, breaker, or control-loop issue can reduce troubleshooting burden far more than simply hiding alarms [17] [64] [77].

Confidence level: High - Multiple subfields independently converge on the same problem framing and solution direction [1] [5] [11] [23] [61].

Foundational Context

A useful way to frame automated industrial RCA is to separate four linked tasks:

1. **Alarm management:** detect floods, cluster related alarms, and suppress non-informative consequences [1] [78] [79].
2. **Causal localization:** identify the initiating variable, subsystem, or propagation path from multivariate telemetry [5] [6] [7].
3. **Knowledge extraction:** turn manuals, maintenance notes, and work orders into structured evidence on symptoms, causes, and repair actions [27] [33].
4. **Reasoned decision support:** combine live signals and historical knowledge into a traceable explanation that a technician can act on [36] [37] [56].

This decomposition clarifies an important distinction. **Fault detection** answers "is something abnormal?" whereas **root-cause diagnosis** answers "what failed first, where, and what should be checked next?" [5] [53]. The reviewed literature repeatedly favors methods that preserve or reconstruct causal order, because alarm cascades and correlated sensor deviations otherwise obscure the initiating event [80] [81] [82].

Alarm Flood Filtering and Event Correlation

Alarm-flood studies widely model floods as **cause-tracing tasks** in which many alarms reflect the same abnormality and should be grouped or ranked accordingly [1] [3] [64] [78] [79]. The practical benefit is not just fewer displayed alarms, but a shorter path to the disturbance source and better operator situational awareness [17] [64] [77] [83].

Three method families dominate:

- **Causal/Bayesian methods** infer directional dependencies among alarms and process variables to separate initiating alarms from consequences [84] [85] [86] [87].
- **Sequence/event-correlation methods** use association rules, PrefixSpan, subsequence detection, or alignment to recover recurrent flood patterns and coherent abnormal episodes [19] [88] [89] [90].
- **Similarity/hierarchical grouping methods** cluster alarms by temporal and structural resemblance so that technicians inspect one episode or template instead of many isolated alerts [16] [17] [20] [91] [92].

The strongest practical lesson is that **hybrid methods outperform purely data-driven grouping when multiple root causes or mixed plant contexts are present**, because engineering hierarchy, connectivity, or control logic helps prevent false groupings [2] [8] [9] [10]. Purely data-driven methods still work well for recurring alarm-pattern classification, but they are less reliable when the task is mechanism-grounded localization rather than pattern recognition [93] [94] [95] [96].

The clearest quantified operational result in the supplied evidence is a **73% reduction in average alarm analysis time** in a nuclear human-factors experiment using causal analysis support [18]. Other studies report better flood rationalization, reduced nuisance alarms, or improved grouping, but often without standardized metrics [14] [15] [19].

Standards such as **ISA 18.2** and **EEMUA 191** appear mainly as governance frameworks for rationalization and prioritization, not as standalone RCA methods [57] [97] [98]. The literature suggests they matter most when paired with data-driven correlation or similarity analysis [57].

Confidence level: High - The evidence is broad and consistent on the value of causal and hybrid alarm-flood methods, though operational metrics are sparse [1] [2] [4].

Multivariate Sensor Time-Series Fault Localization

Sensor-based RCA has shifted from general anomaly detection toward **initiating-variable and propagation-path identification** [5] [6]. This directly matches the user's scenario, because technicians need to know whether an overload, actuator failure, control-loop issue, cable fault, or sensor drift started the cascade.

The most relevant methods are **causal-discovery and propagation models**, including sparse causal networks, Granger-based methods, transfer-entropy traversals, and hierarchical causal-gated models [6] [7] [21] [22] [99]. MTCD is particularly representative: it combines temporal registration, causality validation, and delay discovery to localize both the root-cause variable and propagation path, with better localization performance on synthesis and Tennessee Eastman studies [5].

Deep temporal models also show strong classification performance. CNN-LSTM variants report high diagnosis accuracy on welding lines, electrical equipment, and motor/bearing faults, including **98.456% fault-diagnosis accuracy** and **94.231% predictive-maintenance lead-time accuracy** on a welding production-line dataset [62]. Transformer-based and graph-temporal models also perform strongly, sometimes exceeding 99% on specific fault datasets or improving open-set rejection by 20%-50% [100] [101].

However, the field shows a clear trade-off: **deep models often maximize predictive accuracy, while interpretable methods better support fault localization and operator trust** [51] [52] [63] [102]. Mahalanobis-Taguchi, PCA-style methods, correlation analysis, and explanation-augmented Isolation Forest are attractive because they can show which variables matter, even if they are weaker under nonlinear or context-heavy fault regimes [63] [102] [103] [104].

A methodological weakness is evaluation fragmentation. Tennessee Eastman dominates benchmarking, while batch, oscillation, and plant-specific datasets are less standardized and often poorly annotated for true initiating causes [66] [67] [68]. This makes cross-paper comparison difficult.

Confidence level: High - Strong convergence exists on causal localization as the most relevant sensor-RCA direction, with repeated benchmark support [5] [7] [22].

NLP for Maintenance Manuals, Work Orders, and Shift Logs

The literature strongly supports the claim that **unstructured maintenance text is diagnostically valuable** because it contains symptoms, probable causes, component names, and repair actions not visible in telemetry alone [23] [24] [25] [105] [106]. For the user's scenario, this directly addresses the manual search through manuals and notes.

The main technical conclusion is that **generic NLP is not enough**. Industrial text contains acronyms, shorthand, spelling noise, incomplete grammar, and domain-specific jargon, so domain-adapted tokenizers, continued pretraining, and task-specific preprocessing are repeatedly recommended [26] [30] [69] [70]. Evidence from domain-specific BERT studies shows that adapted representations outperform generic models in technical classification settings [31] [32].

Useful NLP tasks for RCA include:

- **Named-entity and relation extraction** for components, failure modes, symptoms, remedies, and causal links [27] [107].
- **Clustering and semantic grouping** to merge same-meaning fault records despite spelling variation or phrasing differences [24] [108] [109] [110].
- **Failure and action classification** to map free-text records into fault classes or recommended corrective actions [111] [112].
- **Structured reliability-data recovery** from noisy CMMS fields and work-order narratives [113] [114] [115].

Several studies indicate that clustering and preprocessing are especially important. Clustering reduces manual review load and supports root-cause discovery, while NER pipelines can recover item, problem, and remedy fields from long work orders [24] [116]. In one case, semantic clustering achieved a **Silhouette score of 0.8529**, and action-generation models produced measurable ROUGE scores for corrective-action suggestions [111].

The main limitation is data quality: poor spelling, grammar, slang, and incomplete context can block reliable extraction unless the pipeline is heavily adapted to the domain [29] [30] [71] [117].

Confidence level: High - The evidence is consistent that maintenance text is both essential and noisy, and that domain adaptation is necessary [23] [26] [27] [30].

Knowledge Graphs and Causal Inference for Fault Tracing

Knowledge graphs increasingly serve as the **integration layer** across alarms, telemetry, manuals, maintenance history, and expert rules [11] [36] [118] [119]. This is especially important for the user's problem because KGs can turn fragmented documentation into a navigable reasoning structure rather than a static archive.

The retrieved studies show that KG-based systems:

- encode equipment, subsystems, failures, alarms, and remedies as linked entities [35] [120] [121];
- support **multi-hop reasoning** from observed symptom to likely cause to recommended action [36] [37];
- improve **traceability and explainability** relative to opaque black-box baselines [38] [53] [122];
- increasingly act as a grounding layer for **LLM-based maintenance assistants** to reduce hallucinations and organize evidence chains [39] [75] [123].

Some KG-based diagnosis studies report strong technical results, including **>90% root-cause accuracy**, **98% text-generation accuracy**, or short inference times in specific systems [35] [36] [118] [119] [124]. Hybrid GNN+KG systems on Tennessee Eastman are also reported to outperform traditional approaches while remaining interpretable and real-time [12].

Causal inference complements KGs by learning or refining the direction of fault propagation. LASSO-based isolation plus sparse causal networks, physics-informed graph learning, and causality-driven graph methods all report better diagnosis accuracy or reduced spurious connections [7] [65] [125]. One framework reports **+23.10% TPR, -60.82% FPR, and +23.47% F1** in simulation before further Tennessee Eastman validation [7].

Taken together, these findings suggest that KGs are not just storage structures; they are becoming the main mechanism for **explainable evidence fusion** in industrial RCA [38] [40] [55].

Confidence level: High - Strong support exists for KGs as an explainability and integration layer, though benchmarking versus simpler retrieval systems remains limited [12] [39] [75].

Multimodal Diagnostic Systems and Operational Outcomes

The literature supports multimodal fusion because **no single modality tells the full failure story** [61] [122] [126] [127] [128]. Alarm streams show symptom timing, telemetry shows propagation, and text records capture repair context and historical precedent [40] [129] [130].

Reported fusion mechanisms include:

- **Cross-modal attention**, which improves interaction between time-series and text representations [42] [43].
- **Transformer fusion**, which outperforms either modality alone in alarm-related prediction tasks [41].
- **Graph fusion**, which incorporates expert knowledge or event relationships into multimodal reasoning [54].
- **Late fusion**, which is often more robust to asynchronous or noisy signals but may lose fine low-level interactions [131] [132] [133].

The clearest comparative result in the supplied material is a time-series+text pretraining model with cross-modal attention that achieved **96.2% DGA fault-classification accuracy**, improving by **3.5 points over MCBERT**, and **94.8% health-state accuracy**, also **3.5 points over TimesNet** [42]. Another multimodal industrial model reports **>99% diagnostic accuracy** with stronger noise resistance [43].

Operational-outcome evidence exists, but it is uneven. Maintenance-system mining studies report reduced machine downtime and lower maintenance effort, including less onsite inspection time, though without a standardized metric in the excerpts [49] [50]. A haul-truck monitoring system reports statistically significant reductions in the number of down events and, for some issues, the duration of downtime [47]. A lubricant-diagnosis system reduced diagnosis time from **up to three weeks of vehicle unavailability to about three minutes per sample** [48].

Robustness to missing modalities is a key deployment issue. Recent studies use **modality masking, modality completion, shared/private latent spaces, and cross-modal distillation** to maintain performance when one channel is absent [44] [45] [46] [134]. This matters in real plants where logs are incomplete, sensors fail, or notes are delayed [46] [135].

Confidence level: Medium-High - The evidence is strong that fusion helps technically, but weaker on fully integrated plant deployments and standardized operational metrics [42] [44] [47] [49].

Practical System Design for the User's Use Case

Based on the supplied evidence, the most defensible system design is a **four-layer technician-facing RCA assistant**:

1. Alarm compression and causal grouping

Use temporal clustering, sequence correlation, and causal graphs to merge dozens of alarms into a few candidate abnormal episodes and identify likely initiating alarms [18] [20] [91] [92].

2. Sensor-root localization

For each alarm episode, run causal-discovery or propagation-path analysis to rank likely faulted variables or subsystems rather than merely score anomaly severity [5] [6] [7] [22].

3. Retrieval from manuals and shift history

Use domain-adapted NLP to extract component names, symptoms, causes, and remedies from manuals, CMMS records, and shift notes; then retrieve the most relevant passages and similar prior cases [26] [27] [116] [136].

4. KG-grounded explanation

Assemble the evidence into a graph-based explanation: affected asset, probable root cause, causal chain, similar past case, cited manual section, and first inspection steps [36] [37] [38] [56].

This pattern implies that the best output format is not "fault class = X," but something like: **"Top cause: conveyor motor overload due to cooling-fan failure; supporting evidence: 27 alarms grouped into one episode, current spike at motor drive, matched maintenance case, relevant manual section, inspect cabinet temperature and breaker status first."** This is an inference from the literature's repeated emphasis on evidence chains and technician trust rather than a direct quoted system output [53] [54] [55].
Confidence level: Medium - Strongly supported as a synthesis across sources, but the exact end-to-end implementation is inferred from multiple partial systems [2] [5] [27] [39] [42].

Limitations, Gaps, and Research Directions

Four gaps recur across the evidence:

1. **Benchmark fragmentation:** real-plant multimodal RCA benchmarks with ground-truth root causes are scarce [44] [67] [73].
2. **Sparse business metrics:** many studies report accuracy but not MTTR reduction, downtime-hours saved, or technician search-time reduction [47] [48] [49].
3. **Assembly-line underrepresentation:** process and chemical benchmarks dominate over discrete manufacturing deployments [59] [66].
4. **Explainability requirement:** high-performing black-box models may be less usable unless grounded in graphs, causal paths, or retrieved maintenance evidence [51] [53] [54].

Inferred: The next mature generation of industrial RCA systems will likely combine **causal alarm analytics, telemetry-based fault localization, domain-adapted retrieval, and KG-grounded LLM explanation** in one continuously updated loop [38] [39] [40].
Confidence level: Low - This is a synthesis of trends rather than a directly established consensus.

Conclusion

The literature strongly supports your research premise: in automated plants, the real diagnostic challenge is not only alarm overload, but the absence of an automated, explainable way to connect alarm floods and sensor anomalies back to the actual failing component while leveraging manuals and past notes [1] [5] [11] [23]. The best-supported solution direction is a **hybrid multimodal RCA architecture** combining alarm correlation, causal sensor analytics, domain-adapted maintenance-text mining, and knowledge-graph grounding [2] [5] [12] [27] [42].

If your goal is to reduce troubleshooting time and downtime in practice, the evidence suggests prioritizing systems that produce **ranked causes with traceable evidence chains**, not just high classification accuracy [53] [54] [56]. The field is technically mature enough to justify this design direction, but still lacks enough standardized, real-plant, multimodal evaluations to claim a universally proven end-to-end deployment model [46] [59] [67].

Overall conclusion confidence: High - The central conclusion is strongly supported across multiple independent evidence streams, even though operational benchmarking remains incomplete [2] [5] [11] [23] [61].

References

1. Gao, H., Xu, Y., Gu, X., (...), Zhu, Q. (2015) Systematic rationalization approach for multivariate correlated alarms based on interpretive structural modeling and Likert scale. *Chinese Journal of Chemical Engineering*. https://doi.org/10.1016/j.cjche.2015.11.009
2. Wen, Z., Wilch, J., Zhu, Z., (...), Vogel-Heuser, B. (2025) Alarm Root-Cause Analysis Via Sensor-Actuator Relationships Extracted from Control Software. *2025 IEEE 4th Industrial Electronics Society Annual On-Line Conference, ONCON 2025*. https://doi.org/10.1109/ONCON68412.2025.11384505
3. Song, X., Liu, Q., Dong, M., (...), Jiu, J. (2022) Chemical Process Alarm Root Cause Diagnosis Method Based on the Combination of Data-Knowledge-Driven Method and Time Retrospective Reasoning. *ACS Omega*. https://doi.org/10.1021/acsomega.2c01529
4. Manca, G. (2026) Data-driven methods for analyzing alarm floods in automated industrial processes. *At-Automatisierungstechnik*. https://doi.org/10.1515/auto-2026-0013
5. Wang, S., Zhao, Q., Han, Y., Wang, J. (2023) Root cause diagnosis for process faults based on multisensor time-series causality discovery. *Journal of Process Control*. https://doi.org/10.1016/j.jprocont.2022.12.006
6. Song, P., Zhao, C., Huang, B. (2023) MPGE and RootRank: A sufficient root cause characterization and quantification framework for industrial process faults. *Neural Networks*. https://doi.org/10.1016/j.neunet.2023.01.030
7. Zheng, S., Pi, D. (2025) Root Cause Diagnosis for Time Series Data Faults Based on Fault Isolation and Channel-Attentive Sparse Causal Networks. *IEEE Sensors Journal*. https://doi.org/10.1109/JSEN.2025.3539014
8. Kinghorst, J., Bloch, H., Fay, A., Vogel-Heuser, B. (2017) Integration of additional information sources for improved alarm flood detection. *INES 2017 - IEEE 21st International Conference on Intelligent Engineering Systems, Proceedings*. https://doi.org/10.1109/INES.2017.8118568
9. Vogel-Heuser, B., Fay, A., Rupprecht, B., (...), Manca, G. (2024) Exploring challenges of alarm root-cause analysis across varying production process types. *At-Automatisierungstechnik*. https://doi.org/10.1515/auto-2023-0180
10. Lucke, M., Chioua, M., Grimholt, C., (...), Thornhill, N.F. (2018) Online Alarm Flood Classification Using Alarm Coactivations. https://doi.org/10.1016/j.ifacol.2018.09.324
11. Li, S., Zhang, C., Yang, G., (...), Zhang, N. (2026) A knowledge modeling method for high-speed railway emergency faults based on structured logic diagrams and knowledge graphs. *High-speed Railway*. https://doi.org/10.1016/j.hspr.2025.10.004

12. Yu, B., Chen, H., Yu, Y., (...), Xiang, G. (2025) Industrial Process Root Cause Analysis Method Based on Graph Neural Networks and Knowledge Graphs. *2025 5th International Conference on Robotics, Automation, and Artificial Intelligence, RAAI 2025*. https://doi.org/10.1109/RAAI67517.2025.11423096

13. Dong, J., Li, D., Wei, Y., Peng, K. (2025) A Novel Process Monitoring and Root Cause Diagnosis Strategy Based on Knowledge-Data-Integrated Causal Digraph for Complex Industrial Processes. *IEEE Transactions on Instrumentation and Measurement*. https://doi.org/10.1109/TIM.2024.3497056

14. Kurata, K., Noda, M., Kikuchi, Y., Hirao, M. (2011) Extension of event correlation analysis for rationalization of plant alarm systems. *Kagaku Kogaku Ronbunshu*. https://doi.org/10.1252/kakoronbunshu.37.338

15. Ghasemi, G., Braun, D., Jazdi, N., (...), Birk, J. (2023) A data-driven approach to analyze industrial process alarms using the association analysis method. *VDI Berichte*. https://doi.org/10.51202/9783181024195-777

16. Niyazmand, T., Izadi, I. (2017) Identification and clustering of alarm floods in a natural gas processing plant. *2017 25th Iranian Conference on Electrical Engineering, ICEE 2017*. https://doi.org/10.1109/IranianCEE.2017.7985121

17. Fullen, M., Schüller, P., Niggemann, O. (2017) Defining and validating similarity measures for industrial alarm flood analysis. *Proceedings - 2017 IEEE 15th International Conference on Industrial Informatics, INDIN 2017*. https://doi.org/10.1109/INDIN.2017.8104872

18. Chen, J., Chen, S., Yang, M., (...), Nie, Y. (2025) Intelligent alarm analysis of nuclear power plant based on causal diagram. *Harbin Gongcheng Daxue Xuebao/Journal of Harbin Engineering University*. https://doi.org/10.11990/jheu.202508012

19. Wang, J., Li, H., Huang, J., Su, C. (2016) Association rules mining based analysis of consequential alarm sequences in chemical processes. *Journal of Loss Prevention in the Process Industries*. https://doi.org/10.1016/j.jlp.2016.03.022

20. Agudelo, C., Anglada, F.M., Quiles-Cucarella, E.Q., García Moreno, E.G. (2013) Integration of techniques for early fault detection and diagnosis for improving process safety: Application to a Fluid Catalytic Cracking refinery process. *Journal of Loss Prevention in the Process Industries*. https://doi.org/10.1016/j.jlp.2013.01.002

21. He, Y., Li, X. (2024) Causal network construction based on KICA-ECCM for root cause diagnosis of industrial processes. *Cluster Computing*. https://doi.org/10.1007/s10586-024-04663-5

22. Xu, Y., Chu, S., Liu, Z., (...), Zhong, K. (2025) Hierarchical Sparse Causal-gated LSTM Networks for Root Cause Identification of Industrial Processes. *Proceedings of 2025 IEEE 14th Data Driven Control and Learning Systems Conference, DDCLS 2025*. https://doi.org/10.1109/DDCLS66240.2025.11065069

23. Naqvi, S.M.R., Ghufran, M., Meraghni, S., (...), Zerhouni, N. (2022) CBR-Based Decision Support System for Maintenance Text Using NLP for an Aviation Case Study. *Proceedings - 2022 Prognostics and Health Management Conference, PHM-London 2022*. https://doi.org/10.1109/PHM2022-London52454.2022.00067

24. Sharp, M., Sexton, T., Brundage, M.P. (2017) Toward Semi-autonomous Information: Extraction for Unstructured Maintenance Data in Root Cause Analysis. *IFIP Advances in Information and Communication Technology*. https://doi.org/10.1007/978-3-319-66923-6_50

25. Bhardwaj, A.S., Veeramani, D., Zhou, S. (2023) Confidently extracting hierarchical taxonomy information from unstructured maintenance records of industrial equipment. *International Journal of Production Research*. https://doi.org/10.1080/00207543.2023.2167013

26. Herrewijnen, E., Craandijk, D.F.W. (2023) Towards Meaningful Paragraph Embeddings for Data-Scarce Domains: A Case Study in the Legal Domain. *CEUR Workshop Proceedings*. https://www.scopus.com/pages/publications/85167811071

27. Payette, M., Abdul-Nour, G., Meango, T.J.-M., (...), Côté, A. (2025) Leveraging Failure Modes and Effect Analysis for Technical Language Processing. *Machine Learning and Knowledge Extraction*. https://doi.org/10.3390/make7020042

28. Bellandi, V., Siccardi, S. (2026) From Text to Event Graphs: Exploring NLP and LLM Methods for Event Extraction. *Lecture Notes in Computer Science*. https://doi.org/10.1007/978-3-032-21477-5_22

29. Ahmed, M.U., Bengtsson, M., Salonen, A., Funk, P. (2022) Analysis of Breakdown Reports Using Natural Language Processing and Machine Learning. *Lecture Notes in Mechanical Engineering*. https://doi.org/10.1007/978-3-030-93639-6_4

30. Kulkarni, Amol, Terpenny, Janis, Prabhu, Vittaldas (2023) Leveraging Active Learning for Failure Mode Acquisition. *Sensors (Basel, Switzerland)*. https://doi.org/10.3390/s23052818

31. Jing, X., Chennakesavan, A., Chandra, C., (...), Mavris, D.N. (2023) BERT for Aviation Text Classification. *AIAA Aviation and Aeronautics Forum and Exposition, AIAA AVIATION Forum 2023*. https://doi.org/10.2514/6.2023-3438

32. Pothina, R., Ganguli, R. (2023) Contextual Representation in NLP to Improve Success in Accident Classification of Mine Safety Narratives. *Minerals*. https://doi.org/10.3390/min13060770

33. Akhbardeh, F., Desell, T., Zampieri, M. (2020) NLP Tools for Predictive Maintenance Records in MaintNet. *Proceedings of the 1st Conference of the Asia-Pacific Chapter of the Association for Computational Linguistics and the 10th International Joint Conference on Natural Language Processing: System Demonstrations, AACL-IJCNLP-SD 2020*. https://doi.org/10.18653/v1/2020.aacl-demo.5

34. Savostin, A., Kaipbek, G., Koshekov, K., (...), Wardle, K. (2025) COMPREHENSIVE ANALYSIS OF AVIATION MAINTENANCE TEXT REPORTS USING NATURAL LANGUAGE PROCESSING METHODS. *Naukovyi Visnyk Natsionalnoho Hirnychoho Universytetu*. https://doi.org/10.33271/nvngu/2025-6/157

35. Xu, J., Mo, S., Xu, Z., (...), Jiang, Z. (2025) Semi-supervised ISA: A novel industrial knowledge graph construction method enhanced by the fault log corpus analysis and semi-supervised learning. *Reliability Engineering and System Safety*. https://doi.org/10.1016/j.ress.2025.111021

36. Sun, Q., Li, Y., Zhou, C., Tian, Y.-C. (2024) Root Cause Analysis for Industrial Process Anomalies through the Integration of Knowledge Graph and Large Language Model. *Chinese Control Conference, CCC*. https://doi.org/10.23919/CCC63176.2024.10662704

37. Miao, R., Wu, T., Zhang, Z. (2025) Graph RAG-based fault diagnosis for train bogies using knowledge graphs and large language model. *Knowledge-Based Systems*. https://doi.org/10.1016/j.knosys.2025.114855

38. Liu, C., Song, J., Tang, D., (...), Cai, Q. (2025) Probing a novel machine tool fault reasoning and maintenance service recommendation approach through data-knowledge empowered LLMs integrated with AR-assisted maintenance guidance. *Advanced Engineering Informatics*. https://doi.org/10.1016/j.aei.2025.103460

39. Shang, Y., Huang, Y., Hu, X., Shen, W. (2027) A comprehensive review of compound fault diagnosis for industrial machinery: Object hierarchies, application scenarios and emerging perspectives on foundation models. *Advanced Engineering Informatics*. https://doi.org/10.1016/j.aei.2026.105163

40. Mathur, I., Haddadin, M., Awad, H., (...), Salim, M. (2026) GenAI-Powered DataOps for Smart Maintenance: Harnessing LLMs and Agentic AI in Oil & Gas Operations. *Society of Petroleum Engineers - Kuwait Oil and Gas Show, KOGS 2026*. https://doi.org/10.2118/230994-MS

41. Strem, N., Dhami, D.S., Schmidt, B., (...), Kersting, K. (2025) APT: Alarm Prediction Transformer. *Expert Systems with Applications*. https://doi.org/10.1016/j.eswa.2024.125521

42. Li, X., Gao, P., Li, R. (2025) Multi-Source Data Fusion-Based Pretraining Method for Power Equipment Time-Series-Text Multimodal Large Models. *2025 International Conference on Power Electronics and Control Engineering, ICPECE 2025*. https://doi.org/10.1109/ICPECE67187.2025.11435795

43. Yang, L., He, H., Chang, W., (...), Cheng, G. (2025) Research on Equipment Fault Diagnosis Method Based on Multimodal Deep Fusion. *Proceedings of 2025 8th International Conference on Computer Information Science and Artificial Intelligence, CISAI 2025*. https://doi.org/10.1145/3773365.3773555

44. Xu, G., Lu, Z., Liu, M. (2026) Towards robust multimodal fault diagnosis of electromechanical systems with limited labeled data via cross-modal self-contrastive learning. *Neurocomputing*. https://doi.org/10.1016/j.neucom.2026.133806

45. Sui, W., Lichau, D., Lefèvre, J., Phelippeau, H. (2026) Incomplete multimodal industrial anomaly detection via cross-modal distillation. *Information Fusion*. https://doi.org/10.1016/j.inffus.2025.103572

46. Wei, J., Sun, Y. (2026) Review of autoencoder applications in fault diagnosis of mechanical equipment. *Engineering Research Express*. https://doi.org/10.1088/2631-8695/ae9e83

47. Alla, H.R., Hall, R., Apel, D.B. (2020) Performance evaluation of near real-time condition monitoring in haul trucks. *International Journal of Mining Science and Technology*. https://doi.org/10.1016/j.ijmst.2020.05.024

48. López-Pingarrón, C., Vega-Vera, C.J., Haya, F.M., (...), Torrecilla, J.S. (2026) Autonomous tribological diagnostic system using vision-based AI for lubricant degradation in military vehicles. *Results in Engineering*. https://doi.org/10.1016/j.rineng.2026.110235

49. Chougule, R., Rajpathak, D., Bandyopadhyay, P. (2011) An integrated framework for effective service and repair in the automotive domain: An application of association mining and case-based-reasoning. *Computers in Industry*. https://doi.org/10.1016/j.compind.2011.05.007

50. Peng, C.-C., Tsan, L.-G. (2020) IEPE accelerometer fault diagnosis for maintenance management system information integration in a heavy industry. *Journal of Industrial Information Integration*. https://doi.org/10.1016/j.jii.2019.100120

51. Kraeva, D.A., Kainova, T.D. (2026) Comparison of Classical Methods and Neural Networks for Detecting Anomalies in Industrial Sensor Data. *Proceedings of the 2026 ElCon Conference of Young Researchers on Computing and Processing, and Information Security, ElCon-CP 2026*. https://doi.org/10.1109/ElCon-CP69823.2026.11452194

52. Al Farizi, W.S., Hidayah, I., Rizal, M.N. (2021) Isolation Forest Based Anomaly Detection: A Systematic Literature Review. *2021 8th International Conference on Information Technology, Computer and Electrical Engineering, ICITACEE 2021*. https://doi.org/10.1109/ICITACEE53184.2021.9617498

53. Zhao, C., Song, P. (2025) Industrial Causal Inference and Root Cause Diagnosis: From Structure Inference to Root Cause Identification. *Encyclopedia of Systems and Control Engineering*. https://doi.org/10.1016/B978-0-443-14081-5.00036-2

54. Chen, S., Wang, J. (2024) MultiCogniGraph: A multimodal data fusion and graph convolutional network-based multi-hop reasoning method for large equipment fault diagnosis. *Computational Intelligence*. https://doi.org/10.1111/coin.12646

55. Ma, Yunfei, Zheng, Shuai, Tian, Haokang, (...), Hong, Jun (2026) ProcessLLM-R1: A hypergraph retrieval-augmented and reinforcement learning-driven assembly process planning for commercial aircraft. *Journal of Manufacturing Systems*. https://doi.org/10.1016/j.jmsy.2026.09.020

56. Li, S., Zhou, B., Shang, J., (...), Yu, J. (2025) Review of recent applications and future perspectives on process monitoring approaches in industrial processes. *Journal of Manufacturing Systems*. https://doi.org/10.1016/j.jmsy.2025.07.002

57. Schleburg, M., Christiansen, L., Thornhill, N.F., Fay, A. (2013) A combined analysis of plant connectivity and alarm logs to reduce the number of alerts in an automation system. *Journal of Process Control*. https://doi.org/10.1016/j.jprocont.2013.03.010

58. Edwards, B., Zatorsky, M., Nayak, R. (2008) Clustering and classification of maintenance logs using text data mining. *Conferences in Research and Practice in Information Technology Series*. https://www.scopus.com/pages/publications/84870484659

59. Li, Z., Wang, Y., Wang, K.-S. (2017) Intelligent predictive maintenance for fault diagnosis and prognosis in machine centers: Industry 4.0 scenario. *Advances in Manufacturing*. https://doi.org/10.1007/s40436-017-0203-8

60. Kulkarni, J., Kagalkar, R., Sidnal, N. (2026) EDGE-AI ENABLED FAULT DETECTION AND ROOT CAUSE ANALYSIS IN INDUSTRIAL MOTORS USING MULTIMODAL SENSOR DATA. *International Journal of Computer Networks and Communications*. https://doi.org/10.5121/ijcnc.2026.18305

61. Zhang, J., Wang, H., Jia, Z., Ren, L. (2026) GLLM4FD: Graph-Enhanced Large Language Model Framework for Industrial Equipment Fault Diagnosis. *2026 Joint International Conference on Automation-Intelligence-Safety, ICAIS 2026 and International Symposium on Autonomous Systems, ISAS 2026*. https://doi.org/10.1109/ICAISISAS68969.2026.11567824

62. Tian, M. (2025) Deep Learning-Driven Fault Diagnosis and Predictive Maintenance Methods in Automated Mechanical Production Lines. *2025 IEEE 8th International Conference on Mechatronics and Computer Technology Engineering, MCTE 2025*. https://doi.org/10.1109/MCTE67374.2025.11213746

63. Kakde, D., Sui, R., Li, R., Peredriy, S. (2022) Fault Detection and Diagnostics Using the Mahalanobis-Taguchi System. *Proceedings - Annual Reliability and Maintainability Symposium*. https://doi.org/10.1109/RAMS51457.2022.10102752

64. Lahrsen, B., Vogel-Heuser, B., Wilch, J., (...), Kogel, C. (2024) Investigating the Adaptability of Alarm Root-Cause Analysis Methods for Discrete Process Types. *IEEE International Conference on Automation Science and Engineering*. https://doi.org/10.1109/CASE59546.2024.10711498

65. Modirrousta, M., Memarian, A., Huang, B. (2025) Entropy-enhanced batch sampling and conformal learning in VGAE for physics-informed causal discovery and fault diagnosis. *Computers and Chemical Engineering*. https://doi.org/10.1016/j.compchemeng.2025.109053

66. Gharahbagheri, H., Imtiaz, S.A., Khan, F. (2017) Root Cause Diagnosis of Process Fault Using KPCA and Bayesian Network. *Industrial and Engineering Chemistry Research*. https://doi.org/10.1021/acs.iecr.6b01916

67. van Impe, J., Gins, G. (2015) An extensive reference dataset for fault detection and identification in batch processes. *Chemometrics and Intelligent Laboratory Systems*. https://doi.org/10.1016/j.chemolab.2015.08.019

68. Zhou, Sun, Cai, He, Chen, Huazhen, Ye, Lishan (2024) A Comparative Study of Causality Detection Methods in Root Cause Diagnosis: From Industrial Processes to Brain Networks. *Sensors (Basel, Switzerland)*. https://doi.org/10.3390/s24154908

69. Mashtalir, S.V., Nikolenko, O.V. (2025) From classification to taxonomy: Automated structuring of vehicle repair names in multilingual corpora. *Herald of Advanced Information Technology*. https://doi.org/10.15276/hait.08.2025.9

70. Brundage, M.P., Sexton, T., Hodkiewicz, M., (...), Lukens, S. (2021) Technical language processing: Unlocking maintenance knowledge. *Manufacturing Letters*. https://doi.org/10.1016/j.mfglet.2020.11.001

71. Xu, W., Liu, Y., Lu, L., (...), Sun, G. (2026) A comprehensive survey on table question answering: Datasets, methods and future directions. *Engineering Applications of Artificial Intelligence*. https://doi.org/10.1016/j.engappai.2026.114459

72. Jardine, A.K.S., Lin, D., Banjević, D. (2006) A review on machinery diagnostics and prognostics implementing condition-based maintenance. *Mechanical Systems and Signal Processing*. https://doi.org/10.1016/j.ymssp.2005.09.012

73. Mehling, C.W., Pieper, S., Lüke, T., (...), Ihlenfeldt, S. (2026) Enabling Joint Benchmarking of Automated Root Cause Analysis and Causal Discovery in Manufacturing Using the causRCA Dataset. *Procedia CIRP*. https://doi.org/10.1016/j.procir.2025.09.010

74. Sulaima, Mohamad Fani, Arora, Jyotsna, Herout, Lukas, (...), Namazi, Hamidreza (2026) Trustworthy large language models (LLMs) for power-system operations: From “Grid Copilots” to verifiable decision support. *Energy Nexus*. https://doi.org/10.1016/j.nexus.2026.100870

75. Haruna, A., Li, L., Noman, K., (...), Shams, F.A. (2026) Dynamic knowledge graph enhanced large language model with cascade relation extraction optimized for aviation equipment fault diagnosis. *Engineering Applications of Artificial Intelligence*. https://doi.org/10.1016/j.engappai.2026.115762

76. Chen, Y.-T., Lee, D.-S., Kuo, C.-C., (...), Amani, M. (2026) Chiller expert system development by using commercial and open-source large language models. *Results in Engineering*. https://doi.org/10.1016/j.rineng.2026.109461

77. Melik Merkumians, M., Zoitl, A., Moser, T. (2010) Ontology-based fault diagnosis for industrial control applications. *Proceedings of the 15th IEEE International Conference on Emerging Technologies and Factory Automation, ETFA 2010*. https://doi.org/10.1109/ETFA.2010.5641192

78. Song, M., Reinartz, C., Zhang, X., (...), McDonald, R. (2023) MFM-based alarm root-cause analysis and ranking for nuclear power plants. *Nuclear Engineering and Technology*. https://doi.org/10.1016/j.net.2023.07.034

79. Hu, W., Chen, T., Shah, S.L., Hollender, M. (2017) Cause and Effect Analysis for Decision Support in Alarm Floods. https://doi.org/10.1016/j.ifacol.2017.08.2215

80. Guo, C., Hu, W., Lai, S., (...), Chen, T. (2017) An accelerated alignment method for analyzing time sequences of industrial alarm floods. *Journal of Process Control*. https://doi.org/10.1016/j.jprocont.2017.06.019

81. Ziaei-Halimejani, H., Zarghami, R., Mostoufi, N. (2021) Joint recurrence based root cause analysis of nonlinear multivariate chemical processes. *Journal of Process Control*. https://doi.org/10.1016/j.jprocont.2021.05.008

82. Yu, Z., Wang, G., Sun, L., (...), Zhong, W. (2026) Hierarchical fault root cause diagnosis in multimode process using direct causality and causal polarity analysis. *Journal of the Franklin Institute*. https://doi.org/10.1016/j.jfranklin.2026.108525

83. Folmer, J., Pantförder, D., Vogel-Heuser, B. (2011) An analytical alarm flood reduction to reduce operator's workload. *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*. https://doi.org/10.1007/978-3-642-21619-0_38

84. Kunze, F.C., Fay, A. (2023) Dynamic Analysis of Evolving Industrial Alarm Floods Using an Adaptive Causal Directed Graph. *2023 IEEE 2nd Industrial Electronics Society Annual On-Line Conference, ONCON 2023*. https://doi.org/10.1109/ONCON60463.2023.10430834

85. Manca, G., Kunze, F.C., Brorsson, E., Fay, A. (2023) Dynamic Causal Analysis with Operator-Centric Visualization for Managing Industrial Alarm Floods. *2023 IEEE 2nd Industrial Electronics Society Annual On-Line Conference, ONCON 2023*. https://doi.org/10.1109/ONCON60463.2023.10430533

86. Meng, Q.-Q., Zhu, Q.-X., Gao, H.-H., (...), Xu, Y. (2019) A novel scoring function based on family transfer entropy for Bayesian networks learning and its application to industrial alarm systems. *Journal of Process Control*. https://doi.org/10.1016/j.jprocont.2019.01.013

87. Abreu, R.S.D., Nunes, Y.T., Guedes, L.A., Silva, I. (2021) A method for detecting causal relationships between industrial alarm variables using Transfer Entropy and K2 algorithm. *Journal of Process Control*. https://doi.org/10.1016/j.jprocont.2021.09.001

88. Niyazmand, T., Izadi, I. (2019) Pattern mining in alarm flood sequences using a modified PrefixSpan algorithm. *ISA Transactions*. https://doi.org/10.1016/j.isatra.2018.12.050

89. Manca, G., Fay, A. (2021) Detection of Historical Alarm Subsequences Using Alarm Events and a Coactivation Constraint. *IEEE Access*. https://doi.org/10.1109/ACCESS.2021.3067837

90. Yanaga, A., Noda, M. (2022) Identification Method of Multiple Sequential Alarms that Occurred Simultaneously in Plant-operation Data. *Computer Aided Chemical Engineering*. https://doi.org/10.1016/B978-0-323-85159-6.50255-4

91. Wang, J., Li, H., Huang, J., Su, C. (2015) A data similarity based analysis to consequential alarms of industrial processes. *Journal of Loss Prevention in the Process Industries*. https://doi.org/10.1016/j.jlp.2015.03.005

92. Cai, S., Zhang, L., Palazoğlu, A., Hu, J. (2019) Clustering analysis of process alarms using word embedding. *Journal of Process Control*. https://doi.org/10.1016/j.jprocont.2019.08.011

93. Manca, G., Fay, A. (2024) Convolutional kernel-based classification of industrial alarm floods. *Data-Centric Engineering*. https://doi.org/10.1017/dce.2024.22

94. Rahimi, Y., Rao, H.R.M., Zhou, J., Chen, T. (2026) Online alarm flood classification via interpretable template extraction and structured convolutional matching. *Computers and Chemical Engineering*. https://doi.org/10.1016/j.compchemeng.2026.109570

95. Seyed Alinezhad, H.S., Shang, J., Chen, T., Shah, S.L. (2024) A Probabilistic Framework for Online Analysis of Alarm Floods Using Convolutional Neural Networks. *IEEE Transactions on Instrumentation and Measurement*. https://doi.org/10.1109/TIM.2023.3330178

96. Han, J., Wang, Q., Shi, J., (...), Yang, G. (2026) An enhanced interpretation approach for similarity analysis of process alarm floods based on event log encoding and multilevel alarm method. *Expert Systems with Applications*. https://doi.org/10.1016/j.eswa.2026.132536

97. Ahmed, K., Izadi, I., Chen, T., (...), Burton, T. (2013) Similarity analysis of industrial alarm flood data. *IEEE Transactions on Automation Science and Engineering*. https://doi.org/10.1109/TASE.2012.2230627

98. Parker, B., Smiley, S. (2009) Centralized alarm management for power generation. *19th Annual Joint ISA POWID/EPRI Controls and Instrumentation Conference and 52nd ISA POWID Symposium 2009*. https://www.scopus.com/pages/publications/72849127339

99. Song, P., Zhao, C., Huang, B. (2025) Addressing Heterogeneous Time-Frequency Causality: Source Consistency Exploring for Industrial Root Cause Alignment and Diagnosis. *IEEE Transactions on Cybernetics*. https://doi.org/10.1109/TCYB.2024.3515174

100. Rezaei, N., Mirtalebi, Z. (2026) Quantifying the Impact of Data Cleaning on Deep Learning-Based Bearing Fault Diagnosis: A Multidataset, Multiarchitecture Study. *Concurrency and Computation: Practice and Experience*. https://doi.org/10.1002/cpe.70654

101. Li, T., He, J., Sun, C., (...), Yan, R. (2026) GWLSTM: A Spatial–Temporal Fusion Graph Wavelet LSTM for Trustworthy Open-Set Fault Diagnosis. *IEEE Transactions on Systems, Man, and Cybernetics: Systems*. https://doi.org/10.1109/TSMC.2026.3703212

102. Frizzo, D., Borsatti, F., Arcudi, A., (...), Susto, G.A. (2026) Towards Transparent and Efficient Anomaly Detection in Industrial Processes through ExIFFI. *IEEE Transactions on Industry Applications*. https://doi.org/10.1109/TIA.2026.3711021

103. Vidi, R.D., Borsatti, F., Zaccaria, V., (...), Susto, G.A. (2026) KNNIFE: A data-informed feature importance for Isolation Forest and its extensions. *12th 2026 International Conference on Control, Decision and Information Technologies, CoDIT 2026*. https://doi.org/10.1109/CoDIT70676.2026.11630776

104. Scott, K., Kakde, D., Peredriy, S., Chaudhuri, A. (2023) Computational enhancements to the mahalanobis-Taguchi system to improve fault detection and diagnostics. *Proceedings - Annual Reliability and Maintainability Symposium*. https://doi.org/10.1109/RAMS51473.2023.10088240

105. Shobanke, M., Roberts, C., Shittu, E. (2026) Streamlining risk assessment for predictive maintenance: Can AI be trusted as an assistant?. *Advanced Engineering Informatics*. https://doi.org/10.1016/j.aei.2026.104803

106. Fayyaz, Y., Elouataoui, W., Gahi, Y., (...), Sankaranarayanan, K. (2026) Natural Language Processing in the Nuclear Industry: Opportunities and Challenges. *Nuclear Technology*. https://doi.org/10.1080/00295450.2025.2481358

107. Falekas, G., Verginadis, D., Karlis, A., Antonino-Daviu, J.A. (2022) Data Mining Visual Inspection Information in Electrical Machine Maintenance Reports. *2022 International Conference on Electrical Machines, ICEM 2022*. https://doi.org/10.1109/ICEM51905.2022.9910720

108. Kuo, R.J., Cha, C.L., Chou, S.H. (2006) Developing a diagnostic system through the integration of ant colony optimization systems and case-based reasoning. *International Journal of Advanced Manufacturing Technology*. https://doi.org/10.1007/s00170-005-0109-7

109. Pereira, P.C. (2020) Text-mining maintenance records to automate the identification andgrouping of failure modes. *Proceedings of the Annual Offshore Technology Conference*. https://www.scopus.com/pages/publications/85086230323

110. Giordano, V., Fantoni, G. (2025) Decomposing maintenance actions into sub-tasks using natural language processing: A case study in an Italian automotive company. *Computers in Industry*. https://doi.org/10.1016/j.compind.2024.104186

111. Canli, H., Başarslan, M.S. (2026) Semantic Clustering and LLM-Based Recommendation for Industrial Fault Diagnosis. *Concurrency and Computation: Practice and Experience*. https://doi.org/10.1002/cpe.70956

112. Rubiano, E., Martín, J.L., Prada, J., (...), Bohorquez, M. (2015) Run life improvement by implementation of artificial lift systems failure classification and root cause failure classification. *2015 SPE Artificial Lift Conference - Latin America and Caribbean*. https://doi.org/10.2118/173913-ms

113. Hodkiewicz, M., Ho, M.T.-W. (2016) Cleaning historical maintenance work order data for reliability analysis. *Journal of Quality in Maintenance Engineering*. https://doi.org/10.1108/JQME-04-2015-0013

114. Arif-Uz-Zaman, K., Cholette, M.E., Ma, L., Karim, A. (2017) Extracting failure time data from industrial maintenance records using text mining. *Advanced Engineering Informatics*. https://doi.org/10.1016/j.aei.2016.11.004

115. Zhang, T., Bhatia, A., Pandya, D., (...), Flores-Cerrillo, J. (2020) Industrial text analytics for reliability with derivative-free optimization. *Computers and Chemical Engineering*. https://doi.org/10.1016/j.compchemeng.2020.106763

116. Makins, J., Aspinall, M., Liu, W., (...), Hodkiewicz, M. (2022) Problem, Remedy and Item Identification from Maintenance Long Texts. *Proceedings of the 32nd European Safety and Reliability Conference, ESREL 2022 - Understanding and Managing Risk and Reliability for a Sustainable Future*. https://doi.org/10.3850/978-981-18-5183-4_S29-01-168-cd

117. Haruna, A., Li, L., Noman, K., (...), Shams, F.A. (2026) Dynamic knowledge graph enhanced large language model with cascade relation extraction optimized for aviation equipment fault diagnosis. *Engineering Applications of Artificial Intelligence*. https://doi.org/10.1016/j.engappai.2026.115762

118. Xie, X., Wang, J., Han, Y., Li, W. (2024) Knowledge Graph-Based In-Context Learning for Advanced Fault Diagnosis in Sensor Networks. *Sensors*. https://doi.org/10.3390/s24248086

119. Song, Z. (2025) Construction of an Intelligent Decision-Making System for Enterprise Quality Management Integrating Knowledge Graphs. *Proceedings of 2025 International Conference on Artificial Intelligence, Business Intelligence and E-Commerce, AIBIEC 2025*. https://doi.org/10.1109/AIBIEC68052.2025.11473595

120. Li, S., Zhang, C., Yang, G., (...), Zhang, N. (2026) A knowledge modeling method for high-speed railway emergency faults based on structured logic diagrams and knowledge graphs. *High-speed Railway*. https://doi.org/10.1016/j.hspr.2025.10.004

121. Han, Y., Zhang, H., Man, Y. (2025) A method for constructing fault knowledge graphs based on an improved hidden Markov Model: A case study for papermaking industry. *Journal of Cleaner Production*. https://doi.org/10.1016/j.jclepro.2025.146079

122. Kaftan, P., Lanquillon, C., Stache, N.C. (2025) AI-Supported Root Cause Analysis in Automotive Quality Problem Solving: A Cross Domain Literature Review. *Lecture Notes in Computer Science*. https://doi.org/10.1007/978-3-031-93415-5_11

123. Ren, Y., Deichsel, F., Seiler, J., (...), Beckerle, P. (2026) Enhancing LLM inference with human expert knowledge: a case study on multi-agent robotics fault diagnosis and prediction. *Artificial Life and Robotics*. https://doi.org/10.1007/s10015-026-01136-3

124. Wang, F., Zhang, X., Tang, R., Jiang, J. (2025) WT-Fault-LLM:Knowledge Graph Enhanced Large Model for Wind-turbine Faults. *Procedia Computer Science*. https://doi.org/10.1016/j.procs.2025.08.049

125. Asha Saraswathi, B., Suchetha (2026) CGNN-RCA: A Causality-Driven Graph Learning Framework for Fault Root Cause Detection in Industrial Systems. *IEEE International Conference on Emerging Synergy Science and Technology, ICESST 2026*. https://doi.org/10.1109/ICESST69086.2026.11582908

126. Ahaneku, O., Barrasch, F., Vidrascu, R., (...), Zechner, E. (2025) Redefining Manufacturing D iagnostics: An Agentic Framework Leveraging LangGraph and ChatGPT-4. *IEEE European Technology and Engineering Management Summit, E-TEMS*. https://doi.org/10.1109/E-TEMS64751.2025.11239110

127. Leyi, L., Yongqian, N., Sun, S., Yan, L. (2025) Multi Source Alarm Root Cause Localization and Self Generated Work Order Method Based on Big Language Model and Dynamic Knowledge Graph. *IEEE Advanced Information Management, Communicates, Electronic and Automation Control Conference, IMCEC*. https://doi.org/10.1109/IMCEC66174.2025.11332057

128. Cho, S., Park, J., Um, J. (2026) On-Premise Multimodal AI Assistance for Operator-in-the-Loop Diagnosis in Machine Tool Mechatronic Systems. *Applied Sciences (Switzerland)*. https://doi.org/10.3390/app16073166

129. Jiang, S., Zhang, W., Pan, H. (2026) A neural-symbolic dynamic graph framework for real-time anomaly detection in software-defined industrial cyber-physical systems. *Engineering Research Express*. https://doi.org/10.1088/2631-8695/aea5e8

130. Thuan, N.D., Anh, L.H. (2026) Large language models for fault diagnosis in smart manufacturing: A comprehensive review. *Intelligent Systems with Applications*. https://doi.org/10.1016/j.iswa.2026.200714

131. Garay, Carlos Exequiel, Miranda Bonomi, Fernando Alberto, Mansilla, Gonzalo Nicolás, (...), Katz, Marcos (2026) A Multimodal TinyML-Based Predictive Maintenance Architecture for Industrial IoT in the 6G Era. *Sensors (Basel, Switzerland)*. https://doi.org/10.3390/s26144536

132. Oliveira, Regina, Simões, Joana, Correia, Pedro, (...), Silva, Ana Luísa (2026) Unobtrusive Sensing at Home Towards Healthcare 5.0: Technologies, Applications, and Future Directions. *Biosensors*. https://doi.org/10.3390/bios16050250

133. Guo, Yingye, Du, Yuxi, Mao, Run, (...), Guo, Junxiong (2026) Infrared Imaging for Autonomous Power Inspection: A Review from Detector to System Integration. *Sensors (Basel, Switzerland)*. https://doi.org/10.3390/s26113552

134. Xia, P., Huang, Y., Qin, C., Liu, C. (2026) Multi-modal cross-domain mixed fusion model with dual disentanglement for fault diagnosis under unseen working conditions. *Mechanical Systems and Signal Processing*. https://doi.org/10.1016/j.ymssp.2026.114693

135. Jose, S., Nguyen, K.T.P., Medjaher, K., (...), Tahan, A. (2023) Fault detection and diagnostics in the context of sparse multimodal data and expert knowledge assistance: Application to hydrogenerators. *Computers in Industry*. https://doi.org/10.1016/j.compind.2023.103983

136. Li, X., Jiao, R., Zhou, C., (...), Liu, K. (2025) Multi-level contrastive reasoning over knowledge graphs for fault diagnosis of confounding cases. *Neurocomputing*. https://doi.org/10.1016/j.neucom.2025.130990