Generated by Scopus AI, Sat Oct 10 2026

Automated industrial plant breakdowns

Automated Root Cause Analysis for Sensor Alarm Floods in Industrial Plants: Methods, Data Integration, and Future Directions

Quick Reference

Key Findings Table

Theme/Methodology	Key Insights & Metrics	Citations
Alarm Flood Patterns	Sequential, avalanche, and chattering alarms complicate root cause tracing; require temporal/causal analysis	1 2 3
Hybrid Diagnostic Approaches	Fusion of process models, PLC code, and ML improves accuracy and explainability	4 5
NLP & LLMs for Log Integration	Transformer-based NLP and RAG frameworks extract actionable insights from unstructured logs	6 7 8
Semi-/Unsupervised Learning	Manifold regularization and dual-graph fusion reduce labeled data needs for RCA	9 10
Causal Analysis Scalability	Sparse modeling, GNNs, and edge/cloud frameworks address computational bottlenecks	11 12 13
Edge-AI Deployment	CNN-LSTM and TinyML models achieve >96% accuracy, <200ms latency for real-time fault detection	14
RAG-LLM for Real-Time Diagnosis	RAG-LLM systems improve diagnostic accuracy and explainability by integrating sensor/log data	15 16 17
Main Research Gaps	Real-time, scalable RCA for nonlinear, nonstationary alarm data with limited labels; multimodal data fusion	9 18 19 20

Direct Answer

Recent investigations on automated root cause analysis in industrial alarm floods highlight that hybrid diagnostic approaches—combining data-driven machine learning models with physical process information and operator expertise—are critical for untangling complex alarm cascades. Techniques such as adaptive causal directed graphs, semi-supervised manifold regularization, and transformer-based NLP for digitizing shift notes are emerging as

promising solutions. Integration of PLC/SCADA data with sensor and log data, supported by real-time visualization and edge deployment strategies, is enabling more accurate and explainable fault detection while addressing challenges like data scarcity and computational complexity.

Study Scope

- **Time Period:** 2018–2024 (emphasis on recent advances)
- **Disciplines:** Industrial automation, process control, machine learning, NLP, human factors engineering
- **Methods:** Meta-analysis, empirical case studies, simulation, algorithmic benchmarking, hybrid model development, qualitative synthesis

Assumptions & Limitations

- Most studies focus on continuous process industries; discrete/hybrid process adaptation is less explored [21] [22].
- Many advanced methods require access to PLC code, high-quality sensor data, and digitized logs, which may not be universally available [4].
- Real-time, scalable deployment is still an emerging area, with computational and integration challenges remaining [11] [12].
- Labeled alarm flood datasets are scarce, necessitating semi-supervised and unsupervised approaches [9] [10].
- Explainability and operator trust in AI-driven RCA systems are ongoing concerns [20].

Suggested Further Research

- Develop scalable, real-time RCA frameworks for nonlinear, nonstationary alarm data with limited labels.
- Advance multimodal data fusion—integrating unstructured logs, sensor data, and control software—into unified, interpretable diagnostic models.
- Explore RAG-LLM integration with edge-AI for context-rich, real-time operator support.
- Tailor RCA methods for discrete and hybrid industrial processes.
- Enhance explainability and operator trust through interactive visualization and human-in-the-loop frameworks.

1. Introduction

Background and Motivation

Automated industrial plants rely on dense sensor networks and programmable logic controllers (PLCs) to maintain high throughput and safety. However, unexpected machine breakdowns often trigger dozens of simultaneous sensor alarms—a phenomenon known as "alarm floods." These events overwhelm operators, obscure the true root cause, and force technicians to manually sift through extensive equipment manuals and shift notes, resulting in prolonged and costly downtime [1] [2] [23]. The operational and economic impact is significant: even simple faults can escalate into hours of lost production, increased safety risks, and reduced equipment reliability.

The complexity and volume of alarm data, coupled with the lack of automated root cause analysis (RCA) tools, highlight the urgent need for advanced, explainable, and real-time diagnostic solutions. This report synthesizes recent advances in automated RCA for alarm floods, bridging theoretical foundations with practical insights to guide future research and industrial adoption.

2. Theoretical Frameworks

2.1 Patterns and Propagation of Alarm Floods

Alarm floods typically manifest as:

- **Sequential Alarms:** Triggered in rapid succession, often with specific time lags.
- **Avalanche/Cascading Alarms:** A single fault propagates through interconnected systems, causing a flood of related alarms.
- **Chattering Alarms:** Repetitive alarms due to noise or poor configuration [1] [2] [3] [24].

These patterns complicate root cause identification, as the true initiating event may be obscured by secondary or tertiary alarms. The propagation is influenced by both physical process interdependencies and control logic, increasing operator workload and safety risks [3] [25] [26].

2.2 Root Causes and Alarm Configuration

- **Single Fault, Multiple Alarms:** A single mechanical or electrical fault can trigger numerous alarms due to system interconnections and alarm logic.
- **Alarm System Design:** Poor configuration (e.g., lack of prioritization, missing suppression logic) exacerbates alarm floods.
- **Plant Topology and Process Knowledge:** Grouping related alarms using plant hierarchy and process models improves RCA accuracy [21] [26] [27] [28] [29].

2.3 Temporal and Causal Complexity

- **Temporal Ordering:** The root cause alarm is not always the first to appear; time lags and process dynamics must be considered.
- **Causal Dependencies:** Nonlinear, nonstationary, and time-varying causal relationships require advanced analysis beyond static correlation [21] [30].

Synthesis: Effective RCA in alarm floods demands frameworks that integrate temporal sequence analysis, causal inference, and domain knowledge to distinguish root causes from propagated symptoms.

3. Methods & Data Transparency

3.1 Automated Diagnostic and Fault Detection Systems

3.1.1 Overview of Automated Fault Detection Methods

- **Model-Based Approaches:** Use physical/analytical models (e.g., TiDiaM) for fault isolation; limited by model accuracy and scalability in complex, multi-fault scenarios [23] [31] [32].
- **Data-Driven Methods:** Employ machine learning (ML), deep learning (DL), and statistical process control for anomaly detection and diagnosis [33] [34] [35].
- **Hybrid Approaches:** Combine process models, PLC code, and ML for improved accuracy and explainability [4] [5].

3.1.2 Machine Learning and Deep Learning Models

- **CNN-LSTM:** Achieve >96% accuracy and low latency (<200ms) for real-time fault detection; robust to noise and suitable for edge deployment [14].
- **Transformers:** Superior for long-term dependencies and complex temporal patterns, but higher computational cost [36].
- **Ensemble Methods:** XGBoost, Random Forest, and hybrid models balance accuracy and interpretability [37] [38].

3.1.3 Integration with PLC and SCADA Systems

- **Edge-AI Deployment:** Hybrid models (e.g., CNN-LSTM) on edge devices enable real-time, low-latency fault detection [14].
- **SCADA/PLC Integration:** AI models enhance online fault isolation, anomaly detection, and operator support [39] [40] [41].

3.1.4 Limitations and Challenges

- **Model-Based Methods:** Struggle with nonlinearities, uncertainties, and multi-fault scenarios; computationally intensive for large systems [31] [42] [43].
- **Data-Driven Methods:** Require large labeled datasets; may lack explainability and generalizability [9] [10].

Synthesis: The most effective diagnostic systems are hybrid, leveraging both physical models and data-driven inference, integrated with real-time plant data and operator knowledge.

3.2 Data Sources and Integration for Root Cause Analysis

3.2.1 Sensor Data, Manuals, and Shift Notes

- **Sensor Data:** Primary source for anomaly detection; supports both simple and complex fault identification [44].
- **Operator Notes/Shift Logs:** Provide contextual insights often missing from sensor data; critical for comprehensive RCA [45].
- **Engineering Documents:** Formalize process knowledge, enabling segmentation and justification of root causes [21] [46].

3.2.2 Digitization and NLP for Unstructured Data

- **NLP Techniques:** Transformer-based models (BERT, GPT), fine-tuned for domain-specific language, extract actionable knowledge from unstructured logs [6] [47] [48].
- **Few-Shot Learning:** LLMs with prompt engineering structure highly variable reports, achieving >95% accuracy [49].
- **RAG Frameworks:** Combine LLMs with retrieval systems for real-time, context-rich fault diagnosis [15] [16] [17] .

3.2.3 Sensor-Actuator Relationship Extraction

- **Control Software Analysis:** Extracts sensor-actuator mappings from PLC code, enabling explainable RCA [4] [50] [51].
- **Causal Graphs:** Information-theoretic measures (e.g., transfer entropy) and graph-based models trace disturbance sources [18] [52].

3.2.4 Hybrid Physical and Data-Driven Approaches

- **Model Fusion:** Integrate process models with ML to capture dynamic dependencies and improve RCA accuracy [4] [53] [54] [55].

3.2.5 Preprocessing and Telemetry Signal Selection

- **Multi-Modal Fusion:** Anchor-guided hierarchical fusion, SCALER, and weighted data fusion frameworks aggregate logs, metrics, and traces for robust RCA [56] [57] [58].
- **Feature Selection:** Graphical lasso, Bayesian networks, and causal discovery algorithms enhance interpretability and efficiency [59] [60] [61].

Synthesis: Effective RCA requires integrating structured sensor data with unstructured operator logs and engineering documents, using advanced NLP and hybrid modeling to bridge data silos.

4. Critical Analysis of Findings

4.1 Advanced Methods for Alarm Flood Root Cause Analysis

4.1.1 Clustering, Graph-Based, and Causal Inference Methods

- **Dual-Graph Fusion & Manifold Regularization:** Semi-supervised learning leverages limited labeled and abundant unlabeled data for RCA [9].
- **Adaptive Causal Directed Graphs:** Incorporate real-time actuator states for dynamic, multi-fault RCA [51].
- **Transfer Entropy & Symbolic Causality:** Robust to noise and nonstationarity; effective for tracing root causes in nonlinear systems [18] [62] [63].
- **Event-Driven Unsupervised Methods:** NetEventCause and similar algorithms identify root alarms without known topology [10].

4.1.2 Temporal Pattern Analysis and Sequence Mining

- **Temporal Embedding Models:** Capture dynamic event relationships, improving RCA accuracy (F1 > 89%) [30] [64].
- **Chronicle Discovery:** Integrates expert knowledge for situation recognition during alarm floods [65].
- **Probabilistic Dependency Analysis:** Handles temporal fuzziness and interruptions in alarm sequences [66].

4.1.3 Adaptive and Hybrid Causal Graphs

- **Hybrid Logic-Directed Graphs:** Combine control software logic with Bayesian learning for robust multi-root cause identification [53].
- **Dynamic Causal Analysis:** Sliding window and nonparametric regression capture evolving dependencies [19].

4.1.4 Semi-Supervised and Unsupervised Learning

- **Manifold Regularization:** Reduces labeled data requirements, enabling early classification and operator support [67] [68].
- **Unsupervised Causal Graph Learning:** Identifies influential sensors and root causes using centrality metrics [69].

4.1.5 Transfer Entropy and Robust Causality Estimation

- **Symbolic Transfer Entropy:** Improves computational efficiency and robustness under noise [62] [63].
- **Kernel Ridge Regression Granger Causality:** Efficiently captures nonlinear relationships [70].
- **Trend Transfer Entropy:** Focuses on time series trends, reducing noise impact [71].

Synthesis: State-of-the-art RCA methods for alarm floods increasingly rely on adaptive, hybrid, and semi-supervised frameworks that combine temporal, causal, and graph-based analysis for robust, scalable, and explainable diagnosis.

4.2 Challenges, Limitations, and Research Gaps

4.2.1 Complexity, Nonlinearity, and Data Limitations

- **Nonlinear, Nonstationary Alarm Floods:** Require robust, dynamic causal analysis; current methods often lack adaptability [18] [19].
- **Labeled Data Scarcity:** Semi-supervised and unsupervised methods are essential but still maturing [9] [10].
- **Topology-Free Methods:** Struggle with large-scale or sparse alarm scenarios [10].

4.2.2 Scalability and Real-Time Constraints

- **Computational Bottlenecks:** High-dimensional, nonlinear causality estimators are resource-intensive; sparse modeling and GNNs offer partial solutions [11] [12].
- **Edge-Cloud Collaboration:** Emerging as a strategy for balancing latency, accuracy, and scalability [72] [73].

4.2.3 Integration of Human Knowledge and Explainability

- **Operator Knowledge:** Dynamic integration with data-driven models improves comprehension and trust [53] [74].
- **Explainability:** Essential for operator adoption; frameworks like SHAP, LIME, and counterfactual explanations are being explored [20] [75].

4.2.4 Reducing False Positives and Improving Trust

- **Channel-Attentive Sparse Causal Networks:** Reduce false positives by >60% in multivariate time series RCA [76].
- **Structured Attention Mechanisms:** Enhance interpretability and diagnostic precision [77] [78].

4.2.5 Future Research Directions

- **Discrete/Hybrid Process Adaptation:** Most methods are tailored for continuous processes; discrete/hybrid adaptation is needed [21] [22].
- **Online, Uncertainty-Aware RCA:** Modular frameworks for real-time and historical analysis with uncertainty quantification [79].
- **Interpretable, Application-Agnostic Solutions:** To gain operator trust and support diverse industrial environments [20].

Synthesis: While significant progress has been made, key challenges remain in scalability, real-time deployment, data integration, and explainability. Addressing these gaps is critical for widespread industrial adoption.

5. Real-World Implications

5.1 Operational Impact

- **Downtime Reduction:** Automated RCA systems can cut fault diagnosis time from hours to minutes, minimizing production losses [14] [15].
- **Operator Workload:** Advanced alarm management and explainable RCA tools reduce cognitive load and improve situational awareness [1] [2] [3].
- **Safety and Compliance:** Early and accurate root cause identification mitigates safety risks and supports regulatory compliance [26] [29] [80].

5.2 Technology Integration

- **Edge-AI Deployment:** Enables real-time, on-site fault detection with high accuracy and low latency, suitable for resource-constrained environments [14] [81].
- **NLP and RAG-LLM Systems:** Facilitate integration of unstructured logs and manuals, providing context-rich, actionable insights for operators [6] [16].
- **Hybrid Frameworks:** Support explainable, robust RCA across diverse industrial sectors, from process plants to discrete manufacturing [4] [53].

5.3 Human Factors

- **Explainability and Trust:** Transparent RCA models and interactive visualization tools are essential for operator acceptance and effective decision-making [20] [75].
- **Human-in-the-Loop:** Combining automated analysis with operator expertise enhances diagnostic accuracy and system resilience [53] [74].

Synthesis: The integration of advanced RCA methods into industrial practice promises substantial gains in efficiency, safety, and operator support, but must be accompanied by attention to explainability, trust, and human factors.

6. Future Research Directions

6.1 Scalable, Real-Time RCA Frameworks

- **Nonlinear, Nonstationary Alarm Data:** Develop adaptive, scalable algorithms for real-time RCA in dynamic environments [11] [19].

- **Edge-Cloud Collaboration:** Optimize deployment strategies for low-latency, high-precision fault detection [72] [73].

6.2 Multimodal Data Fusion

- **Unified Diagnostic Models:** Integrate sensor data, unstructured logs, and control software for comprehensive RCA [4] [16].
- **RAG-LLM Integration:** Advance retrieval-augmented generation frameworks for real-time, context-rich operator support [15] [17].

6.3 Explainability and Human-in-the-Loop

- **Interactive Visualization:** Develop tools for dynamic causal dependency visualization and operator feedback [74] [75].
- **Trustworthy AI:** Enhance model transparency and counterfactual reasoning to build operator trust [8] [20].

6.4 Discrete and Hybrid Process Adaptation

- **Methodological Extension:** Tailor RCA frameworks for discrete and hybrid industrial processes, addressing unique boundary conditions and operator interactions [21] [22].

6.5 Data Scarcity and Label Efficiency

- **Semi-/Unsupervised Learning:** Further develop manifold regularization, dual-graph fusion, and event-driven methods to reduce labeled data requirements [9] [10].

Synthesis: Future research should focus on scalable, explainable, and operator-centric RCA frameworks that integrate multimodal data and support real-time, trustworthy decision-making across diverse industrial contexts.

7. Emerging Trends: Large Language Models and Retrieval-Augmented Generation

7.1 NLP and LLMs for Fault Knowledge Extraction

- **Transformer-Based Models:** BERT, GPT, and domain-specific LLMs excel at extracting structured knowledge from unstructured operator notes [6] [47] [48].
- **Few-Shot and Prompt Engineering:** Enable rapid adaptation to new domains and report formats [49].

7.2 Retrieval-Augmented Generation for Real-Time Diagnosis

- **RAG Frameworks:** Combine LLMs with knowledge graphs and domain-specific retrieval for accurate, explainable diagnostics [15] [16] [17].
- **Iterative Retrieval:** Improves precision and relevance of diagnostic information from sensor logs [82].

7.3 Challenges and Future Potential

- **Real-Time Constraints:** LLMs must be optimized for latency and resource efficiency in industrial settings [83] [84].
- **Multimodal Data Integration:** Ongoing research is needed to seamlessly fuse sensor, log, and code data [8].
- **Explainability:** Counterfactual and uncertainty-aware RAG methods are emerging to improve trust and reduce hallucinations [8].

Synthesis: LLMs and RAG frameworks are poised to revolutionize industrial RCA by enabling real-time, explainable, and context-rich fault diagnosis, but require further adaptation for industrial constraints and operator needs.

8. Conclusion

8.1 Summary of Insights

- Alarm floods in industrial plants are complex, nonlinear, and often obscured by cascading alarms.
- Hybrid diagnostic approaches—combining process models, PLC code, ML, and operator knowledge—are most effective for RCA.
- NLP and RAG-LLM frameworks enable integration of unstructured logs and manuals, enhancing context and explainability.
- Semi-supervised and unsupervised learning methods address data scarcity, while edge-AI deployment ensures real-time responsiveness.
- Key challenges remain in scalability, data integration, explainability, and adaptation to diverse industrial processes.

8.2 Recommendations for Practice and Research

- **For Practitioners:** Invest in hybrid RCA frameworks that integrate sensor, log, and control data; prioritize explainable AI and operator-centric tools; deploy edge-AI for real-time fault detection.
- **For Researchers:** Focus on scalable, real-time, and interpretable RCA methods; advance multimodal data fusion and RAG-LLM integration; tailor solutions for discrete/hybrid processes and address data scarcity through semi-/unsupervised learning.

In summary, the path forward for automated root cause analysis in industrial alarm floods lies in the convergence of hybrid modeling, advanced NLP, scalable edge-AI, and human-centered design—enabling safer, more efficient, and resilient industrial operations.

References

1. Defining and validating similarity measures for industrial alarm flood analysis Fullen, M., Schuller, P., Niggemann, O. Proceedings - 2017 IEEE 15th International Conference on Industrial Informatics, INDIN 2017, 2017 https://www.scopus.com/pages/publications/85041228888?origin=scopusAI

2. Identification of sequential alarms in plant operation data by using dot matrix analysis Wang, Z.X., Noda, M. Kagaku Kogaku Ronbunshu, 2015 https://www.scopus.com/pages/publications/84941953397?origin=scopusAI

3. A data-driven approach to analyze industrial process alarms using the association analysis method Ghasemi, G., Braun, D., Jazdi, N., (...), Birk, J. VDI Berichte, 2023 https://www.scopus.com/pages/publications/85175168156?origin=scopusAI

4. Alarm Root-Cause Analysis Via Sensor-Actuator Relationships Extracted from Control Software Wen, Z., Wilch, J., Zhu, Z., (...), Vogel-Heuser, B. 2025 IEEE 4th Industrial Electronics Society Annual On-Line Conference, ONCON 2025, 2025 https://www.scopus.com/pages/publications/105035585536?origin=scopusAI

5. Combining informed data-driven anomaly detection with knowledge graphs for root cause analysis in predictive maintenance Klein, P., Malburg, L., Bergmann, R. Engineering Applications of Artificial Intelligence, 2025 https://www.scopus.com/pages/publications/85217084050?origin=scopusAI

6. Natural Language Processing Applications in Smart Manufacturing: A Survey and Perspective Nguyen, D.H., Nguyen, D.P.T., Ta, Q.C., (...), Tran, K.D. Springer Series in Reliability Engineering, 2026 https://www.scopus.com/pages/publications/105040187770?origin=scopusAI

7. Leveraging Large Language Models for Intelligent Manufacturing: Opportunities and Challenges Yesil, H., Bozyigit, F., Tezel, B.T., Challenger, M. International Conference on Artificial Intelligence, Computer, Data Sciences, and Applications, ACDSA 2026, 2026 https://www.scopus.com/pages/publications/105037597259?origin=scopusAI

8. An Uncertainty-Aware Method for Transformer Fault Root Cause Analysis Gao, S. 2026 9th International Conference on Computer Information Science and Application Technology, CISAT 2026, 2026 https://www.scopus.com/pages/publications/105051718364?origin=scopusAI

9. Sequence Alignment and Dual-Graph Fusion-Based Manifold Regularization for Root-Cause Identification of Industrial Alarm Floods Chen, N., Hu, W., Shang, J., Alinezhad, H.S. IEEE Transactions on Industrial Informatics, 2026 https://www.scopus.com/pages/publications/105027970376?origin=scopusAI

10. NetEventCause: Event-Driven Root Cause Analysis for Large Network System Without Topology Yuan, Z., Ma, L., Wei, W., (...), Ban, X. IEEE Transactions on Neural Networks and Learning Systems, 2025 https://www.scopus.com/pages/publications/105007600903?origin=scopusAI

11. Sparse and Time-Varying Predictive Relation Extraction for Root Cause Quantification of Nonstationary Process Faults Song, P., Zhao, C., Huang, B., Wu, M. IEEE Transactions on Instrumentation and Measurement, 2022 https://www.scopus.com/pages/publications/85139522855?origin=scopusAI

12. Graph Neural Networks With Trainable Adjacency Matrices for Fault Diagnosis on Multivariate Sensor Data Kovalenko, A., Pozdnyakov, V., Makarov, I. IEEE Access, 2024 https://www.scopus.com/pages/publications/85207507588?origin=scopusAI

13. Spatio-Temporal Learning and Monitoring for Complex Dynamic Processes with Irregular Data Zhao, C., Yu, W. Spatio-Temporal Learning and Monitoring for Complex Dynamic Processes with Irregular Data, 2025 https://www.scopus.com/pages/publications/105019166361?origin=scopusAI

14. EDGE-AI ENABLED FAULT DETECTION AND ROOT CAUSE ANALYSIS IN INDUSTRIAL MOTORS USING MULTIMODAL SENSOR DATA Kulkarni, J., Kagalkar, R., Sidnal, N. International Journal of Computer

Networks and Communications, 2026 https://www.scopus.com/pages/publications/105040646130?origin=scopusAI

15. Cross-Format Retrieval-Augmented Generation in XR with LLMs for Context-Aware Maintenance Assistance Nagy, A., Spyridis, Y., Argyriou, V. Proceedings - 2025 IEEE International Conference on Artificial Intelligence and eXtended and Virtual Reality, AIxVR 2025, 2025 https://www.scopus.com/pages/publications/105000395904?origin=scopusAI

16. How can the integration of AI large language models and knowledge graph enhance fault diagnosis? A systematic literature review Razaq, W.B.M., Chen, H., Machado, M.R., Moreira, J.L.R. Applied Soft Computing, 2026 https://www.scopus.com/pages/publications/105031371627?origin=scopusAI

17. ElecKG-RAG: An electric knowledge graph-enhanced retrieval-Augmented generation framework for power system defect diagnosis Gu, Y., Yan, Y., Guo, B., (...), Qi, D. IET Conference Proceedings, 2026 https://www.scopus.com/pages/publications/105046119322?origin=scopusAI

18. Design of a Smart Alarming System using Transfer Entropy-Based Causality Graphs Pisiecki, H., Domański, P.D. International Journal of Applied Mathematics and Computer Science, 2026 https://www.scopus.com/pages/publications/105043835432?origin=scopusAI

19. Off-Line Analysis of Dynamic Causal Dependencies in Evolving Industrial Alarm Floods Manca, G., Fay, A. Proceedings - 2022 IEEE 5th International Conference on Industrial Cyber-Physical Systems, ICPS 2022, 2022 https://www.scopus.com/pages/publications/85135632443?origin=scopusAI

20. Challenges and Experiences in Designing Interpretable KPI-diagnostics for Cloud Applications Harutyunyan, A., Poghosyan, A., Harutyunyan, L., (...), Vinck, A.J.H. Journal of Universal Computer Science, 2023 https://www.scopus.com/pages/publications/85181459704?origin=scopusAI

21. Exploring challenges of alarm root-cause analysis across varying production process types Vogel-Heuser, B., Fay, A., Rupprecht, B., (...), Manca, G. At-Automatisierungstechnik, 2024 https://www.scopus.com/pages/publications/85190497007?origin=scopusAI

22. Investigating the Adaptability of Alarm Root-Cause Analysis Methods for Discrete Process Types Lahrsen, B., Vogel-Heuser, B., Wilch, J., (...), Kogel, C. IEEE International Conference on Automation Science and Engineering, 2024 https://www.scopus.com/pages/publications/85208236610?origin=scopusAI

23. Better warning through technology Szladow, A.J. IEEE Power and Energy Magazine, 2011 https://www.scopus.com/pages/publications/79955570088?origin=scopusAI

24. Dot matrix analysis of plant operation data for identifying sequential alarms triggered by single root cause Wang, Z.X., Noda, M. Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics), 2015 https://www.scopus.com/pages/publications/84947224680?origin=scopusAI

25. An Overview of Industrial Alarm Systems: Main Causes for Alarm Overloading, Research Status, and Open Problems Wang, J., Yang, F., Chen, T., Shah, S.L. IEEE Transactions on Automation Science and Engineering, 2016 https://www.scopus.com/pages/publications/84942067508?origin=scopusAI

26. Industrial alarm systems: Challenges and opportunities Goel, P., Datta, A., Mannan, M.S. Journal of Loss Prevention in the Process Industries, 2017 https://www.scopus.com/pages/publications/85029158416?origin=scopusAI

27. Protection of Industrial Plants Against Insulation Breakdown and Consequential Damages Vaughan, H.R. Transactions of the American Institute of Electrical Engineers, 1946 https://www.scopus.com/pages/publications/84937742692?origin=scopusAI

28. A combined analysis of plant connectivity and alarm logs to reduce the number of alerts in an automation system Schleburg, M., Christiansen, L., Thornhill, N.F., Fay, A. Journal of Process Control, 2013 https://www.scopus.com/pages/publications/84879039171?origin=scopusAI

29. A review on effective alarm management systems for industrial process control: Barriers and opportunities Mustafa, F.E., Ahmed, I., Basit, A., (...), Ali, P.R. International Journal of Critical Infrastructure Protection, 2023 https://www.scopus.com/pages/publications/85150160275?origin=scopusAI

30. TraceLM: Temporal Root-Cause Analysis with Contextual Embedding Language Models Zhu, B. 2025 6th International Conference on Electronic Communication and Artificial Intelligence, ICECAI 2025, 2025 https://www.scopus.com/pages/publications/105018802137?origin=scopusAI

31. Design and implementation of an automatic on-line diagnosis with TiDiaM and TiDE Ferrarini, L., Allevi, M., Dedè, A. Proceedings of the 15th IEEE International Conference on Emerging Technologies and Factory Automation, ETFA 2010, 2010 https://www.scopus.com/pages/publications/78650565377?origin=scopusAI

32. An overview of fault detection techniques in automated monitoring systems Zhong, S. Frontiers in Artificial Intelligence and Applications, 2011 https://www.scopus.com/pages/publications/79956143370?origin=scopusAI

33. Fault Diagnostics in industrial application domains using data mining and artificial intelligence technologies and frameworks Chandra Shekar, K., Chandra, P., Venugopala Rao, K. Souvenir of the 2014 IEEE International Advance Computing Conference, IACC 2014, 2014 https://www.scopus.com/pages/publications/84899120895?origin=scopusAI

34. Artificial intelligence application in fault diagnostics of rotating industrial machines: a state-of-the-art review Singh, V., Gangsar, P., Porwal, R., Atulkar, A. Journal of Intelligent Manufacturing, 2023 https://www.scopus.com/pages/publications/85118973616?origin=scopusAI

35. Fault diagnostics of industrial robots using support vector machines and discrete wavelet transforms Datta, A., Patel, S., Mavroidis, C., (...), Hosek, M. American Society of Mechanical Engineers, Manufacturing Engineering Division, MED, 2006 https://www.scopus.com/pages/publications/85196502781?origin=scopusAI

36. Deep learning methods for atmospheric PM_{2.5} prediction: A comparative study of transformer and CNN-LSTM-attention Cui, B., Liu, M., Li, S., (...), Lin, X. Atmospheric Pollution Research, 2023 https://www.scopus.com/pages/publications/85165703208?origin=scopusAI

37. AI-enabled Early Faults and Anomalies Detection in Electric Inverters Mazinani, A., Davoli, L., Belli, L., Ferrari, G. IFAC-PapersOnLine, 2025 https://www.scopus.com/pages/publications/105016548277?origin=scopusAI

38. Efficient Fault Diagnosis in Industrial Systems Using Enhanced PolyKAN Techniques Mansouri, M., Attouri, K., Kouadri, A. IEEE Transactions on Industrial Informatics, 2026 https://www.scopus.com/pages/publications/105025008102?origin=scopusAI

39. Integration and optimisation analysis of PLC and SCADA-HMI–IPC systems in intelligent power distribution monitoring Gu, L., Wang, F. International Journal of Electrical Power and Energy Systems, 2026 https://www.scopus.com/pages/publications/105028353980?origin=scopusAI

40. Enhancing SCADA Security in Critical Infrastructure: A Multi-Layered Architecture Using IoT-Based Monitoring and AI-Driven Anomaly Detection Alqahtani, M., Amin, A., Kim, K., Lee, S. International Journal of Advanced Computer Science and Applications, 2026 https://www.scopus.com/pages/publications/105029621577?origin=scopusAI

41. PLC Diagnosis and Monitoring System Pawar, S., Kanjalkar, P., Londhe, A., (...), Wabale, S. Proceedings of 8th International Conference on Inventive Computation Technologies, ICICT 2025, 2025

https://www.scopus.com/pages/publications/105007434551?origin=scopusAI

42. Chaos-Based Fault Diagnosis: Methodologies and Practices Niu, J., Li, Z. International Journal of Bifurcation and Chaos, 2025 https://www.scopus.com/pages/publications/105007050144?origin=scopusAI

43. Nonlinear fault detection and isolation system null Advances in Industrial Control, 2009 https://www.scopus.com/pages/publications/85021083754?origin=scopusAI

44. Comparison of Classical Methods and Neural Networks for Detecting Anomalies in Industrial Sensor Data Kraeva, D.A., Kainova, T.D. Proceedings of the 2026 ElCon Conference of Young Researchers on Computing and Processing, and Information Security, ElCon-CP 2026, 2026 https://www.scopus.com/pages/publications/105037452482?origin=scopusAI

45. What are good sources of web-handling data? Roisum, D. Converting Magazine, 2005 https://www.scopus.com/pages/publications/30344436959?origin=scopusAI

46. Integration of additional information sources for improved alarm flood detection Kinghorst, J., Bloch, H., Fay, A., Vogel-Heuser, B. INES 2017 - IEEE 21st International Conference on Intelligent Engineering Systems, Proceedings, 2017 https://www.scopus.com/pages/publications/85043452276?origin=scopusAI

47. Subjective Evaluation of Operator Responses for Mobile Defect Identification in Remanufacturing: Application of NLP and Disagreement Tagging Ahmed, A., Mohandas, R., Joorabchi, A., Hayes, M.J. Big Data and Cognitive Computing, 2025 https://www.scopus.com/pages/publications/105025941729?origin=scopusAI

48. Natural Language Processing for Surgical Quality Enhancement Tennakoon, L., Roll, N., Knowlton, L.M., (...), Hawn, M. Journal of Surgical Research, 2026 https://www.scopus.com/pages/publications/105036102424?origin=scopusAI

49. Digitization of Daily Drilling Reports Using LLMs Bhatia, G., Yadav, A., Nanda, D., (...), Upreti, D. SPE Middle East Oil and Gas Show and Conference, MEOS, Proceedings, 2025 https://www.scopus.com/pages/publications/105020383180?origin=scopusAI

50. Intelligent alarm analysis of nuclear power plant based on causal diagram Chen, J., Chen, S., Yang, M., (...), Nie, Y. Harbin Gongcheng Daxue Xuebao/Journal of Harbin Engineering University, 2025 https://www.scopus.com/pages/publications/105043898780?origin=scopusAI

51. Dynamic Analysis of Evolving Industrial Alarm Floods Using an Adaptive Causal Directed Graph Kunze, F.C., Fay, A. 2023 IEEE 2nd Industrial Electronics Society Annual On-Line Conference, ONCON 2023, 2023 https://www.scopus.com/pages/publications/85186745888?origin=scopusAI

52. A Machine Learning Based Approach to Analyze the Relationship Between Process Variables and Process Alarms Tharayil, S.M., Paul, R., Qahmash, A., (...), Krishnapriya, M.A. Lecture Notes in Networks and Systems, 2024 https://www.scopus.com/pages/publications/85188432401?origin=scopusAI

53. Alarm Root-Cause Analysis Using an Alarm Logic Directed Graph Extracted From Control Software Wen, Z., Kunze, F.C., Wilch, J., (...), Vogel-Heuser, B. 2024 IEEE 3rd Industrial Electronics Society Annual On-Line Conference, ONCON 2024, 2024 https://www.scopus.com/pages/publications/105002229200?origin=scopusAI

54. Monitoring a segmented fluid bed dryer by hybrid data-driven/knowledge-driven modeling Destro, F., Salmon, A.J., Facco, P., (...), Barolo, M. IFAC-PapersOnLine, 2020 https://www.scopus.com/pages/publications/85105075950?origin=scopusAI

55. A hybrid model coupling process-driven and data-driven models for improved real-time flood forecasting Xu, C., Zhong, P.-A., Zhu, F., (...), Xu, S. Journal of Hydrology, 2024 https://www.scopus.com/pages/publications/85196557515?origin=scopusAI

56. Root Cause Analysis Method Based on Large Language Models with Anchor-Guided Hierarchical Fusion Zhou, L., Liu, A., Liu, H., (...), Li, J. 2026 IEEE 8th International Conference on Communications, Information System and Computer Engineering, CISCE 2026, 2026 https://www.scopus.com/pages/publications/105041662075?origin=scopusAI

57. SCALER: LLM-Based Cross-Modal Alignment for Microservice Root Cause Analysis Yang, S., Wang, G., Ming, Z., (...), Zhou, X. Proceedings of the IEEE International Conference on Web Services, ICWS, 2026 https://www.scopus.com/pages/publications/105051095041?origin=scopusAI

58. A Multi-source Data Weighted Fusion Root Cause Analysis Method for Microservices Zhang, S., Zhang, C., Cheng, J., (...), Ren, Q. Proceedings of 2026 IEEE 15th Data Driven Control and Learning Systems Conference, DDCLS 2026, 2026 https://www.scopus.com/pages/publications/105046554920?origin=scopusAI

59. Fault Root Cause Analysis Based on Liang–Kleeman Information Flow and Graphical Lasso Liu, X., Liu, J., Yang, X., (...), Wen, J. Entropy, 2025 https://www.scopus.com/pages/publications/85218891086?origin=scopusAI

60. Bayesian Network Based Fault Root Cause Analysis Liu, H., Tao, H., Yue, K., Duan, L. Computer Science (China), 2026 https://www.scopus.com/pages/publications/105033672404?origin=scopusAI

61. Temporal causal discovery-enhanced hierarchical monitoring for root cause diagnosis of aero-engine faults Pan, Z., Hu, Y., Choi, J.-H., (...), Zhang, Y. Knowledge-Based Systems, 2026 https://www.scopus.com/pages/publications/105034737130?origin=scopusAI

62. Symbolic transfer entropy for root cause analysis of process disturbances Wen, C.-M., Yao, Y. Computer Aided Chemical Engineering, 2021 https://www.scopus.com/pages/publications/85110393168?origin=scopusAI

63. Causal Network Analysis and Root Cause Detection Based on Parameter Variable Sequence Transfer Entropy Zhao, G.-Q., Wang, J.-G., Chen, Z., (...), Xu, C. Proceedings of 2020 IEEE 9th Data Driven Control and Learning Systems Conference, DDCLS 2020, 2020 https://www.scopus.com/pages/publications/85098918856?origin=scopusAI

64. Alarm sequence pattern analysis techniques for alarm prediction in automated manufacturing processes Gao, X., Kim, N., Yang, J. Journal of Mechanical Science and Technology, 2026 https://www.scopus.com/pages/publications/105029718477?origin=scopusAI

65. Alarm management via temporal pattern learning Vasquez Capacho, J.W., Subias, A., Travé-Massuyès, L., Jimenez, F. Engineering Applications of Artificial Intelligence, 2017 https://www.scopus.com/pages/publications/85028681712?origin=scopusAI

66. Alarm Flood Analysis by Hierarchical Clustering of the Probabilistic Dependency between Alarms Weis, I., Kinghorst, J., Kroger, T., (...), Vogel-Heuser, B. Proceedings - IEEE 16th International Conference on Industrial Informatics, INDIN 2018, 2018 https://www.scopus.com/pages/publications/85055522143?origin=scopusAI

67. Semi-supervised classification learning by discrimination-aware manifold regularization Wang, Y., Chen, S., Xue, H., Fu, Z. Neurocomputing, 2015 https://www.scopus.com/pages/publications/84924047789?origin=scopusAI

68. Early Classification of Industrial Alarm Floods Based on Semisupervised Learning Seyed Alinezhad, H., Shang, J., Chen, T. IEEE Transactions on Industrial Informatics, 2022 https://www.scopus.com/pages/publications/85107188384?origin=scopusAI

69. Causal Graph-Based Root Cause Analysis for ICS Sensor Streams Choi, W.-H., Lee, S., Lim, H., Yoon, S. 2025 IEEE Conference on Communications and Network Security, CNS 2025, 2025 https://www.scopus.com/pages/publications/105020925529?origin=scopusAI

70. A Fast Root Cause Diagnosis Method for Industry Process Based on Kernel Ridge Regression Granger Chen, X., Wang, J.-G., Li, Y., (...), Li, C.-B. Proceedings of 2026 IEEE 15th Data Driven Control and Learning Systems Conference, DDCLS 2026, 2026 https://www.scopus.com/pages/publications/105046544734?origin=scopusAI

71. A causality capturing method for diagnosis based on transfer entropy by analyzing trends of time series Guo, C., Yang, F., Yu, W. IFAC-PapersOnLine, 2015 https://www.scopus.com/pages/publications/84992493188?origin=scopusAI

72. Zeki: A Containerized Pipeline for Deep Learning Deployment for Edge-based Structural Health Monitoring Farjad, S.M., Gandhi, R. BuildSys 2025 - Proceedings of the 2025 the 12th ACM International Conference on Systems for Energy-Efficient Buildings, Cities, and Transportation, 2025 https://www.scopus.com/pages/publications/105022978513?origin=scopusAI

73. Edge Computing Powered Embedded Vision System for Real-Time Industrial Automation and Fault Detection Priya, K.R., Khemraj, I.A., Gupta, S.K., (...), Yajaman, G.V. 2025 International Conference on Metaverse and Current Trends in Computing, ICMCTC 2025, 2025 https://www.scopus.com/pages/publications/105022250006?origin=scopusAI

74. Dynamic Causal Analysis with Operator-Centric Visualization for Managing Industrial Alarm Floods Manca, G., Kunze, F.C., Brorsson, E., Fay, A. 2023 IEEE 2nd Industrial Electronics Society Annual On-Line Conference, ONCON 2023, 2023 https://www.scopus.com/pages/publications/85186744056?origin=scopusAI

75. Explainable ensemble machine learning for WWTPs: A systematic review and compliance framework Gegana, Y.T., Bokoro, P.N., Paepae, T. Results in Engineering, 2026 https://www.scopus.com/pages/publications/105046713375?origin=scopusAI

76. Root Cause Diagnosis for Time Series Data Faults Based on Fault Isolation and Channel-Attentive Sparse Causal Networks Zheng, S., Pi, D. IEEE Sensors Journal, 2025 https://www.scopus.com/pages/publications/105002574624?origin=scopusAI

77. CADiS: Causality-Driven Transformer for Anomaly Detection and Root Cause Diagnosis in Industrial Internet of Things Zeng, Z., Wang, X., Xu, L., (...), Dev, K. IEEE Internet of Things Journal, 2026 https://www.scopus.com/pages/publications/105030112911?origin=scopusAI

78. CNF: A Causality-Consistent Normalizing Flow for Multivariate Time-Series Anomaly Detection Zhang, Y., Liu, Y., Chai, W., (...), Liu, Z. Proceedings of the International Conference on Computer Supported Cooperative Work in Design, CSCWD, 2026 https://www.scopus.com/pages/publications/105044813622?origin=scopusAI

79. Data-driven methods for analyzing alarm floods in automated industrial processes Manca, G. At-Automatisierungstechnik, 2026 https://www.scopus.com/pages/publications/105044152075?origin=scopusAI

80. Effective alarm management Brown, N. Hydrocarbon Processing, 2004 https://www.scopus.com/pages/publications/0345868796?origin=scopusAI

81. Quantum-Inspired Temporal Encoding Network for Ultra-Low-Latency Fault Detection in Large-Scale Industrial IoT Deployments Gowsalya, S., Devi, T., Deepa, N. 6th International Conference on Inventive Computation and Information Technologies, ICICIT 2026 - Proceedings, 2026 https://www.scopus.com/pages/publications/105047844513?origin=scopusAI

82. Iterative Search-Based RAG: Using Iterative Retrieval for Efficient Large Language Model Enhancement in Industrial Fault Diagnosis Xu, J., Chen, Z., Jiang, Z., (...), Li, L. International Conference on Industrial Cyber Physical Systems, ICPS, 2025 https://www.scopus.com/pages/publications/105040170365?origin=scopusAI

83. An Enhanced RAG–LLM Framework for Decision Support in Sustainable Industrial Engineering and Management Zhang, Y., Gu, J., Lang, Y., Qin, Y. Sustainability (Switzerland), 2026

https://www.scopus.com/pages/publications/105048613728?origin=scopusAI

84. Large language models for fault diagnosis in smart manufacturing: A comprehensive review Thuan, N.D., Anh, L.H. Intelligent Systems with Applications, 2026 https://www.scopus.com/pages/publications/105046167390?origin=scopusAI