

Technical Revision – Playwright with Python

Topics

Handling Multiple Browser Contexts & Pages

New Tab / Window:

```
with page.expect_popup() as popup_info:
    page.click("text=Open New Tab")
new_page = popup_info.value
print(new_page.title())
```

Multiple Contexts:

```
context = browser.new_context()
page1 = context.new_page()
page2 = context.new_page()
```

Working with Iframes

Get frame by name / URL:

```
frame = page.frame(name="editor-frame")
frame.locator("#input").fill("Hello from inside iframe!")
```

Locator API (preferred):

```
page.frame_locator("iframe#editor").locator("#input").fill("Text here")
```

Handling JavaScript Dialogs (Alert, Confirm, Prompt)

Alert:

```
page.once("dialog", lambda dialog: dialog.accept())  
page.click("button#alert")
```

Confirm:

```
page.once("dialog", lambda dialog: dialog.accept()) # Accept  
page.click("button#confirm")
```

```
page.once("dialog", lambda dialog: dialog.dismiss()) # Dismiss  
page.click("button#confirm")
```

Prompt:

```
page.once("dialog", lambda dialog: dialog.accept("My Input"))  
page.click("button#prompt")
```

Exercises Breakdown

1. New Tab Test:

- Click link → open new tab.
- Use **expect_popup()** to capture.
- Assert **new_page.title()**.

2. Alert Handling:

- Trigger alert with **.click()**.
- Use **.once("dialog")** to accept.
- Assert confirmation message.

3. Iframe Interaction:

- Use **frame_locator("iframe#id")**.
- Interact with input/text area inside.

4. Confirm Dialog:

- Accept → verify **'Ok'** message.
- Dismiss → verify **'Cancel'** message.

5. Multi-Window Workflow:

- Open Page A.
- Click link → new Page B.
- Extract text from Page B.
- Close Page B.
- Paste text into Page A input field.

Key Points

- **expect_popup()** = Best way to handle new tabs/windows.
- **Dialogs are synchronous** → must set up `once("dialog")` handler before clicking.
- **Iframe handling:** `frame_locator` is safer than direct frame access.
- Playwright auto-waits inside **frames and dialogs**.