Use Case #8: Query Information for Profile

GENERAL CHARACTERISTICS

Author Anirudh Bagde, Rupin Bhalla, Catherine Ta

Last Update: 9/25/16

Scope Backend of HypeU event discovery service

Level User Level **Status** Under review

UML Diagram See page 4 of 'UML Diagrams.pdf'

Primary Actor Client User Secondary Actors Database

• Client User: Wants to see their own personal information for their own

Interests account

Preconditions The client user has to be successfully logged into the application

Success Post The client will be sent their profile information

Condition

Failed Post Backend sends an error status to the client

Condition

MAIN SUCCESS SCENARIO (or basic flow)

Step Action

- 1 User successfully logs in
- 2 Client requests user profile information from the backend
- Backend finds the user and retrieves the specified user's information
- 4 User can view their user information on profile screen

EXTENSIONS or Alternate Flows

Step Branching Action

- 3a Backend could not find the specified user in the database
 - 1. Backend sends message to client that user does not exist

SPECIAL REQUIREMENTS

Reg Requirement

Num

0 N/A

TECHNOLOGY AND DATA VARIATIONS LIST

Var Variation

Num

Should only be queried once and stored into the permanent storage of the device, to prevent multiple queries for the same data.

FREQUENCY OF OCCURRENCE: Getting the information from the database will be once for each user and then stored into the permanent storage of the device.

OTHER ISSUES

Issue Issue

Num

Should users be able to change their profile information, even though the only thing might really be changed is their name?