



There were issues affecting this run of Lighthouse:

- There may be stored data affecting loading performance in this location: IndexedDB. Audit this page in an incognito window to prevent those resources from affecting your scores.



Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49 50–89 90–100

METRICS

Expand view

▲ First Contentful Paint 8.6 s	▲ Largest Contentful Paint 18.7 s
▲ Total Blocking Time 4,850 ms	Cumulative Layout Shift 0
▲ Speed Index 15.7 s	



Show audits relevant to: All FCP LCP TBT CLS

INSIGHTS

▲ Render-blocking requests — Est savings of 4,220 ms

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. FCP LCP Unscored

☒ Show 3rd-party resources (4)

URL	Transfer Size	Duration
Google Fonts Cdn	2.6 KiB	1,080 ms
/css2?family=... (fonts.googleapis.com)	1.2 KiB	150 ms
/css2?family=... (fonts.googleapis.com)	1.4 KiB	930 ms
Cloudflare CDN Cdn	19.0 KiB	1,480 ms
...css/all.min.css (cdnjs.cloudflare.com)	19.0 KiB	1,480 ms

URL	Transfer Size	Duration
tailwindcss.com	123.9 KiB	1,120 ms
/3.4.17 (cdn.tailwindcss.com)	123.9 KiB	1,120 ms
onrender.com 1st Party	7.9 KiB	0 ms
/assets/index-DQok6BdN.css (labzero.onrender.com)	7.9 KiB	

▲ Document request latency — Est savings of 530 ms

Your first network request is the most important. [Reduce its latency](#) by avoiding redirects, ensuring a fast server response, and enabling text compression. FCP LCP Unscored

Avoids redirects

Server responded slowly (observed 626 ms)

Applies text compression

▲ Font display — Est savings of 660 ms

Consider setting [font-display](#) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](#). FCP Unscored

URL	Est Savings
Cloudflare CDN Cdn	
...webfonts/fa-solid-900.woff2 (cdnjs.cloudflare.com)	660 ms
...webfonts/fa-brands-400.woff2 (cdnjs.cloudflare.com)	440 ms

▲ Forced reflow

25

70

96

91

possible mitigations. Unscored

Top function call	Total reflow time
index-cqOUx7f0.js:504	72 ms

Source	Total reflow time
index-cqOUx7f0.js:5312	29 ms
index-cqOUx7f0.js:5312	8 ms
index-cqOUx7f0.js:4657	8 ms
index-cqOUx7f0.js:503	72 ms
[unattributed]	53 ms

▲ LCP breakdown

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Subpart	Duration
Time to first byte	640 ms
Element render delay	7,310 ms

h1.text-[64px].md:text-[72px].lg:text-[84px].font-display.font-bold.leading-[1.05].tracking-[-0.03em].tex...

about:blank

2/38

LCP Unscoored

Initial Navigation

/assets/index-cqOUx7f0.js (labzero.onrender.com) - 1,476 ms, 645.76 KiB

/api/settings/ (labzero-backend.onrender.com) - 6.767 ms. 0.11 KiB

/api/subjects/ (labzero-backend.onrender.com) - 7,894 ms, 7.39 KiB

/api/molecules/ (labzero-backend.onrender.com) - 7,775 ms, 0.64 KiB

...hdri/potsdamer platz 1k.hdr (raw.githubusercontent.com) - **7.391 ms**, 1.505.74 KiB

...hdri/potsdamer platz 1k.hdr (raw.githubusercontent.com) - **7.391 ms**, 1.505.74 KiB

...auth/me (labzero-backend.onrender.com) - **6,769 ms**, 0.21 KiB

/api/elements/ (labzero-backend.onrender.com) - 6,769 ms, 7.04 KiB

/assets/workbox-window.prod.es5-BBnX5xw4.js (labzero.onrender.com) - 6,228 ms, 2.43 KiB

/css2?family=... (fonts.googleapis.com) - 800 ms, 1.38 KiB

...v24/tDbv2o-fl....woff2 (fonts.gstatic.com) - **6,923 ms**, 30.63 KiB

...v20/UcC73FwrK....woff2 (fonts.gstatic.com) - **6,922 ms**, 47.33 KiB

...v20/UcC73FwrK....woff2 (fonts.gstatic.com) - **6,869 ms**, 18.63 KiB

...css/all.min.css (cdnjs.cloudflare.com) - **1,620 ms**, 18.96 KiB...webfonts/fa-solid-900.woff2 (cdnjs.cloudflare.com) - **6,821 ms**, 147.31 KiB

...webfonts/fa-brands-400.woff2 (cdnjs.cloudflare.com) - **6,760 ms**, 106.14 KiB

/assets/index-DQok6BdN.css (labzero.onrender.com) - **871 ms**, 7.94 KiB/css2?family=... (fonts.googleapis.com) - **5,901 ms**, 1.24 KiB

/manifest.webmanifest (labzero.onrender.com) - **2,253 ms**, 0.61 KiB

/3.4.17 (cdn.tailwindcss.com) - **1,374 ms**, 123.88 KiB

/3.4.17 (cdn.tailwindcss.com) - **1,374 ms**, 123.88 KiB

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

Origin

<https://i.pravatar.cc>

<https://cdnjs.cloudflare.com>

Est LCP savings

410 ms

300 ms

 $\wedge$

FCP

Request

supabase.co

• • •

images/ChatGPT%20Image%20May%203,%202026,%2001_45_03%20AM.png (pyrqalsbeli
qwhxqwaw.supabase.co)

TL

Transfer
Size

1,767 KiB

1h

1,767 KiB

^

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) FCP LCP Unscored

		URL
supabase.co		...
img.w-full.h-full.object-cover.opacity-100.group-hover:scale-105.transition-transform.duration-500.sat...		images/ChatGPT%20Image%02026,%2001_45_03%20AM.ıqwhxgwaw.supabase.co)
		Using a modern image format or increasing the image compression could improve this image's download size.
		This image file is larger than (1536x954) for its displayed size (612x408). Use responsive image sizes to improve the image download size.
unsplash.com		
img.w-full.h-full.object-cover.opacity-100.group-hover:scale-105.transition-transform.duration-500.sat...		/photo-151...-edab29b069acauto=format&fit=crop&q=81es.unsplash.com)
		Increasing the image compression could improve this image's download size.
img.w-full.h-full.object-cover.opacity-100.group-hover:scale-105.transition-transform.duration-500.sat...		/photo-153...-ed1f139313f8?auto=format&fit=crop&q=81es.unsplash.com)
		Increasing the image compression could improve this image's download size.

Optimize DOM size

^

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size](#). Unscored

Statistic	Element	Value
Total elements		574
DOM depth	span.absolute.-top-3.left-1/2.-translate-x-1/2.text-[1rem]	18
Most children	@keyframes bp-bzeb93{0%,100%{background-color:#f0f0f0}50%{background-color:#f5f5f5}100%{background-color:#f0f0f0}}<div style="position: relative; width: 100%; height: 100%;">	140

3rd parties

^

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content. Unscored

3rd party	Transfer size	Main thread time
tailwindcss.com	124 KiB	28 ms
https://cdn.tailwindcss.com	0 KiB	28 ms
/3.4.17 (cdn.tailwindcss.com)	124 KiB	0 ms
fheoggkfdfchfphceeifdbepaooicaho	0 KiB	2 ms
chrome-extension://fheoggkfdfchfphceeifdbepaooicaho/scripts/content_navigate_complete.js	0 KiB	2 ms
Google Fonts Cdn	99 KiB	0 ms
...v20/UcC73FwrK....woff2 (fonts.gstatic.com)	47 KiB	0 ms
...v24/tDbv2o-fl....woff2 (fonts.gstatic.com)	31 KiB	0 ms
...v20/UcC73FwrK....woff2 (fonts.gstatic.com)	19 KiB	0 ms
/css2?family=... (fonts.googleapis.com)	1 KiB	0 ms
/css2?family=... (fonts.googleapis.com)	1 KiB	0 ms

3rd party	Transfer size	Main thread time
Cloudflare CDN Cdn	272 KiB	0 ms
...webfonts/fa-solid-900.woff2 (cdnjs.cloudflare.com)	147 KiB	0 ms
...webfonts/fa-brands-400.woff2 (cdnjs.cloudflare.com)	106 KiB	0 ms
...css/all.min.css (cdnjs.cloudflare.com)	19 KiB	0 ms
unsplash.com	101 KiB	0 ms
/photo-151...-edab29b069ac?auto=format&fit=crop&q=80&w=400 (images.unsplash.com)	27 KiB	0 ms
/photo-153...-ed1f139313f8?auto=format&fit=crop&q=80&w=400 (images.unsplash.com)	27 KiB	0 ms
/photo-162...-f0bc54eea481?auto=format&fit=crop&q=80&w=400 (images.unsplash.com)	19 KiB	0 ms
/photo-153...-abf9dbad1b69?auto=format&fit=crop&q=80&w=400 (images.unsplash.com)	19 KiB	0 ms
/photo-155...-d5da9d8e45f3?auto=format&fit=crop&q=80&w=400 (images.unsplash.com)	10 KiB	0 ms
vercel.app	0 KiB	0 ms
/noise.svg (grainy-gradients.vercel.app)	0 KiB	0 ms
pravatar.cc	15 KiB	0 ms
/100?img=9 (i.pravatar.cc)	4 KiB	0 ms
/100?img=47 (i.pravatar.cc)	4 KiB	0 ms
/100?img=5 (i.pravatar.cc)	4 KiB	0 ms
/100?img=12 (i.pravatar.cc)	4 KiB	0 ms
GitHub Utility	1,506 KiB	0 ms
...hdri/potsdamer_platz_1k.hdr (raw.githubusercontent.com)	1,506 KiB	0 ms
supabase.co	1,767 KiB	0 ms
...		
images/ChatGPT%20Image%20May%203,%202026,%2001_45_03%20AM.png (pyrqta1sbeliqwhxgwaw.supabase.co)	1,767 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

▲

Minimize main-thread work

— 14.6 s

^

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT Unscored

Category	Time Spent
Script Evaluation	9,840 ms
Other	2,847 ms
Style & Layout	1,492 ms
Rendering	156 ms
Garbage Collection	125 ms
Parse HTML & CSS	51 ms
Script Parsing & Compilation	47 ms

▲

Reduce JavaScript execution time

— 9.9 s

^

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time](#) TBT Unscored

✓

Show 3rd-party resources (1)

about:blank

5/38

URL	Total CPU Time	Script Evaluation	Script Parse
onrender.com 1st Party	13,367 ms	9,510 ms	13 ms
/assets/index-cqOUx7f0.js (labzero.onrender.com)	11,940 ms	9,283 ms	12 ms
https://labzero.onrender.com	1,428 ms	227 ms	1 ms
Unattributable	1,003 ms	223 ms	0 ms
Unattributable	1,003 ms	223 ms	0 ms
tailwindcss.com	109 ms	76 ms	32 ms
https://cdn.tailwindcss.com	109 ms	76 ms	32 ms

▲ Reduce unused JavaScript — Est savings of 368 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript.](#) FCP LCP Unscored

☑ Show 3rd-party resources (1)

URL	Transfer Size	Est Savings
onrender.com 1st Party	645.1 KiB	340.6 KiB
/assets/index-cqOUx7f0.js (labzero.onrender.com)	645.1 KiB	340.6 KiB
tailwindcss.com	91.5 KiB	27.2 KiB
https://cdn.tailwindcss.com	91.5 KiB	27.2 KiB

▲ Reduce unused CSS — Est savings of 18 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) FCP LCP Unscored

URL	Transfer Size	Est Savings
Cloudflare CDN Cdn	18.3 KiB	18.2 KiB
...css/all.min.css (cdnjs.cloudflare.com)	18.3 KiB	18.2 KiB

Avoid enormous network payloads — Total size was 4,637 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#) Unscored

☑ Show 3rd-party resources (8)

URL	Transfer Size
supabase.co	1,766.7 KiB
... images/ChatGPT%20Image%20May%203,%202026,%2001_45_03%20AM.png (pyrqta1sbeliqwhxgwaw.s upabase.co)	1,766.7 KiB
GitHub Utility	1,505.7 KiB
...hdr/potsdamer_platz_1k.hdr (raw.githubusercontent.com)	1,505.7 KiB
onrender.com 1st Party	683.4 KiB

URL	Transfer Size
/assets/index-cqOUx7f0.js (labzero.onrender.com)	645.8 KiB
/pwa-192x192.png (labzero.onrender.com)	37.7 KiB
Cloudflare CDN (Cdn)	253.4 KiB
...webfonts/fa-solid-900.woff2 (cdnjs.cloudflare.com)	147.3 KiB
...webfonts/fa-brands-400.woff2 (cdnjs.cloudflare.com)	106.1 KiB
tailwindcss.com	123.9 KiB
/3.4.17 (cdn.tailwindcss.com)	123.9 KiB
Google Fonts (Cdn)	78.0 KiB
...v20/UcC73FwrK....woff2 (fonts.gstatic.com)	47.3 KiB
...v24/tDbv2o-fl....woff2 (fonts.gstatic.com)	30.6 KiB
unsplash.com	27.1 KiB
/photo-151...-edab29b069ac?auto=format&fit=crop&q=80&w=400 (images.unsplash.com)	27.1 KiB

Avoid long main-thread tasks — 20 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) (TBT) (Unscored)

URL	Start Time	Duration
onrender.com (1st Party)		4,636 ms
/assets/index-cqOUx7f0.js (labzero.onrender.com)	17,733 ms	864 ms
/assets/index-cqOUx7f0.js (labzero.onrender.com)	10,306 ms	579 ms
/assets/index-cqOUx7f0.js (labzero.onrender.com)	12,341 ms	401 ms
/assets/index-cqOUx7f0.js (labzero.onrender.com)	8,958 ms	362 ms
/assets/index-cqOUx7f0.js (labzero.onrender.com)	17,419 ms	314 ms
/assets/index-cqOUx7f0.js (labzero.onrender.com)	2,189 ms	223 ms
/assets/index-cqOUx7f0.js (labzero.onrender.com)	9,584 ms	212 ms
/assets/index-cqOUx7f0.js (labzero.onrender.com)	12,136 ms	205 ms
/assets/index-cqOUx7f0.js (labzero.onrender.com)	9,320 ms	186 ms
/assets/index-cqOUx7f0.js (labzero.onrender.com)	16,981 ms	170 ms
/assets/index-cqOUx7f0.js (labzero.onrender.com)	12,972 ms	151 ms
/assets/index-cqOUx7f0.js (labzero.onrender.com)	16,712 ms	149 ms
/assets/index-cqOUx7f0.js (labzero.onrender.com)	8,810 ms	148 ms
/assets/index-cqOUx7f0.js (labzero.onrender.com)	14,032 ms	139 ms
/assets/index-cqOUx7f0.js (labzero.onrender.com)	16,447 ms	139 ms
/assets/index-cqOUx7f0.js (labzero.onrender.com)	17,151 ms	138 ms

URL	Start Time	Duration
/assets/index-cqOUx7f0.js (labzero.onrender.com)	17,289 ms	130 ms
/assets/index-cqOUx7f0.js (labzero.onrender.com)	16,586 ms	126 ms
Unattributable		337 ms
Unattributable	1,307 ms	206 ms
Unattributable	1,089 ms	131 ms

Avoid non-composited animations — 49 animated elements found

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) CLS
Unscored

Element
a.w-12.h-12.rounded-2xl.bg-slate-400/5.dark:bg-white/5.flex.items-center.justify-center.text-slate-400...
Unsupported CSS Property: visibility
Unsupported CSS Property: border-bottom-width
a.text-sm.font-bold.text-slate-400.dark:text-white/40.hover:text-blue-600.hover:text-opacity-100.transi...
Unsupported CSS Property: visibility
Unsupported CSS Property: font-weight
Unsupported CSS Property: font-size
Unsupported CSS Property: letter-spacing
Unsupported CSS Property: color
div.w-full.h-48.rounded-[24px].bg-white/[0.03].mb-6.overflow-hidden.border.border-[var(--border-gla...
Unsupported CSS Property: visibility
Unsupported CSS Property: border-left-color
Unsupported CSS Property: border-left-width
Unsupported CSS Property: border-right-color
Unsupported CSS Property: border-right-width
Unsupported CSS Property: color
Unsupported CSS Property: border-top-color
Unsupported CSS Property: border-top-left-radius
Unsupported CSS Property: border-top-right-radius
Unsupported CSS Property: border-bottom-color
Unsupported CSS Property: border-bottom-left-radius

Element
Unsupported CSS Property: border-bottom-right-radius
Unsupported CSS Property: border-top-width
Unsupported CSS Property: border-bottom-width
Unsupported CSS Property: margin-bottom
a.text-sm.font-bold.text-slate-400.dark:text-white/40.hover:text-blue-600.hover:text-opacity-100.transi...
Unsupported CSS Property: visibility
Unsupported CSS Property: font-weight
Unsupported CSS Property: font-size
Unsupported CSS Property: letter-spacing
Unsupported CSS Property: color
div.rounded-[32px],p-8.border.border-indigo-500/20.bg-indigo-500/10.backdrop-blur-md.relative.ove...
Unsupported CSS Property: visibility
Unsupported CSS Property: color
Unsupported CSS Property: color
Unsupported CSS Property: border-left-color
Unsupported CSS Property: border-left-width
Unsupported CSS Property: border-right-color
Unsupported CSS Property: border-right-width
Unsupported CSS Property: border-top-color
Unsupported CSS Property: border-top-left-radius
Unsupported CSS Property: border-top-right-radius
Unsupported CSS Property: border-top-width
Unsupported CSS Property: box-shadow
Unsupported CSS Property: padding-bottom
Unsupported CSS Property: padding-left
Unsupported CSS Property: padding-right
Unsupported CSS Property: padding-top
Unsupported CSS Property: border-bottom-color

Element
Unsupported CSS Property: border-bottom-left-radius
Unsupported CSS Property: border-bottom-right-radius
Unsupported CSS Property: border-bottom-width
a.text-[10px].font-normal.text-slate-400.dark:text-white/45.uppercase.tracking-[0.4em].hover:text-blue...
Unsupported CSS Property: visibility
Unsupported CSS Property: color
Unsupported CSS Property: font-size
Unsupported CSS Property: letter-spacing
a.w-12.h-12.rounded-2xl.bg-slate-400/5.dark:bg-white/5.flex.items-center.justify-center.text-slate-400....
Unsupported CSS Property: visibility
Unsupported CSS Property: border-left-color
Unsupported CSS Property: border-left-width
Unsupported CSS Property: border-right-color
Unsupported CSS Property: border-right-width
Unsupported CSS Property: color
Unsupported CSS Property: border-top-color
Unsupported CSS Property: border-top-left-radius
Unsupported CSS Property: border-top-right-radius
Unsupported CSS Property: border-bottom-color
Unsupported CSS Property: border-bottom-left-radius
Unsupported CSS Property: border-bottom-right-radius
Unsupported CSS Property: border-top-width
Unsupported CSS Property: border-bottom-width
a.w-12.h-12.rounded-2xl.bg-slate-400/5.dark:bg-white/5.flex.items-center.justify-center.text-slate-400....
Unsupported CSS Property: visibility
Unsupported CSS Property: border-left-color

Element

Unsupported CSS Property: border-left-width

Unsupported CSS Property: border-right-color

Unsupported CSS Property: border-right-width

Unsupported CSS Property: color

Unsupported CSS Property: border-top-color

Unsupported CSS Property: border-top-left-radius

Unsupported CSS Property: border-top-right-radius


Unsupported CSS Property: border-bottom-color

Unsupported CSS Property: border-bottom-left-radius

Unsupported CSS Property: border-bottom-right-radius

Unsupported CSS Property: border-top-width

Unsupported CSS Property: border-bottom-width



div.fixed.left-4.md:left-4.z-[100].transition-all.duration-500.bottom-20

Unsupported CSS Property: visibility

Unsupported CSS Property: color

button.text-[#f43f5e].font-medium.flex.items-center.gap-2.hover:gap-3.transition-all.text-sm

Unsupported CSS Property: visibility

Unsupported CSS Property: font-weight

Unsupported CSS Property: color

Unsupported CSS Property: font-size

a.text-sm.font-bold.text-slate-400.dark:text-white/40.hover:text-blue-600.hover:text-opacity-100.transi...

Unsupported CSS Property: visibility

Unsupported CSS Property: font-weight

Unsupported CSS Property: font-size

Unsupported CSS Property: letter-spacing

Unsupported CSS Property: color

a.text-sm.font-bold.text-slate-400.dark:text-white/40.hover:text-blue-600.hover:text-opacity-100.transi...

Unsupported CSS Property: visibility


Element

- Unsupported CSS Property: font-weight
- Unsupported CSS Property: font-size
- Unsupported CSS Property: letter-spacing
- Unsupported CSS Property: color
- a.text-sm.font-bold.text-slate-400.dark:text-white/40.hover:text-blue-600.hover:text-opacity-100.transi...
- Unsupported CSS Property: visibility
- Unsupported CSS Property: font-weight
- Unsupported CSS Property: font-size
- Unsupported CSS Property: letter-spacing
- Unsupported CSS Property: color
- button.px-8.py-4.bg-white.border-2.border-[#E2E8F0].hover:border-[#CBD5E1].hover:bg-[#F8FAFC].tex...
- Unsupported CSS Property: visibility
- Unsupported CSS Property: border-left-color
- Unsupported CSS Property: border-left-width
- Unsupported CSS Property: border-right-color
- Unsupported CSS Property: border-right-width
- Unsupported CSS Property: color
- Unsupported CSS Property: border-top-color
- Unsupported CSS Property: border-top-left-radius
- Unsupported CSS Property: border-top-right-radius
- Unsupported CSS Property: border-top-width
- Unsupported CSS Property: box-shadow
- Unsupported CSS Property: padding-bottom
- Unsupported CSS Property: padding-left
- Unsupported CSS Property: padding-right
- Unsupported CSS Property: padding-top
- Unsupported CSS Property: font-weight
- Unsupported CSS Property: border-bottom-color
- Unsupported CSS Property: border-bottom-left-radius

Element

Unsupported CSS Property: border-bottom-right-radius

Unsupported CSS Property: border-bottom-width



button.flex.flex-col.items-center.justify-center.w-12.h-12.rounded-2xl.transition-all.text-slate-500.hover...

Unsupported CSS Property: visibility

Unsupported CSS Property: border-bottom-left-radius

Unsupported CSS Property: border-bottom-right-radius

Unsupported CSS Property: color

Unsupported CSS Property: border-top-left-radius

Unsupported CSS Property: border-top-right-radius



button.px-8.py-4.bg-[#14b8a6].hover:bg-[#0f766e].text-white.rounded-full.text-base.font-semibold.tra...

Unsupported CSS Property: visibility

Unsupported CSS Property: padding-top

Unsupported CSS Property: font-weight

Unsupported CSS Property: border-top-left-radius

Unsupported CSS Property: border-top-right-radius

Unsupported CSS Property: border-bottom-left-radius

Unsupported CSS Property: border-bottom-right-radius

Unsupported CSS Property: box-shadow

Unsupported CSS Property: padding-bottom

Unsupported CSS Property: padding-left

Unsupported CSS Property: padding-right

Element

a.text-sm.font-bold.text-slate-400.dark:text-white/40.hover:text-blue-600.hover:text-opacity-100.transi...

Unsupported CSS Property: visibility

Unsupported CSS Property: font-weight

Unsupported CSS Property: font-size

Unsupported CSS Property: letter-spacing

Unsupported CSS Property: color

div.rounded-[32px].p-8.border.border-emerald-500/20.bg-emerald-500/10.backdrop-blur-md.relative....

Unsupported CSS Property: visibility

Unsupported CSS Property: color

Unsupported CSS Property: color

Unsupported CSS Property: border-left-color

Unsupported CSS Property: border-left-width

Unsupported CSS Property: border-right-color

Unsupported CSS Property: border-right-width

Unsupported CSS Property: border-top-color

Unsupported CSS Property: border-top-left-radius

Unsupported CSS Property: border-top-right-radius

Unsupported CSS Property: border-top-width

Unsupported CSS Property: box-shadow

Unsupported CSS Property: padding-bottom

Unsupported CSS Property: padding-left

Unsupported CSS Property: padding-right

Unsupported CSS Property: padding-top

Unsupported CSS Property: border-bottom-color

Unsupported CSS Property: border-bottom-left-radius

Unsupported CSS Property: border-bottom-right-radius

Unsupported CSS Property: border-bottom-width



button.flex.flex-col.items-center.justify-center.w-12.h-12.rounded-2xl.transition-all.text-slate-500.hover...

Element



Unsupported CSS Property: visibility

Unsupported CSS Property: border-bottom-left-radius

Unsupported CSS Property: border-bottom-right-radius

Unsupported CSS Property: color

Unsupported CSS Property: border-top-left-radius

Unsupported CSS Property: border-top-right-radius



button.flex.flex-col.items-center.justify-center.w-12.h-12.rounded-2xl.transition-all.text-slate-500.hover...

Unsupported CSS Property: visibility

Unsupported CSS Property: border-bottom-left-radius

Unsupported CSS Property: border-bottom-right-radius

Unsupported CSS Property: color

Unsupported CSS Property: border-top-left-radius

Unsupported CSS Property: border-top-right-radius

a.text-sm.font-bold.text-slate-400.dark:text-white/40.hover:text-blue-600.hover:text-opacity-100.transi...

Unsupported CSS Property: visibility

Unsupported CSS Property: font-weight

Unsupported CSS Property: font-size

Unsupported CSS Property: letter-spacing

Unsupported CSS Property: color

div.bg-[var(--bg-panel)].rounded-[32px].p-6.border.border-[var(--border-glass)].shadow-[0_4px_20px_...

Unsupported CSS Property: visibility

Unsupported CSS Property: color

Unsupported CSS Property: color

Unsupported CSS Property: border-left-color

Unsupported CSS Property: border-left-width

Unsupported CSS Property: border-right-color

Element
Unsupported CSS Property: border-right-width
Unsupported CSS Property: border-top-color
Unsupported CSS Property: border-top-left-radius
Unsupported CSS Property: border-top-right-radius
Unsupported CSS Property: border-top-width
Unsupported CSS Property: box-shadow
Unsupported CSS Property: padding-bottom
Unsupported CSS Property: padding-left
Unsupported CSS Property: padding-right
Unsupported CSS Property: padding-top
Unsupported CSS Property: border-bottom-color
Unsupported CSS Property: border-bottom-left-radius
Unsupported CSS Property: border-bottom-right-radius
Unsupported CSS Property: border-bottom-width
div.rounded-[32px],p-8.border.border-rose-500/20.bg-rose-500/10.backdrop-blur-md.relative.overflow...
Unsupported CSS Property: visibility
Unsupported CSS Property: color
Unsupported CSS Property: color
Unsupported CSS Property: border-left-color
Unsupported CSS Property: border-left-width
Unsupported CSS Property: border-right-color
Unsupported CSS Property: border-right-width
Unsupported CSS Property: border-top-color
Unsupported CSS Property: border-top-left-radius
Unsupported CSS Property: border-top-right-radius

Element
Unsupported CSS Property: border-top-width
Unsupported CSS Property: box-shadow
Unsupported CSS Property: padding-bottom
Unsupported CSS Property: padding-left
Unsupported CSS Property: padding-right
Unsupported CSS Property: padding-top
Unsupported CSS Property: border-bottom-color
Unsupported CSS Property: border-bottom-left-radius
Unsupported CSS Property: border-bottom-right-radius
Unsupported CSS Property: border-bottom-width
div.w-full.h-48.rounded-[24px].bg-white/[0.03].mb-6.overflow-hidden.border.border-[var(--border-gla...
Unsupported CSS Property: visibility
Unsupported CSS Property: color
Unsupported CSS Property: color
Unsupported CSS Property: border-left-color
Unsupported CSS Property: border-left-width
Unsupported CSS Property: border-right-color
Unsupported CSS Property: border-right-width
Unsupported CSS Property: border-top-color
Unsupported CSS Property: border-top-left-radius
Unsupported CSS Property: border-top-right-radius
Unsupported CSS Property: border-bottom-color
Unsupported CSS Property: border-bottom-left-radius
Unsupported CSS Property: border-bottom-right-radius

Element

Unsupported CSS Property: border-top-width

Unsupported CSS Property: border-bottom-width

Unsupported CSS Property: margin-bottom

div.bg-[var(--bg-panel)].rounded-[32px].p-6.border.border-[var(--border-glass)].shadow-[0_4px_20px_...

Unsupported CSS Property: visibility

Unsupported CSS Property: color

Unsupported CSS Property: color

Unsupported CSS Property: border-left-color

Unsupported CSS Property: border-left-width

Unsupported CSS Property: border-right-color

Unsupported CSS Property: border-right-width

Unsupported CSS Property: border-top-color

Unsupported CSS Property: border-top-left-radius

Unsupported CSS Property: border-top-right-radius

Unsupported CSS Property: border-top-width

Unsupported CSS Property: box-shadow

Unsupported CSS Property: padding-bottom

Unsupported CSS Property: padding-left

Unsupported CSS Property: padding-right

Unsupported CSS Property: padding-top

Unsupported CSS Property: border-bottom-color

Unsupported CSS Property: border-bottom-left-radius

Unsupported CSS Property: border-bottom-right-radius

Unsupported CSS Property: border-bottom-width

a.text-sm.font-bold.text-slate-400.dark:text-white/40.hover:text-blue-600.hover:text-opacity-100.transi...

Element

Unsupported CSS Property: visibility

Unsupported CSS Property: font-weight

Unsupported CSS Property: font-size

Unsupported CSS Property: letter-spacing

Unsupported CSS Property: color

div.w-full.h-48.rounded-[24px].bg-white/[0.03].mb-6.overflow-hidden.border.border-[var(--border-gla...

Unsupported CSS Property: visibility

Unsupported CSS Property: color

Unsupported CSS Property: color

Unsupported CSS Property: border-left-color

Unsupported CSS Property: border-left-width

Unsupported CSS Property: border-right-color

Unsupported CSS Property: border-right-width

Unsupported CSS Property: border-top-color

Unsupported CSS Property: border-top-left-radius

Unsupported CSS Property: border-top-right-radius

Unsupported CSS Property: border-bottom-color

Unsupported CSS Property: border-bottom-left-radius

Unsupported CSS Property: border-bottom-right-radius

Unsupported CSS Property: border-top-width

Unsupported CSS Property: border-bottom-width

Unsupported CSS Property: margin-bottom



button.flex.flex-col.items-center.justify-center.w-12.h-12.rounded-2xl.transition-all.bg-indigo-600.text-...

Unsupported CSS Property: visibility

Unsupported CSS Property: border-bottom-left-radius

Unsupported CSS Property: border-bottom-right-radius

Element
Unsupported CSS Property: box-shadow
Unsupported CSS Property: border-top-left-radius
Unsupported CSS Property: border-top-right-radius
div.bg-[var(--bg-panel)].rounded-[32px].p-6.border.border-[var(--border-glass)].shadow-[0_4px_20px_...
Unsupported CSS Property: visibility
Unsupported CSS Property: color
Unsupported CSS Property: color
Unsupported CSS Property: border-left-color
Unsupported CSS Property: border-left-width
Unsupported CSS Property: border-right-color
Unsupported CSS Property: border-right-width
Unsupported CSS Property: border-top-color
Unsupported CSS Property: border-top-left-radius
Unsupported CSS Property: border-top-right-radius
Unsupported CSS Property: border-top-width
Unsupported CSS Property: box-shadow
Unsupported CSS Property: padding-bottom
Unsupported CSS Property: padding-left
Unsupported CSS Property: padding-right
Unsupported CSS Property: padding-top
Unsupported CSS Property: border-bottom-color
Unsupported CSS Property: border-bottom-left-radius
Unsupported CSS Property: border-bottom-right-radius
Unsupported CSS Property: border-bottom-width

Element
button.w-16.h-16.bg-white.rounded-2xl.flex.items-center.justify-center.text-slate-950.hover:scale-105....
Unsupported CSS Property: visibility
Unsupported CSS Property: border-bottom-left-radius
Unsupported CSS Property: border-bottom-right-radius
Unsupported CSS Property: box-shadow
Unsupported CSS Property: color
Unsupported CSS Property: border-top-left-radius
Unsupported CSS Property: border-top-right-radius
div.w-full.h-48.rounded-[24px].bg-white/[0.03].mb-6.overflow-hidden.border.border-[var(--border-gla...
Unsupported CSS Property: visibility
Unsupported CSS Property: border-left-color
Unsupported CSS Property: border-left-width
Unsupported CSS Property: border-right-color
Unsupported CSS Property: border-right-width
Unsupported CSS Property: color
Unsupported CSS Property: border-top-color
Unsupported CSS Property: border-top-left-radius
Unsupported CSS Property: border-top-right-radius
Unsupported CSS Property: border-bottom-color
Unsupported CSS Property: border-bottom-left-radius
Unsupported CSS Property: border-bottom-right-radius
Unsupported CSS Property: border-top-width
Unsupported CSS Property: border-bottom-width
Unsupported CSS Property: margin-bottom

Element
a.text-[10px].font-normal.text-slate-400.dark:text-white/45.uppercase.tracking-[0.4em].hover:text-blue... Unsupported CSS Property: visibility Unsupported CSS Property: color Unsupported CSS Property: font-size Unsupported CSS Property: letter-spacing
select.w-full.appearance-none.rounded-xl.border.border-[var(--border-glass)].bg-[var(--bg-panel)].px-... Unsupported CSS Property: visibility Unsupported CSS Property: border-left-color Unsupported CSS Property: border-left-width Unsupported CSS Property: border-right-color Unsupported CSS Property: outline-color Unsupported CSS Property: border-right-width Unsupported CSS Property: outline-offset Unsupported CSS Property: color Unsupported CSS Property: outline-width Unsupported CSS Property: border-top-color Unsupported CSS Property: border-top-left-radius Unsupported CSS Property: border-top-right-radius Unsupported CSS Property: border-top-width Unsupported CSS Property: font-size Unsupported CSS Property: box-shadow Unsupported CSS Property: letter-spacing Unsupported CSS Property: padding-bottom Unsupported CSS Property: padding-left Unsupported CSS Property: padding-right Unsupported CSS Property: padding-top Unsupported CSS Property: font-weight Unsupported CSS Property: border-bottom-color Unsupported CSS Property: border-bottom-left-radius

Element
Unsupported CSS Property: border-bottom-right-radius
Unsupported CSS Property: border-bottom-width
div.bg-[var(--bg-panel)].rounded-[32px].p-6.border.border-[var(--border-glass)].shadow-[0_4px_20px_...
Unsupported CSS Property: visibility
Unsupported CSS Property: color
Unsupported CSS Property: color
Unsupported CSS Property: border-left-color
Unsupported CSS Property: border-left-width
Unsupported CSS Property: border-right-color
Unsupported CSS Property: border-right-width
Unsupported CSS Property: border-top-color
Unsupported CSS Property: border-top-left-radius
Unsupported CSS Property: border-top-right-radius
Unsupported CSS Property: border-top-width
Unsupported CSS Property: box-shadow
Unsupported CSS Property: padding-bottom
Unsupported CSS Property: padding-left
Unsupported CSS Property: padding-right
Unsupported CSS Property: padding-top
Unsupported CSS Property: border-bottom-color
Unsupported CSS Property: border-bottom-left-radius
Unsupported CSS Property: border-bottom-right-radius
Unsupported CSS Property: border-bottom-width
a.w-12.h-12.rounded-2xl.bg-slate-400/5.dark:bg-white/5.flex.items-center.justify-center.text-slate-400...
Unsupported CSS Property: visibility
Unsupported CSS Property: border-left-color

Element

Unsupported CSS Property: border-left-width

Unsupported CSS Property: border-right-color

Unsupported CSS Property: border-right-width

Unsupported CSS Property: color

Unsupported CSS Property: border-top-color

Unsupported CSS Property: border-top-left-radius

Unsupported CSS Property: border-top-right-radius


Unsupported CSS Property: border-bottom-color

Unsupported CSS Property: border-bottom-left-radius

Unsupported CSS Property: border-bottom-right-radius

Unsupported CSS Property: border-top-width

Unsupported CSS Property: border-bottom-width



button.flex.flex-col.items-center.justify-center.w-12.h-12.rounded-2xl.transition-all.text-slate-500.hover...

Unsupported CSS Property: visibility

Unsupported CSS Property: border-bottom-left-radius

Unsupported CSS Property: border-bottom-right-radius

Unsupported CSS Property: color

Unsupported CSS Property: border-top-left-radius

Unsupported CSS Property: border-top-right-radius

div.flex.items-center.text-sm.font-semibold.text-[var(--color-secondary)].p-0.m-0.uppercase.tracking-w...

Unsupported CSS Property: visibility

Unsupported CSS Property: font-weight

Unsupported CSS Property: font-size

Element

Unsupported CSS Property: letter-spacing

Unsupported CSS Property: color

div.flex.items-center.text-sm.font-semibold.text-[var(--color-primary)].p-0.m-0.uppercase.tracking-wid...

Unsupported CSS Property: visibility

Unsupported CSS Property: font-weight

Unsupported CSS Property: font-size

Unsupported CSS Property: letter-spacing

Unsupported CSS Property: color

div.flex.items-center.text-sm.font-semibold.text-[#8b5cf6].p-0.m-0.uppercase.tracking-wide.gap-2.gro...

Unsupported CSS Property: visibility

Unsupported CSS Property: font-weight

Unsupported CSS Property: font-size

Unsupported CSS Property: letter-spacing

Unsupported CSS Property: color

div.flex.items-center.text-sm.font-semibold.text-[var(--color-accent)].p-0.m-0.uppercase.tracking-wide....

Unsupported CSS Property: visibility

Unsupported CSS Property: font-weight

Unsupported CSS Property: font-size

Unsupported CSS Property: letter-spacing

Unsupported CSS Property: color




div.absolute.top-[-10%].left-[-10%].w-[50vw].h-[50vw].rounded-full.blur-[120px].transition-colors.durat...

Unsupported CSS Property: color

Unsupported CSS Property: color

Unsupported CSS Property: background-color




div.absolute.bottom-[-10%].right-[-10%].w-[60vw].h-[60vw].rounded-full.blur-[150px].transition-colors....

Unsupported CSS Property: color

Unsupported CSS Property: color

Unsupported CSS Property: background-color



div.absolute.top-[20%].left-[40%].w-[40vw].h-[40vw].rounded-full.blur-[130px].transition-colors.duratio...

Unsupported CSS Property: color

Unsupported CSS Property: color

Unsupported CSS Property: background-color

Element

button.w-9.h-9.rounded-xl.border.border-[#E2E8F0].flex.items-center.justify-center.text-[#14B8A6].hov...

Unsupported CSS Property: border-bottom-color

Unsupported CSS Property: border-left-color

Unsupported CSS Property: border-right-color

Unsupported CSS Property: color

Unsupported CSS Property: border-top-color

Get Started

<button class="px-6 py-2 bg-[var(--color-secondary)] hover:bg-[var(--color-secondary)]/90...">

Unsupported CSS Property: padding-top

Unsupported CSS Property: font-weight

Unsupported CSS Property: border-top-left-radius

Unsupported CSS Property: border-top-right-radius

Unsupported CSS Property: border-bottom-left-radius

Unsupported CSS Property: font-size

Unsupported CSS Property: border-bottom-right-radius

Unsupported CSS Property: box-shadow

Unsupported CSS Property: padding-bottom

Unsupported CSS Property: padding-left

Unsupported CSS Property: padding-right



div.relative.min-h-screen.bg-[var(--bg-deep)].text-[var(--text-primary)].font-sans.selection:bg-[#7DD3F...

Unsupported CSS Property: color



div.absolute.inset-0.backdrop-blur-[50px].transition-colors.duration-700.bg-white/20

Unsupported CSS Property: color



div.fixed.inset-0.z-[-1].overflow-hidden.pointer-events-none.transition-colors.duration-700.bg-[#fafaf8]

Unsupported CSS Property: color



div.h-screen.w-full.flex.flex-col.bg-transparent.overflow-hidden.relative.transition-colors.duration-500.t...

Unsupported CSS Property: color

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (12)	Hide
Layout shift culprits	^
Layout shifts occur when elements move absent any user interaction. Investigate the causes of layout shifts , such as elements being added, removed, or their fonts changing as the page loads. CLS Unscored	
Duplicated JavaScript	^
Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity. FCP LCP Unscored	
INP breakdown	^
Start investigating how to improve INP by looking at the longest subpart. Unscored	
LCP request discovery	^
Optimize LCP by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading Unscored	
Legacy JavaScript	^
Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile Baseline features, unless you know you must support older browsers. Learn why most sites can deploy ES6+ code without transpiling FCP LCP Unscored	
Modern HTTP	^
HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. Learn more about using modern HTTP . FCP LCP Unscored	
Optimize viewport for mobile	^
Tap interactions may be delayed by up to 300 ms if the viewport is not optimized for mobile. Unscored	
meta	
Minify CSS	^
Minifying CSS files can reduce network payload sizes. Learn how to minify CSS . FCP LCP Unscored	
Minify JavaScript	^
Minifying JavaScript files can reduce payload sizes and script parse time. Learn how to minify JavaScript . FCP LCP Unscored	
User Timing marks and measures	^
Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. Learn more about User Timing marks . Unscored	
Image elements have explicit width and height	^
Set an explicit width and height on image elements to reduce layout shifts and improve CLS. Learn how to set image dimensions CLS Unscored	
Page didn't prevent back/forward cache restoration	^
Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. Learn more about the bfcache Unscored	



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

NAMES AND LABELS

Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible](#).

Failing Elements

button.w-9.h-9.rounded-xl.border.border-[#E2E8F0].flex.items-center.justify-center.text-[#14B8A6].hov...

button.w-16.h-16.bg-white.rounded-2xl.flex.items-center.justify-center.text-slate-950.hover:scale-105....



button.md:hidden.absolute.-top-3.-right-3.w-10.h-10.rounded-full.flex.items-center.justify-center

Select elements do not have associated label elements.

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the select element](#).

Failing Elements

select.w-full.appearance-none.rounded-xl.border.border-[var(--border-glass)].bg-[var(--bg-panel)].px-...

Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible](#).

Failing Elements

a.w-12.h-12.rounded-2xl.bg-slate-400/5.dark:bg-white/5.flex.items-center.justify-center.text-slate-400....

a.w-12.h-12.rounded-2xl.bg-slate-400/5.dark:bg-white/5.flex.items-center.justify-center.text-slate-400....

a.w-12.h-12.rounded-2xl.bg-slate-400/5.dark:bg-white/5.flex.items-center.justify-center.text-slate-400....

a.w-12.h-12.rounded-2xl.bg-slate-400/5.dark:bg-white/5.flex.items-center.justify-center.text-slate-400....


These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

CONTRAST

Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast](#).

Failing Elements



span.text-xs.font-semibold.text-[#0284c7].tracking-wide

Failing Elements

div.inline-flex.items-center.px-4.py-1.5.rounded-full.bg-[#E0F2FE].border.border-[#BAE6FD]

span.text-[7px].font-mono.mt-1

button.flex.flex-col.items-center.justify-center.w-12.h-12.rounded-2xl.transition-all.bg-indigo-600.text-...

These are opportunities to improve the legibility of your content.

NAVIGATION

▲

Heading elements are not in a sequentially-descending order

^

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)

Failing Elements

h3.text-xl.font-display.font-semibold.mb-3.text-[var(--text-primary)]

h4.font-display.font-semibold.text-lg.text-[var(--text-primary)]

These are opportunities to improve keyboard navigation in your application.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

Interactive controls are keyboard focusable

^

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn how to make custom controls focusable.](#) (Unscored)

Interactive elements indicate their purpose and state

^

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn how to decorate interactive elements with affordance hints.](#) (Unscored)

The page has a logical tab order

^

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more about logical tab ordering.](#) (Unscored)

Visual order on the page follows DOM order

^

DOM order matches the visual order, improving navigation for assistive technology. [Learn more about DOM and visual ordering.](#) (Unscored)

User focus is not accidentally trapped in a region

^

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn how to avoid focus traps.](#) (Unscored)

The user's focus is directed to new content added to the page

^

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn how to direct focus to new content.](#) (Unscored)

- ☐ HTML5 landmark elements are used to improve navigation ^

Landmark elements (`<main>`, `<nav>`, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more about landmark elements.](#) (Unscored)

- ☐ Offscreen content is hidden from assistive technology ^

Offscreen content is hidden with `display: none` or `aria-hidden=true`. [Learn how to properly hide offscreen content.](#) (Unscored)

- ☐ Custom controls have associated labels ^

Custom interactive controls have associated labels, provided by `aria-label` or `aria-labelledby`. [Learn more about custom controls and labels.](#) (Unscored)

- ☐ Custom controls have ARIA roles ^

Custom interactive controls have appropriate ARIA roles. [Learn how to add roles to custom controls.](#) (Unscored)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (11)

Hide

`[aria-hidden="true"]` is not present on the document `<body>` ^

Assistive technologies, like screen readers, work inconsistently when `aria-hidden="true"` is set on the document `<body>`. [Learn how aria-hidden affects the document body.](#)

Image elements have `[alt]` attributes ^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

Form elements have associated labels ^

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels.](#)

`[user-scalable="no"]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5. ^

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more about the viewport meta tag.](#)

`[aria-hidden="true"]` elements do not contain focusable descendents ^

Focusable descendents within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn how aria-hidden affects focusable elements.](#)

Document has a `<title>` element ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

`<html>` element has a `[lang]` attribute ^

If a page doesn't specify a `lang` attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

`<html>` element has a valid value for its `[lang]` attribute ^

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn how to use the lang attribute.](#)

No element has a `[tabindex]` value greater than 0 ^

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. Learn more about the tabindex attribute.	
Touch targets have sufficient size and spacing.	^
Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. Learn more about touch targets.	
Document has a main landmark.	^
One main landmark helps screen reader users navigate a web page. Learn more about landmarks.	
NOT APPLICABLE (44)	
Hide	
☐ [accesskey] values are unique	^
Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. Learn more about access keys. (Unscored)	
☐ [aria-*] attributes match their roles	^
Each ARIA role supports a specific subset of aria-* attributes. Mismatching these invalidates the aria-* attributes. Learn how to match ARIA attributes to their roles. (Unscored)	
☐ button , link , and menuitem elements have accessible names	^
When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to make command elements more accessible. (Unscored)	
☐ ARIA attributes are used as specified for the element's role	^
Some ARIA attributes are only allowed on an element under certain conditions. Learn more about conditional ARIA attributes. (Unscored)	
☐ Deprecated ARIA roles were not used	^
Deprecated ARIA roles may not be processed correctly by assistive technology. Learn more about deprecated ARIA roles. (Unscored)	
☐ Elements with <code>role="dialog"</code> or <code>role="alertdialog"</code> have accessible names.	^
ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. Learn how to make ARIA dialog elements more accessible. (Unscored)	
☐ ARIA input fields have accessible names	^
When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about input field labels. (Unscored)	
☐ ARIA meter elements have accessible names	^
When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name meter elements. (Unscored)	
☐ ARIA progressbar elements have accessible names	^
When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to label progressbar elements. (Unscored)	
☐ Elements use only permitted ARIA attributes	^
Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. Learn more about prohibited ARIA roles. (Unscored)	
☐ [role] s have all required [aria-*] attributes	^

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more about roles and required attributes.](#) (Unscored)

- ☐ Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children. ^

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more about roles and required children elements.](#) (Unscored)

- ☐ `[role]`s are contained by their required parent element ^

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more about ARIA roles and required parent element.](#) (Unscored)

- ☐ `[role]` values are valid ^

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more about valid ARIA roles.](#) (Unscored)

- ☐ Elements with the `role=text` attribute do not have focusable descendents. ^

Adding `role=text` around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendents will not be announced. [Learn more about the `role=text` attribute.](#) (Unscored)

- ☐ ARIA toggle fields have accessible names ^

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about toggle fields.](#) (Unscored)

- ☐ ARIA `tooltip` elements have accessible names ^

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name tooltip elements.](#) (Unscored)

- ☐ ARIA `treeitem` elements have accessible names ^

When a `treeitem` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling treeitem elements.](#) (Unscored)

- ☐ `[aria-*)` attributes have valid values ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more about valid values for ARIA attributes.](#) (Unscored)

- ☐ `[aria-*)` attributes are valid and not misspelled ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more about valid ARIA attributes.](#) (Unscored)

- ☐ The page contains a heading, skip link, or landmark region ^

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks.](#) (Unscored)

- ☐ `<d1>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements. ^

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn how to structure definition lists correctly.](#) (Unscored)

- ☐ Definition list items are wrapped in `<d1>` elements ^

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<d1>` element to ensure that screen readers can properly announce them. [Learn how to structure definition lists correctly.](#) (Unscored)

- ☐ ARIA IDs are unique ^

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn how to fix duplicate ARIA IDs.](#) (Unscored)

☐ No form fields have multiple labels

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn how to use form labels.](#) (Unscored)

☐ `<frame>` or `<iframe>` elements have a title

Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles.](#) (Unscored)

☐ `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute.

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#) (Unscored)

☐ Input buttons have discernible text.

Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. [Learn more about input buttons.](#) (Unscored)

☐ `<input type="image">` elements have `[alt]` text

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn about input image alt text.](#) (Unscored)

☐ Links are distinguishable without relying on color.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable.](#) (Unscored)

☐ Lists contain only `<li>` elements and script supporting elements (`<script>` and `<template>`).

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure.](#) (Unscored)

☐ List items (`<li>`) are contained within `<ul>`, `<ol>` or `<menu>` parent elements

Screen readers require list items (`<li>`) to be contained within a parent `<ul>`, `<ol>` or `<menu>` to be announced properly. [Learn more about proper list structure.](#) (Unscored)

☐ The document does not use `<meta http-equiv="refresh">`

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag.](#) (Unscored)

☐ `<object>` elements have alternate text

Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. [Learn more about alt text for object elements.](#) (Unscored)

☐ Skip links are focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links.](#) (Unscored)

☐ Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table.

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the headers attribute.](#) (Unscored)

☐ `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe.

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers.](#) (Unscored)

☐ `[lang]` attributes have a valid value

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the lang attribute.](#) (Unscored)

☐ `<video>` elements contain a `<track>` element with `[kind="captions"]` ^

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions.](#) (Unscored)

☐ Tables have different content in the summary attribute and `<caption>`. ^

The summary attribute should describe the table structure, while `<caption>` should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about summary and caption.](#) (Unscored)

☐ All heading elements contain content. ^

A heading with no content or inaccessible text prevent screen reader users from accessing information on the page's structure. [Learn more about headings.](#) (Unscored)

☐ Uses ARIA roles only on compatible elements ^

Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. [Learn more about ARIA roles.](#) (Unscored)

☐ Image elements do not have `[alt]` attributes that are redundant text. ^

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the alt attribute.](#) (Unscored)

☐ Identical links have the same purpose. ^

Links with the same destination should have the same description, to help users understand the link's purpose and decide whether to follow it. [Learn more about identical links.](#) (Unscored)



Best Practices

GENERAL

▲ Browser errors were logged to the console ^

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

Source	Description
vercel.app	
<code>noise.svg:1</code>	Failed to load resource: the server responded with a status of 404 ()

▲ Missing source maps for large first-party JavaScript ^

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps.](#) (Unscored)

URL	Map URL
onrender.com	<code>1st Party</code>
<code>/assets/index-cqOUx7f0.js</code>	(labzero.onrender.com)

URL	Map URL
Large JavaScript file is missing a source map	
Unattributable	
chrome-extension://fheoggkfdfchfphceiefdbepaoicaho/scripts/content_navigate_complete.js	chrome-extension://fheoggkfdfchfphceiefdbepaoicaho/sourceMap/chrome/scripts/content_navigate_complete.js.map
Error: Failed fetching source map (null)	

TRUST AND SAFETY

- ☐ Ensure CSP is effective against XSS attacks

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#) (Unscored)

Description	Directive	Severity
No CSP found in enforcement mode		High

- ☐ Ensure proper origin isolation with COOP

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header](#) (Unscored)

Description	Directive	Severity
No COOP header found		High

- ☐ Mitigate clickjacking with XFO or CSP

The X-Frame-Options (XFO) header or the frame-ancestors directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. [Learn more about mitigating clickjacking](#) (Unscored)

Description	Severity
No frame control policy found	High

- ☐ Mitigate DOM-based XSS with Trusted Types

The require-trusted-types-for directive in the Content-Security-Policy (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. [Learn more about mitigating DOM-based XSS with Trusted Types](#) (Unscored)

Description	Severity
No `Content-Security-Policy` header with Trusted Types directive found	High

PASSED AUDITS (11)

Hide

- Uses HTTPS

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more about HTTPS](#).

- Avoids deprecated APIs

Deprecated APIs will eventually be removed from the browser. Learn more about deprecated APIs.	
Avoids third-party cookies	^
Third-party cookies may be blocked in some contexts. Learn more about preparing for third-party cookie restrictions.	
Allows users to paste into input fields	^
Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. Learn more about user-friendly input fields.	
Avoids requesting the geolocation permission on page load	^
Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. Learn more about the geolocation permission.	
Avoids requesting the notification permission on page load	^
Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. Learn more about responsibly getting permission for notifications.	
Displays images with correct aspect ratio	^
Image display dimensions should match natural aspect ratio. Learn more about image aspect ratio.	
Serves images with appropriate resolution	^
Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. Learn how to provide responsive images.	
Page has the HTML doctype	^
Specifying a doctype prevents the browser from switching to quirks-mode. Learn more about the doctype declaration.	
Properly defines charset	^
A character encoding declaration is required. It can be done with a <meta> tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. Learn more about declaring the character encoding.	
No issues in the Issues panel in Chrome Devtools	^
Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.	
NOT APPLICABLE (3)	Hide
☐ Redirects HTTP traffic to HTTPS	^
Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. Learn more. (Unscored)	
☐ Use a strong HSTS policy	^
Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. Learn more about using a strong HSTS policy. (Unscored)	
☐ Detected JavaScript libraries	^
All front-end JavaScript libraries detected on the page. Learn more about this JavaScript library detection diagnostic audit. (Unscored)	

SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#), [Learn more about Google Search Essentials](#).

CONTENT BEST PRACTICES

▲

Document does not have a meta description

^

Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description](#).

Format your HTML in a way that enables crawlers to better understand your app's content.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

○

Structured data is valid

^

Run the [Structured Data Testing Tool](#) to validate structured data. [Learn more about Structured Data](#)

Unscored

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (7)

Hide

Page isn't blocked from indexing

^

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](#).

Document has a <title> element

^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles](#).

Page has successful HTTP status code

^

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more about HTTP status codes](#).

Links have descriptive text

^

Descriptive link text helps search engines understand your content. [Learn how to make links more accessible](#).

Links are crawlable

^

Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](#)

Image elements have [alt] attributes

^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute](#).

Document has a valid hreflang

^

hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more about hreflang](#).

NOT APPLICABLE (2)

Hide

○

robots.txt is valid

^

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](#)

Unscored

○

Document has a valid rel=canonical

^

Canonical links suggest which URL to show in search results. [Learn more about canonical links.](#) (Unscored)

- Captured at May 13, 2026,
10:19 PM GMT+5:30
- Emulated Moto G Power with
Lighthouse 13.0.2
- Single page session
- Initial page load
- Slow 4G throttling
- Using Chromium 148.0.0.0 with
devtools

Generated by **Lighthouse** 13.0.2 | [File an issue](#)