

04 Operational SOP Pack RU

Template E v2.3 / Russian Edition

Template E v2.3

Operational SOP Pack RU / практические протоколы

Назначение SOP Pack

Этот документ переводит Template E из conceptual framework в executable procedures.
Каждый SOP должен иметь mission, critical assets, dependency map, custody rules, proof testing, migration rules, emergency recovery, successor procedure.

Universal Continuity Audit Checklist

1. Какая mission должна быть recoverable?
2. Что является object?
3. Есть ли metadata?
4. Есть ли recovery protocol?
5. Есть ли current custodian?
6. Есть ли successor?
7. Есть ли operator layer?
8. Есть ли tools/materials?
9. Есть ли dependency map?
10. Проводился ли proof test?
11. Есть ли risk register?
12. Есть ли managed sunset, если технология уходит?
13. Что произойдёт, если current holder исчезнет?
14. Что произойдёт, если формат/оборудование устареет?
15. Какой уровень recoverability реально заявляется?

Archive Continuity SOP

Раздел	Требование
Mission	retrieval + readability + interpretability
Critical assets	documents, metadata, finding aids, provenance records
Proof testing	новый пользователь находит и интерпретирует документ
Review	metadata audit yearly, custody review yearly, format review every 3 years
Emergency	freeze deletion, emergency inventory, temporary custodian, duplicate metadata

Software Continuity SOP

Раздел	Требование
Mission	executable continuity
Critical assets	source, dependencies, build system, runtime, tests, configs
Required files	README, BUILD.md, RUN.md, DEPENDENCIES.lock, TESTS.md, LICENSE

Proof testing	clean build + tests + sample output
Mitigation	lockfiles, containers/VM, reproducible builds, dependency mirrors, successor maintainer

Biobank Continuity SOP

Раздел	Требование
Mission	biological usability + provenance + interpretability
Critical assets	samples, metadata, consent, SOP, cryostorage, chain of custody
Proof testing	witness aliquot thawing + viability/QC + metadata check
Emergency	freezer failure transfer protocol, temperature exposure log, viability assessment
Rule	sample without metadata/SOP/custody is not full recoverable object

NII Shutdown & Transfer SOP

Шаг	Действие
1	freeze disposal / остановить уничтожение и хаотичный вывод
2	full inventory / инвентаризация документации, образцов, оборудования
3	critical knowledge package classification
4	temporary custodian + successor institution
5	technical interviews + tacit knowledge capture
6	document-equipment map
7	custody transfer act
8	future review date

Military / Operational Asset Storage SOP

Раздел	Требование
Mission	operational readiness or component recoverability
Critical layers	platform, engine, electronics, spare parts, documentation, operators, logistics
Material tracking	Material Viability Window for critical components
Proof testing	engine start, mobility, component, safety, compatibility tests
Donor strategy	controlled donor continuity if full operational return impossible

Managed Sunset SOP

Шаг	Действие
1	assess installed base / legacy dependency
2	evaluate remaining life and failure consequence
3	define minimum operator reserve
4	archive tools/materials/specifications
5	capture tacit knowledge
6	assign custodian and successor
7	choose CP class: CP-0 to CP-6
8	schedule review and proof practice

Capability Preservation Playbook

Status	Action
--------	--------

Stable	monitor, registry entry, light review
Watch	interviews, training review, installed base assessment
At Risk	SOP, tools/materials list, proof practice, custodian
Critical	emergency tacit capture, video, tools archive, minimal training module
Crisis	save core recoverability, last-operator interview, reconstruction notes
Reconstructive	source gathering, artifact analysis, confidence labels
Lost	record limits, separate facts from hypotheses, evidential only

Dynamic Proof Testing SOP

v2.3 Operational Patch — Dynamic Proof Testing SOP

Для dormant dynamic systems требуется отдельный dynamic proof testing layer. Static inspection не является достаточным основанием для mission recoverability claim.

Risk factor	Required check
Elastomers / seals	age, elasticity, cracks, pressure-cycle test or replacement
Lubricants / greases	chemical stability, viscosity, contamination, replacement schedule
Pressure circuits	low-pressure leak test before full load
Propellant / aggressive residues	internal inspection, corrosion risk assessment
Hydraulics	cycle test under controlled load
Welded / brazed joints	NDT where feasible, pressure proof test
Electronics / capacitors	burn-in/load test, not only power-on self-test
Mission claim	must pass mission-relevant dynamic test or be downgraded to evidential/reconstructive recoverability

Rule: visible integrity != structural viability; static proof != dynamic proof; dynamic proof != mission proof.

Dynamic Return-to-Service Gate v2.3

Для dormant dynamic systems static inspection is not enough. Перед operational recoverability claim нужно пройти gate.

Risk Factor	Required Check
Elastomers / seals	hardness, compression set, leak test
Lubricants	chemical condition, viscosity, contamination
Pressurized circuits	hydro/pneumatic pressure proof
Hydraulics	cycling test
Fuel / oxidizer residues	corrosion inspection
Batteries	load test
Electronics	powered test under load
Moving parts	motion cycle test
Welded joints	NDT / pressure / load test
Software-controlled systems	runtime proof under expected scenario

Proof levels

Level	Claim allowed
Static Proof	physical/static integrity only
Dynamic Proof	dynamic recoverability
Mission Proof	mission recoverability

MVW Operational Procedure v0.1

For each critical component:

16. identify material / component;
17. identify storage environment;
18. identify active stress profile;
19. identify known ageing modes;
20. assign inspection method;
21. assign dynamic proof test;
22. define replace-before-use rule;
23. assign MVW status.

MVW Status	Meaning	Claim
MVW-0	unknown	no dynamic claim
MVW-1	visually intact	physical/evidential only
MVW-2	static inspection passed	static integrity only
MVW-3	material inspection passed	limited dynamic readiness
MVW-4	dynamic proof passed	dynamic recoverability
MVW-5	mission load proof passed	mission recoverability

Biobank SOP Delta v2.3

Template E adds the following to generic biobank practice:

Template E element	Required practice
Operator != Custodian	separate storage responsibility from recovery capability
New-Operator Proof Test	a new operator must understand metadata package without oral explanation
Witness Aliquot Dynamic Proof	aliquot must pass thawing / unloading / QC
Interpretability Audit	provenance, consent, protocol version, freeze-thaw history must be readable
Capability Registry	track people who can thaw/QC/interpret samples
Managed Sunset	define what happens when old protocol becomes obsolete
Activation Failure	sample may look preserved but fail recovery after thawing

Rule:

Sample preservation without operator-readable metadata and witness aliquot recovery testing is physical preservation, not biological recoverability.