

**Overall Hospital Quality Star Ratings:
2026 R Pack Software Documentation**

Centers for Medicare and Medicaid Services (CMS)

April 2026 Publication

1. Introduction

This document provides the details for the Overall Hospital Quality Star Rating R pack, used to produce the Centers for Medicare & Medicaid Services' (CMS's) Overall Hospital Quality Star Rating published to [Care Compare on Medicare.gov](https://carecompare.cms.gov) (hereinafter, Overall Star Rating).

The R Pack comprises three main R programs to provide group scores, summary scores, and star ratings using a simple average of measure scores into group scores, a weighted average of group scores into a summary score, and *k*-means clustering using publicly reported data from [Care Compare on Medicare.gov](https://carecompare.cms.gov). This instruction document, the R code, and the input file are available on the Star Rating *QualityNet* page at <https://qualitynet.cms.gov/> > Hospitals-Inpatient > Public Reporting > Overall Hospital Ratings > Software Package.

Goal of Overall Star Ratings

The Overall Star Rating is designed to provide summary information for patients and consumers about existing publicly reported quality data. More specifically, the primary objective of the Star Rating is to summarize information from the existing measures published to [Care Compare on Medicare.gov](https://carecompare.cms.gov) in a way that is useful and easy to interpret for patients and consumers, while using a statistically sound methodology. Consistent with other CMS Star Rating efforts, the methodology assigns each hospital between one and five stars, reflecting the hospital's overall performance on selected quality measures. For more information on the Overall Hospital Quality Star Rating methodology, please refer to the Star Ratings *QualityNet* page at <https://qualitynet.cms.gov/> > Hospitals-Inpatient > Public Reporting > Overall Hospital Ratings > Resources > Methodology > Comprehensive Methodology Report (v5.1)

Principles of Overall Star Ratings Methodology

For the development and reevaluation of the Overall Star Rating methodology, CMS set the following guiding principles:

- Be scientifically valid;
- Be inclusive of hospital and measure information;
- Account for the heterogeneity of available measures and hospital reporting;
- Accommodate changes in the underlying measures
- Align with [Care Compare on Medicare.gov](https://carecompare.cms.gov) and other CMS programs;
- Ensure transparency of methodological decisions; and
- Be responsive to stakeholder input.

CMS considered the above principles for all key decisions. To maintain transparency and impartiality, the Overall Star Rating developers discussed methodology and policy decisions with four Technical Expert Panels (spanning 2014 – 2015, 2017 – 2019, 2019 – 2021, and 2023 – present). The developers also worked with patients, patient advocates, and family caregivers during the development of the Star Rating methodology to discuss the importance, calculation, and display of the Star Rating; a Person & Family Engagement (PFE) Workgroup continues to provide input to the developers on display of the Star Rating and ongoing reevaluation, most recently in November 2024. A Provider Leadership Workgroup allows hospital leaders and representatives the opportunity to share feedback on the Overall Star Rating methodology in addition to more specific topics identified by the developers, meeting most recently in December 2024. The Star Ratings developers have also held eight public input periods and a dry run. CMS continues efforts to engage the public through numerous channels including National Provider Calls, presentations at national meetings and the CMS Quality Conference, all of which maximize transparency and engagement with a broad range of stakeholders.

This R Pack documentation reflects version 5.1 of the Overall Star Rating methodology. Up until the 2026 release, the Overall Star Rating had been calculated in SAS. CMS decommissioned its licenses for the SAS statistical software at the end of 2025. This is primarily a technical change, and the Overall Star Rating is easily accommodated in R as it did not utilize special functions in SAS. Testing shows both statistical packages produce broadly consistent results, while R through its open-source nature provides significant benefits in terms of transparency, accessibility, and cost of use. Aligned with the guiding principle of transparency and prior iterations of the methodology, CMS will continue to publicly provide updated technical documentation with each Overall Star Rating publication.

Support for R Pack Users

CMS aims to maintain a high level of engagement with stakeholders throughout the implementation of the Overall Star Rating. Stakeholders may submit questions and comments about the Star Rating to the [QualityNet Question and Answer Tool](#). CMS will seek to answer stakeholder questions regarding the R Pack and Overall Star Rating methodology as they pertain to the development and implementation of the Overall Star Rating. Questions regarding individual measures are beyond the scope of the Overall Star Rating project, as these quality measures are supported by distinct contractors and CMS measure developers.

Lastly, due to resource limitations, CMS cannot provide technical support to each user of the R Pack for individual recalculation of each publication of the Overall Star Rating. However, CMS seeks to be as responsive as possible to the comments and questions about the methodology that stakeholders submit to the [QualityNet Question and Answer Tool](#) and will incorporate this feedback into future user support materials.

Intended Use of R Pack and Data

To maximize transparency and responsiveness to stakeholders, CMS has made the Star Rating R Pack and documentation available to the public. Using these resources and the supplied R Pack input file, stakeholders may review the code for calculating the star ratings and run the statistical software to reproduce the Overall Star Rating results for all hospitals publicly reporting information through the [Care Compare on Medicare.gov](#).

These programs only require a few minutes to run.

Of note, if the user modifies this R Pack, uses different measure results, or uses a system other than that described in [Section 3. System Requirements](#), the user may produce results inconsistent with the results publicly reported by CMS.

2. Overview of Contents of R Pack

This R Pack computes and outputs Overall Star Rating results for each hospital¹ (based on publicly reported measures) in the [Care Compare on Medicare.gov](#) downloadable database using three main R programs. The R programs are used to complete the nine steps of the Overall Star Rating methodology:

1. Select measures for inclusion;
2. Measure score standardization;
3. Assignment of measures into measure groups;
4. Calculate measure group scores;²

¹ All hospitals reporting at least one of the measures in the Overall Star Rating are included in the analyses.

² The five groups are: Mortality, Safety of Care, Readmission, Patient Experience, and Timely and Effective Care.

5. Calculate hospital summary scores as weighted average of measure group scores;
6. Apply minimum reporting thresholds to receive Overall Star Rating;
7. Peer-group hospitals by number of measure groups with at least three measures;
8. Apply k-means clustering algorithm within each peer group; and
9. Calculate star ratings based on score relative to k-means cluster and application of Safety of Care cap.

Hospitals' measure group scores are generated using a simple average of measure scores, the measure group scores are then summed and multiplied by policy-based weights to arrive at each hospitals' summary score. Star Ratings are then derived using *k*-means clustering on these summary scores.

The programs included in the R Pack are numbered to indicate the order in which the programs should be run. For example, the first program that should be executed is: "Program 0 – Data and Measure Standardization_2026Apr.R".

Within the R code, "year" refers to the year and "quarter" refers to the month of the reporting period for the Star Rating input file. Please note that the Star Rating input file post-dates the quarter of measure-level data used; for example, the Apr 2026 Star Rating input file includes the measure-level results as published to the [Care Compare on Medicare.gov](https://carecompare.cms.gov) in October 2025.

The components of the R Pack are as follows (with more detail provided in [Section 5](#) of this document):

- 0 – Data and Measure Standardization_2026Apr.R
- 1 – First Stage_Simple Average of Measure Scores_2026Apr.R
- 2 – Second Stage Weighted Average and Categorize Star_2026Apr.R

[Section 4](#) of this document provides information on the required input file, and [Section 6](#) of this document provides examples of the output datasets that can be expected once the programs have run successfully.

3. System Requirements

The R Pack was tested in the following hardware and software environment:

- Operating System: Microsoft Windows 11 Professional
- Statistical Software: R 4.4.0
- System type: 64-bit operating system

Please note that any differences in the computer system environment may subsequently impact the Overall Star Rating calculation results.

4. Input Data Source

The Overall Star Rating R Pack utilizes one source of data to conduct analyses, titled "HC_all_data".

The input dataset includes all measure results for all hospitals that are publicly reported. The variables and attributes of the input data used in the Overall Star Rating SAS Pack are presented in [Appendix A, Table 1](#). Please note that the April 2026 Overall Star Rating Methodology Report lists the measures included for the April 2026 publication at <https://qualitynet.cms.gov/> > Hospitals-Inpatient > Public Reporting > Overall Hospital Ratings > Resources > Methodology > Comprehensive Methodology Report (v5.1).

5. R Pack Structure

There are three R programs that make up the Overall Star Rating R Pack (see [Figure 1](#)).

In the three R programs, the first section is where the user can edit the R code in order to specify the reporting period for which the R program is to be run. The first section encompasses the first several lines of the R programs and contains information regarding the file directories. The file directories containing the input dataset, as well as the directories for storing the resulting/output datasets, can be modified by the user in this section, per the notation commented within the R code.

The details for each of these three R programs are as follows:

Program 0 – “Data and Measure Standardization_2026Apr.R”

Program 0 defines the hospital cohort and the list of measures for inclusion as following:

- Excludes measures for which the number of hospitals with non-missing measure scores are ≤ 100 ; and
- Excludes hospitals reporting none of the measures included in the Overall Star Rating.

Next, this program:

- Creates a list of measures by name for inclusion in the Overall Star Rating;
- Standardizes measure scores to have a mean of 0 and standard deviation of 1;
- Sets the direction of each measure to ensure that higher values reflect better performance; and
- Assigns the measures to groups.

Program 1 – “First Stage Simple Average of Measure Scores_2026Apr.R”

Program 1 performs the calculations necessary to generate hospitals' group scores. The five groups of the Overall Star Rating are Mortality, Safety of Care, Readmission, Patient Experience, and Timely and Effective Care. This program:

- Creates a count of the total number of measures available within the measure group for each hospital;
- Calculates a simple average of all available measure results for a hospital within the measure group; and
- Standardizes the simple average results to obtain measure group scores.

Program 2 – “Second Stage_Weighted Average and Categorize Star_2026Apr.R”

Program 2 takes hospitals' available measure group scores and performs the steps to ultimately identify hospitals that are eligible for public reporting of their star rating. This program:


- Calculates summary scores as a weighted average of hospitals' measure group scores;
- Identifies which hospitals meet the set public reporting criteria³ of the Overall Star Rating methodology;
- Peer groups hospitals based on the number of measure groups (3, 4 or 5 measure groups);
- Derives the star ratings using k -means clustering; and

³ A hospital must report a minimum of three groups (one of which must be the Mortality or Safety of Care group), and they must report at least three measures within these three groups. However, once the threshold is met, other groups with fewer measures can be included in the Hospital Summary Score.

- Adds cap for Safety of Care: 4-star maximum for hospitals with lowest quartile of group scores in Safety of Care and with at least three measures in Safety of Care.

Program 2 also calculates the national average group scores for each measure group (using hospitals with at least three measures in that group), the national average summary score (using hospitals meeting the set public reporting criteria) and average summary score within each peer grouping.

Figure 1: Flowchart for R Program Process and Dataset Generations



6. Output Data

The Overall Star Rating R Pack creates ten output files in R dataset format from the three main R programs. The output files are:

- **less100_measure_2026Apr** (measures which have hospital counts ≤ 100);
- **measure_average_stddev_2026Apr** (means and standard deviations of the original measure scores);
- **std_data_analysis_2026Apr** (measure-level results);
- **[group name]** (group scores for specified group);
- **star_2026Apr** (group scores, standardized group scores, summary scores, and star ratings); and
- **national_average_2026Apr** (national mean star rating and group scores).

Bracketed text in the file names above serves as a placeholder: “[group name]” indicates the group to which the results correspond (such as “Mortality” or “Readmission”).

These files are permanently saved for either use in a subsequent program or as final outputs (results). The user can customize how these files are saved by creating a new path.

The following is an example of how to save the output files:

```
R <- "C:\\Users\\xxx\\2026 Apr\\R pack\\R output"
output_file <- file.path(R, paste0("Star_", year, quarter, ".csv"))
```

The remainder of this section provides a detailed description of the data contained in each output file. As an example, [Appendix B](#) provides portions of these output files for the Overall Star Rating.

Output Files of Program 0

Less100_measure_2026Apr Output File

The “Less100_measure_2026Apr” file ([Table 2](#)) includes names of measures with ≤ 100 hospitals reporting results.

Measure_average_stddev_2026Apr Output File

The “measure_average_stddev_2026Apr” file ([Table 3](#)) includes the mean and standard deviations of the original measure scores.

Std_data_analysis_2026Apr Output File

The “std_data_analysis_2026Apr” file ([Table 4](#)) includes each hospital’s standardized measure score. The variables of this file are the hospital identifier (provider_ID), and the standardized measure scores (“std_[measure name abbreviation]”).

As an example, [Table 4](#) demonstrates how the data of the “std_data_analysis_2026Apr” file are outputted for two measures (std_READM_30_COPD and std_EDAC_30_AMI); all other measures in the Overall Star Rating reported by the hospital will be presented similarly.

This output file of “std_data_analysis_2026Apr” generated from Program 0 is the input file for Program 1.

Output Files of Program 1

The output files of Program 1 contain group scores for each of the five measure groups. The files containing standardized group scores are used as the input files for Program 2.

The approach to taking a simple average of measure scores to calculate measure group scores is outlined in the “Overall Hospital Quality Star Rating: Apr 2026 Updates and Specifications Report” available on *QualityNet* at <https://qualitynet.cms.gov/> > Hospitals-Inpatient > Public Reporting > Overall Hospital Ratings > Resources > Methodology > [Comprehensive Methodology Report \(v5.1\)](#).

[group name] Output File

The “[group name]” file includes the hospital identifier (provider_ID), weight of measure when calculating simple average (measure_wt) which is equal to reciprocal of number of non-missing measures in the group, simple average of measure scores or group score before standardization (score_before_std), mean and standard deviation of simple average used for standardizing (Mean, StdDev), group score after standardization (grp_score). An example of this datasheet is shown in [Table 5](#) for the Mortality group (“Outcome_mortality”).

Output Files of Program 2

The output files of Program 2 contain each hospital’s group scores, summary score, peer group, and star rating, as well as national average data.

Star_2026Apr Output File

The “star_2026Apr.” file includes the hospital identifier (provider_ID), overall star rating (star), estimate of the summary score (summary_score), the group score for each group (std_[group name]_score), weight for each group (weight_[group name]), peer group (cnt_grp) and whether the hospital met the set public reporting criteria (report_indicator), where “1” = “yes”. A portion of this datasheet is shown in [Table 6](#); the information provided for the Mortality group in this example would be shown for each of the five groups.

National_average_2026Apr Output File

The “national_average_2026Apr” file provides the national average summary score (summary_score_nat) using hospitals meeting the set public reporting criteria, national average summary score for each peer group (summary_score_nat_peer3, summary_score_nat_peer4, summary_score_nat_peer5), and the national average group scores for each group ([group name]_grp_score_nat) using hospitals with at least 3 measures in the group as shown in [Table 7](#).

7. Steps for R Pack Usage

The following steps outline the process for running the Overall Star Rating R Pack:

1. Specify the file directories for where the input resides and where the outputs will be placed in the user's system in the beginning of R programs. For example:

```
HC <- "your directory\\input_data"  
R <- "your directory\\output_data"
```

- 2.

Define variables "year" and "quarter" in the beginning of R programs. For example:

```
year <- 2026  
quarter <- "apr"
```

3. Run the programs in the specified order ([Figure 1](#));
 - Users may want to run the programs in the same R session to preserve work library datasets and variables compiled earlier in the process for use in later stages of running the codes;
4. The output will be in the output directory defined in Step 1:

```
R <- "your directory\\output_data"
```

Appendix A. Example Input File: Excel Dataset of October 2025 Measure Input File (April 2026 Overall Star Ratings)

Table 1. Variables and Attributes of the Overall Hospital Quality Star Ratings Input File

Variable	Type	Description	Measure ID
PROVIDER_ID	Char	The provider's CCN	-
COMP_HIP_KNEE	Num	THA/TKA Complication Risk-Standardized Complication Rate	COMP-HIP-KNEE
EDAC_30_AMI	Num	AMI 30-Excess Days in Acute Care Rate	EDAC-30-AMI
EDAC_30_HF	Num	HF 30-Excess Days in Acute Care Rate	EDAC-30-HF
EDAC_30_PN	Num	Excess Days in Acute Care (EDAC) after hospitalization for Pneumonia (PN)	EDAC-30-PN
H_COMP_1_LINEAR_SCORE	Num	Communication with Nurses	Composite 1 Q1 to Q3
H_COMP_2_LINEAR_SCORE	Num	Communication with Doctors	Composite 2
H_COMP_3_LINEAR_SCORE	Num	Responsiveness of Hospital Staff	Composite 3 Q4 & Q11
H_COMP_5_LINEAR_SCORE	Num	Communication about Medicines	Composite 5 Q16 & Q17
H_COMP_6_LINEAR_SCORE	Num	Discharge Information	Composite 6 Q19 & Q20
H_COMP_7_LINEAR_SCORE	Num	Care Transition	Composite 7 Q23 to Q25
H_CLEAN_LINEAR_SCORE	Num	Cleanliness of Hospital Environment	Q8
H_QUIET_LINEAR_SCORE	Num	Quietness of Hospital Environment	Q9
H_HSP_RATING_LINEAR_SCORE	Num	Hospital Rating	Q18
H_RECMND_LINEAR_SCORE	Num	Recommend the Hospital	Q19
HAI_1	Num	CLABSI (ICU + Select Wards) SIR	HAI-1
HAI_2	Num	CAUTI (ICU + Select Wards) SIR	HAI-2
HAI_3	Num	SSI - Colon Surgery SIR	HAI-3
HAI_4	Num	SSI - Abdominal Hysterectomy SIR	HAI-4
HAI_5	Num	MRSA Bacteremia SIR	HAI-5
HAI_6	Num	C.Diff SIR	HAI-6
Hybrid_HWM_RSMR	Num	Hybrid Hospital-Wide All-Cause Risk Standardized Mortality Rate	Hybrid HWM
IMM_3	Num	IMM-3 measure rate (Fluvac adherence percentage). IMM-3 and OP-27 are the same data for a hospital just reported for both outpatient and inpatient separately.	IMM-3
MORT_30_AMI	Num	AMI 30-Day Mortality Risk-Standardized Mortality Rate	MORT-30-AMI
MORT_30_CABG	Num	CABG 30-Day Mortality Risk-Standardized Mortality Rate	MORT-30-CABG

Variable	Type	Description	Measure ID
MORT_30_COPD	Num	COPD 30-Day Mortality Risk-Standardized Mortality Rate	MORT-30-COPD
MORT_30_HF	Num	HF 30-Day Mortality Risk-Standardized Mortality Rate	MORT-30-HF
MORT_30_PN	Num	Pneumonia 30-Day Mortality Risk-Standardized Mortality Rate	MORT-30-PN
MORT_30_STK	Num	Stroke 30-Day Mortality Risk-Standardized Mortality Rate	MORT-30-STK
O-COMP-1	Num	Facilities and staff	OP-37a
O-COMP-2	Num	Communication about your procedure	OP-37b
O-COMP-3	Num	Preparing for discharge and recovery	OP-37c
O-PATIENT-RATE	Num	Patients' rating of the facility	OP-37d
O-PATIENT-REC	Num	Patients recommending the facility	OP-37e
OP_10	Num	OP-10 measure rate	OP-10
OP_13	Num	OP-13 measure rate	OP-13
OP_18B	Num	OP-18b: median time from ED arrival to ED departure for discharged ED patients	OP-18b
OP_22	Num	OP-22 measure rate	OP-22
OP_23	Num	OP-23 measure rate	OP-23
OP_29	Num	OP-29 rate	OP-29
OP_32	Num	OP-32 measure rate	OP-32
OP_35_ADM	Num	Admissions for Patients Receiving Outpatient Chemotherapy	OP-35 ADM
OP_35_ED	Num	Visits for Patients Receiving Outpatient Chemotherapy	OP-35 ED
OP_36	Num	Hospital Visits after Hospital Outpatient	OP-36
HCP_COVID_19	Num	COVID-19 Vaccination Coverage Among HCP's	HCP_COVID_19
OP_8	Num	OP-8 measure rate	OP-8
PSI_4_SURG_COMP	Num	PSI-4 smoothed measure rate per 1,000 eligible discharges	PSI-4
PSI_90_SAFETY	Num	PSI-90 composite value	PSI-90
READM_30_CABG	Num	CABG 30-Day Mortality Risk-Standardized Mortality Rate	READM-30-CABG
READM_30_COPD	Num	COPD 30-Day Readmission Risk-Standardized Readmission Rate	READM-30-COPD
READM_30_HIP_KNEE	Num	THA/TKA 30-Day Readmission Risk-Standardized Readmission Rate	READM-30-HIP-KNEE
READM_30_HOSP_WIDE	Num	Hospital Wide Readmission Risk-Standardized Readmission Rate	READM-30-HOSPWIDE

Variable	Type	Description	Measure ID
SAFE_USE_OF_OPIOIDS	Num	Percentage of patients who were prescribed 2 or more opioids or an opioid and benzodiazepine concurrently at discharge	Safe Use of Opioids
SEP_1	Num	SEP-1 measure rate	SEP-1

Appendix B. Example Portions of Overall Star Rating Output Files

For the sample data tables shown, an empty row/cell indicates that the hospital did not report the data element(s) specified in the column heading(s).

Table 2. Sample Section of Less100_measure_2026Apr Output File (Apr 2026 Datasheet)

measure_name
n/a

Note: In April 2026 there are no measures excluded for having fewer than 100 hospitals report and the Less100_measure Output File is empty.

Table 3. Sample Section of Measure_average_stddev_2026Apr Output File (Apr 2026 Datasheet)

variable	n	min	max	mean	sd
EDAC_30_AMI	1555	-64.3	110.7	7.1391	24.4332
EDAC_30_HF	3156	-90.7	210.4	5.164163	32.42197
EDAC_30_PN	3641	-80.7	247.4	6.222576	30.24953
HAI_1	1941	0	10.989	0.624545	0.708609
HAI_2	2214	0	7.526	0.530037	0.559423
HAI_3	1786	0	5.395	0.837086	0.698467
HAI_4	612	0	6.216	1.097828	0.980102
HAI_5	1691	0	5.636	0.690391	0.601309
HAI_6	2953	0	5.344	0.404651	0.429603
H_CLEAN_LINEAR_SCORE	3140	69	98	86.6828	4.443338
H_COMP_1_LINEAR_SCORE	3140	78	100	91.18503	2.66079
H_COMP_2_LINEAR_SCORE	3140	76	100	90.72166	2.650787
H_COMP_3_LINEAR_SCORE	3140	62	100	83.48089	5.00614
H_COMP_5_LINEAR_SCORE	3140	53	94	76.17357	4.882448
H_COMP_6_LINEAR_SCORE	3140	66	99	86.32197	3.843526
H_COMP_7_LINEAR_SCORE	3140	67	96	80.86274	3.155109
H_HSP_RATING_LINEAR_SCORE	3140	70	98	87.98535	3.680594
H_QUIET_LINEAR_SCORE	3140	56	98	82.0551	5.492312
H_RECMND_LINEAR_SCORE	3140	64	99	86.9379	4.820541

Table 4. Sample Section of Std_data _analysis_2026Apr Output Files (Apr 2026 Datasheet)

PROVIDER_ID	std_EDAC_30_AMI	std_EDAC_30_HF	std_EDAC_30_PN	std_HAI_1	std_HAI_2
-	-0.3381	-1.5371	-0.73315	0.340872	0.3254
-	NA	NA	0.010664	NA	NA
-	NA	-0.72284	-0.74637	0.277367	0.504156
-	NA	NA	NA	NA	NA
-	0.611426	0.168533	-0.20752	-0.24478	0.393328
-	1.200788	-0.07821	1.058614	0.532797	-0.74892
-	NA	1.945106	1.309858	NA	NA
-	NA	-0.74751	0.52968	NA	NA
-	1.327665	-1.12072	-2.5745	0.395909	0.103744
-	NA	NA	0.678443	NA	NA
-	NA	0.66511	0.351165	NA	NA
-	0.026157	-0.49768	-0.00587	0.881367	-0.7668
-	0.676911	-0.49768	0.248684	0.285835	-0.58447
-	0.091642	0.834748	0.311495	0.881367	0.94747
-	0.918386	1.303565	0.556127	-0.44659	0.105531
-	NA	NA	NA	NA	NA
-	NA	NA	-0.71331	NA	NA
-	NA	-1.81469	-0.09512	NA	NA
-	0.140755	-0.3558	-0.68687	0.546909	0.94747

Table 5. Sample Section of Outcome_mortality Output File (Apr 2026 Datasheets)

provider_ID	total_cnt	measure_wt	score_before_std	grp_score	Mean	StdDev
-	8	0.125	-0.45148	-0.50436	-0.07918	0.738153
-	3	0.333333	0.761005	1.138222	-0.07918	0.738153

provider_ID	total_cnt	measure_wt	score_before_std	grp_score	Mean	StdDev
-	7	0.142857	0.894467	1.319027	-0.07918	0.738153
-	0	NA	NA	NaN	-0.07918	0.738153
-	7	0.142857	-0.0068	0.09805	-0.07918	0.738153
-	8	0.125	0.348091	0.578834	-0.07918	0.738153
-	3	0.333333	0.759742	1.136511	-0.07918	0.738153
-	3	0.333333	-0.49275	-0.56028	-0.07918	0.738153
-	7	0.142857	0.445651	0.711001	-0.07918	0.738153
-	2	0.5	-0.38752	-0.41772	-0.07918	0.738153
-	6	0.166667	-0.20969	-0.1768	-0.07918	0.738153
-	8	0.125	-0.07815	0.001388	-0.07918	0.738153
-	8	0.125	-0.54411	-0.62985	-0.07918	0.738153
-	8	0.125	0.282832	0.490426	-0.07918	0.738153
-	8	0.125	0.311431	0.52917	-0.07918	0.738153
-	1	1	-0.3235	-0.33099	-0.07918	0.738153
-	2	0.5	-1.21369	-1.53696	-0.07918	0.738153
-	2	0.5	-0.28	-0.27206	-0.07918	0.738153
-	7	0.142857	0.575885	0.887434	-0.07918	0.738153

Table 6. Sample Section of Star_2026Apr Output File (Apr 2026 Datasheet)

provider_ID	star	summary_score	Outcomes_Mortality_cnt	Std_Outcomes_Mortality_score	weight_Outcomes_Mortality	report_indicator
-	4	0.204917	8	-0.25389	0.22	1

provider_ID	star	summary_score	Outcomes_Mortality_cnt	Std_Outcomes_Mortality_score	weight_Outcomes_Mortality	report_indicator
-	3	-0.10612	6	-0.76892	0.22	1
-	2	-0.49769	8	-1.71126	0.22	1
-	1	-1.40299	4	-2.14461	0.22	1
-	NA	0.1311	2	0.341153	0.282051	0
-	3	-0.22071	8	-0.29688	0.22	1
-	2	-0.6535	5	-1.21473	0.22	1
-	2	-0.58979	8	-0.16767	0.22	1
-	NA	0.573543	0	NA	NA	0
-	2	-0.46526	5	-1.61358	0.22	1
-	NA	0.080434	2	-0.02526	0.22	0
-	NA	0.574183	1	0.153527	0.282051	0
-	2	-0.35779	8	-0.40169	0.22	1
-	2	-0.44049	8	-0.55195	0.22	1
-	3	-0.15523	8	-1.21389	0.22	1
-	2	-0.28122	8	0.311784	0.22	1
-	NA	0.27917	1	0.153527	0.282051	0
-	2	-0.3898	7	-0.97335	0.22	1
-	2	-0.35698	5	-0.23632	0.22	1

Table 7. Sample Section of National_average_2026Apr File (Apr 2026 Datasheet)

Summary_Score_ Nat	Summary_Score_ Nat_peer3	Summary_ Score_Nat_peer4	Summary_Score_ Nat_peer5	Out_Mrt_Grp_ Score_Nat	Out_Sft_Grp_ Score_Nat	Out_Readm_grp_ Score_Nat	Pt_Exp_Grp_ Score_Nat	Prc_of_Care_ Grp_Score_Nat
-0.00966	-0.17007	0.117586	-0.03904	0.086336	0.040786	-0.00011	0.000	0.005175