

## API CALLS:

THUNDER CLIENT

New Request

Activity Collections Env

filter activity

POST localhost:5000/api... 5 mins ago

POST http://localhost:5000/api/products/add Send

Query Headers 2 Auth Body 1 Tests Pre Run

JSON XML Text Form Form-encode GraphQL Binary

```
1 {
2   "name": "Laptop",
3   "price": 55000,
4   "description": "Gaming laptop",
5   "stock": 10
6 }
```

Status: 201 Created Size: 151 Bytes Time: 38 ms Response

```
3 "product": {
4   "name": "Laptop",
5   "price": 55000,
6   "description": "Gaming laptop",
7   "stock": 10,
8   "_id": "67c2915d2fe21a9cc92fc3ad",
9   "__v": 0
10 }
```

Copy

Response Chart

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

er is a deprecated option: useNewUrlParser has no effect since Node.js Driver version 4.0.0 and will be removed in the next major version  
(Use `node --trace-warnings ...` to show where the warning was created)  
(node:33956) [MONGODB DRIVER] Warning: useUnifiedTopology is a deprecated option: useUnifiedTopology has no effect since Node.js Driver version 4.0.0 and will be removed in the next major version  
Server running on port 5000  
MongoDB connected

powershell  
node

THUNDER CLIENT js JS Cart.js TC New Request TC New Request X

New Request

Activity Collections Env

filter activity

POST localhost:5000/api... just now

POST localhost:5000/api... 5 mins ago

POST http://localhost:5000/api/cart/add Send

Query Headers 2 Auth Body 1 Tests Pre Run

JSON XML Text Form Form-encode GraphQL Binary

```
1 {
2   "productId": "67c2915d2fe21a9cc92fc3ad",
3   "quantity": 2
4 }
```

Status: 201 Created Size: 133 Bytes Time: 14 ms Response

```
1 {
2   "message": "Added to cart",
3   "cartItem": {
4     "productId": "67c2915d2fe21a9cc92fc3ad",
5     "quantity": 2,
6     "_id": "67c291e42fe21a9cc92fc3b1",
7     "__v": 0
8   }
9 }
```

Copy

Response

THUNDER CLIENT js JS cartController.js .env TC New Request X

New Request

Activity Collections Env

filter activity

POST localhost:5000/api... just now

POST localhost:5000/api... 17 mins ago

POST localhost:5000/api... 24 mins ago

POST http://localhost:5000/api/users/register Send

Query Headers 2 Auth Body 1 Tests Pre Run

JSON XML Text Form Form-encode GraphQL Binary

```
1 {
2   "name": "Anjali Negi",
3   "email": "anjali@example.com",
4   "password": "password456"
5 }
```

Status: 201 Created Size: 42 Bytes Time: 82 ms Response

```
1 {
2   "message": "User registered successfully"
3 }
```

Copy

Response

THUNDER CLIENT

er.js

.env

TC New Request

TC New Request X

▶

□

⋮

New Request

▼

Activity

Collections

Env

filter activity

≡

POST localhost:5000/api...

just now

POST localhost:5000/api...

just now

POST localhost:5000/api...

17 mins ago

POST localhost:5000/api...

24 mins ago

POST ▼

http://localhost:5000/api/users/login

Send

Query

Headers<sup>2</sup>

Auth

Body<sup>1</sup>

Tests

Pre Run

JSON

XML

Text

Form

Form-encode

GraphQL

Binary

1 {

2   "email": "rushali@example.com",

3   "password": "password123"

4 }

Status: 200 OK

Size: 183 Bytes

Time: 82 ms

Response ▼

1 {

2   "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9

3   "token": ".eyJpZCI6IjY3YzI5NWU4MzkzMjU2Y2RlNTQyZjVmNCIsIm1hdCI6MT

4   "token": "c0MDgwNTg1NSwiZXhwIjoxNzQwODA5NDU1fQ

5   "token": ".fFhpmTei8\_1vg3ngpCFe5lsQu9ouj\_RK0lH7bxzOd1A"

6 }

Response

Chart

↶

JS server.js

TC New Request X

TC New Request

TC loca ▶ □ ...

POST ▼

http://localhost:5000/api/users/register

Send

Query

Headers 2

Auth

Body 1

Tests

Pre Run

JSON

XML

Text

Form

Form-encode

GraphQL

Binary

1 {

2   "username": "John Doe",

3   "email": "john@example.com",

4   "password": "password123"

5 }

6

Status: 201 Created

Size: 42 Bytes

Time: 86 ms

Response ▼

1 {

2   "message": "User registered successfully"

3 }

Copy

Response

Chart

↶ ↷

JS server.js

TC New Request

TC New Request X

TC New Request

POST

http://localhost:5000/api/users/login

Send

Query

Headers 2

Auth

Body 1

Tests

Pre Run

JSON

XML

Text

Form

Form-encode

GraphQL

Binary

```
1 {
2   "email": "john@example.com",
3   "password": "password123"
4 }
```

Status: 200 OK

Size: 183 Bytes

Time: 84 ms

Response

```
1 {
2   "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJpZCI6IjY3YzJhNGFmODBmOTgwMjFkNmJiInZc5ZiIsIm1hdCI6MTc0MDgwOTQ1MSwiZXhwIjoxNzQwODEzMDUxfQ.mTjcERFOrbH7yxXei9uqFxEAHMI1RH0hETTe1Jhw"
3 }
```

Copy

Response

Chart

TC New Request

TC New Request

TC New Request X

▶ □ ...

GET ▼

http://localhost:5000/api/products

Send

Query

Headers 2

Auth

Body

Tests

Pre Run

Query Parameters

☐

parameter

value

Status: 200 OK

Size: 507 Bytes

Time: 10 ms

Response ▼

1 [

2 {

3    "\_id": "67c2a5dc6434311e102c43ff",

4    "product\_id": "P1001",

5    "name": "T-shirt",

6    "price": 19.99,

7    "category": "Clothing",

8    "stock": 50

,

Copy

Response

Chart

↶ ↷

TC New Request

TC New Request

TC New Request X

▶ □ ...

GET ▼

http://localhost:5000/api/products/67c2a5dc6434311e102c4400

Send

Query

Headers 2

Auth

Body

Tests

Pre Run

Query Parameters

☐

parameter

value

Status: 200 OK

Size: 132 Bytes

Time: 7 ms

Response ▼

1 {

2    "\_id": "67c2a5dc6434311e102c4400",

3    "product\_id": "P1002",

4    "name": "Bluetooth Speaker",

5    "price": 29.99,

6    "category": "Electronics",

7    "stock": 30

8    }

Copy

Response

Chart

↕

TC New Request

TC New Request

TC New Request X

▶ □ ...

POST ▼

http://localhost:5000/api/cart

Send

Query

Headers<sup>3</sup>

Auth

Body<sup>1</sup>

Tests

Pre Run

HTTP Headers

☐ Raw

☒ Accept

\*/\*

☒ User-Agent

Thunder Client (https://www.thunde

☒ Authorization

Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6I

Status: 201 Created

Size: 35 Bytes

Time: 15 ms

Response ▼

1 {

2   "message": "Product added to cart"

3 }

Copy

Response

Chart ↗

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

...

+ ▼ ... ^ X

removed in the next major version  
(Use `node --trace-warnings ...` to show where the warning was created)  
(node:5100) [MONGODB DRIVER] Warning: useUnifiedTopology is a deprecated option: useUnifiedTopology has no effect since Node.js Driver version 4.0.0 and will be removed in the next major version  
Server running on port 5000  
✔ MongoDB Connected Successfully  
Token Verified: { id: '67c2a4af80f98021d6bb779f', iat: 1740809451, exp: 1740813051 }

node

powershell



TC New Request

TC New Request

TC New Request X

▶ □ ...

POST ▼

http://localhost:5000/api/cart

Send

Query

Headers 3

Auth

Body 1

Tests

Pre Run

JSON

XML

Text

Form

Form-encode

GraphQL

Binary

1 {

2 "productId": "67c2a5dc6434311e102c4400",

3 "quantity": 2

4 }

Status: 201 Created

Size: 35 Bytes

Time: 15 ms

Response ▼

1 {

2 "message": "Product added to cart"

3 }

Copy

Response

Chart

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

...

+ ▼ ... ^ X

removed in the next major version  
(Use `node --trace-warnings ...` to show where the warning was created)  
(node:5100) [MONGODB DRIVER] Warning: useUnifiedTopology is a deprecated option: useUnifiedTopology has no effect since Node.js Driver version 4.0.0 and will be removed in the next major version  
Server running on port 5000  
✔ MongoDB Connected Successfully  
Token Verified: { id: '67c2a4af80f98021d6bb779f', iat: 1740809451, exp: 1740813051 }  
█

node

powershell

TC New Request

TC New Request

TC New Request X

▶ □ ...

GET ▼

http://localhost:5000/api/cart

Send

Query

Headers<sup>3</sup>

Auth

Body

Tests

Pre Run

HTTP Headers

☐ Raw

☒ Accept

\*/\*

☒ User-Agent

Thunder Client (https://www.thunde

☒ Authorization

Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6I

Status: 200 OK

Size: 238 Bytes

Time: 24 ms

Response ▼

1 [

2 {

3    "\_id": "67c2a70980f98021d6bb77a6",

4    "userId": "67c2a4af80f98021d6bb779f",

5    "productId": {

6      "\_id": "67c2a5dc6434311e102c4400",

7      "product\_id": "P1002",

8      "name": "Bluetooth Speaker",

" . " . . . .

Copy

Response

Chart

↕

🕒 ▼

Type a query: { field: 'value' } or [Generate query](#) ⚡

+ ADD DATA ▼

📄 EXPORT DATA ▼

✎ UPDATE

🗑 DELETE

▶

```
_id: ObjectId('67c2a5dc6434311e102c43ff')
product_id : "P1001"
name : "T-shirt"
price : 19.99
category : "Clothing"
stock : 50
```

▶

```
_id: ObjectId('67c2a5dc6434311e102c4400')
product_id : "P1002"
name : "Bluetooth Speaker"
price : 29.99
category : "Electronics"
stock : 30
```

```
_id: ObjectId('67c2a5dc6434311e102c4401')
product_id : "P1003"
name : "Coffee Mug"
price : 9.99
category : "Home & Kitchen"
stock : 100
```

```
_id: ObjectId('67c2a5dc6434311e102c4402')
product_id : "P1004"
name : "Backpack"
price : 39.99
```

products

carts

users

+

Users > shoppyglobe > carts

Documents 0

Aggregations

Schema

Indexes 1

Validation

⌚

Type a query: { field: 'value' } or [Generate query](#)

+

ADD DATA

📄

EXPORT DATA

✎

UPDATE

🗑

DELETE

\_id: ObjectId('67c2a70980f98021d6bb77a6')

userId: ObjectId('67c2a4af80f98021d6bb779f')

productId: ObjectId('67c2a5dc6434311e102c4400')

quantity: 2

\_\_v: 0

products

carts

users

+

Users > shoppyglobe > users

Documents 2

Aggregations

Schema

Indexes 2

Validation

⌚

Type a query: { field: 'value' } or [Generate query](#)

+

ADD DATA

📄

EXPORT DATA

✎

UPDATE

🗑

DELETE

2

\_id: ObjectId('67c2a4a180f98021d6bb779c')

name: "rushali"

email: "rushali@example.com"

password: "\$2b\$10\$zWQXPpFLSe5uKkUDV2Ste3NUGNEDSGz440vDBLM0.s0v5K7dD7e0"

\_\_v: 0

\_id: ObjectId('67c2a4af80f98021d6bb779f')

name: "John Doe"

email: "john@example.com"

password: "\$2b\$10\$9JsKtF54T6KEYlJRcSisJ.EEVQ/GRUsIsI3nExEqB5X5zKFAfKTqq"

\_\_v: 0

TC New Request

TC New Request

TC New Request X

▶ □ ...

PUT ▼

http://localhost:5000/api/cart/67c2a70980f98021d6bb77a6

Send

Query

Headers 3

Auth

Body 1

Tests

Pre Run

HTTP Headers

☐ Raw

☒ Accept

\*/\*

☒ User-Agent

Thunder Client (https://www.thunde

☒ Authorization

Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6I

Status: 200 OK

Size: 181 Bytes

Time: 66 ms

Response ▼

1 {

2 "message": "Cart updated successfully",

3 "cartItem": {

4 "\_id": "67c2a70980f98021d6bb77a6",

5 "userId": "67c2a4af80f98021d6bb779f",

6 "productId": "67c2a5dc6434311e102c4400",

7 "quantity": 5,

8 "\_\_v": 0

,

Copy

Response

Chart

↶ ↷

THUNDER CLIENT

New Request

ActivityCollectionsEnv

filter activity

DELlocalhost:5000/api/c...just now

GETlocalhost:5000/api/c...4 mins ago

PUTlocalhost:5000/api/c...4 mins ago

GETlocalhost:5000/api/c...5 mins ago

POSTlocalhost:5000/api...16 mins ago

GETlocalhost:5000/api/...19 mins ago

GETlocalhost:5000/api/...

JSserver.js

TCNew Request XTCNew RequestTCNew Request

DELETEhttp://localhost:5000/api/cart/67c2a70980f98021d6bb77a6Send

QueryHeaders3AuthBodyTestsPre Run

HTTP HeadersRaw

Accept\*\*

User-AgentThunder Client (https://www.thunde

AuthorizationBearer eyJhbGciOiJIUzI1NiIsInR5cCI6I

Status: 200 OKSize: 49 BytesTime: 26 msResponse

1 {

2 "message": "Item removed from cart successfully"

3 }

Copy

ResponseChart