SAG ENGINEERING PRODUCTS

SAG MARINE CORE

PRODUCT CATALOG

2026



CORE SOLUTIONS FOR
MARINE EXCELLENCE


High-performance marine core solutions that deliver strength, precision and long-term reliability in every application.


LAY-OUT DESIGEN




is a part of our services. We have in-house lay-out design service and over 24 years experience of different types of galleys, from small work boats to passenger cruisers and offshore accommodation blocks. Our dedicated marine design team has the knowledge of special marine needs as well as needs of professiona l chefs.

OUR EXTENSIVE KNOWLEDGE ABOUT THE OPERATION OF GALLEYS HELPS TO DESIGN FUNCTIONAL AND MODERN LAY-OUTS THAT SATISFY ALSO CHEFS. 3D VISUALS HELP TO PERCEIVE THE PLANS.







COOKING



OUR GALLEY EQUIPMENT ARE SPECIALLY DESIGNED FOR WORKING IN MARINE ENVIRONMENT WHERE RELIABILITY PERFORMANCE AND SAFETY ARE THE MAIN CONSIDERATIONS.



PREPARATION



RG-100



G250/300



FP Alto



VCB-62



SB-4

Product	Type	Width x Depth Height mm	Capacity
Vegetable slicer	RG-100	215 X 425 X 495	5 kg/min
Slicing machine	G250	440 X 570 X 370	90 x 220 mm,0 250 / 0-14 mm
Slicing machine	G300	500 X 630 X 420	210 x 220 mm, 300 / 0-15 mm
Potato peeler	Fp108 Alto	530 X 520 X 950	5 kg / 150 kg/h
Potato peeler	Fp111 Alto	530 X 660 X 1100	10 kg / 300 kg/h
Potato peeler	Fp113 Alto	530 X 660 X 1200	18 kg / 500 kg/h
Vegetable cutter	VCB-62	310 X 350 X 480	6 / net 4.5 litres
Blender	SB-4	270 X 365 X 445	4 litres

PREPARATION



Mixer SP-30



Meat mincer VH-12



Vegetable slicear V99S



S298-6 K-M R-D



Meat block MLT65

Product	Type	Width x Depth x Height mm	Capacity
Mixer	SP-200A attachment drive	490 X 520 X 870	20 litres
Mixer	SP-30HA attachment drive	568 X 665 X 1156	20 litres
Meat mincer for mixer	VH-12		
Vegetable slicer for mixer	V99S		
Scale	S29B-6K-MR-D	243 X 300 X 127	6 kg, division 1g / 2g
Meat block	MLT65	500 X 500 X 850	



Viking SW



Rice basket



iCombi Classic 10-1/1



Oven group Chef 220

Product	Type	Width x Depth X Height mm	Capacity
Cooking kettle	Viking SW 40	1047 X 650 X 1020	40 litres
Cooking kettle	Viking SW 60	1047 X 650 X 1020	60 litres
Rice cooking basket	for Viking kettle 40 /60	Ø 435 / height 605	40/60 litres
Combi steamer	iCombi Classic 6-1/1	850 X 842 X 754	6x GN1/1
Combi steamer	iCombi Classic 10-1/1	850 X 842 X 1014	10x GN1/1
Roasting oven	Chef 220	800 X 800 X 460	1x GN 2/1 or 2x GN 1/1
Oven group with stand	2x Chef 220	800 X 800 X 1600	3x GN 2/1 or 6x GN 1/1
Oven group with stand	3x Chef 220	800 X 800 X 1600	3x GN 2/1 or 6x GN 1/1

COOKING





Product	Type	Width x Depth x Height mm	Capacity
Diamante range	D74/10CEPT	800 X 730 X 870	4 cooking plates, open stand
Diamante range	D74/10CEEPT	800 X 730 X 870	4 cooking plates , oven
Diamante range	D76/10CEEEPT	1200 X 730 X 870	6 cooking . Plates ' oven, heated cupboard
Diamante electric grill	D72/10CEPT	400 X 730 X 870	grooved steel surtace,open stand
Diamante electric grill	D73/SFTECR	600 X 730 X 870	groove d s teel surtace,open stand
Diamante electric grill	D74/ SFTEA	800 X 730 X 870	grooved steel surface, 2 zones
Diamante bratt pan	D74/10 KBEG	800 X 730 X 870	frying area 650 x 480, 22 litres
Diamante boiling pan	D74/10 PEI08	800 X 730 X 870	80 litres
Diamante neutral unit	D72/10CEPT	400 X 730 X 870	1 drawer, open stand
Diamante neutral unit	D73/10 ENC	600 X 730 X 870	1 drawer, open stand
Diamante neutral unit	D74/10 ENC	800 X 730 X 870	2 drawer, open stand



Bistro 2000



MCS10TS



EV0-250



EV0-2200

Product	Type	Width x Depth x Height mm	Capacity
Frytop	Bistro 2000	600 X 550 X 980	frying area 550 x 480 mm
Microwave oven	MCS10TS	520 X 456 X 312	390 x 290 x 220 mm, 25 litres
Fryer	EV0-250	250 X 600 X 850(900)	20-26 kg/h, basin 9-10 litre
Fryer	EV0-2200	400 X 550 X 980	38-46 kg/h, basin 2x 7-8 litre



Rice cooker



Rowlett 4



KP 1091



Casa BT-200E-S



0S200

Product	Type	Width x Depth x Height mm	Capacity
Rice cooker	Proctor Silex	Ø460 X 390	14 litre 60 cups
Toaster	Rowlett 4	370 X 210 X 225	4 slots
Toaster	Rowlett 6	460 X 210 X 225	6 slots
Cooking plate	KP 1091	250 X 250 X 80/145	cooking plate 185 mm
Induction plate	Casa BT-200E-S	330 X 383 X 65	pot diameter 120-260 mm
Salamander	Os200	600 X 580 X 580	GN1/1



RP4/220



Ardox S4



Ardox IE4



Prince 60D



Futura 85D

Product	Type	Width x Depth x Height mm	Capacity
Range with oven	RP 4/220	800 X 800 X 900	cookinplg ates 4 x 3kW
Range with oven	RP 6/220	1200 X 800 X 900	cooking plates 6 x 3kW
Solid top range	Ardox S4	800 X 800 X 900	cooking plates 4 x 3.5kW
Induction range	Ardox Ie4	800 X 800 X 900	4 cooking zones
Bratt pan	Prince 60D	600 X 818 X 960	frying 540 x 530 x 135, zone37 litres
Bratt pan	Futura 85D	850 X 806 X 940	frying zone 790 x 530 x 180, 75 litres

COFFEE & BAR



Refrigerant R290



VI223



VI334



Cherry C28 A



Cherry C54 A

Product	Type	Width x Depth x Height mm	Capacity
Juice dispenser	VI223	320 X 460 X 670	2 bowls
Juice dispenser	VI334	480 X 460 X 670	3 bowls
Ice cube maker	Metos Cherry C28 A	340 x 480 x 600(with feet 684)	28 kg/24 h, bin 6.5 kg
Ice cube maker	Metos Cherry C38 A	400 x 540 x 690/(with feet 774)	38 kg/24 h, bin 11.5 kg
Ice cube maker	Metos Cherry C54 A	500 x 580 x 800/(with feet 860)	54 kg/24 h, bin 22 kg







M100



M200W



CB 2x5



WKI



M22

Product	Type	Width x Depth x Height mm	Capacity
Coffee machine	M 100 marine	205 X 380 X 465	18 litres/ h
Coffee machine	M 200 W marine	420 X 380 X 465	14 l coffee/ 161 water /h
Coffee machine	CB 2x5	770 X 465 X 695	5+5 litres, 30 litres /h
Water boiler	WKI 10n	Ø 224 X 520	30 litres /h
Hot plates	M22	205 X 380 X 75	2 hot plates





Proff BM-800



Upper shelf



GN dividers



Drop-in soup warmer

Product	Type	Width x Depth x Height mm	Capacity
Bain marie	Proff BM-800	800 X 650 X 900	GN2/1 basin, 6x GN1/1-100 guide rails
Bain marie	Proff BM-1200	1200 X 650 X 900	GN2/1 basin, 6x GN1/1-100 guide rails
Upper shelf 800/1200	for Proff units	height 410 mm	shelf width 400 mm
GN divider set	for Proff units 800 or 1200		
Soup warmer	Serving kettle D-I	Ø 312 X 260	9 litres



Proff NT -800



Proff NT-1600



Proff BT-1200



Proff BT-1200

Product	Type	Width x Depth x Height mm	Capacity
Cold drawer	Proff NT-800	800 X 650 X 900	4x GN1/1-150 drawers
Cold cupboard	Proff NT-1200	1200 X 650 X 900	2 cupboards
Cold cupboard	Proff NT-1600	1600 X 650 X 900	3 cupboards
Cold basin	Proff BT-1200	1200 X 650 X 900	GN3/1 basin
Cold basin and shelf	Proff BT-1200	1200 X 650 X 900	GN3/1 basin, upper shelf



Proff PD



River water cooler



Halo 800



Halo 1200

Product	Type	Width x Depth x Height mm	Capacity
Plate dispenser	Proff PD	400 X 650 X 900	130 plates
Water cooler	River 30IB C G63/61	340 X 325 X 960	30 liters +8 .. 12° C water/h
Display case	Halo 800 LED	800 X 650 X 1500	2 shelves, cold basin 2xGN 1/1 and cold cabinet
Display case	Halo 1200 LED	1200 X 650 X 1500	2 shelves, cold basin 2xGN 1/1 and cold cabinet

COLD CABINETS AND FREEZERS







Refrigerant R290



MBC-300
MBF-300



MBC-500
MBF-500



MRBS-121-SA

Product	Type	Width x Depth x Height mm	Volume
Refrigerator	MBC-300	610 X 670 X 1640	260 litres, +1 ... +10°C
Refrigerator	MBC-400	610 X 750 X 1980	389 litres, +1 ... +10°C
Refrigerator	MBC-500	710 X 750 X 1980	436 litres, +1 ... +10°C
Refrigerator	MBC-700	810 X 750 X 2140	615 litres, + 1 ... + 10° c
Freezer	MBF-300	610 X 670 X 1640	260 litres, -18 ... -23°C
Freezer	MBF-400	610 X 750 X 1980	389 litres, -18 ... -23°C
Freezer	MBF-500	710 X 750 X 1980	436 litres, -18 ... -23°C
Freezer	MBF-700	810 X 750 X 2140	615 litres, -18 ... -23°C
Blast freezer	MRBS-121-SA	790 X 870 X 1810	16 x GN 1/1-40 or 12 x GN 1/1-65



BC-47



BC-103



BC-75



BCD-215V

Product	Type	Width x Depth x Height mm	Volume
Cabin refrigerator	BC-47	444 X 485 X 495	fridge 43 litres/ freezer 4 litres
Cabin refrigerator	BC-75	486 X 510 X 627	fridge 70 litres/ freezer 5 litres
Cabin refrigerator	BC-103	486 X 536 X 835	fridge 93 litres/ freezer 10 litres
Cabin refrigerator	BCD-215V	549 X 568 X 1421	fridge 170 litres/ freezer 45 litres





DISHWASHING





LUX2 60EL



Hood 130 LUX



Prewash table 1200



Drying table 700



6546

Product	Type	Width x Depth x Height mm	Capacity
Dishwasher	LUX2 60EL	600 X 610 X 850	1200 glass or 720 plate /h
Stand	For LUX 60EL	590 X 535 X 500	
Hood type dishwasher	Hood 130 LUX	720 X 735 X 1445/1880	1800 glass or 1080 plate /h
Prewash table	1200	1200 X 580 X 875/900	
Drying table	700	700 X 580 X 875/900	
Prewash shower	6546 table mounted	h1250	



WE DELIVER COMPLETE SYSTEMS THAT ARE RELIABLE AND EFFICIENT THROUGHOUT THEIR LIFE CYCLE.



510A-BS



510A-MC



Basket for cupsand glasses



Basket for plates



Basket for cutlery

Product	Type	Width x Depth x Height mm	Capacity
Waste disposer	510A-BS	Ø 253, height 500	300 kg/h
Waste disposer	515A-BS	Ø 253, height 500	400 kg/h
Waste disposer	510A-MC	500 X 520 X 882/1059	300 kg/h
Dishwashing basket	For cups and glasses	500 X 500	30 cups
Dishwashing basket	For plates	500 X 500	18 or 12 plates
Dishwashing basket	For cutlery	500 X 500	



Proff NC-1200



Proff HW-400



ATE 1500

Product	Type	Width x Depth x Height mm	Capacity
Neutral cupboard	NC-1200	1200 X 650 X 900	3 cupboards
Hand wash unit	HW-400	400 X 650 X 900	
Height adjustable table	ATE 700/1500/1900/2300	700/1500/1900/2300 X 650	height 700-900 mm



RDT



1 x 7 rack stand



WAB-65



GN containers

Product	Type	Width x Depth x Height mm	Capacity
Rack dispenser trolley	RDT	515 X 645 X 975 / 1270	5 baskets
Rack stand	1x7 rack stand	570 X 550 X 1600	7 baskets
Waste trolley	WAB-65	Ø 485 X 580	65 litres
GN containers			

SHIP GALLEY



Production Capacity	850 Roti /hr
Size Of Roti	3" to 9"
Weight of Chapati	12 to 90 gm
Thickness of chapati	1 mm to 9 mm
Electrical Supply	230 v (single phase) or 440v (Three phase)
Electrical connection Load	3 hp
Electrical consumption	1.8 unit /hr
Chapati Baking	Three Layer Technology
Gas Connection	LPG & PNG
Gas consumption	1.5 kg/hr
Gas safety	Auto Cut Off Valve System
Roti Color & Appearance	Light Brown
Overall Dimension	4'(L) x 2.2'(w) x 4.8'(H)
Weight of Machine	380 kg
All contact Parts & covers	ss 304
Roti Baking Conveyor	ss 304
Electric Motor	ABB or Crompton
Electric wire	RR Cable or Polycab
Gear Box	Rotomotive or Varvel (made by Italy)
Electric Parts	Siemens & L&T & Schneider
Electric safety	Emergency Stop Button
Bearing	SKF OR TIMKEN
Machine Movable	YES (4" Castor Wheel)

SHIP GALLEY



Production Capacity	1000 Roti /hr
Size Of Roti	3" to 9"
Weight of Chapati	12 to 90 gm
Thickness of chapati	1 mm to 9 mm
Electrical Supply	230 v (single phase) or 440v (Three phase)
Electrical connection Load	3 hp
Electrical consumption	2.1 unit /hr
Chapati Baking	Three Layer Technology
Gas Connection	LPG & PNG
Gas consumption	1.8 kg/hr
Gas safety	Auto Cut Off Valve System
Roti Color & Appearance	Light Brown
Overall Dimension	4'(L) x 2.2'(w) x 4.8'(H)
Weight of Machine	480 kg
All contact Parts & covers	ss 304
Roti Baking Conveyor	ss 304
Electric Motor	ABB or Crompton
Electric wire	RR Cable or Polycab
Gear Box	Rotomotive or Varvel (made by Italy)
Electric Parts	Siemens & L&T & Schneider
Electric safety	Emergency Stop Button
Bearing	SKF OR TIMKEN
Machine Movable	YES (4" Castor Wheel)

SHIP GALLEY



Production Capacity	650-700 Roti /hr
Size Of Roti	3" to 9"
Weight of Chapati	15 to 90 gram
Thickness of chapati	1 mm to 12 mm
Electrical Supply	230 v (single phase)
Electrical connection Load	11 hp
Electrical consumption	2 unit /hr
Chapati Baking	Three Layer Technology
Operating Voltage	380V
Roti Color & Appearance	Light Brown
Overall Dimension	(L)4'x (W)2.2' x(H)4.5
Weight of Machine	300 kg
All contact Parts, covers & Conveyor	ss 304
Electric Motor	Godrej or Crompton
Electric wire	RR Cable or Havells
Gear Box	Rotomotive or Varvel (made by Italy)
Electric Parts	ABB & L&T & Schneiderx
Electric safety	Emergency Stop Button
Bearing	SKF OR TIMKEN
Machine Movable	YES (4" Castor Wheel)

SAG®

ENGINEERING PRODUCTS

ENGINEERED FOR EXCELLENCE

Delivering high quality engineering products with precision, reliability and trust.

PREMIUM QUALITY

PRECISION ENGINEERING

CUSTOMER FOCUSED

Contact Us :

G. No. 15, DK Market, Asalpha
Ghatkopar (W), Mumbai – 400086

9892084449,7738693862

sales@sagenginnering.in