


Financial Product Enquiry Result API - /financial-profile/v1/callback

API Details	
API Name	Financial Product Enquiry Result API
API Description	Webhook endpoint on the client side that the server calls (via HTTP POST) when a financial products enquiry is complete. The server POSTs the full result payload to the webhookUrl provided in the original enquiry request. The clientReferenceId in the body matches the one submitted by the client for correlation.
API Method	POST
API Authorization	Client Credentials
Upstream Authorization	Private Key JWT
Scope	FinancialProductEnquiryResult
API Endpoint	https://test.api.connect.adcb.com/financial-profile/v1/callback
Backend	Diwan
Backend Endpoint	Dev - https://intgbd.ccao.gov.ae/financial-profile/callback Prod - https://intgbp.ccao.gov.ae/financial-profile/callback

Sequence Diagram -



Upstream Authentication: -

- Obtains a Bearer access token using the OAuth2 client credentials grant with a signed JWT client assertion (`private_key_jwt`). Instead of a client secret, the caller must provide a `client_assertion` (a signed JWT where `body.setSubject` equals the `client_id`) and `client_assertion_type` of `urn:ietf:params:oauth:client-assertion-type:jwt-bearer` . The returned `access_token` must be passed as `Authorization: Bearer <access_token>` in all subsequent API calls. Tokens are valid for `expires_in` seconds (300 seconds by default). **Note:** The exact IdP path segment is to be provided by the IdP team.

API Endpoint - <https://intgbd.ccao.gov.ae/oauth/token>

Request Body -

Fields	Description
grant_type	OAuth2 grant type. Must be <code>client_credentials</code> .
client_id	Client ID issued to the consuming application. Must match the subject (<code>sub</code>) set in the signed JWT (<code>client_assertion</code>).
client_assertion_type	Assertion type. Must be the JWT bearer URN.

client_assertion	A signed JWT used to authenticate the client in place of a client secret. The JWT subject (<code>body.setSubject</code>) must equal the <code>client_id</code> . Generated and signed by the consuming application using its private key.
-------------------------	---

Request Headers from consumer: -

Header Name	Value	Description
x-fapi-interaction-id	124b2678-740a-446e-a754-a41614c9a877	Unique Reference to track your API Request
ChannelCode	Microservices	Unique Code defining Consuming Channel Value - Microservices
Authorization	Bearer Access Token	
Content-Type	application/json	Only <code>application/json</code> is accepted

Request Schema: -

Field	Type	Required	Description	Constraints
<code>data</code>	object	Yes	Wrapper object for the request payload.	Must not be null
<code>data.clientReferenceId</code>	string	Yes	Client-generated unique reference ID for this request,	UUID format

			used for end-to-end correlation.	
<code>data.status</code>	string	Yes	Processing status of the financial product enquiry.	Example: <code>COMPLETED</code>
<code>data.customers</code>	array	Yes	List of customers returned for the enquiry.	Array of customer objects
<code>data.customers[id]</code>	string	Yes	Unique customer identifier.	Example: <code>1005431469</code>
<code>data.customers[number]</code>	string	Yes	Customer number or CIF.	Example: <code>6000551</code>
<code>data.customers[category]</code>	string	Yes	Customer category.	Example: <code>Retail</code>
<code>data.customers[verifiedClaims]</code>	array	No	Verified identity claims for the customer.	Array of claim objects
<code>data.customers[verifiedClaims[claim]]</code>	object	No	Container for verified customer identity attributes.	May include identity, name, Emirates ID, birth date, and nationality fields

<code>data.customers[].accounts</code>	array	No	Financial accounts associated with the customer.	Array of account objects
<code>data.customers[].accounts[].id</code>	string	No	Unique account identifier.	UUID format
<code>data.customers[].accounts[].accountType</code>	string	No	Account type.	Example: <code>Retail</code>
<code>data.customers[].accounts[].accountSubType</code>	string	No	Account subtype or product type.	Example: <code>LOAN</code>
<code>data.customers[].accounts[].currency</code>	string	No	Account currency.	ISO 4217 currency code, for example <code>AED</code>
<code>data.customers[].accounts[].status</code>	string	No	Account status.	Example: <code>Active</code>
<code>data.customers[].accounts[].refinancing</code>	boolean	No	Indicates whether the account is under refinancing.	<code>true</code> or <code>false</code>
<code>data.customers[].accounts[].collateralDocument</code>	string	No	Collateral document reference, if available.	May be empty

<code>data.customer s[].accounts[].collateralD ocumentDescri ption</code>	string	No	Description of the collateral document, if available.	May be empty
<code>data.customer s[].accounts[].bankBranch</code>	string	No	Bank branch associated with the account.	May be empty
<code>data.customer s[].accounts[].guarantor</code>	string	No	Guarantor information, if applicable.	May be empty
<code>data.customer s[].accounts[].overduePaym ents</code>	number	No	Number of overdue payments.	Non- negative number
<code>data.customer s[].accounts[].totalInstal lmentsRemaini ng</code>	number	No	Total installments remaining for the account.	Non- negative number
<code>data.customer s[].accounts[].accountHold erName</code>	string	No	Name of the account holder.	Example: <code>DRINIEACK S</code> <code>DRINIEACK S</code>
<code>data.customer s[].accounts[].servicer</code>	object	No	Servicer identification details.	Contains <code>schemeNam e</code> and <code>identific ation</code>
<code>data.customer s[].accounts[</code>	array	No	Account number identifiers	Array of scheme and

<code>].accountNumbers</code>			such as IBAN.	identification objects
<code>data.customers[].accounts[].balances</code>	array	No	Account balance details.	Array of balance objects
<code>data.customers[].accounts[].balances[].amount</code>	object	No	Balance amount and currency.	Contains amount and currency

Request Body

```

1 {
2   "data": {
3     "clientReferenceId": "ce9eb14b-5edf-4ff6-800d-dbd1b20ed3b8",
4     "status": "COMPLETED",
5     "customers": [
6       {
7         "id": "1005431469",
8         "number": "6000551",
9         "customerCategory": "Retail",
10        "verifiedClaims": [
11          {
12            "claims": {
13              "identityType": "Person",
14              "givenName": "DRINIEACKS",
15              "familyName": "DRINIEACKS",
16              "emiratesId": "784201920270242",
17              "emiratesIdExpiryDate": "2024-06-20",
18              "birthDate": "1984-04-20",
19              "nationality": "AE"
20            }
21          }
22        ],
23        "accounts": [
24          {
25            "id": "e9bea979-0777-473d-a6d0-8732e559db29",
26            "accountType": "Retail",
27            "accountSubType": "LOAN",
28            "currency": "AED",
29            "status": "Active",
30            "refinancing": false,
31            "collateralDocument": "",
32            "collateralDocumentDescription": "",
33            "bankBranch": "",
34            "guarantor": "",
35            "overduePayments": 0,
36            "totalInstallmentsRemaining": 12,
37            "accountHolderName": "DRINIEACKS DRINIEACKS",
38            "servicer": {
39              "schemeName": "BICFI",
40              "identification": "NBADAEAB"
41            },
42            "accountNumbers": [
43              {
44                "schemeName": "IBAN",

```

```

45         "identification": "AE4903590010060000551002"
46     }
47 ],
48     "balances": [
49         {
50             "creditDebitIndicator": "Credit",
51             "balanceType": "InterimAvailable",
52             "timestamp": "2026-05-13T17:20:01.214673600Z",
53             "amount": {
54                 "amount": "428091.2",
55                 "currency": "AED"
56             }
57         }
58     ]
59 }
60 ]
61 }
62 ]
63 }
64 }

```

Response Schema: -

Field	Type	Required	Description	Constraints
data	object	Yes	Wrapper object for the 200 success response payload.	Must not be null
data.clientReferenceId	string	Yes	Client-generated unique reference ID used for end-to-end correlation.	UUID format
data.status	string	Yes	Processing status of the financial product enquiry.	Example: COMPLETED
data.customers	array	Yes	List of customers returned for the enquiry.	Array of customer objects

<code>data.customers[].id</code>	string	Yes	Unique customer identifier.	Example: 1005431469
<code>data.customers[].number</code>	string	Yes	Customer number or CIF.	Example: 6000551
<code>data.customers[].customerCategory</code>	string	Yes	Customer category.	Example: Retail
<code>data.customers[].verifiedClaims</code>	array	No	Verified identity claims for the customer.	Array of claim objects
<code>data.customers[].verifiedClaims[].claims</code>	object	No	Container for verified customer identity attributes.	May include identity, name, Emirates ID, birth date, and nationality fields
<code>data.customers[].verifiedClaims[].claims.identityType</code>	string	No	Type of identity represented by the verified claim.	Example: Person
<code>data.customers[].verifiedClaims[].claims.givenName</code>	string	No	Customer given name.	Example: DRINIEACKS

<code>data.cust omers[].v erifiedCl aims[].cl aims.fami lyName</code>	string	No	Customer family name.	Example: DRINIEACK S
<code>data.cust omers[].v erifiedCl aims[].cl aims.emir atesId</code>	string	No	Customer Emirates ID.	Example: 784201920 270242
<code>data.cust omers[].v erifiedCl aims[].cl aims.emir atesIdExp iryDate</code>	string	No	Emirates ID expiry date.	Date format: YYYY-MM- DD
<code>data.cust omers[].v erifiedCl aims[].cl aims.birt hDate</code>	string	No	Customer birth date.	Date format: YYYY-MM- DD
<code>data.cust omers[].v erifiedCl aims[].cl aims.nati onality</code>	string	No	Customer nationality code.	ISO country code, for example AE
<code>data.cust omers[].a ccounts</code>	array	No	Financial accounts associated	Array of account objects

			with the customer.	
<code>data.customers[].accounts[].id</code>	string	No	Unique account identifier.	UUID format
<code>data.customers[].accounts[].accountType</code>	string	No	Account type.	Example: <code>Retail</code>
<code>data.customers[].accounts[].accountSubType</code>	string	No	Account subtype or product type.	Example: <code>LOAN</code>
<code>data.customers[].accounts[].currency</code>	string	No	Account currency.	ISO 4217 currency code, for example <code>AED</code>
<code>data.customers[].accounts[].status</code>	string	No	Account status.	Example: <code>Active</code>
<code>data.customers[].accounts[].refinancing</code>	boolean	No	Indicates whether the account is under refinancing.	<code>true</code> or <code>false</code>
<code>data.customers[].accounts[].collateral</code>	string	No	Collateral document identifier, if available.	May be empty

alDocumentId				
data.customers[].accounts[].bankBranch	string	No	Bank branch associated with the account.	May be empty
data.customers[].accounts[].guarantor	string	No	Guarantor information, if applicable.	May be empty
data.customers[].accounts[].overduePayments	number	No	Number of overdue payments.	Non-negative number
data.customers[].accounts[].totalInstallmentsRemaining	number	No	Total installments remaining for the account.	Non-negative number
data.customers[].accounts[].accountHolderName	string	No	Name of the account holder.	Example: DRINIEACKS DRINIEACKS
data.customers[].accounts[].servicer	object	No	Servicer identification details.	Contains schemeName and identification

<code>data.customers[].accounts[].servicer.schemeName</code>	string	No	Servicer identification scheme name.	Example: <code>BICFI</code>
<code>data.customers[].accounts[].servicer.identification</code>	string	No	Servicer identifier.	Example: <code>NBADA EAB</code>
<code>data.customers[].accounts[].accountNumbers</code>	array	No	Account number identifiers such as IBAN.	Array of scheme and identification objects
<code>data.customers[].accounts[].accountNumbers[].schemeName</code>	string	No	Account number scheme name.	Example: <code>IBAN</code>
<code>data.customers[].accounts[].accountNumbers[].identification</code>	string	No	Account number value.	Example: <code>AE490359001006000551002</code>

<code>data.cust omers[].a ccounts[] .balances</code>	array	No	Account balance details.	Array of balance objects
<code>data.cust omers[].a ccounts[] .balances [].credit DebitIndi cator</code>	string	No	Indicates whether the balance is credit or debit.	Example: Credit
<code>data.cust omers[].a ccounts[] .balances [].balanc eType</code>	string	No	Type of balance reported.	Example: InterimAv ailable
<code>data.cust omers[].a ccounts[] .balances [].timest amp</code>	string	No	Date and time when the balance was captured.	ISO 8601 date-time format
<code>data.cust omers[].a ccounts[] .balances [].amount</code>	object	No	Balance amount and currency.	Contains amount and currency
<code>data.cust omers[].a ccounts[] .balances [].amount .amount</code>	string	No	Balance amount value.	Example: 428091.2

data.cust omers[.a ccounts[.balances [.amount .currency	string	No	Balance currency.	ISO 4217 currency code, for example AED
---	--------	----	----------------------	---

200 Success Response Body: -

```

1  {
2    "data": {
3      "clientReferenceId": "ce9eb14b-5edf-4ff6-800d-dbd1b20ed3b8",
4      "status": "COMPLETED",
5      "customers": [
6        {
7          "id": "1005431469",
8          "number": "6000551",
9          "customerCategory": "Retail",
10         "verifiedClaims": [
11           {
12             "claims": {
13               "identityType": "Person",
14               "givenName": "DRINIEACKS",
15               "familyName": "DRINIEACKS",
16               "emiratesId": "784201920270242",
17               "emiratesIdExpiryDate": "2024-06-20",
18               "birthDate": "1984-04-20",
19               "nationality": "AE"
20             }
21           }
22         ],
23         "accounts": [
24           {
25             "id": "e9bea979-0777-473d-a6d0-8732e559db29",
26             "accountType": "Retail",
27             "accountSubType": "LOAN",
28             "currency": "AED",
29             "status": "Active",
30             "refinancing": false,
31             "collateralDocumentId": "",
32             "bankBranch": "",
33             "guarantor": "",
34             "overduePayments": 0,
35             "totalInstallmentsRemaining": 12,
36             "accountHolderName": "DRINIEACKS DRINIEACKS",
37             "servicer": {
38               "schemeName": "BICFI",
39               "identification": "NBADAEAB"
40             },
41             "accountNumbers": [
42               {
43                 "schemeName": "IBAN",
44                 "identification": "AE490359001006000551002"
45               }
46             ],
47             "balances": [
48               {
49                 "creditDebitIndicator": "Credit",
50                 "balanceType": "InterimAvailable",
51                 "timestamp": "2026-05-13T17:20:01.214673600Z",

```

```

52         "amount": {
53             "amount": "428091.2",
54             "currency": "AED"
55         }
56     }
57 ]
58 }
59 ]
60 }
61 ]
62 }
63 }

```

Error Responses

Diwan Error Response Format

```

1  {
2    "errorDetails": [
3      {
4        "errorCode": "FRS_ERR",
5        "errorDesc": "Error fetching data from FRS",
6        "helpUrl": "",
7        "source": "CARD_DATA,ACCOUNT_DATA,LOAN_DATA",
8        "args": {
9          "issue": "Failed to retrieve card data for CIF 6005934",
10         "field": "6005934"
11       }
12     }
13   ]
14 }

```

204 No Content

Status Code: 204 No Content

Headers:

```

1 Content-Type: application/json
2 x-fapi-interaction-id: a0fc103b-936d-4fad-aba7-c12ed05232fb

```

No body should be returned if the Emirates ID details are not available.

HTTP 422 System Failure

```

1  {
2    "Id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
3    "Code": "MS400",
4    "Message": "Bad or Missing Response Parameters",
5    "Errors": [
6      {
7        "ErrorCode": "MS-LV-0001",
8        "ErrorMessage": "Bad or Missing Response Parameters",
9        "Url": "https://api.central.adcb.com",
10       "Path": "/liability-inquiry/v1/validate-emirates-id"
11     }
12   ]
13 }

```

HTTP 400 Bad Request

```

1  {
2    "Id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
3    "Code": "MS400",
4    "Message": "Invalid Emirates ID Format",
5    "Errors": [
6      {
7        "ErrorCode": "MS-LV-0002",
8        "ErrorMessage": "Invalid Emirates ID Format",
9        "Url": "https://api.central.adcb.com",
10       "Path": "/liability-inquiry/v1/validate-emirates-id"
11     }
12   ]
13 }

```

✗ HTTP 401 Unauthorized

```

1  {
2    "Id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
3    "Code": "MS401",
4    "Message": "Unauthorized",
5    "Errors": [
6      {
7        "ErrorCode": "MS-LV-0003",
8        "ErrorMessage": "Missing or Invalid Authorization Token",
9        "Url": "https://api.central.adcb.com",
10       "Path": "/liability-inquiry/v1/validate-emirates-id"
11     }
12   ]
13 }

```

✗ HTTP 404 Not Found

```

1  {
2    "Id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
3    "Code": "MS404",
4    "Message": "Emirates ID Not Found",
5    "Errors": [
6      {
7        "ErrorCode": "MS-LV-0004",
8        "ErrorMessage": "Emirates ID Not Found",
9        "Url": "https://api.central.adcb.com",
10       "Path": "/liability-inquiry/v1/validate-emirates-id"
11     }
12   ]
13 }

```

✗ HTTP 500 Internal Server Error

```

1  {
2    "Id": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
3    "Code": "MS500",
4    "Message": "Internal Server Error",
5    "Errors": [
6      {
7        "ErrorCode": "MS-LV-0005",
8        "ErrorMessage": "Internal Server Error",
9        "Url": "https://api.central.adcb.com",
10       "Path": "/liability-inquiry/v1/validate-emirates-id"
11     }
12   ]
13 }

```

HTTP Status	Error Code	Message	Possible Cause
400	MS-LV-0002	Invalid Emirates ID Format	Emirates ID does not match expected pattern 784-XXXX-XXXXXXX-X
401	MS-LV-0003	Missing or Invalid Authorization Token	JWT token is missing, expired, or malformed
404	MS-LV-0004	Emirates ID Not Found	Emirates ID is valid but not found in system records
422	MS-LV-0001	Bad or Missing Response Parameters	Downstream service returned incomplete or unexpected data
500	MS-LV-0005	Internal Server Error	Unhandled server-side exception

Sample cURL Request

```

1 curl -X POST "https://api.central.adcb.com/liability-
  inquiry/v1/validate-emirates-id" \
2   -H "Content-Type: application/json" \
3   -H "Authorization: Bearer eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9..." \
4   -H "x-fapi-interaction-id: a0fc103b-936d-4fad-aba7-c12ed05232fb" \
5   -H "ChannelCode: CPC" \
6   -d '{
7     "Data": {
8       "EmiratesId": "784-1990-1234567-1"
9     }
10  }'
```

Diwan Swagger -

