## **Solvei8 Backend Assignment**

Name: G Rushivardhan

**Phone number:** 9603366515

Email: rushivardhan18@gmail.com

#### **Traini8: Problem Statement**

Assume that you are working at a startup Traini8. You must make an MVP for a registry for Govt funded Training Centers with the following minimum requirements. In the MVP, you must create a Spring or Play project with support for two APIs, which are explained below.

**Database details:** PostgreSQL as the relational database management system for storing data.

### **ERD:**



# **Explanation:**

Firstly, I created a spring boot project "Assignment" using "Spring Initializer" where I added all the required dependencies for my project and downloaded as a jar folder.

Then In Assignment project I added all the packages and classes required for it. Then added the Postgres properties in application properties file, and all other requirements.

#### **Entities:**

- Training center: this contains all the fields given in the requirements along with a embedded address class.
- Address: this is a embedded class which encapsulates the fields of a address and helps in easy modifications and creation rather than single field in the main entity.

### **Functionality:**

- As the given instructions in the assignment, when a new centre is created it will valid the given email and phone number whether they are in correct format or not.
- CenterName should be below 40, CenterID should be of length 12characters, email and phone number should bein correct format if wrong will return error.

### **Technologies Used:**

- 1. Java Spring Boot for building the RESTful API.
- 2. PostgreSQL for Database management.
- 4. Postman for API documentation.
- 5. Render for Postgres

### **API Endpoints:**

}

1. CreateCenters: Creates the centers based on the payload given in the assignment

```
METHOD: POST
  URL: <a href="http://localhost:8080/api/training-centers/Create">http://localhost:8080/api/training-centers/Create</a>
 Payload:
        {
  "centerName": "BBA Training Center",
  "centerCode": "ETA275TRR759",
  "address": {
     "detailedAddress": "BBA Training,Madhapur Street, Hyderabad",
     "city": "Hyderabad",
     "state": "Telangana",
     "pincode": "500001"
  },
  "studentCapacity": 500,
  "coursesOffered": [
     "Course 1",
     "Course 2",
     "Course 3",
     "Course 4"
  ],
  "contactEmail": "BBA@example.com",
  "contactPhone": "8921113517"
RESPONSE: Status code: 200
And will return the complete payload.
```

2) Getallcenters: Will return all the centres from the database.

**METHOD: GET** 

URL: <a href="http://localhost:8080/api/training-centers/GetallCentres">http://localhost:8080/api/training-centers/GetallCentres</a>

```
RESPONSE:
  "id": 7,
  "centerName": "Alpha2 Training Center",
  "centerCode": "ETC15ATRR759",
  "address": {
    "detailedAddress": "Alph2a Training,Madhapur Street, Hyderabad",
    "city": "Hyderabad",
    "state": "Telangana",
    "pincode": "500001"
  },
  "studentCapacity": 500,
  "coursesOffered": [
    "Course 1",
    "Course 2",
    "Course 3",
    "Course 4"
  ],
  "createdOn": "2024-04-27T17:35:27.618+00:00",
  "contactEmail": "ATranin2g@example.com",
  "contactPhone": "9711113597"
},
  "id": 8,
  "centerName": "Alpha Training Center",
  "centerCode": "ETA15ATRR759",
```

```
"address": {
    "detailedAddress": "Alpha Training, Madhapur Street, Hyderabad",
    "city": "Hyderabad",
    "state": "Telangana",
    "pincode": "500001"
  },
  "studentCapacity": 500,
  "coursesOffered": [
    "Course 1",
    "Course 2",
    "Course 3",
    "Course 4"
  ],
  "createdOn": "2024-04-27T17:35:53.433+00:00",
  "contactEmail": "ATranin2@example.com",
  "contactPhone": "9711113517"
}
```

3)UpdateCenterByID: Update the center through ID. It will check the fields from the body and only change the fields while keeping the other fields same.

```
METHOD: PUT
```

"pincode": "500001"

URL: <a href="http://localhost:8080/api/training-centers/UpdateCenterById/7">http://localhost:8080/api/training-centers/UpdateCenterById/7</a>

```
REQUEST BODY:

{

"address": {

"detailedAddress": "New Training center,Hitech Street,Hitech city,Training City",

"city": "Hyderabad",

"state": "Telangana",
```

```
},
  "studentCapacity": 10000
}
Response:
  "id": 7,
  "centerName": "Alpha2 Training Center",
  "centerCode": "ETC15ATRR759",
  "address": {
    "detailedAddress": "New Training center, Hitech Street, Hitech city, Training City",
    "city": "Hyderabad",
    "state": "Telangana",
    "pincode": "500001"
  },
  "studentCapacity": 10000,
  "coursesOffered": [
    "Course 1",
    "Course 2",
    "Course 3",
    "Course 4"
  ],
  "createdOn": "2024-04-27T17:35:27.618+00:00",
  "contactEmail": "ATranin2g@example.com",
  "contactPhone": "9711113597"
}
4) DeleteCenterByID: deletes the center by ID.
  METHOD: DELETE
```

URL: <a href="http://localhost:8080/api/training-centers/DeleteCenterByID/1">http://localhost:8080/api/training-centers/DeleteCenterByID/1</a>

RESPONSE: STATUS CODE: 204

5) DELETEALL: DELETE's all the centers.


**METHOD: DELETE** 


URL: <a href="http://localhost:8080/api/training-centers/DeleteAllCenters">http://localhost:8080/api/training-centers/DeleteAllCenters</a>

RESPONSE: STATUS CODE: 204

I have deployed Postgres using render and created a docker image for easy accessing of the endpoints.

### POSTGRES DEPLOYMENT:





Please find the attached postman collection in the project folder.

