## Group A: Lab Assignment No. 5

TITLE: Unnamed PL/SQL code block: Use of Control structure and Exception handling is mandatory. Write a PL/SQL block of code for the following requirements:-

Schema:

- 1. Borrower(Rollin, Name, DateofIssue, NameofBook, Status)
- 2. Fine(Roll\_no,Date,Amt)

Accept roll no & name of book from user.

Check the number of days (from date of issue), if days are between 15 to 30 then fine amount will be Rs 5per day.

If no. of days>30, per day fine will be Rs 50 per day & for days less than 30, Rs. 5 per day.

After submitting the book, status will change from I to R.

If condition of fine is true, then details will be stored into fine table.

Frame the problem statement for writing PL/SQL block inline with above statement.

\_\_\_\_\_

## mysql> use Abhi;

Reading table information for completion of table and column names You can turn off this feature to get a quicker startup with -A

Database changed

mysql> delimiter //

mysql> call B1(1,'TOC') //
+-----+
| NOT FOUND |
+-----+| NOT FOUND |
+-----+
1 row in set (0.35 sec)

Query OK, 0 rows affected (0.41 sec)

```
-> //
+----+
| roll_no | name
DOI
book name | status
+----+
| 12 | patel | 2018-07-01 | xyz | issued |
14 | shinde | 2018-06-01 | oop | issued |
16 | bhangale | 2018-05-01 | coa | returned |
18 | rebello | 2018-06-15 | toc | returned |
20 | patil | 2018-05-15 | mp | issued
+----+
5 rows in set (0.00 \text{ sec})
mysql> show tables;
-> //
+----+
| Tables_in_Abhi |
+----+
| Borrower |
Employee |
Fine |
TE |
_master |
auto |
c_master |
capital || customer |
orders |
person |
product_master |
state
13 rows in set (0.00 \text{ sec})
mysql> create procedure B(roll_new int,book_name varchar(20))
-> begin
-> declare X integer;
-> declare continue handler for not found
-> begin
-> select 'NOT FOUND';
-> end;
```

mysql> select \* from Borrower;

```
-> select datediff(curdate(),DOI) into X from Borrower
where roll no=roll new;
->
if (X>15&&X<30)
-> then
-> insert into Fine values(roll_new,curdate(),(X*5));
-> end if;
-> if (X>30)
-> then
-> insert into Fine values(roll_new,curdate(),(X*50));
-> end if;
-> update Borrower set status='returned' where
roll no=roll new;
-> end;
-> //
Query OK, 0 rows affected (0.02 sec)
mysql> call B(12,'xyz');-> //
Query OK, 1 row affected (0.42 sec)
mysql> select * from Fine;//
+----+
| roll no | fine date
| amount |
+----+
12 | 2018-07-28 |
135 |
+----+
1 row in set (0.00 sec)
mysql> select * from Borrower;//
+----+
| roll_no | name
| DOI
book name | status
+-----+
| 12 | patel | 2018-07-01 | xyz | returned |
| 14 | shinde | 2018-06-01 | oop | issued
16 | bhangale | 2018-05-01 | coa | returned |
| 18 | rebello | 2018-06-15 | toc | returned |
```

```
20 | patil | 2018-05-15 | mp | issued
+----+
5 rows in set (0.00 \text{ sec})
mysql> call B(20, 'patil');
-> //
Query OK, 1 row affected (0.35 sec)
mysql> select * from Fine;//
+----+
| roll_no | fine_date
amount |
+----+
12 | 2018-07-28 |
135 ||
20 | 2018-07-28 |
3700 |
+----+
2 rows in set (0.00 \text{ sec})
mysql> select * from Borrower;//
+----+
| roll_no | name
| DOI
book_name | status
+----+
| 12 | patel | 2018-07-01 | xyz | returned |
14 | shinde | 2018-06-01 | oop | issued
16 | bhangale | 2018-05-01 | coa | returned |
18 | rebello | 2018-06-15 | toc | returned |
20 | patil | 2018-05-15 | mp | returned |
+----+
5 rows in set (0.00 \text{ sec})
mysql>
```