Goals UI fix: spec for Antigravity

Oct 16, 2026 · @Krishna

The Goals feature renders with missing or broken styles in twelve screenshots, and the date range has to become editable. This spec lists each fix and how to check it.

How to work

Read the original spec first: Goals redesign: OKR model and UI spec. Its UI spec and Design rules sections are the standard these screens are held to, and the screenshots show the build has drifted from it. Where this document and that one disagree, this document wins. That happens in three places: the look of the dropdowns, the date range becoming editable, and the date format.

Rules for this work:

1. Do not assume. If the code does not answer a question and this document does not either, stop and ask Krishna. Do not pick a guess and carry on.
2. Find the cause before fixing screens. Do Step 1 first. If it removes a problem listed below, say so and do not add a second fix on top.
3. The design rules from the original spec still apply: tokens only, every `var(--x)` must exist in `tokens.css`, no hex or `rgb()`, no `!important`, no inline styles except values computed at run time, no emoji as icons, no gradients, glows or bounces.
4. Do not touch the Weekly Review view or its files.
5. Dates are local `YYYY-MM-DD` strings. Never build one with `toISOString()`. Use the existing `localDateKey` helper.
6. No schema change. The editable date range uses the period columns that already exist.

When you finish, report: the root cause from Step 1, the files you changed, the output of the token check, and any acceptance check you could not run.

Step 1: find the shared root cause

In every screenshot, backgrounds and colours apply but padding, borders, corner radius and fonts do not. Buttons are a coloured strip hugging the text, inputs are dark strips with no border, and the date fields use a monospace font. That is what an undefined CSS variable produces: a declaration such as `padding: var(--space-md)` is dropped when the variable does not exist. The old Goals code had exactly this fault, and the original spec lists the missing tokens it used. For the new code this is a hypothesis until you confirm it.

Run these in order and report each result:

1. List every `var(--...)` used in the Goals CSS modules that is not defined in `tokens.css`. This is the check the original spec put in its acceptance run.
2. List every `styles.x` in the Goals TSX files that has no matching class in its CSS module. An undefined class gives no styling and no error.
3. Look for a global rule on `button`, `input`, `select` or `textarea` (a reset or base stylesheet) that strips styles, or that the Goals modules fail to override because of selector order.
4. Check how the rest of the app styles the same controls: a primary button, a quiet text button, a text input, a textarea, a segmented control. Use the same shared components, classes or tokens. Do not write new control styles where a shared one exists.

Facts about `tokens.css` to check against (taken from the file as it stands now):

- Spacing is `--space-1` to `--space-24` on a 4px scale, but with gaps: only 1 to 8, 10, 12, 16, 20 and 24 exist, plus `--space-px` and `--space-0-5`, so `--space-9` or `--space-14` are undefined. Radius is `--radius-xs`, `-sm`, `-md`, `-lg`, `-xl` and `-full`. Motion is `--motion-fast`, `--motion-default`, `--motion-slow` and `--transition-*`. There is no `--duration-*`, no named spacing such as `--space-md`, and no `--font-sans` token (it appears only as a fallback inside `--font-body`).
- The accent is `--accent`, not `--accent-primary`, and text on it is `--text-on-accent`, not `--text-inverse`. Status colours are `--color-success`, `--color-warning` and `--color-danger`.
- The global reset sets `margin: 0` and `padding: 0` on every element. A button or input whose padding declaration is dropped ends up with no padding at all, which would explain the screenshots.
- The reset does not set a font on form controls. Browsers give buttons, inputs and textareas their own system font, which would explain the monospace date fields and the different looking button text. Every control in the Goals CSS needs `font-family: inherit`, or the shared control class that already does it.
- A global rule removes outline and box-shadow from text inputs, textareas and selects, with `!important`. Their focus state has to be a border colour change, like the app's other inputs. A box-shadow focus ring on these will not show.

Fix what these find, rebuild, then re-check every row in Fixes by screen. Only rows that still look wrong need their own fix.

Fixes by screen

Every row is something visible in the twelve screenshots Krishna sent. Part A is broken rendering, and Step 1 may clear much of it. Part B is where the build differs from the original spec, which is the target.

The twelve screenshots are at the end of this doc, numbered 1 to 12. Match each row below to its screenshot before you change anything.

Part A: broken rendering

Where	Seen	Required
Buttons (New goal, Create goal, Check in, Save check-in, Cancel, Link work)	A coloured strip hugging the text, no padding, no shape. Only Add key result looks like a button	Real buttons from the app's shared button styles. Filled accent for the main action in a form or modal. Quiet text style for Check in, New goal and Link work. Check in is filled only while a check-in is due (original spec)
Text and number inputs (goal title, key result title, Start, Target, Unit, times per week, check-in number, note, picker search)	Dark strips with no border or padding, mixed fonts, a white browser spinner on the check-in number	Same height, padding, border, radius, font and focus state as the app's other text inputs (a border colour change, because the global stylesheet removes outlines and shadows on inputs). Every input on a screen is the same height. No browser spinner arrows on number inputs
Date fields (New goal modal Custom, period popover)	Native date inputs in a monospace font, calendar icon pressed against the edge	Reuse the date picker the app uses for task due dates if there is one. If there is none, a native date input styled like the other inputs, in the app font, with the calendar icon inside the padding. Report which you used

Where	Seen	Required
Helper and hint text (form helper lines, the Ctrl+Enter hint)	Almost invisible against the surface	Readable: at least `--text-tertiary` on the surface they sit on
Header chips (period, rhythm, area)	The date chip has no chevron and its text touches the right edge	One chip style for all three: same height, padding, hover and focus, text never touching the edge. All three open something (see Dropdown menus and Editable date range)
Rhythm and Area dropdowns	White native lists with unreadable unselected options	See Dropdown menus
Key result cards	The header strip of the expanded area shows under every collapsed row and the card bottom is cut off	See Key result cards
Link work picker	Plain white rows with no padding or hover, no secondary text	See Link work picker

Part B: differences from the original spec

Where	Seen	Original spec says
Goals header	Subtitle "Quarterly objectives and measurable key results". New goal is a filled button with a plus sign	Title "Goals" with no subtitle. Search icon button, then a quiet "New goal" text button with no plus sign
Empty state	Title "No active goals", a marketing line about 2 to 4 objectives, "+ Create your first goal" in a dashed box	The existing `EmptyState` component. Title "No goals yet", line "Set one for this quarter, then add two or three key results.", a "New goal" button

Where	Seen	Original spec says
New goal modal	Heading "New Goal", line "Create a high-level outcome to measure with key results.", placeholder "e.g. Launch Mobile App V1"	Heading "New goal", line "Check in weekly. You can change this on the goal.", placeholder "e.g. Launch OS11 v1". Only the title and period fields
Goal detail, progress area	A boxed card with a ring. It says "On track" with 0 key results and with 1 key result that has no check-in	Text only, no box, no ring, no bar: the percentage at `--text-3xl`, then "of N key results" in `--text-secondary`, then the health text in its colour. No key results: "No key results yet". Key results but no check-in anywhere: "No check-in yet" in `--text-tertiary`. "On track" only after a check-in says so
Notes	Label "NOTES & CONTEXT", a textarea with a resize grip, a long placeholder, a border that comes and goes	No label. Plain `--text-secondary` text, click to edit, placeholder "Why this matters" in `--text-placeholder`. When empty only the placeholder line shows. No resize grip while editing
Key results heading	"Key Results (1)" in bold white with a blue "+ Add key result" link	"KEY RESULTS" label in the style of the sidebar TAGS label (`--text-xs`, `--tracking-widest`, uppercase, `--text-tertiary`), no count, and a quiet "Add" text button on the right
Key result rows	Bordered, rounded cards	Rows with no border and no shadow, the same three columns as goal rows. Hover uses `--surface-hover` on `--radius-md` and reveals a "..." button with Edit and Delete

Where	Seen	Original spec says
Key result value line	"0 / 12" and "0 / 0 items completed", no status text	Line 2 is the value text, then the status text. Examples: "0 of 12", "0 of 0 done", "3 of 5 this week · 2 week streak". Status text is On track, At risk, Off track, or "No check-in yet" in `--text-tertiary`
Expanded key result labels	"RECENT CHECK-INS", and "SUPPORTING WORK" on a work key result	"History" (the last 3 check-ins, one line each). "Work" on work key results, "Supporting work" on number and habit key results
Add key result form	Placeholder "e.g. Reach 10,000 active users". Work kind shows "Links tasks and projects to automatically calculate completed work percentage.". Habit kind shows "Frequency (days per week)" and "Between 1 and 7 days every week". No live line on the number kind	Title placeholder "e.g. Monthly revenue". Number: Start, Target and Unit (optional) on one row, plus a live line such as "Goes up from 0 to 12" or "Goes down from 120 to 30"; Start and Target must differ. Work: one line "Progress comes from the projects and tasks you link." Habit: "Times per week", 1 to 7, default 3. Enter saves, Esc cancels
Check-in modal	Heading joins "Check In" and the goal title with a long dash. Line "Update progress numbers and current health status.". A "Current:" label. Status control with no dots. "Optional note..." always showing	Heading "Check in", with the goal title and today's date under it in `--text-secondary`. One block per key result, stale first: title, "Last: 3.1L on 5 Oct" (left out before the first check-in), then a number input with the unit as a suffix, the first one autofocused. Status: a three option segmented control, each option a small dot plus the text, preselected from the last status or On track, with a thumb that slides. Note: a quiet "Add note" button reveals a one line input, and it opens by itself when At risk or Off track is chosen. Footer: Cancel and "Save check-in"; Ctrl or Cmd plus Enter saves

Where	Seen	Original spec says
Link work picker	Search placeholder "Search tasks…", Tasks tab before Projects	Placeholder "Search projects and tasks", Projects tab first. The rest is under Link work picker

Dropdown menus

The rhythm and Area chips stop being native select elements. Each opens a menu that looks like the context menu on task cards, without icons. This replaces the glass popover the original spec described for these two chips.

1. Find the component that renders the right-click menu on task cards. Reuse it, or its CSS module, so the surface, border, radius, shadow, item height, item padding, font size, text colour and hover colour are the same. Do not copy its values into a new stylesheet. If it cannot be opened from a button, extract the menu part into a shared component and keep the task card behaviour unchanged.
2. No icons, and no empty icon gutter: labels start at the left padding they would have with the icon removed. This includes Area emoji, which do not appear in this menu.
3. The menu opens under the chip, left aligned to it, at least as wide as the chip, and flips above when there is no room.
4. On open, the current choice is highlighted using the menu's hover style. Moving the pointer or pressing Up or Down moves the highlight. Enter picks, Esc closes and returns focus to the chip, and a click outside closes. There is no checkmark and no extra colour, because the chip already shows the current value.
5. Accessibility: the chip is a button with `aria-haspopup` and `aria-expanded`. The menu uses `role="menu"` and its items `menuitemradio`, with `aria-checked` on the current choice.

Rhythm options, in this order. The chip text replaces "Weekly rhythm" and the other mixed labels, and matches the original spec ("Check in weekly"):

Menu item	Chip text
Daily	Check in daily
Weekly	Check in weekly
Every 2 weeks	Check in every 2 weeks
Monthly	Check in monthly

Area options: "No area" first, then each Area by name in the order the sidebar lists them. The chip shows "No area" or the Area name.

Editable date range

The period chip in the goal header opens a popover where the start and end dates can be changed after the goal is created. The original spec already asked for this (the period popover in the Meta line) and the build left it out.

Chip

- Same style as the rhythm and Area chips, with a chevron so it reads as clickable. It follows the same enabled or disabled rule as those two chips for each goal status.
- Label for a quarter goal (`period_kind` is `quarter`): the quarter name, such as "Q4 2026". Label for a custom goal: the start and end as "<start> to <end>", each date formatted as described under Date format. No dash between the dates.

Popover

- Surface: the popover surface the detail panel uses (original spec).
- Contents: the period control from the New goal modal, reused as the same component (this quarter, next quarter, Custom), with the two date inputs under it. It opens prefilled with the stored dates. Custom is preselected when the stored dates are not this quarter or next quarter. Choosing this quarter or next quarter fills both dates.
- Footer: Cancel and Save. Save stays disabled until a date has changed and the dates are valid. Enter saves and Esc cancels.
- Validation, shown inline under the fields: both dates are required, and the end date must be on or after the start date (the end is inclusive, so a one day goal is allowed). Message: "End date must be on or after the start date."
- Save writes `period_start` , `period_end` and `period_kind` (`quarter` for this quarter or next quarter, `custom` for Custom) through the existing objective update path. Check that the update handler and `validateObjectivePayload` accept these fields. If they do not, extend them and add tests for a valid change and for an end date before the start date.

What changes when the dates change

- Nothing is deleted or rewritten. Check-ins and habit logs stay, including any that fall outside the new period.

- Everything else is recomputed from stored data by the existing domain functions: progress (habit ticks count only inside the period), weeks in the period and the partial first and last week rule, pace, the check-in due anchor (latest check-in, or the new `period_start` when there is none), and the Ended state when the new end is before today.
- If the new start is after today, habit ticks stay blocked until it arrives and the goal is not due before then. Both are existing rules.

Date format

Dates are shown the way task cards show dates. Use the formatter task cards use for due dates and do not write a new one. Apply it to every date shown in Goals: the period chip, the "Last" line in the check-in modal, the History lines and any due text. Report what the formatter produces, including how it treats a date in another year. If its output would make a range ambiguous (for example it never shows the year and the range crosses into another year), stop and report instead of changing the formatter.

Key result cards

Collapsed, a key result shows only its row: control, title, value line, percentage. Nothing of the expanded area is visible. Today a header strip ("RECENT CHECK-INS" or "SUPPORTING WORK") shows under every collapsed row and cuts the card off.

What to check first: the original spec asks for the grid rows 0fr to 1fr expand transition. That only hides the content when the inner wrapper has `min-height: 0` and `overflow: hidden`. Also check for a fixed `height` or `max-height` on the card, and for padding that sits outside the wrapper. This is a likely cause, not a confirmed one.

Expanded, in this order and indented under the title (original spec):

1. Number kinds: an inline "Update number" field. Enter records a check-in entry.
2. "Work" on work key results, "Supporting work" on number and habit key results: each linked project or task, an unlink button on hover, and a quiet "Link work" button. Linked tasks that are done show in `--text-tertiary` with a check.
3. "History": the last 3 check-ins, one line each, like "5 Oct · 3.1L · At risk · note". With 2 or more entries, a 120 by 24 sparkline in `--accent`.

Nothing is cut off at any card edge, and padding is equal on all sides. The control is a `ProgressRing` for number and work kinds and the app's `Checkbox` for habit kinds.

Link work picker

The popover opens from "Link work" on a key result and is `--goal-picker-width` wide (original spec). Layout and states:

1. Search field pinned at the top, autofocused, placeholder "Search projects and tasks". A Projects or Tasks segmented control under it, Projects first.
2. The list scrolls inside the popover. The search field, the segmented control and the footer stay pinned and visible. The footer holds "Show completed" on the Tasks tab (off by default) and "Type to narrow" when more than 50 matches exist. At most 50 matches render.
3. Rows use the same item height, padding, text size and hover colour as the dropdown menus above. Rows have no border. The Up and Down highlight is the same style as the hover.
4. Row content: Projects tab, the project name with its Area in secondary text. Tasks tab, the task title with its project name in secondary text. If the app already has a picker with rows like this, copy its row layout. If not, put the title first and the secondary text after it on the same line in `--text-secondary`, truncating the title first. An item already on another key result shows "In <key result title>" on the right, and picking it moves it. Items already on this key result are hidden.
5. Up and Down move, Enter links, Esc closes and returns focus to the "Link work" button.
6. The popover stays inside the window at both widths seen in the screenshots (about 920 px and about 1200 px): it flips or shifts to fit, and never goes under the window edge.

Copy changes

No long dashes and sentence case in all text the user sees in Goals.

1. Search every visible string in the Goals components, including `aria-label` and `title` attributes, for the em dash (U+2014) and the en dash (U+2013). Replace each with a colon, a comma, a plain hyphen, or the word "to" for ranges, whichever reads naturally.
2. Known cases, all resolved by the rows in Fixes by screen: the check-in modal heading (a long dash between "Check In" and the goal title), the empty state line ("2" and "4" joined by an en dash), and the date range on the period chip, which now reads "<start> to <end>".
3. Sentence case, as in the original spec: New goal, Check in, Add key result, Link work, No check-in yet. Remove title case such as "New Goal", "Check In" and "Key Results".
4. No exclamation marks and no marketing copy.

Acceptance checks

Run these in the app and in code before reporting back. Any you cannot run, list by name.

- [ ] A script lists every `var(--...)` in the Goals CSS and fails if one is not defined in `tokens.css`. It passes.
- [ ] A grep finds no hex or `rgb()` values, no `!important`, no emoji and no em or en dashes in the Goals components.
- [ ] Every button in Goals has padding, shape and height like the app's other buttons. Check the header, empty state, New goal modal, check-in modal, key result form and picker.
- [ ] All text inputs on one screen share the same height, border, padding, font and focus state. No browser spinner arrows on number inputs.
- [ ] Date range: change the dates on a custom goal, the chip updates, and the new dates are still there after restarting the app.
- [ ] Date range: an end date before the start date is blocked with the inline message. Switching a goal to this quarter and back to Custom works.
- [ ] Date range: after a change, check-ins and habit logs are all still present, and progress, pace and the due state are recomputed.
- [ ] Dates in Goals read the same as dates on task cards.
- [ ] The rhythm and Area menus sit next to a task card context menu looking like the same component: same surface, rows and hover, no icons, current choice highlighted on open, keyboard works.
- [ ] A collapsed key result shows nothing below its row. An expanded one shows Update number, Work or Supporting work, and History in full, with nothing cut off.
- [ ] A goal with no key results says "No key results yet". A goal whose key results have no check-in says "No check-in yet", never "On track".
- [ ] Check-in modal: "Add note" reveals the note field, choosing At risk or Off track opens it, Ctrl or Cmd plus Enter saves, and the Undo toast restores the old numbers.
- [ ] Link work picker: Projects tab first, rows readable with secondary text, search works, the popover stays inside the window.
- [ ] Look at the page at about 920 px and about 1200 px wide, with no goals, one goal with no key results, and a goal with one key result of each kind. Nothing overlaps or clips at either width.
- [ ] Create goal, add a key result and check in using only the keyboard.
- [ ] The diff shows no change to the Weekly Review view or its files.
- [ ] Type check, lint and the existing tests are clean. New tests cover the period update (valid change, end before start).

Out of scope


- The Weekly Review view and the Habits tab.
- The Key result row in the task detail panel and the key result picker in the project form. Do not restyle them. If either shares a component with something you change here, say so in your report.
- The goal list rows, the Completed and Archived rows and the search were not in the screenshots. Step 1 applies to them if the same fault is there. Apart from that, do not redesign them.
- The data model, apart from reading and writing the period fields.
- New features. Everything in this document is a fix or already in the original spec.

Screenshots

These are the twelve screenshots behind the fixes above, numbered 1 to 12. All of them show the current build in dark theme.


Screenshot 1: Empty state

Both "New goal" and "Create your first goal" render as bare blue strips with no padding. The subtitle and the empty-state line are the old copy.




Screenshot 2: New goal modal

The date fields are native inputs in the browser's monospace font with the browser's calendar icon. Cancel and Create goal have no padding.




Screenshot 3: Goal detail with the number key result form

Boxed progress card with a ring, a Notes and context textarea with a resize grip, and "Key Results (0)" in title case. The form inputs have no border or padding. The date chip shows ISO dates.




Screenshot 4: Area menu open

This is the browser's native select list in white, not the app's menu style.




Screenshot 5: Rhythm menu open

Native select list again. The items read "Daily rhythm", "Weekly rhythm", "Every 2 weeks" and "Monthly rhythm".




Screenshot 6: One key result, collapsed

The card's first header strip, "RECENT CHECK-INS", is cut off at the bottom of the card even though the card is collapsed. "Check in" at the top right is plain text with no button styling.




Screenshot 7: Check-in modal

The heading uses a long dash and title case. The number field shows the browser's spinner arrows, the note field has no border or padding, and "Save check-in" is a bare blue strip.




Screenshot 8: Number form open with one key result below

The notes box has a visible border here, which it does not have in screenshot 3.




Screenshot 9: Work form

The title input has a focus border but no padding, so the placeholder touches the edge. The helper line below it is barely readable.




Screenshot 10: Two key results, collapsed

Both cards are clipped at the bottom edge: "RECENT CHECK-INS" on the first and "SUPPORTING WORK" on the second. The "+ Link work" link is cut by the same clip.




Screenshot 11: Link work picker

The panel floats on the right over the progress area. Rows are plain white text with no padding or hover style, and the last visible row is cut off at the bottom edge of the panel.



Screenshot 12: Habit form

The frequency input has no border or padding, and the helper line "Between 1 and 7 days every week" is faint.


Goals
Check in
Exercise for a month
2026-10-16 – 2026-11-16
Weekly rhythm
Personal
0%
On track · 2 key results
NOTES & CONTEXT
Why does this goal matter? What outcome does success create?
Key Results (2)
A number
Work I complete
A habit
Title
e.g. Exercise 3 times a week
Frequency (days per week)
3
Between 1 and 7 days every week
Cancel
Add key result
exercise for 12 days
0 / 12
0%