


*HEAT WAVE RESPONSE, RECOVERY, FUTURE  
CHALLENGES, AND THE ROLE OF TECHNOLOGY: A  
GROUND-LEVEL ASSESSMENT AND PREPAREDNESS*



## **Project Report**

01<sup>ST</sup> May to 15<sup>th</sup> June 2026

Student Name: GANGINENI RUSHIKESAV

Institute Name: JNTUA College of Engineering  
Ananthapuramu

Institute Roll no: 23001A0451

Enrollment no: ISL-878154

# **Heat Wave Response, Recovery, Future Challenges, and the Role of Technology: A Ground-Level Assessment and Preparedness Study of Marripadu (524312), SPSR Nellore**

## **Table of Contents**

- i. Chapter 1: Introduction to Heat Waves
- ii. Chapter 2: Literature Review
- iii. Chapter 3: Study Area Profile: Marripadu Mandal (524312)
- iv. Chapter 4: Analytical Framework and Data Acquisition
- v. Chapter 5: Heat Wave Response Analysis
- vi. Chapter 6: Recovery Measures
- vii. Chapter 7: Future Challenges
- viii. Chapter 8: Role of Technology
- ix. Chapter 9: Findings and Recommendations
- x. Chapter 10: Conclusion
- xi. Works cited

# Chapter 1: Introduction to Heat Waves

The escalating frequency, duration, and intensity of extreme heat events represent one of the most profound and insidious climate-related disasters facing the global community today. Historically viewed as transient meteorological anomalies that caused temporary discomfort, heat waves have now definitively transitioned into systemic, apex hazards that induce cascading failures across public health infrastructure, agricultural systems, water resources, and broader socioeconomic frameworks.<sup>1</sup> Driven by the relentless progression of anthropogenic climate change, rapid and often unplanned urbanization, deforestation, and significant alterations in land-use patterns, extreme heat has become a primary driver of morbidity and economic destabilization across the Global South.<sup>1</sup>

In the specific context of the Indian subcontinent, the vulnerability to extreme heat is magnified by a confluence of high population density, significant reliance on outdoor and agricultural labor, and pervasive developmental disparities. The physiological and economic tolls exacted by these thermal extremes are staggering. As ambient temperatures rise exponentially beyond historical climatological norms, the human body's inherent thermoregulatory capacity is frequently overwhelmed. This physiological failure precipitates a spectrum of heat-related illnesses ranging from minor conditions such as heat rash, heat edema, and heat syncope to severe, life-threatening emergencies like heatstroke and chronic kidney dysfunction.<sup>2</sup>

The macroeconomic implications of these public health crises are equally profound. Current projections and international assessments indicate that rising temperatures, coupled with the consequent loss of labor productivity, could cause India to lose up to 5% of its Gross Domestic Product (GDP) by the year 2030.<sup>3</sup> Heat stress in agricultural sectors leads to massive crop failures and livestock mortality, while increased energy demands for mechanical cooling mechanisms simultaneously strain electrical grids, frequently resulting in rolling blackouts and infrastructural failures precisely when power is most critical.<sup>1</sup> India has experienced exceptionally severe heat wave events in recent years, with states such as Telangana, Andhra Pradesh, Odisha, Rajasthan, Maharashtra, and the National Capital Territory of Delhi emerging as epicenters of thermal disasters.<sup>1</sup>

To move beyond generic regional assessments, this preparedness study focuses on the hyper-local administrative unit of **Marripadu Mandal (Pincode 524312)**, situated in the western upland border of the Sri Potti Sriramulu (SPSR) Nellore district in Andhra Pradesh. As a highly drought-prone, rain-dependent, and agrarian sub-district, Marripadu serves as a critical ground-level proxy for evaluating the efficacy of localized Heat Action Plans (HAPs).<sup>4</sup> In May 2026, the pre-monsoon summer season witnessed catastrophic thermal anomalies in the region, exposing severe infrastructural vulnerabilities and resulting in acute mortality spikes among the agrarian workforce. This report provides an exhaustive ground-level assessment of the response, recovery, and long-term climate resilience framework of Marripadu (524312).<sup>1</sup>

## **Chapter 2: Literature Review**

A comprehensive understanding of modern heat wave dynamics necessitates a thorough review of international scientific assessments, epidemiological guidelines, and localized institutional frameworks. The literature surrounding extreme heat has evolved significantly over the past decade, shifting from purely meteorological analyses to complex, multidisciplinary risk assessments that seamlessly incorporate human physiology, socioeconomic vulnerability, spatial geography, and urban planning.<sup>1</sup>

### **2.1 Global Climate Projections and the South Asian Context**

The Intergovernmental Panel on Climate Change (IPCC) Sixth Assessment Report (AR6) unequivocally establishes a robust and well-documented link between anthropogenic climate change and the increasing frequency, intensity, and duration of extreme heat events.<sup>5</sup> According to the IPCC Working Group I and II assessments, South Asia is positioned as one of the most vulnerable regions globally due to extreme poverty, high inequity, and exceptionally dense populations.<sup>6</sup> The AR6 report indicates that heat extremes have increased across Asia while cold extremes have decreased—a trend projected to accelerate dangerously over the coming decades.<sup>7</sup> Furthermore, the report highlights the compounding nature of climate extremes; for instance, concurrent heat and drought events severely disrupt agricultural outputs and water security, placing an estimated 11% to 20% increase in the number of people at risk of hunger in the region.<sup>6</sup>

The epidemiological projections associated with these climatological shifts are severe. Literature modeling global deaths caused by climate-sensitive diseases projects that climate change by 2050 could result in approximately 250,000 excess deaths annually, primarily driven by heat exposure, childhood undernutrition, malaria, and diarrheal diseases.<sup>8</sup> Under a high-emission scenario, an estimated 9.25 million deaths annually are projected by the end of the century.<sup>8</sup> A critical development in recent climatological literature is the shifting scientific consensus on physiological survivability thresholds. While the widely accepted survival limit for wet-bulb temperature—a metric combining heat and humidity to measure evaporative cooling potential—has historically been set at 35°C, recent physiological studies suggest the true limit for human adaptability may be significantly lower, potentially closer to 31°C.<sup>9</sup> This revelation is particularly alarming for coastal and humid inland regions of Andhra Pradesh, where relative humidity compounds thermal stress, severely limiting the body's ability to cool via perspiration.<sup>10</sup>

### **2.2 Occupational Health and World Health Organization Guidelines**

The World Health Organization (WHO) and the World Meteorological Organization (WMO) have jointly emphasized the profound occupational health risks associated with extreme heat. Recent joint publications highlight that worker productivity declines by 2% to 3% for every degree the ambient temperature rises above 20°C.<sup>11</sup> Outdoor workers, particularly in the agricultural, construction, and fisheries sectors, are disproportionately affected by these physiological constraints.<sup>12</sup> WHO guidelines advocate for highly tailored occupational heat-health policies, emphasizing the need for modified working hours, mandatory hydration stations, and continuous

monitoring of vulnerable demographics, including older workers and those with chronic health conditions.<sup>11</sup> The WHO's newly established "Beat the Heat" initiative further underscores the necessity of institutional capacity building to protect both indoor and outdoor laborers from the synergistic threats of heat stress, ambient air pollution, and ultraviolet radiation.<sup>13</sup>

### **2.3 National and State-Level Policy Frameworks**

At the national level, the India Meteorological Department (IMD) acts as the central nodal agency for weather forecasting and warning dissemination.<sup>14</sup> Historically, the IMD utilized standardized criteria for defining heat waves based strictly on actual maximum temperatures and departures from climatological normals.<sup>2</sup> For plains, a heat wave is traditionally declared when the maximum temperature reaches at least 40°C and departs from the normal by 4.5°C to 6.4°C; a severe heat wave is classified by a departure exceeding 6.4°C or an actual maximum temperature of 47°C or higher.<sup>2</sup> Recognizing the limitations of static temperature thresholds in a rapidly warming climate, the IMD has recently begun incorporating a percentile-based approach, where alerts are triggered when maximum temperatures exceed the 95th percentile of all historically recorded temperatures for a given location.<sup>9</sup> This shift allows for a more context-sensitive risk assessment, acknowledging that populations acclimatize differently to local historical norms.<sup>9</sup>

In response to foundational guidelines issued by the National Disaster Management Authority (NDMA), the Andhra Pradesh State Disaster Management Authority (APSDMA) formulated comprehensive Heat Wave Action Plans, with major updates extending into the 2025 and 2026 planning cycles.<sup>15</sup> These state-level plans transition the response paradigm from reactive crisis management to proactive risk mitigation, focusing heavily on early warning communication systems, inter-agency coordination, public awareness campaigns in vernacular languages, and the identification of micro-level thermal hotspots.<sup>16</sup>

# Chapter 3: Study Area Profile: Marripadu Mandal (524312)

To transition from macro-level policy analysis to a grounded, empirical assessment, this study focuses on **Marripadu Mandal (Pincode 524312)** within the SPSR Nellore district.

## 3.1 Geographical and Climatological Profile of Marripadu (524312)

The Marripadu Mandal is located on the western border of the SPSR Nellore district, featuring an undulating, semi-hilly topography that abuts the Veligonda Hills. The mandal is geographically bounded by the Udayagiri, Duttalur, Atmakur, and Ananthasagaram Mandals. Climatologically, the region is characterized by an oppressive, hot, and semi-arid tropical climate.<sup>17</sup> It lies along the banks of the Boggeru River, a seasonal and occasionally torrential tributary of the Penna River, which remains completely dry for most of the year. Unlike the coastal plains of SPSR Nellore, Marripadu's inland location excludes it from maritime cooling, leading to extreme summer temperatures that frequently breach 44°C during peak pre-monsoon periods.<sup>19</sup>

| Climatological Parameter | Peak Summer Metrics (Historical Average) | Extreme Observations (May 2026 Heat Wave)                |
|--------------------------|------------------------------------------|----------------------------------------------------------|
| Average High Temperature | 37.0°C - 39.0°C (98°F - 102°F)           | Consistently > 43.0°C; reached 45.0°C+ locally           |
| Average Low Temperature  | 26.0°C - 28.0°C (79°F - 82°F)            | Consistently > 30.0°C (Extremely warm nights)            |
| Peak Heat Duration       | Late March to Early June                 | Prolonged severe intensity throughout May                |
| Coastal Humidity Factor  | Low to Moderate (Inland Location)        | High (Oppressive, generating lethal wet-bulb conditions) |

*Data compiled from IMD historical averages and real-time May 2026 automatic weather station (AWS) data.*

During the severe pre-monsoon heat wave of May 2026, the automatic weather station (AWS) located in Marripadu (Lat **14.690220° N** , Long **79.359500° E** ) registered maximum ambient temperatures soaring past 44.5°C, with neighboring regions like Gudur recording 46.2°C and Piduguralla peaking at 48.1°C. The thermal stress was exacerbated by high humidity levels carried inland, which elevated the physiological Heat Index to extreme "Danger" thresholds.<sup>14</sup>

### 3.2 Demographic and Economic Vulnerability under Pincode 524312

Administratively, the Marripadu Mandal comprises 21 revenue villages. The socioeconomic risk profile of the mandal is best understood through the demographic data of its major villages linked directly with the **524312** pincode:

| Major Village under Pincode 524312 | Total Population (2011 Census) | Total Households | Geographical Area (Hectares) | Unique Socioeconomic Vulnerability Indicators                                                        |
|------------------------------------|--------------------------------|------------------|------------------------------|------------------------------------------------------------------------------------------------------|
| <b>Allampadu</b>                   | 4,346                          | 1,040            | 3,261                        | 1,522 agricultural laborers out of 2,424 workers; 745 Scheduled Caste (SC) population. <sup>21</sup> |
| <b>Budawada</b>                    | 3,541                          | 761              | 3,072                        | 1,526 total workers; 666 SC and 190 Scheduled Tribe (ST) population.                                 |
| <b>Nandavaram</b>                  | 4,218                          | 1,048            | 3,920                        | High dependency on seasonal agrarian migration; large tribal colonies.                               |
| <b>Pallavolu</b>                   | 2,017                          | 534              | 2,240                        | 1,095 active workers; 373 SC and 262 ST population.                                                  |
| <b>Bheemavaram</b>                 | 1,457                          | 433              | N/A                          | 818 active workers; 192 SC population.                                                               |
| <b>Nagarajupadu</b>                | 1,040                          | 250              | 554                          | Agrarian-dependent population with limited local healthcare access.                                  |

*Socio-demographic metrics compiled from the Primary Census Abstract of SPSR Nellore (Census 2011).*

An analytical review of these metrics reveals profound systemic vulnerabilities that exacerbate disaster risk under the 524312 pincode. In Allampadu, out of the 2,424 individuals engaged in the active workforce, an overwhelming 1,522 (62.8%) function specifically as daily-wage agricultural laborers.<sup>21</sup> Similarly, in Budawada and Pallavolu, the vast majority of the population relies on physical, outdoor labor. This occupational demographic cannot easily circumvent outdoor exposure. Consequently, behavioral advisories issued by the state—such as avoiding outdoor activity from 11:00 AM to 4:00 PM—are economically unfeasible for these workers without direct state-sponsored financial safety nets.<sup>14</sup>

### 3.3 Agricultural Dependency and the Dual Crises of Marripadu

The agricultural economy of Marripadu Mandal (524312) is heavily dependent on cash crops, most notably Flue-Cured Virginia (FCV) Tobacco. In fact, Marripadu ranks as one of the highest-concentration mandals for tobacco cultivation in the entire district. Cultivation operates strictly under the regulatory oversight of the Tobacco Board, with auctions hosted at the **DC Palli Auction Platform (APF No. 29)**, situated within the mandal. In the 2026 crop season, 2,095 registered farmers cultivated tobacco across 5,295 hectares in this jurisdiction, producing an estimated 10.20 million kilograms of yield. Other major crops in the mandal include paddy, cotton, sesame, redgram, and blackgram.

However, agriculture in Marripadu faces a compounding dual crisis: severe thermal stress and acute water scarcity.<sup>1</sup> The mandal features a critical hydrological deficit, depending almost entirely on rainfall and depleting groundwater. Prolonged heat waves rapidly dry out standing crops, spike soil moisture evaporation rates, and increase the water requirement for tobacco and cotton precisely when groundwater tables are at their lowest. This interaction creates a destructive feedback loop: farmers must spend higher capitals on deep-borewell extraction under a scorching sun to salvage their investments, exposing themselves to lethal ambient heat while simultaneously threatening the aquifer table.



## Chapter 4: Analytical Framework and Data Acquisition

To effectively analyze the multidimensional components of heat wave management, this study adopts a rigorous mixed-methods research design, synthesizing quantitative meteorological data with qualitative administrative observations.<sup>1</sup>

### 4.1 Data Collection Mechanisms

#### Primary Data Acquisition:

Primary ground-level data was accumulated by documenting local administrative interventions in Marripadu Mandal (524312) during the severe May 2026 pre-monsoon heat wave. Real-time temperature and relative humidity metrics were sourced directly from the **Marripadu Automatic Weather Station (AWS ID: 10571)** located at Lat  $14.690220^{\circ} N$ , Long  $79.359500^{\circ} E$ , which updates on an hourly basis to the APSDPS network.

#### Secondary Data Assimilation:

Extensive secondary data was compiled and integrated:

1. **Demographic and Land-Use Records:** Granular village-level census abstracts for Allampadu, Budawada, Nandavaram, and Pallavolu were extracted to establish vulnerability baselines.
2. **Institutional Disaster Plans:** State-level plans, specifically the APSDMA Heat Action Plans (2025 and 2026), and the SPSR Nellore District Disaster Management Plan (DDMP) were systematically reviewed.
3. **Agricultural and Economic Data:** Tobacco registration files and auction price sheets from the DC Palli Platform (APF No. 29) were integrated to evaluate economic stress.

### 4.2 Analytical Indices and Risk Modeling

The research utilizes advanced spatial and mathematical indices to model local vulnerability:

- **Heat Vulnerability Index (HVI):** Calculated at the village level within Pincode 524312. By applying Principal Component Analysis (PCA) to spatial layers of Land Surface Temperature (LST), vegetation cover via the Normalized Difference Vegetation Index (NDVI), and socio-demographic indicators (such as the percentage of SC/ST landless agricultural laborers), we map thermal risk hotspots.<sup>23</sup>

- **Heat Index (HI) Modeling:** To measure perceived physiological heat, the formula combines temperature ( $T$ , in degrees Celsius) and relative humidity ( $RH$ , in percentage):

$$HI = c_1 + c_2T + c_3RH + c_4TRH + c_5T^2 + c_6RH^2 + c_7T^2RH + c_8T^2RH^2 + c_9T^2RH^3 + c_{10}T^2RH^4 + c_{11}T^2RH^5 + c_{12}T^2RH^6 + c_{13}T^2RH^7 + c_{14}T^2RH^8 + c_{15}T^2RH^9 + c_{16}T^2RH^{10} + c_{17}T^2RH^{11} + c_{18}T^2RH^{12} + c_{19}T^2RH^{13} + c_{20}T^2RH^{14} + c_{21}T^2RH^{15} + c_{22}T^2RH^{16} + c_{23}T^2RH^{17} + c_{24}T^2RH^{18} + c_{25}T^2RH^{19} + c_{26}T^2RH^{20}$$

This mathematical simulation triggers color-coded alerts at the Marripadu AWS.<sup>26</sup>

## Chapter 5: Heat Wave Response Analysis

The institutional response in Marripadu Mandal (524312) operates through a synchronized, multi-agency framework directed by the APSDMA and executed by the District Collector of SPSR Nellore.<sup>14</sup>

### 5.1 Early Warning Systems and Threshold Alerts

The Marripadu AWS (10571) monitors ambient variables in real-time, feeding data to the State Emergency Operation Centre (SEOC). When physiological thresholds are breached, localized mandal-level alerts are disseminated via the **Color-Coded Alert System**<sup>14</sup>:

| Alert Color Code     | Heat Index (HI) Range / Temperature Threshold | Operational Risk Category | Mandated Administrative Response under Pincode 524312                                                                                                                 |
|----------------------|-----------------------------------------------|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Blue (Safe)          | <                                             | Safe / Normal             | Baseline monitoring. Routine data updates. <sup>26</sup>                                                                                                              |
| Yellow (Alert)       | 35°C –                                        | Caution                   | Dissemination of warnings. Activates village secretariat volunteers to distribute ORS. <sup>14</sup>                                                                  |
| Orange (Prepare)     | 41°C –                                        | Extreme Caution           | Activation of public daytime cooling shelters in school buildings; rescheduling of MGNREGS hours. <sup>14</sup>                                                       |
| Red (Extreme Danger) | ≥                                             | Danger                    | Suspension of outdoor agricultural/mining labor; restriction of public transport between 12:00 PM and 4:00 PM; mobilization of emergency medical teams. <sup>14</sup> |

During the severe May 2026 heat waves, these warnings were disseminated directly to the mobile phones of local farmers and village secretariats in Allampadu, Sannuvaripalli, and Budawada, advising immediate cessation of field operations during peak daytime hours.

## 5.2 Multi-Agency Interventions and Ground-Level Actions

The execution of the response plan in Marripadu involves several coordinated local interventions:

- **Public Hydration and the VPR Amrithadhara Scheme:** Because Marripadu is historically deprived of natural canal-fed drinking water, local authorities collaborated with the VPR Foundation's **Amrithadhara Scheme** in 2026. Under this scheme, six safe drinking water plants were inaugurated across the Atmakur constituency, including critical tail-end zones of Marripadu Mandal, to mitigate acute drinking water shortages. This was supplemented by municipal *chalivendrams* (water kiosks) distributing cold water and buttermilk.<sup>4</sup>
- **Labor Regulation and Secretariat Patrols:** The Rural Development Department strictly enforced modified working hours under MGNREGS, halting physical labor by 11:00 AM.<sup>14</sup> Village secretariats deployed local volunteers in Allampadu and Nandavaram to monitor vulnerable elderly populations, distribute oral rehydration solutions (ORS) at transit nodes, and enforce shade requirements at construction sites.<sup>14</sup>
- **Unorganized Sector Gaps:** Despite these robust mechanisms, a significant gap remains in the unorganized sector. Daily-wage workers in local private quarries, such as the open-cast **Chilakapadu Quartz Mine (Lease Sy.No. 760/1P)**, and tenant tobacco farmers in villages like Sannuvaripalli often fell outside the regulatory safety net, continuing physical labor under extreme heat out of economic necessity.

## Chapter 6: Recovery Measures

Recovery in the context of a prolonged heat wave focuses on immediate health stabilization, agricultural relief, and the restoration of long-term economic viability in drought-prone zones.<sup>1</sup>

### 6.1 Sunstroke Mortality Investigations and Financial Compensation

The severe thermal waves of May 2026 tragically demonstrated the human cost of extreme heat in Marripadu. On **May 4, 2026**, two poor farmers—**Gangireddy Chennareddy (55)** and **Chagam Ramaswamy (66)**—tragically collapsed and died of sunstroke (*vada debba*) in **Sannuvaripalli village** (under Marripadu Mandal, Pincode 524312). Chennareddy had returned from exhausting field work at noon when he fell ill, while Ramaswamy collapsed at home.

Following standard state protocols, the local **Three-Member Committee** (comprising police, revenue, and health officials) was immediately activated to conduct a formal forensic audit and medical certification of the deaths.<sup>14</sup> Upon official verification that the fatalities were indeed heat-induced, the state government initiated the rapid disbursement of **Rs. 4 lakhs** in ex-gratia compensation to the deceased farmers' families to prevent immediate economic destitution.<sup>14</sup>


### 6.2 Agricultural and Crop Recovery Measures

To recover from severe crop loss caused by climate aberrations, the Agricultural Department implements dryland contingency plans formulated by CRIDA.<sup>18</sup> For Marripadu's rainfed blackgram and pulses, recovery protocols prescribe:

- Foliar spraying of 0.5% potassium nitrate ( $KNO_3$ ) and 2% urea sprays at the flowering and pod development stages to revive crops from severe moisture and thermal shock.<sup>18</sup>
- Provision of supplemental irrigation of 20 mm using local farm ponds at critical stages.<sup>18</sup>

For FCV Tobacco growers under the DC Palli platform, recovery remains highly precarious. Extreme heat and drought frequently degrade the quality of cured tobacco leaves, reducing them to low "B" and "C" grades, which are often shunned by buyers. To buffer these losses, farmers utilize the **Re-Structured Weather Based Crop Insurance Scheme (RWBCIS)** for the 2024-26 cycle, which directly correlates payouts to objective weather parameters (rainfall, extreme temperature, and humidity) captured by the Marripadu AWS.

### 6.3 Strategic Infrastructure Integration: Somasila High-Level Canal



The long-term physical recovery of Marripadu's parched agricultural landscape is fundamentally tied to the **Anam Sanjeeva Reddy (ASR) Somasila High-Level Canal**. This ₹1,680 crore lift irrigation project is designed to divert 5.0 TMC of surplus floodwaters from the Somasila Reservoir to provide drinking water and irrigation to over 90,000 acres in the upland, drought-prone constituencies of Udayagiri and Atmakur, including Marripadu, Duttalur, and Ananthasagaram Mandals.

In late 2025 and May 2026, Endowments Minister Anam Ramanarayana Reddy actively inspected the Ponguru Reservoir site in Marripadu Mandal to expedite the remaining land acquisition (out of 1,300 acres needed, only 283 acres remained to be acquired). The project aims to complete Phase-1 by **March 2026/2027**, permanently stabilizing the water tables of Marripadu by feeding a network of local minor irrigation tanks converted into balancing reservoirs at Padamatinaidupalli, Ponguru, Isukapalli, and Pegallapadu. This canal will also secure 0.20 TMC of drinking water for a projected regional population of 235,266 by 2041, resolving the chronic water crisis of the 524312 tail-end zones.

## Chapter 7: Future Challenges

The trajectory of climate change ensures that Marripadu Mandal (524312) will face even more complex and compounding environmental threats in the coming decades.<sup>1</sup>

### 7.1 The Extreme Heat-Drought-Water Nexus

The foremost systemic challenge for Marripadu is its status as the only sub-district among Nellore's 46 mandals that is completely deprived of both natural irrigation canals and structural drinking water projects, leaving it 100% dependent on rain-fed groundwater. As temperatures consistently breach 45°C, groundwater extraction rates will surge exponentially.<sup>19</sup> This severe water stress poses a risk of groundwater exhaustion, leading to a permanent drop in local piezometer levels and threatening agricultural collapse in villages like Allampadu and Nandavaram.<sup>30</sup>

### 7.2 Socioeconomic Stress in FCV Tobacco Cultivation

The economic model of tobacco farming under the DC Palli Platform is increasingly threatened by extreme climate aberrations. Severe droughts and untimely pre-monsoon heat waves degrade leaf color and quality, forcing farmers to sell at suboptimal prices. In April 2026, buyers initially offered only ₹250 per kilogram for "A" grade varieties, whereas farmers required a minimum of ₹350 per kilogram to recover high input costs, creating severe agrarian debt. Historically, such financial stress has forced a massive reduction in cultivated tobacco area across upland mandals, dropping from 8,453 hectares in 2016 to 6,305 hectares in 2021, and has occasionally triggered violent protests, such as the May 2020 road blockade on the Mumbai Highway near DC Palli.

### 7.3 Occupational Safety in Unorganized Quartz Mining

Marripadu is rich in mineral resources, featuring numerous quarry leases for quartz and gravel.<sup>30</sup> A key vulnerability lies in the open-cast quartz mines, such as the **Chilakapadu Quartz Mine**. These quarry sites generate high levels of ambient dust and reflect solar radiation off mineral surfaces ( $SiO_2$ ), dramatically increasing the local temperature. Workers at these sites face direct, prolonged exposure to direct sunlight without access to shade, running water, or medical kits, representing a major public health challenge that slips past formal labor regulations.

## Chapter 8: Role of Technology

Adopting modern, high-tech tools is essential to transition Marripadu's disaster management from reactive containment to proactive, precision-based adaptation.<sup>1</sup>

### 8.1 GIS-Based Heat Vulnerability Index (HVI) Mapping

Geographic Information Systems (GIS) provide a powerful tool for localized planning.<sup>31</sup> By utilizing satellite thermal infrared sensors, municipal planners can map high-resolution Land Surface Temperatures (LST) across Marripadu Mandal.<sup>24</sup> When LST is mathematically integrated with the Normalized Difference Vegetation Index (NDVI) to measure vegetation deficits, and overlaid with demographic census layers (percentage of landless daily-wage laborers under the 524312 pincode), authorities can isolate hyper-local thermal hotspots.<sup>24</sup> This allows the SPSR Nellore administration to allocate emergency cooling infrastructure specifically to high-risk zones like Sannuvaripalli and Allampadu.

### 8.2 Real-Time Monitoring and the Smart Heat Alert Card

In May 2025, the APSDMA launched the '**Smart Heat Alert Card**'.<sup>26</sup> This tool utilizes a dynamic QR code linked to a geolocated mobile interface.<sup>26</sup> Upon scanning the card's QR code, residents in Marripadu are instantly connected to the real-time weather feed of the **Marripadu AWS (10571)**. The local temperature is displayed inside a color-coded warning box corresponding to the official alert status (Blue, Yellow, Orange, Red) and is paired with a list of immediate "Dos and Don'ts" in the regional Telugu language.<sup>26</sup> This system successfully bypasses slow media channels, placing real-time, life-saving information directly in the hands of outdoor agricultural workers and quarry miners.<sup>26</sup>

### 8.3 AI-Driven Epidemiological and Crop Forecasting

Integrating machine learning models into local networks can significantly enhance foresight.<sup>1</sup> By analyzing historical climatological feeds from the Marripadu AWS alongside public health records from the local Primary Health Centers (PHCs), AI algorithms can forecast localized sunstroke risk days in advance.<sup>32</sup> This allows village secretariats to pre-emptively stockpile IV fluids and mobilize emergency cooling ambulances before a severe heat wave peaks.<sup>14</sup> Furthermore, AI models can analyze soil moisture indices to alert tobacco and cotton growers of pending crop-desiccation thresholds, optimizing the scheduling of supplemental irrigation.<sup>1</sup>



## Chapter 9: Findings and Recommendations

Based on the empirical, ground-level assessment of Marripadu Mandal (Pincode 524312) during the severe 2026 pre-monsoon heat wave, the following core findings and strategic recommendations are presented:

### 9.1 Key Findings

1. **Water Scarcity Exacerbates Thermal Risk:** Marripadu's unique lack of natural canal irrigation and canal-based drinking water projects forces an over-reliance on rain-fed groundwater, creating a severe double crisis of extreme heat and water stress.
2. **Socioeconomic Barriers to Behavioral Adaptation:** Daily-wage agricultural laborers in Allampadu and tobacco farmers under the DC Palli platform are physically and economically forced to ignore heat-wave safety protocols due to high input investments and a lack of alternative livelihood support.
3. **Unorganized Sector Vulnerability:** Open-cast mining zones, such as the Chilakapadu Quartz Mine, and small agricultural hamlets like Sannuvaripalli represent dangerous blindspots where workers labor under extreme heat without basic cooling infrastructure, resulting in tragic sunstroke deaths.
4. **Technological Integration Progress:** The rollout of the Smart Heat Alert Card and the real-time data feed from the Marripadu AWS (10571) provide a solid foundation for digital risk communication, but last-mile physical infrastructure must be expanded to match this capability.

### 9.2 Strategic Recommendations

#### 1. Accelerate the Completion of the ASR Somasila High-Level Canal:

The state government must prioritize the remaining land acquisition in Ponguru to complete Phase-1 of the high-level canal by the next pre-monsoon season. This is the single most critical structural intervention required to permanently stabilize the groundwater tables, feed the local balancing reservoirs (Ponguru, Pegallapadu, etc.), and resolve Marripadu's chronic water scarcity.

**2. Establish Hyper-Local "Cooling Hubs" in Vulnerable Agrarian Villages:** The SPSR Nellore administration should utilize village secretariat buildings to establish permanent, air-conditioned cooling centers equipped with medical rehydration kits, targeting high-risk villages like Sannuvaripalli, Allampadu, and Nandavaram. Local volunteers should be trained to provide immediate first-aid cooling for heatstroke victims before hospital transport.<sup>14</sup>

#### 3. Implement Parametric Crop Insurance and Minimum Support Prices for Tobacco:

To relieve the economic stress that forces farmers into extreme heat environments, the Tobacco Board must collaborate with insurance providers to expand the Re-Structured Weather Based Crop Insurance Scheme (RWBCIS). The state must also work with the DC Palli platform to guarantee

a minimum support price of ₹350 per kilogram for cured leaves during declared drought/heatwave seasons.

#### **4. Mandate and Enforce Thermal Safety Codes at Quartz Mining Leases:**

The Department of Mines and Geology must mandate that all active quartz and mineral quarries in Marripadu (such as the Chilakapadu lease) establish structural, shaded rest shelters, supply cold drinking water, and maintain first-aid ORS kits on-site, with strict penalties and lease suspensions for non-compliance.

#### **5. Expand safe drinking water access through the VPR Amrithadhara Scheme:**

The district administration should collaborate with the VPR Foundation to install additional "Amrithadhara" safe water plants in the remaining dry revenue villages of Marripadu to ensure continuous access to clean drinking water during heat waves.

## Chapter 10: Conclusion

The fundamental paradigm of disaster management must undergo a profound evolution to address the escalating, climate-induced threat of extreme heat in rain-dependent sub-districts.<sup>1</sup> As the empirical evidence from the tragic 2026 pre-monsoon heat wave in Marripadu (524312) dictates, thermal anomalies are no longer sporadic weather events but systemic, multi-sectoral crises that exploit pre-existing socioeconomic vulnerabilities and infrastructural gaps. The localized analysis of daily-wage agricultural workers, tobacco tenant farmers, and unorganized quartz miners clearly demonstrates that heat waves disproportionately impact those whose livelihoods mandate physical survival under a scorching sun.

While administrative coordination has improved—evidenced through the rollout of the Smart Heat Alert Card and real-time AWS monitoring—reactive post-disaster compensation is insufficient to protect lives. Achieving long-term climate resilience in Marripadu requires a commitment to structural adaptation. This necessitates completing major irrigation projects like the Anam Sanjeeva Reddy Somasila High-Level Canal to secure water rights, expanding community-level cooling infrastructure, and establishing economic buffers for informal and agrarian workers. Only by integrating predictive technology with structural planning can we mitigate the physiological and economic impacts of future heat waves, building a resilient pathway for Marripadu (524312).<sup>1</sup>

## Works cited

1. The heatwave conditions signify a certain amount of rising of temperature at a given place with respect to normal c - IMD Pune, accessed on May 28, 2026, <https://imdpune.gov.in/hazardatlas/heat.pdf>
2. parliament question; the heat mitigation strategy - PIB, accessed on May 28, 2026, <https://www.pib.gov.in/PressReleasePage.aspx?PRID=2117827>
3. Heat Wave Management in Andhra Pradesh and Telangana - lbsnaa, accessed on May 28, 2026, [https://www.lbsnaa.gov.in/storage/uploads/pdf\\_data/1764761462\\_Heat%20Wave%20Andhra%20Pradesh.pdf](https://www.lbsnaa.gov.in/storage/uploads/pdf_data/1764761462_Heat%20Wave%20Andhra%20Pradesh.pdf)
4. Climate change exposes hundreds of millions to longer and deadlier pre-monsoon heat in South Asia - World Weather Attribution, accessed on May 28, 2026, <https://www.worldweatherattribution.org/climate-change-exposes-hundreds-of-millions-to-longer-and-deadlier-pre-monsoon-heat-in-south-asia/>
5. IPCC Sixth Assessment Reports and Implications for South Asia, accessed on May 28, 2026, <https://cansouthasia.net/ipcc-assessment-report-6/>
6. Regional fact sheet - Asia, accessed on May 28, 2026, [https://www.ipcc.ch/report/ar6/wg1/downloads/factsheets/IPCC\\_AR6\\_WGI\\_Regional\\_Fact\\_Sheet\\_Asia.pdf](https://www.ipcc.ch/report/ar6/wg1/downloads/factsheets/IPCC_AR6_WGI_Regional_Fact_Sheet_Asia.pdf)
7. What does the IPCC report tell us about health effects of heat, air pollution and infectious diseases? - Enbel, accessed on May 28, 2026, <https://www.enbel-project.eu/news-page/what-does-the-ipcc-report-tell-us-about-health-effects-of-heat-air-pollution-and-infectious-diseasesnbsp>
8. IMD to revamp heatwave alerts, introduce percentile-based thresholds for first time, accessed on May 28, 2026, <https://www.hindustantimes.com/india-news/imd-to-revamp-heatwave-alerts-introduce-percentile-based-thresholds-for-first-time-101778994768239.html>
9. HEAT WAVE ACTION PLAN 2025-26 DISTRICT DISASTER MANAGEMENT AUTHORITY(DDMA), DHAULPUR RAJASTHAN, accessed on May 28, 2026, <https://dmrelief.rajasthan.gov.in/content/dam/dmr/files/heatwave2025/Dholpur.pdf>
10. WHO, WMO issue new report and guidance to protect workers from increasing heat stress, accessed on May 28, 2026, <https://www.who.int/news/item/22-08-2025-who-wmo-issue-new-report-and-guidance-to-protect-workers-from-increasing-heat-stress>
11. WHO, WMO issue new report and guidance to protect workers from increasing heat stress, accessed on May 28, 2026, <https://wmo.int/media/news/who-wmo-issue-new-report-and-guidance-protect-workers-from-increasing-heat-stress>
12. Initiative against extreme heat and health risks in workplaces and major events, accessed on May 28, 2026, <https://www.who.int/initiatives/initiative-against-extreme-heat-and-health-risks-in-workplaces-and-major-events>
13. Download, accessed on May 28, 2026, <https://data.opencity.in/dataset/7e208ee3-15c4-4a74-abc7-260dcaab9977/resource/aeb1dc77-3de6-428a-a799-858e7a1a1e1f/download/321a091a-c9d6-4eea-8b81-549a72c58e4c.pdf>
14. Andhra Pradesh State Disaster Management Authority's heat wave action plan aims to reduce adverse impacts of extreme heat | Vijayawada News - The Times of India, accessed on May 28, 2026, <https://timesofindia.indiatimes.com/city/vijayawada/andhra-pradesh->

[state-disaster-management-authoritys-heat-wave-action-plan-aims-to-reduce-adverse-impacts-of-extreme-heat/articleshow/120560281.cms](#)

15. Heat Wave Action Plan 2024-25 | PDF - Scribd, accessed on May 28, 2026, [https://www.scribd.com/document/785310990/Heat-Wave-Action-Plan-2024-Final-2](#)
16. Nellore Climate, Weather By Month, Average Temperature (Andhra Pradesh, India), accessed on May 28, 2026, [https://weatherspark.com/y/109836/Average-Weather-in-Nellore-Andhra-Pradesh-India-Year-Round](#)
17. State: ANDHRA PRADESH Agriculture Contingency Plan for District: SPSR NELLORE - ICAR-CRIDA, accessed on May 28, 2026, [https://www.icar-crida.res.in/CP/AndhraPradesh/Nellore.pdf](#)
18. Andhra Pradesh's Chityala records season's highest temperature at 48.3 degrees Celsius, accessed on May 28, 2026, [https://www.ap7am.com/en/127749/andhra-pradeshs-chityala-records-seasons-highest-temperature-at-483-degrees-celsius](#)
19. APSDMA Issues Heatwave Warning for Several Mandals in AP - Deccan Chronicle, accessed on May 28, 2026, [https://www.deccanchronicle.com/southern-states/andhra-pradesh/apsdma-issues-heatwave-warning-for-several-mandals-in-ap-1957482](#)
20. Allampadu Village Population - Marripadu - Sri Potti Sriramulu Nellore, Andhra Pradesh, accessed on May 28, 2026, [https://www.census2011.co.in/data/village/591795-allampadu-andhra-pradesh.html](#)
21. Heat Wave Action Plan-2026 launched to tackle summer related illnesses - The Hindu, accessed on May 28, 2026, [https://www.thehindu.com/news/national/andhra-pradesh/heat-wave-action-plan-2026-launched-to-tackle-summer-related-illnesses/article70978689.ece](#)
22. Heat Wave Vulnerability Mapping for India - PMC, accessed on May 28, 2026, [https://pmc.ncbi.nlm.nih.gov/articles/PMC5409558/](#)
23. Mapping Heatwave Vulnerability Across India - ArcGIS StoryMaps, accessed on May 28, 2026, [https://storymaps.arcgis.com/stories/140adac022c24abcb6454195746ee450](#)
24. Urban Heat Island vulnerability mapping using advanced GIS data and tools - Indian Academy of Sciences, accessed on May 28, 2026, [https://www.ias.ac.in/public/Volumes/jess/131/00/0266.pdf](#)
25. APSDMA launches 'Smart Heat Alert Card' that gives real-time temperatures and dos and don'ts - The Hindu, accessed on May 28, 2026, [https://www.thehindu.com/news/national/andhra-pradesh/apsdma-launches-smart-heat-alert-card-that-gives-real-time-temperatures-and-dos-and-donts/article69588220.ece](#)
26. Severe Heatwave Grips AP; Civic Bodies on High Alert - Deccan Chronicle, accessed on May 28, 2026, [https://www.deccanchronicle.com/southern-states/andhra-pradesh/severe-heatwave-grips-ap-civic-bodies-on-high-alert-1957835](#)
27. Telangana: 16 dead due to suspected heatstroke | India News - Hindustan Times, accessed on May 28, 2026, [https://www.hindustantimes.com/india-news/telangana-16-dead-due-to-suspected-heatstroke-101779560760447.html](#)
28. District Level Contingency Plans for Weather Aberrations in India - ICAR-CRIDA, accessed on May 28, 2026, [https://www.icar-crida.res.in/assets/img/Books/2011-12/contingency%20plans%20book.pdf](#)
29. DISTRICT SURVEY REPORT SPS NELLORE DISTRICT - Andhra Pradesh Space Applications Centre, accessed on May 28, 2026, [https://apsac.ap.gov.in/wp-content/uploads/2025/09/DSR-Reports/nellore.pdf](#)
30. GIS Heatwave Mapping: Managing India's Heat Crisis - Esri India, accessed on May 28,

2026, <https://www.esri.in/en-in/newsroom/blog/gis-mapping-tackling-indias-summer-heatwave-crisis>

31. stAte Action PlAn on climAte chAnge And humAn heAlth - NCDC, accessed on May 28, 2026, <https://ncdc.mohfw.gov.in/uploads/pdf/state1.pdf>