DBT CMCE Practice Quiz - 2

Total points 21/40

The respondent's email (**rushikesh.sambare.cmfeb26@gmail.com**) was recorded on submission of this form.

0 of 0 points

Name *

Rushikesh Sambare

PRN (12 Digit) *

260240320142

Questions

21 of 40 points

✓ How can you change "Kohli" into "Rohit" in the "LastName" column in the Persons table? *1/1

- A) MODIFY Persons SET LastName='Rohit' WHERE LastName='Kohli'
- B) MODIFY Persons SET LastName='Kohli' INTO LastName='Rohit
- C) UPDATE Persons SET LastName='Kohli' INTO LastName='Rohit'
- D) UPDATE Persons SET LastName='Rohit' WHERE LastName='Kohli' ✓

✓ The ability to query data, as well as insert, delete, and alter tuples, is offered by _____ *1/1

- ○ a) TCL (Transaction Control Language)
- ○ b) DCL (Data Control Language)
- ○ c) DDL (Data Definition Langauge)
- ◉ d) DML (Data Manipulation Langauge) ✓

✓ State whether the following statement is true or false: * 1/1
It is not possible to include a WHERE clause in an UPDATE command.

- ○ A) True
- ◉ B) False ✓

✓ With MySQL, how can you insert "SKY" as the "LastName" in the "Persons" table? *1/1

- ○ A) INSERT INTO Persons ('SKY') INTO LastName
- ◉ B) INSERT INTO Persons (LastName) VALUES ('SKY') ✓
- ○ C) INSERT ('SKY') INTO Persons (LastName)
- ○ D) NONE

✓ Choose the correct option regarding the query *1/1

SELECT branch_name, **COUNT** (**DISTINCT** customer_name) **FROM** depositor, account **WHERE** depositor.account_number = account.account_number **GROUP BY** branch_id **HAVING** avg(balance) = 10000;

- a) The having clause checks whether the query result is true or not
- b) The having clause does not check for any condition
- c) The having clause allows only those tuples that have average balance 10000 ✓
- d) None of the mentioned

✗ What is the function of inner join? * 0/1

- a) It preserves tuples only in the relation named before the operation
- b) It preserves tuples only in the relation named after the operation
- c) It preserved tuples in the relations named on both the sides of the operation ✗
- d) It does not preserve any tuples on either side of the relation

Correct answer

- d) It does not preserve any tuples on either side of the relation

✓ With MySQL, how can you return all the records from a table named "Persons" sorted descending by "FirstName"? *1/1

- ○ A) SELECT * FROM Persons SORT BY 'FirstName' DESC
- ○ B) SELECT * FROM Persons ORDER FirstName DESC
- ◉ C) SELECT * FROM Persons ORDER BY FirstName DESC ✓
- ○ D) SELECT * FROM Persons SORT 'FirstName' DESC

✗ Which of the following command is correct to delete the values in the relation teaches? *0/1

- ○ a) Delete from teaches;
- ◉ b) Delete from teaches where Id ='Null'; ✗
- ○ c) Remove table teaches;
- ○ d) Drop table teaches;

Correct answer

- ◉ a) Delete from teaches;

✓ What is a view? * 1/1

- ○ a) An brief description of the schema diagram.
- ◉ b) A relation that is not a part of the schema but is a virtual relation ✓
- ○ c) Any relation that is a part of the schema
- ○ d) A relation that is a part of the schema but which needs to be specified in every operation made on that particular relation.

✓ Which of the following is not a built in aggregate function in SQL? * 1/1

- ○ a) avg
- ○ b) max
- ◉ c) total ✓
- ○ d) count

✓ A table can contain how many individual primary keys? * 1/1

- ◉ A) Only One ✓
- ○ B) Only Two
- ○ C) Depends on the user
- ○ D) None

✕ CROSS JOIN and JOIN are similar to _____ * 0/1

- ○ A) INNER JOIN
- ○ B) NATURAL JOIN
- ○ C) OUTER JOIN
- ◉ D) CARTESIAN JOIN ✕

Correct answer

- ◉ A) INNER JOIN

✕ What is the difference between a join and an outer join operation? * 0/1

- ○ a) There is no difference
- ○ b) Join preserves a few tuples that are otherwise lost in the outer join
- ○ c) Outer join preserves a few tuples that are otherwise lost in the join
- ◉ d) An outer join can be used only on outer queries whereas a join operation can be used in Subqueries ✕

Correct answer

- ◉ c) Outer join preserves a few tuples that are otherwise lost in the join

✓ With MySQL, how do you select all the records from a table named "Persons" where the value of the column "FirstName" starts with an "a"? *1/1

- (●) A) SELECT * FROM Persons WHERE FirstName LIKE 'a%' ✓
- ( ) B) SELECT * FROM Persons WHERE FirstName='a'
- ( ) C) SELECT * FROM Persons WHERE FirstName LIKE '%a'
- ( ) D) SELECT * FROM Persons WHERE FirstName='%a%'

✗ The join operations that do not retain mismatched tuples are called as _____ operations *0/1

- ( ) a) outer join
- (●) b) natural join ✗
- ( ) c) full outer join
- ( ) d) inner join

Correct answer

- (●) d) inner join

✓ The NOW() function is used to return the current date and time in which of the following format? *1/1

- a) HH:MM:SS DD-MM-YYYY
- b) DD-MM-YYYY HH:MM:SS
- c) HH:MM:SSYYYY-MM-DD
- d) YYYY-MM-DD HH:MM:SS ✓

✗ Which SQL command is used to add a new column to an existing table? * 0/1

- A) ADD COLUMN ✗
- B) NEW COLUMN
- C) INSERT COLUMN
- D) ALTER TABLE

Correct answer

- D) ALTER TABLE

✓ If a left outer join is performed and the tuple on the left hand side does not match with the tuple on the right hand side, what happens to the values that are preserved on the left hand side? *1/1

- (●) a) They are given null values ✓
- ( ) b) They are given a random value
- ( ) c) The user is asked to enter data
- ( ) d) The query is declared invalid by the compilern 1

✗ Which of the following is not a type of database? * 0/1

- ( ) a) Hierarchical
- (●) b) Network ✗
- ( ) c) Distributed
- ( ) d) Decentralized

Correct answer

- (●) d) Decentralized

✕ State true or false: We can update a view if it has multiple database relations in the from clause *0/1

- (●) a) True ✕
- ( ) b) False

Correct answer

- (●) b) False

✓ What is the function of a full outer join? * 1/1

- ( ) a) It preserves tuples only in the relation named before the operation
- ( ) b) It preserves tuples only in the relation named after the operation
- (●) c) It preserved tuples in the relations named on both the sides of the operation ✓
- ( ) d) It does not preserve any tuples on either side of the relation

✕ Which SQL clause is used to filter the results returned by a query? * 0/1

- ( ) A) SORT BY
- ( ) B) FILTER BY
- ( ) C) WHERE
- (●) D) HAVING ✕

Correct answer

- (●) C) WHERE

✓ Consider the following SQL query: * 1/1

```
SELECT *
FROM Orders
WHERE OrderDate BETWEEN '2023-01-01' AND '2023-12-31';
```

What does this query retrieve?

- ○ A) All orders placed till December 31st, 2023.
- ◉ B) All orders placed between January 1st, 2023, and December 31st, 2023. ✓
- ○ C) All orders placed after January 1st, 2023.
- ○ D) All orders placed before December 31st, 2023.

✓ Which of the following function is used to return the current time of our system? *1/1

- ○ a) CUR_TIME()
- ◉ b) CURTIME() ✓
- ○ c) CURRENTTIME()
- ○ d) TIME()

✕ create view studentdet *
select ID, address, name
from student;
What is the result of the above query?

0/1

- (●) a) It creates a view named studentdet with 3 attributes ✕
- ( ) b) It creates a view named studentdet with 1 attribute
- ( ) c) It creates a view named ID with 2 attributes
- ( ) d) It is syntactically wrong and does not give a result

Correct answer

- (●) d) It is syntactically wrong and does not give a result

✕ What will be the output of the following statement? *
SELECT DATEDIFF('2020-11-30 23:59:59','2020-11-29');

0/1

- ( ) a) -1
- ( ) b) 0
- ( ) c) 1
- (●) d) 00:00:01 ✕

Correct answer

- (●) c) 1

✓ Which SQL statement is used to roll back the current transaction and undo its changes, create a new savepoint within the current transaction and commit the current transaction and make its changes permanent? *1/1

- (●) ROLLBACK TRANSACTION, SAVEPOINT, COMMIT TRANSACTION ✓
- ( ) SAVEPOINT, COMMIT TRANSACTION, ROLLBACK TRANSACTION
- ( ) COMMIT TRANSACTION, ROLLBACK TRANSACTION, SAVEPOINT
- ( ) COMMIT TRANSACTION, SAVEPOINT, ROLLBACK TRANSACTION

✗ Developer ANJU executed the following statement: create table animals as select * from Master.animals; What is the effect of this statement? *0/1

- (●) A) A table named animals will be created in the Master schema with the same data as the animals table owned by ANJU ✗
- ( ) B) Syntax error in the statement
- ( ) C) A table named animals will be created in ANJU's default schema with the same data as the animals table owned by Master
- ( ) D) None of the above

Correct answer

- (●) C) A table named animals will be created in ANJU's default schema with the same data as the animals table owned by Master

✓ What will the output of the following statement? * 1/1

SELECT DATE_ADD('1998-01-02', **INTERVAL** 31 **DAY**);

- ○ a) 1998 Feb 02
- ○ b) 02 Feb 1998
- ◉ c) 1998-02-02 ✓
- ○ d) 02-02-1998

✓ What is the default sort order of the ORDER BY clause? * 1/1

- ○ A) DESC
- ◉ B) ASC ✓
- ○ C) RANDOM
- ○ D) NONE

✗ Which SQL clause is used to calculate aggregate functions such as COUNT(), SUM(), AVG(), etc.? *0/1

- ◉ A) SELECT ✗
- ○ B) WHERE
- ○ C) GROUP BY
- ○ D) HAVING

Correct answer

- ◉ C) GROUP BY

✕ Consider the following SQL query: * 0/1

SELECT AVG(Salary)
FROM Employees
GROUP BY DepartmentID;
What does this query calculate?

- ○ A) The total salary of all employees in each department.
- ○ B) The average salary of all employees in each department.
- ◉ C) The average salary of all employees of all departments. ✕
- ○ D) The lowest salary of all employees of all department.

Correct answer

- ◉ B) The average salary of all employees in each department.

✕ State true or false: SQL does not permit distinct with count(*) * 0/1

- ○ a) True
- ◉ b) False ✕

Correct answer

- ◉ a) True

✕ Which of the following function is used to convert the given time into seconds? *0/1

- ○ a) TIME_TO_SEC()
- ○ b) SEC()
- ◉ c) TO_SEC() ✕
- ○ d) TIMETOSEC()

Correct answer

- ◉ a) TIME_TO_SEC()

✓ Which keyword is used to rename the resulting attribute after the application of the aggregation function? *1/1

- ○ a) rename
- ◉ b) as ✓
- ○ c) replace
- ○ d) to

✕ You are writing a SQL query to retrieve data from two tables, "Orders" and "Customers." Each order is associated with a customer, but not all customers have placed orders. Which type of join would you use to retrieve all customers, including those who haven't placed orders? *0/1

- ○ A) INNER JOIN
- ○ B) LEFT JOIN
- ○ C) RIGHT JOIN
- ◉ D) FULL JOIN ✕

Correct answer

- ◉ B) LEFT JOIN

✓ You want to add a constraint to the "Age" column in the "Students" table to ensure that the age of a student must be greater than or equal to 18. Which SQL statement would you use? *1/1

- ○ a) ADD CONSTRAINT CHK_Age CHECK (Age >= 18) TO Students;
- ◉ b) ALTER TABLE Students ADD CONSTRAINT CHK_Age CHECK (Age >= 18); ✓
- ○ c) ADD CONSTRAINT CHK_Age CHECK (Age >= 18) ON Students;
- ○ d) ALTER TABLE Students ADD CHECK (Age >= 18);

✕ You want to ensure that each employee is assigned to only one department. Which type of constraint would you apply to enforce this rule? *0/1

- (●) A) PRIMARY KEY ✕
- ( ) B) FOREIGN KEY
- ( ) C) UNIQUE constraint
- ( ) D) CHECK constraint

Correct answer

- (●) B) FOREIGN KEY

✓ You need to retrieve the total number of orders placed by each customer from the "Orders" table. Which SQL statement would you use? *1/1

- ( ) A) SELECT COUNT(*) FROM Orders GROUP BY CustomerID;
- (●) B) SELECT COUNT(OrderID) FROM Orders GROUP BY CustomerID; ✓
- ( ) C) SELECT SUM(OrderID) FROM Orders GROUP BY CustomerID;
- ( ) D) SELECT AVG(OrderID) FROM Orders GROUP BY CustomerID;

✕ The _____ construct evaluates to true only when the sub-query lacks any instances of duplicate values. *0/1

- ○ A) Not null
- ○ B) Not unique
- ○ C) Unique
- ◉ D) Null ✕

Correct answer

- ◉ C) Unique

This content is neither created nor endorsed by Google. - Contact form owner - Terms of Service - Privacy Policy

Does this form look suspicious? Report

Google Forms