

Test ID	Description	Expected Results	Actual Results
Test Name: Select Delivery Option Test Author: Rushil Test Type: Functional	<p>Preconditions: The user has placed an item in the cart and proceeded to checkout.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>1. Select a delivery option during the checkout process.</li> <li>2. Choose 'Express Delivery'.</li> <li>3. Complete the purchase.</li> </ol> <p>Input: Delivery Option: Express Delivery</p>	<p>Test Outputs:</p> <ul style="list-style-type: none"> <li>• Express Delivery is applied to the order.</li> <li>• The estimated delivery date reflects the express option.</li> <li>• Order summary with express delivery details.</li> </ul>	N/A (Not implementing)
Test Name: In-store Availability Check Test Author: Rushil Test Type: Functional	<p>Preconditions: User found a product they are interested in buying</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>1. On the product page, select the option to 'Check in-store availability'.</li> <li>2. Enter the user's location.</li> </ol> <p>Input: User inputs location. Ex: 20148</p>	<p>Test Outputs:</p> <ul style="list-style-type: none"> <li>• The application displays the nearest stores with the item in stock.</li> <li>• List of nearby stores with product availability.</li> </ul>	N/A (Not implementing)

Test Name: Test Author: Rushil Test Type: Functional	Preconditions: Steps: Input:	Test Outputs:	N/A (Not implementing)
Test Name: Checkout Process from Product Page Test Author: Rushil Test Type: Functional	Preconditions: The user is on a product page.  Steps: <ol style="list-style-type: none"> <li>1. Click 'Buy Now' to initiate the checkout process.</li> <li>2. Confirm the shipping information and proceed.</li> <li>3. Complete the payment information and place the order.</li> </ol> Input: <ul style="list-style-type: none"> <li>• Shipping Information</li> <li>• Payment Details</li> </ul>	Test Outputs: <ul style="list-style-type: none"> <li>• The purchase is completed, and a confirmation is provided.</li> <li>• Order confirmation page and email.</li> </ul>	N/A (Not implementing)
Test Name: Product Selection and Navigation to Product Page Test Author: Rushil Test Type: Functional	Preconditions: Recommendations have been provided based on user filters.  Steps: <ol style="list-style-type: none"> <li>1. Select a product from the recommendations.</li> <li>2. Click on the product to navigate to the product</li> </ol>	Test Outputs: <ul style="list-style-type: none"> <li>• The application navigates to the product's detail page.</li> <li>• Product page with detailed information.</li> </ul>	N/A (Not implementing)

	<p>page.</p> <p>Input:</p> <ul style="list-style-type: none"> <li>Selected product: A specific item from the recommendations</li> </ul>		
<p>Test Name: Recommendation Sorting Order</p> <p>Test Author: Rushil</p> <p>Test Type: Functional</p>	<p>Preconditions: The user has applied several filters including brand and price.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>View the list of filtered recommendations.</li> </ol> <p>Input: Sort from lowest to highest-priced</p>	<p>Test Outputs:</p> <ul style="list-style-type: none"> <li>Recommendations are sorted from lowest to highest price.</li> <li>Sorted recommendations list.</li> </ul>	N/A (Not implementing)
<p>Test Name: Price Range Filtering</p> <p>Test Author: Rushil</p> <p>Test Type: Functional</p>	<p>Preconditions: The user is logged in.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>Set the price filter to a range of \$25 to \$50.</li> <li>Apply the filter.</li> </ol> <p>Input: Price Range: \$25 - \$50.</p>	<p>Test Outputs:</p> <ul style="list-style-type: none"> <li>All recommendations fall within the \$25 to \$50 price range.</li> <li>List of products within the specified price range.</li> </ul>	N/A (Not implementing)
<p>Test Name: Size and Fit Filtering</p> <p>Test Author: Rushil</p> <p>Test Type: Functional</p>	<p>Preconditions: The user is logged into account.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>Open the size</li> </ol>	<p>Test Outputs:</p> <ul style="list-style-type: none"> <li>Recommendations should only include items that are 'Large' size</li> </ul>	N/A (Not implementing)

	<p>and fit filter.</p> <ol style="list-style-type: none"> <li>2. Select 'Large' and 'Tall'.</li> <li>3. Apply the filter.</li> </ol> <p>Input:</p> <ul style="list-style-type: none"> <li>• Size: Large</li> <li>• Fit: Tall</li> </ul>	<p>and 'Tall'.</p> <ul style="list-style-type: none"> <li>• List of 'Large' size and 'Tall' recommendations.</li> </ul>	
<p>Test Name: Filtering by Clothing Style</p> <p>Test Author: Rushil</p> <p>Test Type: Functional</p>	<p>Preconditions: The user is logged in.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>1. Access the clothing style filter.</li> <li>2. Select 'Casual' from the available styles.</li> <li>3. Apply the filter.</li> </ol> <p>Input: Selected Style: Casual</p>	<p>Test Outputs:</p> <ul style="list-style-type: none"> <li>• Only 'Casual' style clothing is shown in the recommendations.</li> <li>• Recommendation list filtered by 'Casual' style.</li> </ul>	N/A (Not implementing)
<p>Test Name: Brand Preference Filter</p> <p>Test Author: Rushil</p> <p>Test Type: Functional</p>	<p>Preconditions: The user is logged in and has set up profile information.</p> <p>Steps:</p> <ol style="list-style-type: none"> <li>1. Navigate to the brand filter section.</li> <li>2. Choose 'Adidas' from the list of brands.</li> <li>3. Apply the filter.</li> </ol> <p>Input: Selected Brand: Adidas</p>	<p>Test Outputs:</p> <ul style="list-style-type: none"> <li>• Recommendation list is populated only with products from 'Adidas'.</li> <li>• Products from 'Adidas' in the recommendations.</li> </ul>	N/A (Not implementing)

