

permission

master

atabegruslan committed on Feb 18, 20201 parent f50d0b4 commit 981f89c7cf8d2ec18e6f38d4c48c8c41bf7f944d

Browse files

Showing 15 changed files with 208 additions and 25 deletions.

SplitUnified

10 app/Http/Controllers/Api/CommentController.php

36	*/	36	*/
37	public function store(Request \$request)	37	public function store(Request \$request)
38	{	38	{
		39	+ // if (!auth()->user()->can('entry.create'))
		40	+ // {
		41	+ // abort(403);
		42	+ // }
		43	+
39	try	44	try
40	{	45	{
41	\$comment = new	46	\$comment = new
	Comment;		Comment;
73	*/	78	*/
74	public function show(\$id)	79	public function show(\$id)
75	{	80	{
		81	+ // if (!auth()->user()->can('entry.read'))
		82	+ // {
		83	+ // abort(403);
		84	+ // }
		85	+
76	try	86	try
77	{	87	{
78	\$response =	88	\$response =
	Comment::with('commentor')->where('entry_id',		Comment::with('commentor')->where('entry_id',
	\$id)->get();		\$id)->get();

10 app/Http/Controllers/Api/RegionController.php

16	*/	16	*/
17	public function index()	17	public function index()
18	{	18	{
		19	+ // if (!auth()->user()->can('region.read'))

		20	+	// {
		21	+	// abort(403);
		22	+	// }
		23	+	
19	try	24	try	
20	{	25	{	
21	\$regions = Region::all();	26	\$regions = Region::all();	
150		155		
151	public function rearrange(Request	156	public function rearrange(Request	
	\$request)		\$request)	
152	{	157	{	
		158	+	// if (!auth()->user()-
				>can('region.create'))
		159	+	// {
		160	+	// abort(403);
		161	+	// }
		162	+	
153	\$inputs = \$request->all();	163	\$inputs = \$request->all();	
154		164		
155	DB::table('region_tree')->truncate();	165	DB::table('region_tree')->truncate();	

5 app/Http/Controllers/Api/UserController.php

15	*/	15	*/
16	public function index(Request \$request)	16	public function index(Request \$request)
17	{	17	{
		18	+
			// if (!auth()->user()-
			>can('user.read'))
		19	+
			// {
		20	+
			// abort(403);
		21	+
			// }
		22	+
18	try	23	try
19	{	24	{
20	//\$params = \$request-	25	//\$params = \$request-
	>only('per_page', 'page');		>only('per_page', 'page');

10 app/Http/Controllers/Web/ActionLogController.php

13	{	13	{
14	public function index()	14	public function index()
15	{	15	{
		16	+
			if (!auth()->user()->can('log.read'))
		17	+
			{
		18	+
			abort(403);
		19	+
			}
		20	+
16	\$logs = ActionLog::orderBy('time',	21	\$logs = ActionLog::orderBy('time',
	'ASC')->get()->all();		'ASC')->get()->all();
17		22	
18	foreach(\$logs as \$log)	23	foreach(\$logs as \$log)
25		30	

26	<code>public function restore(Request \$request)</code>	31	<code>public function restore(Request \$request)</code>
27	<code>{</code>	32	<code>{</code>
		33	<code>+ if (!auth()->user()->hasRole('Admin'))</code>
		34	<code>+ {</code>
		35	<code>+ abort(403);</code>
		36	<code>+ }</code>
		37	<code>+ </code>
28	<code> \$logId = \$request->input('log_id');</code>	38	<code> \$logId = \$request->input('log_id');</code>
29	<code> \$log = ActionLog::where('id', \$logId)->first()->getAttributes();</code>	39	<code> \$log = ActionLog::where('id', \$logId)->first()->getAttributes();</code>
30	<code> \$log['params'] = unserialize(\$log['params']);</code>	40	<code> \$log['params'] = unserialize(\$log['params']);</code>

35

app/Http/Controllers/Web/EntryController.php

22	<code>*/</code>	22	<code>*/</code>
23	<code>public function index()</code>	23	<code>public function index()</code>
24	<code>{</code>	24	<code>{</code>
		25	<code>+ if (!auth()->user()->can(\$this->feature . '.read'))</code>
		26	<code>+ {</code>
		27	<code>+ abort(403);</code>
		28	<code>+ }</code>
		29	<code>+ </code>
25	<code> \$entries = Entry::orderBy('time', 'DESC')->paginate(PAG);</code>	30	<code> \$entries = Entry::orderBy('time', 'DESC')->paginate(PAG);</code>
26		31	
27	<code> \$data = ['items' => \$entries, 'feature' => \$this->feature];</code>	32	<code> \$data = ['items' => \$entries, 'feature' => \$this->feature];</code>
36	<code>*/</code>	41	<code>*/</code>
37	<code>public function create()</code>	42	<code>public function create()</code>
38	<code>{</code>	43	<code>{</code>
		44	<code>+ if (!auth()->user()->can(\$this->feature . '.create'))</code>
		45	<code>+ {</code>
		46	<code>+ abort(403);</code>
		47	<code>+ }</code>
		48	<code>+ </code>
39	<code> \$regions = Region::all();</code>	49	<code> \$regions = Region::all();</code>
40		50	
41	<code> \$data = [</code>	51	<code> \$data = [</code>
57	<code>*/</code>	67	<code>*/</code>
58	<code>public function store(Request \$request)</code>	68	<code>public function store(Request \$request)</code>
59	<code>{</code>	69	<code>{</code>
		70	<code>+ if (!auth()->user()->can(\$this->feature . '.create'))</code>
		71	<code>+ {</code>
		72	<code>+ abort(403);</code>
		73	<code>+ }</code>
		74	<code>+ </code>
60	<code> \$this->validate(\$request, [</code>	75	<code> \$this->validate(\$request, [</code>

61	'place' => 'required max:15',	76	'place' => 'required max:15',
62	'comments' => 'required max:50',	77	'comments' => 'required max:50',
104	*/	119	*/
105	public function show(\$id)	120	public function show(\$id)
106	{	121	{
		122	+ if (!auth()->user()->can(\$this->feature . '.read'))
		123	+ {
		124	+ abort(403);
		125	+ }
		126	+
107	\$entry = Entry::where('id', \$id)->first();	127	\$entry = Entry::where('id', \$id)->first();
108	\$selectedRegions = \$entry->regions()->get();	128	\$selectedRegions = \$entry->regions()->get();
109		129	
126	*/	146	*/
127	public function edit(\$id)	147	public function edit(\$id)
128	{	148	{
		149	+ if (!auth()->user()->can(\$this->feature . '.update'))
		150	+ {
		151	+ abort(403);
		152	+ }
		153	+
129	\$entry = Entry::where('id', \$id)->first();	154	\$entry = Entry::where('id', \$id)->first();
130	\$regions = Region::all();	155	\$regions = Region::all();
131	\$selectedRegions = \$entry->regions()->get();	156	\$selectedRegions = \$entry->regions()->get();
151	*/	176	*/
152	public function update(Request \$request, \$id)	177	public function update(Request \$request, \$id)
153	{	178	{
		179	+ if (!auth()->user()->can(\$this->feature . '.update'))
		180	+ {
		181	+ abort(403);
		182	+ }
		183	+
154	\$this->validate(\$request, [184	\$this->validate(\$request, [
155	'place' => 'required max:15',	185	'place' => 'required max:15',
156	'comments' => 'required max:50',	186	'comments' => 'required max:50',
191	*/	221	*/
192	public function destroy(\$id)	222	public function destroy(\$id)
193	{	223	{
		224	+ if (!auth()->user()->can(\$this->feature . '.delete'))
		225	+ {
		226	+ abort(403);
		227	+ }
		228	+
194	\$entry = Entry::where('id', \$id)-	229	\$entry = Entry::where('id', \$id)-

	>first();		>first();
195		230	
196	\$this->deleteImage(\$entry->img_url);	231	\$this->deleteImage(\$entry->img_url);

<div> <div> <div></div> <div></div> <div></div> </div> <div>35</div> <div> <div></div> <div></div> <div></div> </div> <div>app/Http/Controllers/Web/RegionController.php</div> <div></div> </div>			
19	*/	19	*/
20	public function index()	20	public function index()
21	{	21	{
		22	+ if (!auth()->user()->can(\$this->feature . '.read'))
		23	+ {
		24	+ abort(403);
		25	+ }
		26	+ }
22	\$regions = Region::all();	27	\$regions = Region::all();
23		28	
24	\$data = ['items' => \$regions,	29	\$data = ['items' => \$regions,
	'feature' => \$this->feature];		'feature' => \$this->feature];
33	*/	38	*/
34	public function create()	39	public function create()
35	{	40	{
		41	+ if (!auth()->user()->can(\$this->feature . '.create'))
		42	+ {
		43	+ abort(403);
		44	+ }
		45	+ }
36	\$data = ['item' => null, 'feature' =>	46	\$data = ['item' => null, 'feature' =>
	\$this->feature];		\$this->feature];
37		47	
38	return view(\$this->feature .	48	return view(\$this->feature .
	'.create', \$data);		'.create', \$data);
46	*/	56	*/
47	public function store(Request \$request)	57	public function store(Request \$request)
48	{	58	{
		59	+ if (!auth()->user()->can(\$this->feature . '.create'))
		60	+ {
		61	+ abort(403);
		62	+ }
		63	+ }
49	\$this->validate(\$request, [64	\$this->validate(\$request, [
50	'name' => 'required',	65	'name' => 'required',
51]);	66]);
70	*/	85	*/
71	public function show(\$id)	86	public function show(\$id)
72	{	87	{
		88	+ if (!auth()->user()->can(\$this->feature . '.read'))
		89	+ {
		90	+ abort(403);
		91	+ }

		92	+
73	<code>\$region = Region::where('id', \$id)->first();</code>	93	<code>\$region = Region::where('id', \$id)->first();</code>
74		94	
75	<code>\$data = ['item' => \$region, 'feature' => \$this->feature];</code>	95	<code>\$data = ['item' => \$region, 'feature' => \$this->feature];</code>
85	<code>*/</code>	105	<code>*/</code>
86	<code>public function edit(\$id)</code>	106	<code>public function edit(\$id)</code>
87	<code>{</code>	107	<code>{</code>
		108	+
			<code>if (!auth()->user()->can(\$this->feature . '.update'))</code>
		109	+
			<code>{</code>
		110	+
			<code>abort(403);</code>
		111	+
			<code>}</code>
		112	+
88	<code>\$region = Region::where('id', \$id)->first();</code>	113	<code>\$region = Region::where('id', \$id)->first();</code>
89		114	
90	<code>\$data = ['item' => \$region, 'feature' => \$this->feature];</code>	115	<code>\$data = ['item' => \$region, 'feature' => \$this->feature];</code>
101	<code>*/</code>	126	<code>*/</code>
102	<code>public function update(Request \$request, \$id)</code>	127	<code>public function update(Request \$request, \$id)</code>
103	<code>{</code>	128	<code>{</code>
		129	+
			<code>if (!auth()->user()->can(\$this->feature . '.update'))</code>
		130	+
			<code>{</code>
		131	+
			<code>abort(403);</code>
		132	+
			<code>}</code>
		133	+
104	<code>\$this->validate(\$request, [</code>	134	<code>\$this->validate(\$request, [</code>
105	<code>'name' => 'required',</code>	135	<code>'name' => 'required',</code>
106	<code>]);</code>	136	<code>]);</code>
124	<code>*/</code>	154	<code>*/</code>
125	<code>public function destroy(\$id)</code>	155	<code>public function destroy(\$id)</code>
126	<code>{</code>	156	<code>{</code>
		157	+
			<code>if (!auth()->user()->can(\$this->feature . '.delete'))</code>
		158	+
			<code>{</code>
		159	+
			<code>abort(403);</code>
		160	+
			<code>}</code>
		161	+
127	<code>\$region = Region::where('id', \$id)->first();</code>	162	<code>\$region = Region::where('id', \$id)->first();</code>
128		163	
129	<code>\$region->delete();</code>	164	<code>\$region->delete();</code>

18	<code>*/</code>	18	<code>*/</code>
19	<code>public function index()</code>	19	<code>public function index()</code>
20	<code>{</code>	20	<code>{</code>
		21	+
			<code>if (!auth()->user()->can(\$this-</code>

		22	>feature . '.read'))
		23	+ {
		24	+ abort(403);
		25	+ }
21	\$roles = Role::all();	26	\$roles = Role::all();
22		27	
23	\$data = ['items' => \$roles, 'feature'	28	\$data = ['items' => \$roles, 'feature'
	=> \$this->feature];		=> \$this->feature];
32	*/	37	*/
33	public function create()	38	public function create()
34	{	39	{
		40	+ if (!auth()->user()->can(\$this->feature . '.create'))
		41	+ {
		42	+ abort(403);
		43	+ }
		44	+ }
35	\$permissions = Permission::all();	45	\$permissions = Permission::all();
36		46	
37	\$data = [47	\$data = [
53	*/	63	*/
54	public function store(Request \$request)	64	public function store(Request \$request)
55	{	65	{
		66	+ if (!auth()->user()->can(\$this->feature . '.create'))
		67	+ {
		68	+ abort(403);
		69	+ }
		70	+ }
56	\$this->validate(\$request, [71	\$this->validate(\$request, [
57	'name' => 'required',	72	'name' => 'required',
58]);	73]);
78	*/	93	*/
79	public function show(\$id)	94	public function show(\$id)
80	{	95	{
		96	+ if (!auth()->user()->can(\$this->feature . '.read'))
		97	+ {
		98	+ abort(403);
		99	+ }
		100	+ }
81	\$role = Role::where('id', \$id)->first();	101	\$role = Role::where('id', \$id)->first();
82	\$selectedPermissions = \$role->permissions()->get();	102	\$selectedPermissions = \$role->permissions()->get();
83		103	
100	*/	120	*/
101	public function edit(\$id)	121	public function edit(\$id)
102	{	122	{
		123	+ if (!auth()->user()->can(\$this->feature . '.update'))
		124	+ {

		125	+ abort(403);
		126	+ }
		127	+
103	\$role = Role::where('id', \$id)->first();	128	\$role = Role::where('id', \$id)->first();
104	\$permissions = Permission::all();	129	\$permissions = Permission::all();
105	\$selectedPermissions = \$role->permissions()->get();	130	\$selectedPermissions = \$role->permissions()->get();
125	*/	150	*/
126	public function update(Request \$request, \$id)	151	public function update(Request \$request, \$id)
127	{	152	{
		153	+ if (!auth()->user()->can(\$this->feature . '.update'))
		154	+ {
		155	+ abort(403);
		156	+ }
		157	+
128	\$this->validate(\$request, [158	\$this->validate(\$request, [
129	'name' => 'required',	159	'name' => 'required',
130]);	160]);
151	*/	181	*/
152	public function destroy(\$id)	182	public function destroy(\$id)
153	{	183	{
		184	+ if (!auth()->user()->can(\$this->feature . '.delete'))
		185	+ {
		186	+ abort(403);
		187	+ }
		188	+
154	\$role = Role::where('id', \$id)->first();	189	\$role = Role::where('id', \$id)->first();
155		190	
156	\$role->delete();	191	\$role->delete();

<div> <div></div> <div>20</div> <div>app/Http/Controllers/Web/UserController.php</div> <div></div> </div>			
18	*/	18	*/
19	public function index()	19	public function index()
20	{	20	{
		21	+ if (!auth()->user()->can(\$this->feature . '.read'))
		22	+ {
		23	+ abort(403);
		24	+ }
		25	+
21	\$data = ['feature' => \$this->feature];	26	\$data = ['feature' => \$this->feature];
22		27	
23	return view('user.index', \$data);	28	return view('user.index', \$data);
52	*/	57	*/
53	public function show(\$id)	58	public function show(\$id)
54	{	59	{

		60	+ if (!auth()->user()->can(\$this->feature . '.read'))
		61	+ {
		62	+ abort(403);
		63	+ }
		64	+
55	\$user = User::find(\$id);	65	\$user = User::find(\$id);
56	\$selectedRoles = \$user->roles()->get();	66	\$selectedRoles = \$user->roles()->get();
57		67	
74	*/	84	*/
75	public function edit(\$id)	85	public function edit(\$id)
76	{	86	{
		87	+ if (!auth()->user()->can(\$this->feature . '.update'))
		88	+ {
		89	+ abort(403);
		90	+ }
		91	+
77	\$user = User::find(\$id);	92	\$user = User::find(\$id);
78	\$roles = Role::all();	93	\$roles = Role::all();
79	\$selectedRoles = \$user->roles()->get();	94	\$selectedRoles = \$user->roles()->get();
99	*/	114	*/
100	public function update(Request \$request,	115	public function update(Request \$request,
	\$id)		\$id)
101	{	116	{
		117	+ if (!auth()->user()->can(\$this->feature . '.update'))
		118	+ {
		119	+ abort(403);
		120	+ }
		121	+
102	\$user = User::where('id', \$id)->first();	122	\$user = User::where('id', \$id)->first();
103		123	
104	\$roles = \$request->input('role_ids');	124	\$roles = \$request->input('role_ids');

<div> <div>▼</div> <div> <div>↕</div> <div>2</div> <div> <div></div> <div></div> <div></div> <div></div> </div> </div> <div>app/Models/Role.php</div> <div>📄</div> </div>			
6		6	
7	class Role extends SpatieRole	7	class Role extends SpatieRole
8	{	8	{
9	- public \$guard_name = 'api';	9	+ public \$guard_name = 'web';
10		10	
11	protected \$appends = [11	protected \$appends = [
12	'permissions'	12	'permissions'

<div> <div>▼</div> <div> <div>↕</div> <div>26</div> <div> <div></div> <div></div> <div></div> <div></div> <div></div> </div> </div> <div>config/permission.php</div> <div>📄</div> </div>			
126		126	
127	'store' => 'default',	127	'store' => 'default',

128],	128],
129	-	129	+
130	'features' => [130	'features' => [
131	'log' => [131	'log' => [
132	'log.read',	132	'log.read',
135	'log.delete',	135	'log.delete',
136],	136],
137	'places' => [137	'places' => [
138	-	138	+
139	-	139	+
140	-	140	+
141	-	141	+
142	-	142	+
143],	143],
144	'region' => [144	'region' => [
145	'region.read',	145	'region.read',
148	'region.delete',	148	'region.delete',
149],	149],
150],	150],
		151	+
		152	+
		153	+
		154	+
		155	+
		156	+
		157	+
		158	+
		159	+
		160	+
		161	+
		162	+
		163	+
		164	+
151],	165],
152];	166];

26

database/seeds/SyncPermissionTableSeeder.php

22	// Create permissions.	22	// Create permissions.
23	\$permissions =	23	\$permissions =
	config('permission.features');		config('permission.features');
24		24	
25	-	25	+
26	{	26	{
27	-	27	+
	array_filter(\$permissionList, 'is_array');	28	+
		29	+
28		30	
29	-	31	+
30	-		

\$child => \$permissionListChild)			
31	{	32	{
32	- \$this->insertPermissions(\$permissionListChild);	33	+ foreach (\$permissionList as \$child => \$permissionListChild)
		34	+ {
		35	+ \$this->insertPermissions(\$permissionListChild,
			\$guard);
		36	+ }
		37	+
		38	+ continue;
33	}	39	}
34		40	
35	- continue;	41	+ \$this->insertPermissions(\$permissionList, \$guard);
36	}	42	}
37	-		
38	- \$this->insertPermissions(\$permissionList);		
39	}	43	}
40	}	44	}
41		45	
42	- protected function insertPermissions(\$data)	46	+ protected function insertPermissions(\$data, \$guard)
43	{	47	{
44	- \$insertData = collect(\$data)->transform(function (\$item)	48	+ \$insertData = collect(\$data)->transform(function (\$item) use (\$guard)
45	{	49	{
46	return [50	return [
47	'name' => \$item,	51	'name' => \$item,
48	- 'guard_name' => 'api',	52	+ 'guard_name' => \$guard,
49	'created_at' => now(),	53	'created_at' => now(),
50	'updated_at' => now(),	54	'updated_at' => now(),
51];	55];

5 public/js/app.js

Load diff

2 resources/js/components/user/Users.vue

```
13 <tr v-for="user in users" v-
14 bind:key="user.id">
15 <td>
16 <p>
17 <a
18 :href="link_route('api.user.show', user.id)">{{
```

```
13 <tr v-for="user in users" v-
14 bind:key="user.id">
15 <td>
16 <p>
17 <a
18 :href="link_route('user.show', user.id)">{{
```

	<code>user.name }}</code>		<code>user.name }}</code>
17	<code></p></code>	17	<code></p></code>
18	<code></td></code>	18	<code></td></code>
19	<code><td></code>	19	<code><td></code>

10 resources/views/parts/menu/_crud_nav.blade.php

...	<code>@@ -1,21 +1,27 @@</code>		
1	<code><div class='row'></code>	1	<code><div class='row'></code>
2	<code><ul class="list-inline"></code>	2	<code><ul class="list-inline"></code>
3	<code>@if(strcmp(</code> <code>Route::currentRouteName(), \$feature . '.edit')</code> <code>=== 0)</code>	3	<code>@if(strcmp(</code> <code>Route::currentRouteName(), \$feature . '.edit')</code> <code>=== 0)</code>
		4	<code>+ @if (auth()->user()-</code> <code>>can(\$feature . '.read'))</code>
4	<code></code>	5	<code></code>
5	<code>{{</code> <code>link_to_route(\$feature . '.show', 'Back', [</code> <code>\$item->id], ['class' => 'btn btn-primary']) }}</code>	6	<code>{{</code> <code>link_to_route(\$feature . '.show', 'Back', [</code> <code>\$item->id], ['class' => 'btn btn-primary']) }}</code>
6	<code></code>	7	<code></code>
		8	<code>+ @endif</code>
7	<code>@endif</code>	9	<code>@endif</code>
8		10	
		11	<code>+ @if (auth()->user()-</code> <code>>can(\$feature . '.read'))</code>
9	<code></code>	12	<code></code>
10	<code>{{</code> <code>link_to_route(\$feature . '.index', 'View All',</code> <code>[], ['class' => 'btn btn-primary']) }}</code>	13	<code>{{</code> <code>link_to_route(\$feature . '.index', 'View All',</code> <code>[], ['class' => 'btn btn-primary']) }}</code>
11	<code></code>	14	<code></code>
		15	<code>+ @endif</code>
12		16	
13	<code>@if(strcmp(</code> <code>Route::currentRouteName(), \$feature . '.show')</code> <code>=== 0)</code>	17	<code>@if(strcmp(</code> <code>Route::currentRouteName(), \$feature . '.show')</code> <code>=== 0)</code>
		18	<code>+ @if (auth()->user()-</code> <code>>can(\$feature . '.update'))</code>
14	<code></code>	19	<code></code>
15	<code>{{</code> <code>link_to_route(\$feature . '.edit', 'Edit', [</code> <code>\$item->id], ['class' => 'btn btn-primary']) }}</code>	20	<code>{{</code> <code>link_to_route(\$feature . '.edit', 'Edit', [</code> <code>\$item->id], ['class' => 'btn btn-primary']) }}</code>
16	<code></code>	21	<code></code>
		22	<code>+ @endif</code>
17		23	
18	<code>- @if (\$feature !==</code> <code>'user')</code>	24	<code>+ @if (\$feature !== 'user'</code> <code>&& auth()->user()->can(\$feature . '.delete'))</code>
19	<code></code>	25	<code></code>
20	<code>{!!</code> <code>Form::open(['url' => "\$feature/\$item->id",</code> <code>'enctype' => 'multipart/form-data', 'class' =></code> <code>'form-inline']) !!}</code>	26	<code>{!!</code> <code>Form::open(['url' => "\$feature/\$item->id",</code> <code>'enctype' => 'multipart/form-data', 'class' =></code> <code>'form-inline']) !!}</code>
21	<code>{{</code>	27	<code>{{</code>

26	Form::hidden('_method', 'DELETE')]}]	32	Form::hidden('_method', 'DELETE')]}]
27	@endif	33	@endif
28	@if(strcmp(34	@if(strcmp(
	Route::currentRouteName(), \$feature . '.index')		Route::currentRouteName(), \$feature . '.index')
	=== 0)		=== 0)
29	- @if (\$feature !==	35	+ @if (\$feature !== 'user'
	'user')		&& auth()->user()->can(\$feature . '.create'))
30		36	
31	{{	37	{{
	link_to_route(\$feature . '.create', 'Create		link_to_route(\$feature . '.create', 'Create
	New', [], ['class' => 'btn btn-primary']) }}		New', [], ['class' => 'btn btn-primary']) }}
32		38	

<div> <div> <div></div> <div>2</div> <div></div> </div> <div>resources/views/parts/menu/_top_nav.blade.php</div> <div></div> </div>			
12	{{	12	{{
	link_to_route('region.index', 'Regions', [],		link_to_route('region.index', 'Regions', [],
	['class' => 'btn btn-link']) }}		['class' => 'btn btn-link']) }}
13		13	
14		14	
15		15	+ @if (auth()->user()-
16	{{	16	>hasRole('Admin'))
	link_to_route('user.index', 'Users', [],	17	
	['class' => 'btn btn-link']) }}		{{
17			link_to_route('user.index', 'Users', [],
23		18	['class' => 'btn btn-link']) }}
24	<a class="btn btn-link"	24	
	href="{{ url('/log') }}">Logs	25	
25			<a class="btn btn-link"
26		26	href="{{ url('/log') }}">Logs
27		27	
28	<a class="btn btn-link"	28	+ @endif
	href="{{ url('android') }}">Android	29	
		30	<a class="btn btn-link"
			href="{{ url('android') }}">Android

0 comments on commit 981f89c