
TECHNICKÁ UNIVERZITA KOŠICE FAKULTA ELEKTROTECHNIKY A INFORMATIKY


DATABÁZA Lekáreň

Entitno-relačný model



Entities	Link type	Link content
Certificate-Sick	M-1	jeden pacient môže mať v tabuľke pacienta veľa záznamov
Certificate-Doctor	M-1	jeden lekár môže byť zaznamenaný v mnohých záznamoch pacientov
Certificate-Diagnos	M-1	jedna diagnóza môže byť v mnohých záznamoch (odvolaniach) pacienta
Diagnos-Medicationse	M-M	mnoho diagnóz môže vyžadovať veľa liekov
Doctor-Doctor_type	M-1	jeden lekár môže mať iba jednu špecializáciu, ale veľa lekárov môže mať jednu špecializáciu
Doctor-WorkTime	M-M	jeden lekár má veľa záznamov o pracovnom rozvrhu

Logický relačný model



SQL skript

```
create table Sick
  id_sick serial not null unique primary key,
       varchar(100) not null,
  fio
  street varchar(50) not null,
  city varchar(50) not null,
  passport_id varchar(25) not null
create table WorkTime
  id_workTime serial not null unique primary key,
  work_date date not null,
  time_arrival time not null,
  time_leave time not null
);
create table Doctor_type
  id doctor type serial not null unique primary key,
  type_doctor varchar(50) not null,
           varchar(15) not null
  office
);
create table Doctor
  id_doctor serial not null unique primary key,
        varchar(100) not null,
  id_doctor_type integer not null,
  foreign key (id_doctor_type) references Doctor_type(id_doctor_type)
);
create table Doctor WorkType
  id_doctor int not null,
  id workTime int not null,
  foreign key (id_workTime) references WorkTime(id_workTime),
  foreign key (id_doctor) references Doctor(id_doctor)
);
create table Medications
  id medications serial not null unique primary key,
  medicine
              varchar(50) not null,
  description varchar(255)
);
create table Diagnos
(
  id_diagnos serial not null unique primary key,
  diagnos varchar(100) not null,
  symptoms varchar(255) not null
);
create table Diagnos_Medicationse
  id_diagnos int not null unique,
  id_medications int not null unique,
  foreign key (id_diagnos) references Diagnos(id_diagnos),
  foreign key (id_medications) references Medications(id_medications)
);
create table Certificate
  id_certificate serial not null unique primary key,
  date_certificate date not null,
  id_sick int not null unique,
  id_doctor int not null unique,
  id_diagnos int not null unique,
  foreign key (id_sick) references Sick(id_sick),
  foreign key (id_doctor) references Doctor(id_doctor),
  foreign key (id_diagnos) references Diagnos(id_diagnos)
);
```

SQL skript

```
--odovzdanie-2
INSERT INTO sick (fio, street, city, passport_id)
VALUES ('Layan Haynes', 'Skladna 208', 'Kosice', 'FP120344'),
    ('Rajan Waters', 'Rastislavova 752', 'Kosice', 'FP127171'),
    ('Tyron Avery','Zborovska 1534','Kosice','FP120656'),
    ('Tony Love','Nesporova 276','Kosice','FP187890'),
    ('Ned Keenan','Slobody 225','Kosice','FP121234');
INSERT INTO doctor_type(type_doctor, office)
VALUES ('Head doctor','110b'),
    ('Doctor therapist','112'),
    ('Doctor surgeonr','114c'),
    ('Traumatologist','114a'),
    ('Cardiologist','118');
INSERT INTO doctor(fio, id_doctor_type)
VALUES ('Matej Koči',1),
    ('Michal Medved',2),
    ('Dávid Koleno',3),
    ('Andrej Láska',4),
    ('Branko Maliar',5);
INSERT INTO worktime(work date, time arrival, time leave)
VALUES ('2022-03-30', '08:30:00', '15:00:00'),
    ('2022-03-30', '09:30:00', '16:30:00'),
    ('2022-03-30', '10:00:00', '17:00:00'),
    ('2022-03-31', '08:30:00', '15:00:00'),
    ('2022-04-01', '09:00:00', '16:00:00'),
    ('2022-04-04', '09:00:00', '16:00:00'),
    ('2022-04-05', '08:00:00', '14:00:00'),
    ('2022-04-06', '08:30:00', '15:00:00'),
    ('2022-04-07', '09:30:00', '16:30:00'),
    ('2022-04-08', '07:30:00', '12:00:00'),
    ('2022-04-09', '08:30:00', '15:00:00'),
    ('2022-04-10', '08:30:00', '15:00:00');
INSERT INTO doctor_worktype(id_doctor, id_worktime)
VALUES (1,1), (2,2), (3,3),(1,4),(2,4),(3,4),(4,5),(4,6),(4,7),(5,1),(5,8), (1,10);
INSERT INTO medications(medicine, description)
VALUES ('Nexium','Nexium is one of the drugs that lowers the secretion of aggressive gastric glands in gastritis and peptic ulcer disease.'),
    ('Panzinorm','Capsules contain Pancreatin, which is why digestion is stabilized against the background of its use.'),
    ('Mikrazim','The capsule dissolves, and the microgranules are mixed with food, after which they leave the stomach together with it'),
    ('Revit','Revit is designed to strengthen the body, improve the state of immunity. The complex includes vitamins A, B1 and B2, and vitamin C'),
    ('Paracetamol','200 mg tablets. Take with a large amount of liquid, 1-2 hours after meals (reception immediately after meals'),
    ('lbuprofen','Adults and children with a body weight of more than 30 kg: 200-400 mg (1-2 tablets) per reception'),
    ('diclofenac ointment','Ointment - 2-4 g is applied in a thin layer, lightly rubbing into the skin, over the focus of inflammation 2-3 times a day');
INSERT INTO diagnos(diagnos, symptoms)
VALUES ('Gastritis','Abdominal pain, heartburn, diarrhea, constipation'),
    ('Pancreatitis','Aching pain in the pancreas, steatorrhea, disorders of the endocrine system, mechanical jaundice may be added'),
    ('Mumps','decreased salivation, dry mouth, ear pain, which increases during conversation, during meals, as well as central nervous system damage'),
    ('Pneumonia','Cough, General weakness, Chest pain and shortness of breath, Fever'),
    ('Joint pain','Pain, Discomfort, Swelling and/or redness, The joint feels warmer to the touch than the rest of the body'),
    ('Bronchitis','Cough, Cold Symptoms, Muscle Pain');
INSERT INTO diagnos_medicationse(id_diagnos, id_medications)
VALUES (1,1),(1,2),(2,3),(2,4),(3,5),(4,5),(4,6),(5,7),(6,4);
INSERT INTO certificate(date certificate, id sick, id doctor, id diagnos)
VALUES ('2022-03-06', 1, 2, 1),
    (2022-03-12', 1, 4, 5),
    ('2022-03-13', 2, 1, 2),
    ('2022-03-16', 3, 2, 4),
    ('2022-03-26', 4, 3, 3),
```

('2022-03-28', 5, 5, 6), ('2022-03-28', 2, 3, 1), ('2022-04-01', 3, 2, 2), ('2022-04-01', 3, 4, 5);

SQL skript

- ---2 pohľady s jednoduchým netriviálnym selectom nad jednou tabuľkou,
- --nájdite všetky lieky, v popise ktorých sú(vitamin) select m.medicine, m.description from medications m where m.description LIKE '%vitamin%';
- --nájdite diagnózu a jej príznaky kde je názov diagnózy(Pneumonia) select d.diagnos, d.symptoms from diagnos d where diagnos = 'Pneumonia';
- ---3 pohľady so spájaním tabuliek (1x spojenie aspoň 2 tabuliek, 1x spojenie aspoň 3 tabuliek, 1x outer join),
- --Nájdite všetkých lekárov, ktorí pracujú (2022-03-31) select d.fio as doctor, w.work_date ||'|||w.time_arrival||'||w.time_leave as date from doctor d join doctor_worktype dw on d.id_doctor = dw.id_doctor join worktime w on w.id_worktime = dw.id_worktime where w.work_date = '2022-03-31' order by doctor;
- --nájdite lieky, ktoré sú spojené s diagnózou podľa jej názvu (Pneumonia) select d.diagnos, m.medicine, m.description from diagnos d join diagnos_medicationse dm on d.id_diagnos = dm.id_diagnos join medications m on m.id_medications = dm.id_medications where diagnos = 'Pneumonia';
- --zobraziť úplné informácie o pacientovi podľa jeho pasu (FP120344) select s.fio, s.city ||''|| s.street as addres, c.date_certificate, d.fio as doctor, d2.diagnos ||'-'|| d2.symptoms as diagnos, m.medicine||'-'||m.description as medicine from sick s left join certificate c on s.id_sick = c.id_sick left join doctor d on d.id_doctor = c.id_doctor left join diagnos d2 on d2.id_diagnos = c.id_diagnos left outer join diagnos_medicationse dm on d2.id_diagnos = dm.id_diagnos left join medications m on m.id_medications = dm.id_medications where s.passport_id = 'FP120344';
- ---2 pohľady s použitím agregačných funkcií a/alebo zoskupenia.
- --zobrazenie počtu pracovných dní podľa mena a priezviska lekára (Andrej Láska) select d.fio as doctor, count(*) as count_work_day from doctor d join doctor_worktype dw on d.id_doctor = dw.id_doctor join worktime w on w.id_worktime = dw.id_worktime where d.fio = 'Andrej Láska' group by doctor;
- --nájdite pacientov, ktorí boli v nemocnici 2 krát select s.fio, count(*) as number_sessions from sick s natural join certificate group by s.fio having count(*) = 2;