models
Color
RED
BLACK
ORANGE
WHITE
Country
GERMANY
FRANCE
VATICAN
Comparable
Validator
void validate()
FormOfEducation
DISTANCE_EDUCATION
FULL_TIME_EDUCATION
EVENING_CLASSES
StudyGroup
long serialVersionUID
long id
String name
Coordinates coordinates
LocalDateTime creationDate
int studentsCount
Integer transferredStudents
Double averageMark
FormOfEducation formOfEducation
Person groupAdmin
void setName(String)
String getName()
Coordinates getCoordinates()
Double getAverageMark()
FormOfEducation getFormOfEducation()
int getStudentsCount()
Integer getTransferredStudents()
long getId()
Person getGroupAdmin()
LocalDateTime getCreationDate()
void setAverageMark(Double)
void setCoordinates(Coordinates)
void setFormOfEducation(FormOfEducation)
void setGroupAdmin(Person)
void setStudentsCount(int)
void setTransferredStudents(Integer)
void setId(long)
void setCreationDate(LocalDateTime)
void validate()
int compareTo(StudyGroup)
boolean equals(Object)
int hashCode()
String toString()
Person
long serialVersionUID
String name
Double height
Color eyeColor
Country nationality
Location location
void setEyeColor(Color)
void setHeight(Double)
void setLocation(Location)
void setName(String)
void setNationality(Country)
String getName()
Color getEyeColor()
Country getNationality()
Double getHeight()
Location getLocation()
void validate()
boolean equals(Object)
int hashCode()
String toString()
Coordinates
long serialVersionUID
Float x
Double y
void setX(Float)
void setY(Double)
Float getX()
Double getY()
void validate()
String toString()
Location
long serialVersionUID
double x
Long y
String name
void setX(double)
void setY(Long)
void setName(String)
double getX()
Long getY()
String getName()
void validate()
String toString()
java
io
Serializable
network
Request
long serialVersionUID
String commandsName
String[] args
StudyGroup attachedObject
String getCommandsName()
String[] getArgs()
StudyGroup getAttachedObject()
Response
long serialVersionUID
String message
boolean success
Collection<StudyGroup> collection
boolean requiresObject
String getMessage()
boolean isSuccess()
Collection<StudyGroup> getCollection()
boolean isRequiresObject()
managers
XMLWriter
void writeCollection(ArrayDeque<StudyGroup>,String)
void writeTag(BufferedWriter,int,String,String)
String getIndent(int)
String escapeXml(String)
XMLReader
ArrayDeque<StudyGroup> readCollection(String)
StudyGroup parseGroup(Element)
String getRequiredValue(Element,String)
Element getRequiredElement(Element,String)
String getDirectChildValue(Element,String)
Element getDirectChildElement(Element,String)
FileManager
XMLReader xmlReader
XMLWriter xmlWriter
String nameOfFile
void saveCollection(ArrayDeque<StudyGroup>)
ArrayDeque<StudyGroup> loadCollection()
CollectionManager
ArrayDeque<StudyGroup> collection
LocalDateTime initializationDate
void addUpdatedGroup(StudyGroup)
void clear()
void info()
void show()
boolean removeById(long)
StudyGroup getById(long)
void removeFirst()
long countByStudentsCount(int)
boolean removeGreater(StudyGroup)
boolean removeLower(StudyGroup)
List<StudyGroup> getDescending()
String getFieldDescendingGroupAdmin()
ArrayDeque<StudyGroup> getCollection()
long generateNextId()
void addNewGroup(StudyGroup)
CommandManager
HashMap<String,Command> commands
void register(Command)
HashMap<String,Command> getCommands()
Response exeCommand(Request)
ServerMain
void main(String[])
ClientMain
void main(String[])
commands
ClientCommand
ClientCommands name
String description
String getName()
String getDescription()
void execute(String[])
ExecuteScript
Client client
ConsoleInput consoleInput
Set<String> activeScripts
void execute(String[])
Exit
void execute(String[])
Command
Commands name
String description
String getName()
String getDescription()
int getRequiredArgsCount()
Response execute(Request)
ClientCommands
exit
execute_script
Commands
add
clear
count_by_students_count
help
info
print_descending
print_field_descending_group_admin
remove_by_id
remove_first
remove_greater
remove_lower
show
update_id
check_id
RemoveGreater
CollectionManager collectionManager
Response execute(Request)
Add
CollectionManager collectionManager
Response execute(Request)
PrintDescending
CollectionManager collectionManager
Response execute(Request)
RemoveById
CollectionManager collectionManager
int getRequiredArgsCount()
Response execute(Request)
Clear
CollectionManager collectionManager
Response execute(Request)
RemoveFirst
CollectionManager collectionManager
Response execute(Request)
Info
CollectionManager collectionManager
Response execute(Request)
PrintFieldDescendingGroupAdmin
CollectionManager collectionManager
Response execute(Request)
CheckId
CollectionManager collectionManager
int getRequiredArgsCount()
Response execute(Request)
RemoveLower
CollectionManager collectionManager
Response execute(Request)
CountByStudentsCount
CollectionManager collectionManager
int getRequiredArgsCount()
Response execute(Request)
Show
CollectionManager collectionManager
Response execute(Request)
UpdateId
CollectionManager collectionManager
int getRequiredArgsCount()
Response execute(Request)
Help
CommandManager commandManager
Response execute(Request)
io
ServerApp
void start()
Server
int port
CommandManager commandManager
FileManager fileManager
CollectionManager collectionManager
boolean isRunning
void start()
void checkServerConsole(BufferedReader)
void handleClient(Socket)
Request readRequest(Socket)
void sendResponse(Socket,Response)
exceptions
RuntimeException
ScriptRecursionException
FileSaveException
EmptyCollectionException
CommandNotFoundException
ConnectionException
utils
ConsoleInput
Scanner scanner
Boolean scriptMode
StudyGroup askStudyGroup()
void askNameGroups(StudyGroup)
void askTransferredStudents(StudyGroup)
void askStudentsCount(StudyGroup)
void askAvgMark(StudyGroup)
Person askPerson()
Coordinates askCoordinates()
FormOfEducation askFormOfEducation()
Color askEyeColor()
Country askCountry()
Location askLocation()
void setScanner(Scanner)
Scanner getScanner()
void updateStudyGroup(StudyGroup)
void setScriptMode(Boolean)
void printPrompt(String)
Boolean isScriptMode()
client
Client
String host
int port
SocketChannel socketChannel
void connect()
Response sendAndReceive(Request)
ClientApp
Client client
ConsoleInput consoleInput
Scanner defaultScanner
Map<String,ClientCommand> clientCommands
void start()
void runLoop(Scanner,boolean)
void processServerCommand(String,String[])
void handleUpdateId(String[])
void printResponse(Response)