



Applications of artificial intelligence for disaster management

Wenjuan Sun¹ · Paolo Bocchini¹ · Brian D. Davison²

Received: 1 February 2019 / Accepted: 16 June 2020
© Springer Nature B.V. 2020

Abstract

Natural hazards have the potential to cause catastrophic damage and significant socio-economic loss. The actual damage and loss observed in the recent decades has shown an increasing trend. As a result, disaster managers need to take a growing responsibility to proactively protect their communities by developing efficient management strategies. A number of research studies apply artificial intelligence (AI) techniques to process disaster-related data for supporting informed disaster management. This study provides an overview of current applications of AI in disaster management during its four phases: mitigation, preparedness, response, and recovery. It presents example applications of different AI techniques and their benefits for supporting disaster management at different phases, as well as some practical AI-based decision support tools. We find that the majority of AI applications focus on the disaster response phase. This study also identifies challenges to inspire the professional community to advance AI techniques for addressing them in future research.

Keywords Disaster resilience · Disaster management · Artificial intelligence

1 Introduction

Natural hazards have caused catastrophic damage and significant socioeconomic loss, showing an increasing trend (Hoeppe 2016). Statistics for 2017 indicate economic losses from natural hazards in the USA exceed \$300 billion; Hurricane Harvey alone has caused \$125 billion in socioeconomic losses (Wilts 2018). These adverse impacts pose challenges

✉ Wenjuan Sun
wes316@lehigh.edu

Paolo Bocchini
paolo.bocchini@lehigh.edu

Brian D. Davison
davison@cse.lehigh.edu

¹ Department of Civil and Environmental Engineering, Lehigh University, Bethlehem, PA 18015, USA

² Department of Computer Science and Engineering, Lehigh University, Bethlehem, PA 18015, USA

to disaster response managers, who face increasingly tight resources and an exhausted workforce, and such challenges force local authorities to re-evaluate their policies for disaster management.

There are large volumes of data generated daily, including real data and simulation data. Both types of data can be used to support disaster management. The advancement of information communication technologies, such as social media, telecommunication data, and remote sensing, makes large volumes of real data available (Eguchi et al. 2008; Boccardo and Tonolo 2014; Rawat et al. 2015; Adeel et al. 2018; Novellino et al. 2018). Sometimes, real data are scarce. In research communities, many computational models are developed to generate simulation data for estimating the disaster-induced impact and identifying vulnerable structures, such as IN-CORE (Ellingwood et al. 2016) and PRAISys (The PRAISys Team 2018). Regardless of data type, acquiring, managing, and processing big data in a short time is essential to support efficient disaster management. Using AI to analyze the voluminous data to rapidly extract useful and reliable information becomes increasingly popular for supporting effective decision-making in disaster management (Eskandarpour and Khodaei 2017; Velez et al. 2018; Yu et al. 2018; Wang et al. 2018d; Barabadi and Ayele 2018).

Some published studies have reviewed AI applications in disaster management, with the topic targeted to certain types of hazard, infrastructure, and data. For example, Fotovatikhah et al. (2018) have discussed the status and challenges of applying computational intelligence methods to major flood control and disaster management. Zagorecki et al. (2013) have reviewed applications of data mining and machine learning to disaster management, but there is no discussion on any practical AI-based decision support tools. Other studies review how computer vision methods have been applied for disaster management by analyzing remote sensing data, such as target recognition with deep learning (Zhang et al. 2016b), fire detection with wavelet analysis and neural networks (Yuan et al. 2015), and estimating three-dimensional structures (Gomez and Purdie 2016). However, very few of them have explicitly discussed the progress and challenges of how AI has been applied in disaster management in different phases, by considering hazard and infrastructure as well as data in a general sense.

In what follows, we describe the research background of AI methods and disaster management first, followed by the state of research and practice of applications of AI in disaster management in four phases, and the challenges therein. In particular, practical decision support tools for disaster management based on AI methods have been reviewed. This study can facilitate new researchers to identify critical research gaps in this field and provide practitioners a comprehensive summary for selecting an appropriate AI model and practical decision support tool based on their community needs.

2 Background

2.1 AI methods

This study reviews the state of research and practice of applying AI in disaster management, by classifying AI methods in six categories: supervised models, unsupervised models, deep learning, reinforcement learning, and deep reinforcement learning, as well as optimization.

2.1.1 Supervised models

Supervised models represent algorithms that are trained on pre-existing data with human input. Using labeled training data with known input and output pairs, supervised models infer a function from input to output using regression/classification methods to predict the value/category of the output variable (Russell and Norvig 2016). In general, supervised models have been used for information extraction, object recognition in computer vision, pattern recognition, and speech recognition, etc.

2.1.2 Unsupervised models

Without human input, unsupervised models use statistical methods to extract hidden structure in unlabeled data based on inherent characteristics (Russell and Norvig 2016). Unsupervised models are suitable for detecting the abnormal data and reducing the data dimension, with wide applications to clustering and data aggregation problems. Clustering algorithms are used for pattern recognition by partitioning unlabeled data into multiple groups based on certain similarity features (Maulik and Bandyopadhyay 2002). Dimension reduction algorithms, such as principal component analysis (PCA), can reduce the complexity of data and avoid overfitting.

2.1.3 Deep learning

Deep learning is a class of algorithms that use multiple layers to extract features from the input data progressively, with improved learning performance and broad application scopes (Deng and Yu 2014; Pouyanfar et al. 2018). Despite the drawback of requiring long training time, deep learning algorithms are particularly suitable to solve problems of damage assessment, motion detection, and facial recognition, transportation prediction, and natural language processing for supporting disaster management. For example, recursive neural networks (RvNN) and recurrent neural networks (RNN) have been successfully applied to natural language processing (NLP) (Socher et al. 2011; Graves et al. 2013). Convolutional neural networks (CNN) are suitable for image recognition (Simonyan and Zisserman 2014), computer vision (Krizhevsky et al. 2017), NLP (Zhao and Wu 2016), and speech processing (Dahl et al. 2012).

2.1.4 Reinforcement learning

By learning from a series of reinforcements (using punishment and rewards as positive and negative signals), reinforcement learning algorithms are modeled in the form of Markov decision processes to address goal-oriented problems for making decisions in a sequential manner (Russell and Norvig 2016). Reinforcement learning is suitable for solving problems that need to make a sequence of decisions in an uncertain and complex environment, with successful applications in robotics, resource management, and traffic light control. The main challenge in reinforcement learning is preparing the suitable training environment that is closely related to tasks to be performed.

Typical reinforcement learning algorithms include Q-learning and SARSA (State-Action-Reward-State-Action), to name a few (Sutton and Barto 2018).

2.1.5 Deep reinforcement learning

Deep reinforcement learning combines reinforcement learning with deep neural networks with the aim of creating software agents that can learn by themselves to establish successful policies for gaining the most long-term rewards. Deep reinforcement learning has superior performance for solving problems with complex sequential tasks, such as computer vision, robotics, finance, smart grids, etc. Requiring a large amount of training data and training time to reach reasonable performance, deep reinforcement learning sometimes becomes extremely computationally expensive.

2.1.6 Optimization

While the focus of this study is how AI methods are applied for disaster management, optimization is an essential ingredient in most of AI methods to find the best model as measured by an objective function. For this reason, this study explicitly lists three optimization techniques as example methods and investigates their applications in disaster management.

2.2 Disaster management

2.2.1 Four phases of disaster management

As shown in Fig. 1, disaster management involves four phases: mitigation, preparedness, response, and recovery. The mitigation phase refers to management activities for preventing or minimizing future emergencies and consequences with long-term benefits.




Fig. 1 Four phases of disaster management

Examples of mitigation activities include enforcing advanced building codes and standards, retrofitting highway overpasses, hospitals, and shelters, informing and educating the general public and related stakeholders about hazards and potential mitigation strategies. The preparedness phase comes into place when an emergency or a disaster is likely to take place. It corresponds to preparatory activities prior to a disaster in order to save lives and help response and rescue operations, such as stocking food and water, posting emergency contacts, and preparing evacuations. With plans and strategies developed beforehand, the response phase mainly puts them into action. Response activities happen during a disaster, usually involving evacuating threatened areas, firefighting, search and rescue efforts, shelter management, and humanitarian assistance. After a disaster, the recovery phase refers to repair and reconstruction efforts to return to a normal or even better functionality level. Recovery actions usually include debris cleanup, precise damage assessment, and infrastructure reconstruction, as well as financial assistance from government agencies and insurance companies.

2.2.2 Disaster management and disaster resilience

The goals of disaster management are to implement operations and strategies to effectively prepare, rapidly respond and rescue, efficiently allocate resources, quickly correct damage and recover to full functionality, ultimately protect the community and minimize the adverse impact. That is to say that the efficient disaster management should strengthen the disaster resilience of a community. The term “disaster resilience” refers to the ability of an




Fig. 2 Features of disaster resilience

entity to anticipate, resist, absorb, adapt to, and rapidly recover from an unexpected disturbance (DHS 2010). Figure 2 displays features of disaster resilience in terms of dimensions, stakeholders, disruption types, properties of resilient entities, and benefits. In case of a disaster, such as a hurricane or an earthquake, a resilient community is expected to be able to protect people, infrastructure, and socioeconomic environment, with reliable performance and fast recovery capability, as well as minimal adverse consequence. The disaster resilience of a community can be enhanced by improving the rapidity, robustness, resourcefulness, and redundancy, as well as learning capability, in which learning refers to residents' changing expectations with respect to infrastructure performance and operational adaptations of infrastructures to new circumstances during and after a disaster (Sun et al. 2020b). From the disaster management perspective, governments and other stakeholders organize their operations in multiple aspects (technical, organizational, economic, social, and health), various management plans and strategies are developed and implemented.

A number of programs have been established to promote the research and practice of disaster resilience for supporting informed decision-making in disaster management. Some examples in the USA are described as follows. Since 2013, the Campus Resilience Program has yielded successful tools and guidelines for evaluating the vulnerability of the academic community nationwide. The Hazard Mitigation Grant Program (HMGP) supports communities in implementing cost-effective hazard mitigation measures, such as structure retrofit and reconstruction, to eliminate the risk of loss of life and property damage from future disasters (FEMA 2018). The Community Resilience Planning Guide presents a six-step process to help local community authorities identify gaps, create resilience plans, and implement strategies for better community resilience against future disasters (NIST 2018; Cauffman et al. 2018). In addition, local authorities and private organizations have been implementing practices for resilience enhancement. For example, Los Angeles County in California has developed a community resilience toolkit to support decision-making in disaster management (Eisenman et al. 2014; Bromley et al. 2017). The 100 Resilient Cities program supports city governments' efforts in fostering urban resilience and addressing climate change and equity (The Rockefeller Foundation 2019). In parallel, other countries have also been actively working in this direction. The Horizon 2020 Research and Innovation Programme has developed the European Resilience Management Guideline and tools for supporting effective disaster management and enhancing the resilience against disasters and climate change (EU-CIRCLE 2019). Under the Sendai Framework for Disaster Resilience Network, the Asia-Pacific region has been undertaking major reforms in developing disaster management policies with increasing applications of AI in disaster response (UN 2015; Renwick 2017; Pau et al. 2017; Izumi et al. 2019). All these guidelines and computational tools aim to support disaster management and enhance disaster resilience. AI has great potential to alleviate the burden of decision makers in disaster management by processing large amounts of disaster-related data more efficiently and effectively.

3 Applications of AI for disaster management

Figure 3 shows the increasing trend in the number of publications on WorldCat from 1991 to 2018 with regard to applying AI to disaster management. The greatest number of publication in disaster response among four phases indicates that applications of AI mainly focus on this phase. While AI will not replace the experience and wisdom of well-trained




Fig. 3 An increasing number of publications on artificial intelligence in disaster management. *Note* “Publications” refers to articles, books, and downloadable archive materials. The number of publications is determined by summing the number of publications every four years between 1991 and 2018 when searching with the keywords in the legend on WorldCat (<http://www.worldcat.org/>)

disaster professionals, at least in the foreseeable future, AI techniques can rapidly analyze big data and perform predictive analytics for supporting decision-making in disaster management.

To illustrate how different AI methods have been applied in disaster management, we have identified a total of 26 AI methods and 17 application areas as representative examples. By using every AI method and every application area as key words, we have searched for the related literature on the Web sites of Google Scholar and Web of Science, requiring joint presence of both keywords. Figure 4 presents our findings on AI applications to the four phases and their sub-areas. In this figure, every solid line demonstrates the presence of applications of an AI method in a certain area. More solid lines connecting to *Application Areas* 1–4 and 9–13 mean that there are more studies applying AI methods in mitigation and response phases. Detailed application examples are presented as citations in Tables 1, 2, 3 and 4. It is worth noting that only the most relevant/representative publications are presented in some cells in the tables due to space limits.

3.1 AI applications in disaster mitigation

In the disaster mitigation phase, decision makers need to identify hazard and risks (*Application Area* 1), predict possible impact (*Application Area* 2), assess vulnerability (*Application Area* 3), and develop mitigation strategies (*Application Area* 4), in order to create stronger, safer, and more resilient communities. AI methods have been widely applied to support disaster mitigation management in the four areas. In particular, supervised models and unsupervised models have been extensively used for *Application Area* 1, followed by *Areas* 2 and 3. Conversely, reinforcement learning and deep reinforcement learning are rarely used in the four areas.




Fig. 4 Applications of artificial intelligence in disaster management. *Note* A solid link between an AI method and an application area represents the fact that there are applications of the AI method to this area. Detailed application examples are presented in Tables 1, 2, 3 and 4

Possible hazards and risks should be identified for the community of interest. For natural hazards, characteristics of terrain, lithology, meteorology, and even human activities should be analyzed, and hazard zone maps should be developed. Traditional methods, such as field monitoring, physics-based models, expert surveys, and multi-criteria decision-making methods, are applied to identify hazards and risk factors. Sometimes, these methods are labor intensive, possibly with high false alarm rate (Bellair et al. 2017). In this case, AI techniques can rapidly analyze large volumes of data to assess hazard risks in a timely manner (Pradhan 2009; Yilmaz 2010). There are extensive studies applying different AI methods to developing susceptibility maps for different types of hazards. For instance, snow avalanche predictions have been made using logistic regression (LR) (Gauthier et al. 2017), support vector machine (SVM) (Choubin et al. 2019), and neural networks (Dekanová et al. 2018; Rauter and Winkler 2018). Landslide susceptibility can be assessed

Table 1 Example AI applications for disaster mitigation

AI Method	1. Forecast hazard and risk	2. Estimate impact	3. Assess vulnerability	4. Develop/Compare strategy
A. Linear regression and extensions	Reed (2008), Chang et al. (2010), Kim et al. (2019)	Kahn (2006), Simmons and Sutter (2008), Zahran et al. (2008), Peduzzi et al. (2009), Maliszewski et al. (2012)	Yang and Yu (2011), Geiß et al. (2014), Heß (2017), Wang et al. (2019g), Sun et al. (2019)	NA
B. Nonlinear regression	Pradhan (2009), Yilmaz (2010), Trafalis et al. (2014), Lin et al. (2017a), Goetz et al. (2015)	Zorn and Shamsedin (2015), Lee et al. (2016)	NA	NA
C. Logistic regression	Bai et al. (2010), Marjanović et al. (2011), Ozdenir and Altural (2013), Wang et al. (2013b)	Eskandarpour and Khodaei (2017), Rosellini et al. (2018), Yuan and Moayedi (2019)	Eitinger et al. (2016), Li et al. (2019b)	Khan and Sayem (2012), Rakgase and Norris (2014), Cavalcante et al. (2019)
D. Support vector machine	Yilmaz (2010), Marjanović et al. (2011), Xu et al. (2012), Lin et al. (2017a), Zhou et al. (2018a)	Galatzer-Levy et al. (2014), Li et al. (2014), Karstoft et al. (2015), Tinoco et al. (2018)	Geiß et al. (2014), Sun et al. (2019), Xiong et al. (2019)	Guo et al. (2009), Rudin et al. (2012), Dou et al. (2014), Pogrebnykov and Maldonado (2017)
E. Naïve Bayes	Shirzadi et al. (2017), Chen et al. (2019), Sankaranarayanan et al. (2019)	Bawono et al. (2020)	Geiß et al. (2014)	Sadiq et al. (2018)
F. Decision tree	Saito et al. (2009), Marjanović et al. (2011), Rhee and Im (2017)	Wanik et al. (2015), Yuan and Moayedi (2019)	Sriram et al. (2019)	Guo et al. (2009), Sadiq et al. (2015, 2018)
G. Random forest	McGovern et al. (2011), Goetz et al. (2015), Rhee and Im (2017), Chen et al. (2018)	Galatzer-Levy et al. (2014), Nateghi et al. (2014), Wanik et al. (2015), Cerrai et al. (2019)	Yoon and Jeong (2016), Sriram et al. (2019)	Rudin et al. (2012)
H. K-nearest neighbors	Liu et al. (2016), Sankaranarayanan et al. (2019)	Cheng and Hoang (2014)	Leon and Atanasiu (2006), Kusumawardani et al. (2016)	Sun et al. (2017), Sadiq et al. (2015, 2018)
I. Logistic model tree	Chen et al. (2018, 2019)	NA	Yang et al. (2019d)	NA

Table 1 (continued)

AI Method	1. Forecast hazard and risk	2. Estimate impact	3. Assess vulnerability	4. Develop/Compare strategy
J. Neural networks	Melchiorre et al. (2008), Yilmaz et al. (2010), Dou et al. (2015), Huang et al. (2018)	Karamouz et al. (2014), Tinoco et al. (2018), Oktarina et al. (2019), Tinoco et al. (2019)	Wu et al. (2008), Pilkington and Mahmoud (2016), Guo et al. (2018), Wahab and Ludin (2018)	Jones et al. (2008)
K. Hierarchical clustering	Leśniak and Isakow (2009), Trugman and Shearer (2017)	NA	Cavaleri et al. (2014), Su et al. (2015), Kim et al. (2017), Chang et al. (2018)	NA
L. K-means clustering	Iliadis (2005), Melchiorre et al. (2008), Leśniak and Isakow (2009), Jayaram and Baker (2010)	Lam et al. (2016)	Su et al. (2015), Fernandez et al. (2016)	Pua and Hariharan (2012)
M. Fuzzy clustering	Zhang (2004), Shi et al. (2010), Wang et al. (2013b), Ansari et al. (2015), Wang et al. (2018c)	da Silva et al. (2008), Wlwood and Corotis (2015)	Alam et al. (2000), Wu et al. (2013), Chen et al. (2014b)	Dou et al. (2014)
N. Principal component analysis	Chen and Hong (2012), Shi et al. (2015)	Li et al. (2014)	Chen et al. (2014a) Fernandez et al. (2016), Heß (2017), Uddin et al. (2019)	Moradi et al. (2019)
O. Hidden Markov models	Wang et al. (2010b), Khadr (2016), Wang et al. (2018a)	Song et al. (2014, 2016)	NA	Eicken et al. (2011)
P. Convolutional neural networks	DeVries et al. (2018), Padmawar et al. (2019)	NA	Crawford et al. (2018), Han et al. (2019)	Pogrebnykov and Maldonado (2017), Nguyen et al. (2019a)
Q. Recurrent neural networks	Ma et al. (2015b), Asim et al. (2017), Cortez et al. (2018), Wang et al. (2020b), Mutlu et al. (2019)	NA	NA	Canon et al. (2018), Pechenkin and Demidov (2018), Nguyen et al. (2019a), Yang et al. (2019b)
R. Deep neural network	Sankaranarayanan et al. (2019)	NA	Nabian and Meidani (2018b), Dogaru and Dumitrache (2019)	NA

Table 1 (continued)

AI Method	1. Forecast hazard and risk	2. Estimate impact	3. Assess vulnerability	4. Develop/Compare strategy
S. Multilayer perception	Zare et al. (2013), Hernández et al. (2016), Pham et al. (2017)	Yuan and Moayed (2019)	Wahab and Ludin (2018)	Sadiq et al. (2018)
T. Recursive neural network	Mishra and Desai (2006), Hosseini-Moghari and Araghejad (2015)	NA	NA	NA
U. Q-learning	Lin et al. (2013)	NA	Yan et al. (2016), Otoum et al. (2019)	Zhang et al. (2019b)
V. Policy gradient	NA	NA	NA	NA
W. Deep Q-networks	NA	NA	NA	Elsayed and Erol-Kantarci (2018)
X. Genetic algorithm	Chang and Chien (2007), Terranova et al. (2015)	Tinoco et al. (2019)	NA	Tapia and Padgett (2015), Yan et al. (2017), Yang et al. (2019b)
Y. Particle swarm optimization	Romlay et al. (2016), Padmawar et al. (2019)	NA	NA	NA
Z. Simulated annealing	Zhu and Wu (2013), Hosseini et al. (2019)	NA	NA	Afandizadeh et al. (2013), Ma et al. (2015a), Gama et al. (2016)

NA means that no literature was found on the application area (column) using the AI method (row)

Table 2 Example AI applications for disaster preparedness

AI Method	5. Early warning system	6. Real-time disaster prediction and detection	7. Training systems	8. Disaster evacuation
A. Linear regression	Uunk et al. (2010), Nolasco-Javier and Kumar (2018), Pillai et al. (2019)	NA	NA	NA
B. Nonlinear regression	Moon et al. (2018)	NA	NA	NA
C. Logistic regression	Wang et al. (2013a), Hoot and Aronsky (2006)	Agarwal et al. (2016), Kong et al. (2016b), Zhao et al. (2020)	NA	Riad et al. (2006), Nguyen et al. (2016)
D. Support vector machine	Sakaki et al. (2012), Chou and Thedja (2016), Rafiei and Adeli (2017), Wang et al. (2019c), Mori et al. (2013), Pogrebnykov and Maldonado (2017)	Arridha et al. (2017), de Morsier et al. (2013), Grasic et al. (2018), Jhong et al. (2017), Zhao et al. (2020)	NA	Mori et al. (2013), Higuchi et al. (2014), Jiang et al. (2017), Wang et al. (2019b)
E. Naïve Bayes	Mane and Mokashi (2015)	Muda et al. (2011), Kumar et al. (2014), Grasic et al. (2018)	NA	NA
F. Decision tree	Chen and Wang (2009), Zhou et al. (2017a)	Arridha et al. (2017)	NA	Burris et al. (2015), Wang et al. (2019b)
G. Random forest	Li et al. (2018b), Moon et al. (2018)	Grasic et al. (2018), Yu et al. (2017)	NA	NA
H. K-nearest neighbors	Pyayt et al. (2011), Cheng et al. (2013), Ali et al. (2019), Tomin et al. (2013)	Muda et al. (2011), Kumar et al. (2014)	NA	Rahman and Hasan (2018), Wang et al. (2019b)
I. Logistic model tree	NA	NA	NA	NA
J. Neural networks	Duncan et al. (2013), Kong et al. (2016a), Moon et al. (2018), Muhammad et al. (2018), Abdul-lahi et al. (2018), Tomin et al. (2013)	Ren et al. (2010), Bande and Shete (2017), Berkhahn et al. (2019), Zhao et al. (2020)	Djordjević et al. (2008)	Sharma and Ogunlana (2015), Nguyen et al. (2016), Rahman and Hasan (2018), Peng et al. (2019), Wang et al. (2019b)
K. Hierarchical clustering	NA	Ifrim et al. (2014), Akhtar and Siddique (2017)	NA	Özdamar and Demir (2012)

Table 2 (continued)

AI Method	5. Early warning system	6. Real-time disaster prediction and detection	7. Training systems	8. Disaster evacuation
L. K-means clustering	Naidu et al. (2018), Tomin et al. (2013)	NA	NA	Andersson et al. (2012)
M. Fuzzy clustering	Saad et al. (2014), Tomin et al. (2013)	Ren et al. (2010)	NA	NA
N. Principal component analysis	Peiris et al. (2010), Wan and Mita (2010)	NA	NA	NA
O. Hidden Markov models	Holgado et al. (2017)	Benítez et al. (2007), Toreyin and Cetin (2009), Günay et al. (2010), Heck et al. (2010)	NA	Andersson et al. (2012), Raymond et al. (2012), Song et al. (2015)
P. Convolutional neural networks	Cheng et al. (2017), Lohumi and Roy (2018), Perol et al. (2018), Long et al. (2018), Giffard-Roisin et al. (2018), Muhammad et al. (2018), Pogrebnykov and Maldonado (2017)	Ali et al. (2019), Layek et al. (2019), Wang et al. (2019a), Muhammad et al. (2018)	NA	NA
Q. Recurrent neural networks	Hoot and Aronsky (2006), Cheng et al. (2017), Pogrebnykov and Maldonado (2017), Long et al. (2018)	Chen et al. (2013), Chang et al. (2014), Jaech et al. (2019)	NA	Rahman and Hasan (2018)
R. Deep neural network	Long et al. (2018)	NA	NA	Jiang et al. (2017)
S. Multilayer perception	Khan et al. (2018)	Tian and Chen (2017a), Wang et al. (2019a)	NA	NA
T. Recursive neural network	NA	NA	NA	NA
U. Q-learning	NA	Lingam et al. (2019)	Khoudj et al. (2011)	Sarabakha and Kayacan (2016), Yao et al. (2019)
V. Policy gradient	NA	NA	NA	Zheng and Liu (2019)
W. Deep Q-networks	NA	NA	NA	Sharma et al. (2020)

Table 2 (continued)

AI Method	5. Early warning system	6. Real-time disaster prediction and detection	7. Training systems	8. Disaster evacuation
X. Genetic algorithm	Shirzaei and Walter (2010), Teranova et al. (2015)	Ahmad et al. (2009)	NA	Pourrahmani et al. (2015), Sharma and Ogunlana (2015), Gao et al. (2019)
Y. Particle swarm optimization	Huang and Xiang (2018)	Lingam et al. (2019)	NA	Wang et al. (2010a), Zheng et al. (2013b)
Z. Simulated annealing	NA	Zhang et al. (2016a)	NA	Jahangiri et al. (2011)

Table 3 Example AI applications for disaster response

AI Method	9. Event mapping	10. Damage assessment	11. Disaster rescue and relief, resource allocation	12 Disaster information system and collaboration	13. Understanding people's concern, emotion and reaction
A. Linear regression	NA	NA	Baglee et al. (2019)	NA	NA
B. Nonlinear regression	NA	NA	Liang et al. (2001), Luo et al. (2013), Robinson et al. (2014)	NA	NA
C. Logistic regression	Yang and Cervone (2019)	NA	Zhang et al. (2010), Jia and Zhang (2012), Hung et al. (2016), Reynard and Shirgaokar (2019)	NA	Gopnarayan and Deshpande (2019), Yu et al. (2019)
D. Support vector machine	Moskowitz et al. (2011), Ilyas (2014), Cresci et al. (2015), Ireland et al. (2015), Jiang and Friedland (2016), Yang and Cervone (2019)	Tan et al. (2010), Ashktorab et al. (2014), Izadi et al. (2017), Pogrebnykov and Maldonado (2017), Naïto et al. (2018), Zhang et al. (2018a), Seydi and Rastiveis (2019)	Kiatpanont et al. (2016), Basu et al. (2019a), Chaudhuri and Bose (2020)	Maharjan et al. (2018)	Yu et al. (2019), Gopnarayan and Deshpande (2019), Ruz et al. (2020)
E. Naïve Bayes	Ilyas (2014), Li et al. (2018a)	Imran et al. (2013), Mangalathu et al. (2019)	Kiatpanont et al. (2016), Yoon et al. (2016), Basu et al. (2019a)	Neppalli et al. (2018)	Verma et al. (2011)
F. Decision tree	Bahreypour et al. (2010), Yang and Cervone (2019)	Mangalathu et al. (2019)	Kiatpanont et al. (2016), Berawi et al. (2019)	Barrientos and Sainz (2012)	NA
G. Random forest	Feng et al. (2019), Yang and Cervone (2019)	Conner et al. (2016), Mangalathu et al. (2019), Kellermann et al. (2020)	Acuna et al. (2017)	NA	Ruz et al. (2020)
H. K-nearest neighbor	Kim et al. (2016b), Zhao et al. (2019)	Mangalathu et al. (2019)	Kiatpanont et al. (2016), Liu et al. (2019a)	NA	Gopnarayan and Deshpande (2019)
I. Logistic model tree	NA	NA	Ahmad et al. (2017)	NA	NA

Table 3 (continued)

AI Method	9. Event mapping	10. Damage assessment	11. Disaster rescue and relief, resource allocation	12 Disaster information system and collaboration	13. Understanding people's concern, emotion and reaction
J. Neural networks	Yu et al. (2005), Kovordányi and Roy (2009), Yang and Cervone (2019)	Bandara et al. (2014), Conner et al. (2016), Rudner et al. (2019)	Bayerlein et al. (2018), Chaudhuri and Bose (2020)	Datt et al. (2015), Tian and Chen (2017b)	NA
K. Hierarchical clustering	Middleton et al. (2014)	Zhou et al. (2017b)	Guha et al. (1998), Kondaveti and Ganz (2009)	Zheng et al. (2011, 2013a), Li et al. (2016b)	Lodree and Davis (2016)
L. K-means clustering	Ganesan et al. (2016)	Atasever (2017), Hou et al. (2017)	ZIDI et al. (2019)	NA	NA
M. Fuzzy clustering	Wang et al. (2012), Ganesan et al. (2016)	Tan et al. (2010), Yu and Zhu (2014), Zeng et al. (2018)	Sheu (2007, 2010), Ruan et al. (2016)	NA	NA
N. Principal component analysis	NA	Hutchinson and Chen (2005), Bandara et al. (2014), Zhou et al. (2018b)	Basu et al. (2019b)	NA	NA
O. Hidden Markov models	Salmane et al. (2015)	NA	Suganya and Jayashree (2018)	Qiu et al. (2014)	NA
P. Convolutional neural networks	Kim et al. (2016c), Liu and Wu (2016), Bejiga et al. (2017), Kamilaris and Boldú (2017), Lee et al. (2017), Huang et al. (2019c, 2019b), Ahmad et al. (2019)	Alam et al. (2017), Kamilaris and Boldú (2017), Nguyen et al. (2017), Tian et al. (2018), Vetrivel et al. (2018), Xu et al. (2019a), Zhang et al. (2019a), Pogrebnykov and Maldonado (2017), Seydi and Rastiveis (2019)	Basu et al. (2019a), Hartawan et al. (2019), Robertson et al. (2019), Chaudhuri and Bose (2020)	Neppalli et al. (2018), Kumar et al. (2020)	Yu et al. (2019), Li et al. (2016a)

Table 3 (continued)

AI Method	9. Event mapping	10. Damage assessment	11. Disaster rescue and relief, resource allocation	12 Disaster information system and collaboration	13. Understanding people's concern, emotion and reaction
Q. Recurrent neural networks	Kundu et al. (2018), Mao et al. (2019), Rahne-moonfar et al. (2018)	Nguyen et al. (2019b), Moustapha and Selmic (2007), Verma et al. (2020), Biswas et al. (2019), Pogrebnykov and Maldonado (2017)	NA	Neppalli et al. (2018), Kumar et al. (2020)	Hernandez-Suarez et al. (2019)
R. Deep neural network	Khan et al. (2017), Bai et al. (2018)	Bai et al. (2018)	NA	Morito et al. (2016), Neppalli et al. (2018)	NA
S. Multilayer perception	NA	Seydi and Rastiveis (2019)	Robertson et al. (2019)	NA	NA
T. Recursive neural network	NA	NA	NA	NA	Dong et al. (2014)
U. Q-learning	NA	Zhao et al. (2017)	Su et al. (2011), Castellanos et al. (2018), Liu et al. (2019a), Hou et al. (2019)	Qiao and Luo (2012), Aydin and Fellows (2018)	NA
V. Policy gradient	NA	Mao et al. (2016), Wang et al. (2019e)	Rodriguez-Ramos et al. (2019), Silver et al. (2014)	NA	NA
W. Deep Q-networks	Baldazo et al. (2019), Maciel-Pearson et al. (2019)	Maciel-Pearson et al. (2019)	Wang et al. (2020a), Yang and Liu (2018), Guo et al. (2019)	Huang et al. (2017), Sun and Tan (2019), Liu et al. (2018)	NA
X. Genetic algorithm	NA	Izadi et al. (2017), Tian et al. (2018)	Pessin et al. (2009), Zhao et al. (2009), Wang (2018), Liu et al. (2019a), ZIDI et al. (2019)	NA	NA

Table 3 (continued)

AI Method	9. Event mapping	10. Damage assessment	11. Disaster rescue and relief, resource allocation	12 Disaster information system and collaboration	13. Understanding people's concern, emotion and reaction
Y. Particle swarm optimization	NA	Xu et al. (2019b)	Pugh and Martinoli (2007), Sánchez-García (2019), ZIDI et al. (2019)	NA	NA
Z. Simulated annealing	NA	NA	Fiedrich et al. (2000), Yaddahnejad et al. (2017), ZIDI et al. (2019)	NA	NA

Table 4 Example AI applications for disaster recovery

AI Method	14. Assess impact	15. Develop recovery plan	16. Track recovery	17. Evaluate loss and repair cost
A. Linear regression	McCaslin et al. (2005), Zhang and Peacock (2009), Rosellini et al. (2018)	NA	Zobel (2014), Qiang et al. (2020)	Barthel and Neumayer (2012), Yu et al. (2014), Kim et al. (2016a), Kousky and Michel-Kerjan (2015)
B. Nonlinear regression	Haraoka et al. (2012), Mitsova et al. (2018), Rosellini et al. (2018), Cheng and Zhang (2020)	NA	Zobel (2014), Zhang (2016), Wang et al. (2018b), Jamali et al. (2019), Yabe and Ukkusuri (2019), Qiang et al. (2020)	Smith and Katz (2013), Kim et al. (2015, 2018b)
C. Logistic regression	Tunusluoglu et al. (2007), Nabian and Meidani (2018a), Mitsova et al. (2019)	NA	Gopnarayan and Deshpande (2019)	NA
D. Support vector machine	Gong et al. (2013), Nabian and Meidani (2018a), Moya et al. (2018), Rosellini et al. (2018), Sheykhoumou et al. (2019), Zhang and Burton (2019)	Oh et al. (2006)	Yabe and Ukkusuri (2019), Pogrebnykov and Maldonado (2017), Gopnarayan and Deshpande (2019)	NA
E. Naïve Bayes	NA	NA	Shibuya and Tanaka (2019)	NA
F. Decision tree	Merz et al. (2013), Rosellini et al. (2018)	NA	NA	Stojadinovic et al. (2017)
G. Random forest	Rosellini et al. (2018), Zhang et al. (2018b)	NA	NA	NA
H. K-nearest neighbors	Khaloo et al. (2017), Moya et al. (2018), Nabian and Meidani (2018a)	NA	Gopnarayan and Deshpande (2019)	NA
I. Logistic model tree	NA	NA	NA	NA
J. Neural networks	Mehrijo et al. (2008), Khoshnoudian et al. (2017), Padil et al. (2017)	Asgary and Naini (2011)	NA	Chen and Huang (2006), Aghamohammadi et al. (2013)
K. Hierarchical clustering	NA	NA	NA	NA

Table 4 (continued)

AI Method	14. Assess impact	15. Develop recovery plan	16. Track recovery	17. Evaluate loss and repair cost
L. K-means clustering	NA	NA	NA	NA
M. Fuzzy clustering	Yu et al. (2016)	NA	NA	NA
N. Principal component analysis	Yu et al. (2016), Cha and Buyukozturk (2015), Khoshnoudian et al. (2017), Yamaguchi and Shirota (2019)	NA	NA	NA
O. Hidden Markov models	NA	NA	NA	NA
P. Convolutional neural networks	Cha et al. (2017), Liang (2018), Ghaffarian et al. (2019)	NA	Yang et al. (2019c), Pogrebnykov and Maldonado (2017)	NA
Q. Recurrent neural networks	NA	NA	Pogrebnykov and Maldonado (2017)	NA
R. Deep neural network	Fallahian et al. (2018)	NA	NA	NA
S. Multilayer perception	NA	NA	Lin et al. (2008)	NA
T. Recursive neural network	NA	NA	NA	NA
U. Q-learning	NA	Memarzadeh and Pozzi (2019)	NA	NA
V. Policy gradient	NA	NA	NA	NA
W. Deep Q-networks	NA	Joo et al. (2019), Ning et al. (2019), Geng (2019)	NA	NA
X. Genetic algorithm	Alfaiate et al. (2007), Meruane and Heylen (2011), Gomes et al. (2019)	Xu et al. (2007), Bocchini and Frangopol (2012a, b), Tapia and Padgett (2015), Karamlou and Bocchini (2016), Eid and El-adaway (2017a, b), Li and Teo (2018)	NA	NA
Y. Particle swarm optimization	Huang et al. (2019a)	NA	NA	NA
Z. Simulated annealing	Strauss et al. (2009)	Hackl et al. (2018)	NA	NA

by SVM (Xu et al. 2012; Goetz et al. 2015; Zhou et al. 2018a), LR (Goetz et al. 2015; Zhou et al. 2018a), random forest (RF) (Goetz et al. 2015), and neural networks (Dou et al. 2015; Zhou et al. 2018a). The aforementioned AI methods have also been applied to other types of hazards, such as mapping forest fire susceptibility (Sachdeva et al. 2018), predicting fire size (Mitsopoulos and Mallinis 2017), and forecasting precipitation (Huang et al. 2018).

AI techniques have been applied to estimate possible impacts and assess vulnerability. For instance, possible structural damage under natural hazard(s) can be predicted by using fragility curves, which were traditionally built from statistical analyses of historical and simulation data and now can be estimated from the application of AI methods, such as LR (Ghosh et al. 2013; Kameshwar and Padgett 2014; Mangalathu et al. 2018), neural networks (Lagaros and Fragiadakis 2007; Mitropoulou and Papadarakakis 2011; Liu and Zhang 2018; Mangalathu et al. 2018), and SVM (Mahmoudi and Chouinard 2016). Infrastructure service disruptions due to hazards can be predicted based on historical data using generalized regression models (Reed 2008; Liu et al. 2008), RF (Nateghi et al. 2014; Cerrai et al. 2019; D'Amico et al. 2019), decision tree (DT) (Wanik et al. 2015), and Bayesian additive regression tree (BART) (Cerrai et al. 2019). Using data from physical sensors and social sensing, the vulnerability of structures and communities can be assessed with spatial regression models (Wang et al. 2019g), RF (Yoon and Jeong 2016), neural networks (Wu et al. 2008), deep neural networks (Nabian and Meidani 2018b), etc. In terms of the number of publications, there are fewer applications of AI methods to estimating hazard-induced impact and assessing community vulnerability (*Application Areas 2 and 3*), compared with those on hazard forecast and risk assessment (*Application Area 1*).

Based on the impact and vulnerability analyses, decision makers can gain better situation awareness with more confidence and develop effective mitigation strategies (Schwartz 2018), such as retrofitting vulnerable structures (Karamlou et al. 2016), elevating electric substations and using underground cables (Duffey 2019), and developing effective disaster-related policies (Sun et al. 2020a, 2021). In this process, AI techniques can support developing and comparing mitigation strategies. For instance, different AI methods have been applied to identifying management priorities (Canon et al. 2018), estimating people's needs during a disaster (Nguyen et al. 2019a), and recognizing human activities (Sadiq et al. 2018). Clustering algorithms are used for analyzing remote images and developing contingency plans (Dou et al. 2014), and optimization algorithms have been applied for developing effective plans of disaster response and restoration (Bocchini and Frangopol 2012a, b; Gama et al. 2016). So far, there are only a very small number of studies that apply AI to developing and comparing mitigation strategies (*Application Area 4*), as shown in Table 1.

3.2 AI applications in disaster preparedness

In the preparedness phase, decision-makers should send out early warnings and alert the public (*Application Area 5*) after identifying the disaster that is about to come (*Application Area 6*), utilize emergency training systems and tools (*Application Area 7*), and prepare for evacuations if needed (*Application Area 8*). Among the four areas, most AI methods have been applied to *Areas 5, 6, and 8*, with very limited applications to *Area 7*, as shown in Table 2.

Identifying the coming disasters in real time and sending out early warnings are practical solutions for disaster preparations. These tasks usually rely on experts' analyses and judgments of sensor measurements in the field, and AI techniques can serve as an alternative

in a cost-effective manner to forecasting the coming events (Ko and Kwak 2012), such as impending hurricane trajectories and storms (Ghosh and Krishnamurti 2018), earthquakes (Mousavi et al. 2019), ice jams (Zhao et al. 2012), floods (Yaseen et al. 2015), volcano eruptions (Parra et al. 2016), and fires (Muhammad et al. 2018). For instance, the Urban-Flood project in Europe has established an internet-based platform for early flood warnings, in which an AI component has been developed for detecting abnormal dike behaviors based on the analysis of thousands of sensor streams (Noymanee et al. 2017). Sakaki et al. (2012) performed semantic analysis of Japanese tweets with a tweet crawler, estimated the earthquake location, and developed a reporting system named Toretter that was faster than broadcast announcements by Japan Meteorological Agency. Based on the real-time analysis of smartphone accelerometer measurements of tilting motions, earthquake early warnings can also be sent out (Reilly et al. 2013). Prior to a disaster event, utility companies can use AI-based tools to estimate likely damage locations and service outage duration and get prepared beforehand. For example, Hydro One, a large utility company in Ontario, Canada, has successfully used such real-time predictive analyses in April 2018 and then positioned crews in key areas and effectively restored the power service within four days, significantly reducing the restoration time (McConnon 2018). With the implementation of IoT, cloud network services can also rapidly and accurately share information on disaster situations for early warnings (Chung and Park 2016).

With respect to disaster evacuations, some situations may give people a day or two to prepare while others might call for immediate actions. To prepare for evacuations, possible problems should be carefully considered and countermeasures should be developed. For example, contraflow operations can be implemented for hurricane evacuations in coastal areas to move the most traffic toward inland safety, and AI methods can help practical implementations by determining when to activate contraflow lane reversals (Burris et al. 2015). While large crowds move in different routes during evacuations, it is necessary to estimate crowd dynamics (Jiang et al. 2017; Wang et al. 2019b; Zheng and Liu 2019), identify the best evacuation paths (Peng et al. 2019), and develop evacuation support systems (Higuchi et al. 2014). The most popular AI methods applied for evacuations (*Application Area 8*) include SVM, DT, neural networks, and reinforcement learning, as well as optimization algorithms.

3.3 AI applications in disaster response

Timely disaster responses are a matter of life and death. Decision-makers need to make best efforts to understand the situation and improve the efficiency of response efforts. This naturally requires situation awareness for effective decision-making (*Application Areas 9* and *10*) and user-friendly disaster information systems for effective coordination (*Application Area 12*) to ensure disaster relief and address people's urgent needs and concerns (*Application Areas 11* and *13*). AI methods can be applied to facilitate relief and response efforts. In general, supervised and unsupervised models, and deep learning have been extensively applied to *Areas 9* and *10*, while other AI methods are rarely adopted for the two areas. Most AI methods have been applied to *Area 11*. Mainly supervised models and deep learning algorithms have been applied to *Areas 12* and *13*, as shown in Table 3.

Developing maps of the impact area(s) is essential for situation awareness, supporting efficient disaster response efforts (Ramchurn et al. 2015, 2016). Event maps and damage information that are generated from different AI methods can provide vital information for planning search and rescue operations, staging and deploying resources, and understanding

short-term housing needs (Vieweg 2012; Lin 2015; Kim et al. 2018c; Rizk et al. 2019). Huge volumes of disaster-related data are continuously generated from satellites (Eguchi et al. 2008), unmanned aerial vehicles (Aljehani and Inoue 2018), robots (Park et al. 2019), and social media (Cervone et al. 2016), based on which disaster event maps can be generated. For instance, satellite images have been used to generate maps of infrastructure inventory models (Eguchi et al. 2008), damaged buildings and bridges (Adams et al. 2002; Hutchinson and Chen 2005; Balz and Liao 2010), and disaster-impacted regions (Casagli et al. 2017; Rosser et al. 2017). By rapidly analyzing these data with computer vision methods, “live maps” are generated to represent disaster situations (Lucieer et al. 2014; Middleton et al. 2014; Fohringer et al. 2015; Valkaniotis et al. 2018; Xiao et al. 2018). When analyzing maps and images, classifier algorithms are often used (Vetrivel et al. 2016). By comparing maps and images pre-event and post-event, feature discrepancies can be extracted to assess damage of structures and infrastructures for prioritizing response efforts (van Aardt et al. 2011; German et al. 2013; Bevington et al. 2015; Koch et al. 2016; Axel and van Aardt 2017; Cresci et al. 2015; Cervone et al. 2016; Nguyen et al. 2017). Different databases have been established for supporting damage assessment for different structures and hazards, such as xBD for building damage assessment (Gupta et al. 2019), and HOWAS21 (Kellermann et al. 2020) and FIMA NFIP Redacted Claims Data Set (FEMA 2019) for flood damage assessment. Crowdsourced information becomes increasingly popular in supporting disaster response. Many volunteer efforts focus on speeding up the data analysis process to rapidly generate maps and provide invaluable crowdsourced information for situation awareness and damage assessment (Barrington et al. 2011; Ghosh et al. 2011; Butler 2013). By harnessing “crowds” of over 1000 experts from 82 countries, for example, the Humanitarian OpenStreetMap Team generated devastation maps of the affected areas in the Philippines shortly after typhoon Haiyan, enabling rapid damage assessment and efficient response efforts (Butler 2013).

In disaster rescue and relief, utilizing social media and robotics as well as mobile phone data often support timely and effective decision-making. Social media platforms are powerful communication tools for individuals and local communities to seek help and for governments and organizations to disseminate disaster relief information (Li and Rao 2010; Tat-subori et al. 2012; Takahashi et al. 2015). Social media data embed time and geo-location information as well as disaster-related information, serving as good information sources for building disaster information systems (Goodchild and Glennon 2010; Srivastava et al. 2012; Laylavi et al. 2017). This ultimately supports decision-making for disaster relief and resource allocations (Castellanos et al. 2018) and for building disaster information systems (Aydin and Fellows 2018). To analyze social media data, popular AI methods include classifiers, reinforcement learning, deep reinforcement learning, and other sentiment analysis techniques. However, there are concerns of using social media data as information sources due to issues of credibility, reliability, and difficulties in verifying information and processing big data into actionable knowledge (Acar and Muraki 2011; MacEachren et al. 2011; Tapia et al. 2011).

In the aftermath of a disaster, the harsh environment hinders human efforts of disaster rescue. Disaster robots allow responders and stakeholders to sense and act at a distance from the impacted areas (Murphy 2014). Robots can serve as remote sensing platforms for mapping and interacting with the destroyed environment (Adams et al. 2014; Kochersberger et al. 2014; Stefanov and Evans 2014), fight fires in dangerous conditions (Schneider and Wildermuth 2017; Ando et al. 2018), search and rescue (Murphy and Stover 2007; Murphy et al. 2009; Steimle et al. 2009; Zhang et al. 2014; Bakhshipour et al. 2017; Hu et al. 2019), and inspect damage (Devault 2000; Murphy et al. 2011; Torok et al. 2014;

Ellenberg et al. 2015; Lattanzi and Miller 2015, 2017). Machine learning has been widely used for robotics to acquire new skills and adapt to the surrounding environment (Lenz 2016). For example, deep learning has been applied to visual detection (Socher et al. 2008; Giusti et al. 2015), handling multiple input data (Ngiam et al. 2011; Noda et al. 2014), and robotic manipulation (Saxena et al. 2008; Gemici and Savena 2014; Lenz 2016). In addition, optimization algorithms are often used for dynamic path planning and multi-robot communication and coordination (Liu et al. 2013; Takeda et al. 2014).

One of the first things people commonly do during a disaster is to contact emergency services (and loved ones). Therefore, telecommunications volume sharply increases, usually following the jump-delay pattern (Bagrow et al. 2011). In disaster response, disaster management agencies need to rapidly classify information from such calls and share urgent needs of the public to relevant agencies and utility companies. Machine listening can help to automatically recognize voices to identify key words with a high priority and rapidly process voice data from different regions (Ramchurn et al. 2016). With natural language processing algorithms, sentiment mining can help disaster managers perform crisis management and enable efficient disaster relief with better awareness of the situation, such as where to send first responders and distribute resources. Based on the location information of the nearby communication network mast, mobile phone data have also been used to estimate population movements and track population displacement in the immediate aftermath of disasters (Gonzalez et al. 2009; Tatem et al. 2009; Bengtsson et al. 2011). Oftentimes, disasters may completely destroy the base stations of the mobile communication network, and so alternative base stations should be rapidly established and allocated to support emergency communication, with different countermeasures proposed (Suriya and Sumithra 2019; Wang et al. 2019d; Samir et al. 2019).

Information sharing and coordination is often the bottleneck in multi-agency response due to the unpredictable and dynamic nature of the disaster environment (Chen et al. 2008a, b). As the disaster unfolds, the information of the disaster event and its impact, victims, and resources may become outdated with large uncertainty and unpredictability by the time of sharing, making life-and-death decision-making very challenging (Holguín-Veras et al. 2012). Disaster information systems with shared access across agencies and organizations can help address these issues, such as collaborative geographic information systems (Sun and Li 2016; Abdalla and Esmail 2018; Li et al. 2019c), shared information management platforms (Bunker et al. 2015; Rasouli 2018) and decision tools (Moskowitz et al. 2011). With the shared data, collaborative data analytics can be implemented to learn about the disaster situation and identify relief needs (Tucker et al. 2017). Disaster information systems with automatic data-sharing capacity can help decision-makers from different organizations coordinate response efforts in a timely manner. Such ideas have been implemented in the forms of various prototypes (Bartoli et al. 2013; Lin and Liaw 2015; Foresti et al. 2015; Kim et al. 2018a; Hochgraf et al. 2018). There are multiple applications for disaster information systems by using supervised models and deep learning to extract information from social media data (Neppalli et al. 2018), mobile phone data (Sun and Tan 2019), remote sensing data and aerial images (Morito et al. 2016; Tian and Chen 2017b). Example disaster information systems include MADIS (Yang et al. 2012), Sahana (Careem et al. 2006), SPIDER (Subik et al. 2010), CrowdHelp (Besaleva and Weaver 2013), and DMCsim (Hashemipour et al. 2017).

A disaster causes not only physical damage to structures and infrastructure but also mental damage to people. Different types of feelings will make human focus their attention on very different information and lead to completely different decisions and actions (Watson and Clark 1994; Greifeneder et al. 2011). Understanding feelings and psychological

needs of victims would be helpful for effective disaster relief (Lin et al. 2017b; Li et al. 2019a). AI methods can help in this regard by analyzing social media data to track feelings and reactions of the public. Social media data embed emotional text and images, time and geo-location information, which is useful to identify the spatial and temporal evolution of public behaviors and population mobility, as well as psychological and healthcare needs (Bengtsson et al. 2011; Caragea et al. 2014; Ukkusuri et al. 2014; Wilson et al. 2016; Kuang and Davison 2017). Previous studies show that there are human activity abnormalities in the physical proximity of the disaster event with obvious spatial and temporal disparities (Chae et al. 2014; Shelton et al. 2014; Kryvasheyeu et al. 2016; Neppalli et al. 2017; Liu et al. 2019b; Zou et al. 2019). There are many research efforts working on this area (Area 13), such as developing metrics with sentiment analyses to quantify people's reaction/emotion in response to response efforts (Neppalli et al. 2017; Bhavaraju et al. 2019; Singh et al. 2019; Chen et al. 2020).

3.4 AI applications in disaster recovery

Disaster recovery is a multifaceted process, involving governments and public authorities, as well as private organizations. This requires comprehensive decision-making to quickly understand the complexity of the situation, identify operational needs and recovery plans, and perform rehabilitation and reconstruction activities. As disaster recovery usually takes a long time, including precise damage assessment, budgeting, planning, permitting, design and construction, AI can be an important module for supporting disaster recovery management in less time. AI methods have been applied to disaster recovery management, by assessing the disaster induced impact in detail (*Application Area 14*), developing recovery plans (*Application Area 15*), tracking the recovery process (*Application Area 16*), and estimating loss and repair cost (*Application Area 17*). The increasing number of publications in recent years, shown in Table 4, indicates increasing attention to applying AI for disaster recovery management. Among them, more attention has been paid to *Application Area 14* than others (*Application Areas 15, 16 and 17*).

Quick and accurate assessment of the disaster-induced impact is critical for rapid recovery. In addition to physical damage, a disaster causes psychological distress and economic disturbance. When assessing physical damage, visual inspection is a primary method adopted in current practice for buildings (Pham et al. 2014; Choi et al. 2018; Lenjani et al. 2019), bridges (Yeum and Dyke 2015), tunnels (Victores et al. 2011), storage tanks (Schempf et al. 1995), etc. However, the visual inspection method is often tedious and labor intensive. AI methods can help eliminate such human efforts based on aerial images, social media imagery data, and sensor measurement data (Khaloo et al. 2017; Khoshnoudian et al. 2017). When assessing the disaster-induced impact on human, sentiment analyses of social media data can track human activity pattern throughout the recovery (Caragea et al. 2014; Hasan and Ukkusuri 2014; Shelton et al. 2014; Resch et al. 2018; Liu et al. 2019b). When investigating psychological distress following a disaster, the use of surveys is a primary method adopted in current practice. Both supervised and unsupervised models, particularly regression methods, dimension reduction methods, and neural networks, are often adopted to analyze survey results to identify risk factors and assess the effectiveness of preventive interventions (Gao et al. 2006; Kim et al. 2008; Huang et al. 2010; Gong et al. 2013; Rosellini et al. 2018). In addition, AI methods have been applied to estimate the economic impacts of a hazard, in which supervised models are often used to establish quantitative relations between critical factors and the economy and identify possible

stimulus for economic growth (Zhang and Peacock 2009; Yamaguchi and Shirota 2019; Cheng and Zhang 2020; Qiang et al. 2020).

After precisely assessing the disaster induced impact, establishing post-event recovery plans is essential for effectively conducting recovery and renewal activities. While pre-event planning allows participation members to spend significant time and resources for fostering cooperative plans, post-event planning is often carried out in a relatively hostile environment with less time and resources at hand. In current research, optimization techniques are often adopted to identify efficient plans of restoration, or to estimate human decisions of recovery planning (Sun et al. 2021), including genetic algorithms (Xu et al. 2007; Orabi et al. 2010; Bocchini and Frangopol 2012b; Karamlou and Bocchini 2016), and simulated annealing (Hackl et al. 2018), and other methods (Sarkale et al. 2018; Zhong et al. 2018). Additionally, there are few studies applying reinforcement learning and deep reinforcement learning to planning post-event recovery strategies (Joo et al. 2019; Ning et al. 2019).

During the recovery process, practitioners need metrics and tools to measure and monitor how well a community recovers from a disaster over time as a means of building community resilience (Curtis et al. 2007). Supervised models and deep learning algorithms are often used in this aspect by analyzing data from various sources. As social media data are attached with geotags or hashtags, using sentiment analysis methods and image classification techniques to analyze social media data can be very helpful for disaster recovery tracking (Eckle et al. 2017; Pogrebnykov and Maldonado 2017; Jamali et al. 2019; Malawani et al. 2020; Mihunov et al. 2020). By comparing nighttime light data at different time, established regression relations between economic indicators and spatial variations in light intensity can provide valuable insights about how the regional economy recovers in a quantitative manner (Wang et al. 2018b; Qiang et al. 2020). Using Google Street View to remotely track disaster recovery has also become increasingly popular (Curtis et al. 2010; Mabon 2016).

In the aftermath of a disaster, governments need to provide timely assistance to reconstruct homes and rebuild lives; there are urgent demands for a rapid assessment of loss estimate and repair cost (Eguchi et al. 1998; Ladds et al. 2017; Deryugina 2017). AI methods can help estimate disaster losses and repair costs. In particular, supervised models, such as regression and neural network, have been used to rapidly process imagery for detecting structural damage, identifying repair needs, and estimating repair cost; they have also been used to analyze historical dispersion data of disaster recovery funds for budget allocations, and process insurance claims in less time (Chen and Huang 2006; Barthel and Neumayer 2012; Zagorecki et al. 2013; Stojadinovic et al. 2017). The existence of only a small number of publications in this field indicates that AI applications to *Area 17* are still in their infancy. In current practice, the disaster loss and repair cost are usually estimated based on real data from different sources, such as insurance claims, post-disaster assessment, and assistance grants and personal loans to victims (Eguchi et al. 1998; Kim et al. 2015). The availability of big data and the rapid development of data analytics offer an unprecedented opportunity to promote AI applications in rapid estimation of disaster loss and repair cost in the near future. However, the lack of standardized methods for collecting and recording data may lead to very different estimates of economic impacts (Ladds et al. 2017). Therefore, establishing policies and standards for data collection is an urgent need.

After a disaster, disaster related rumors and fraud may appear, requiring the awareness and alertness of both disaster victims and governments. Data mining can help to identify potential fraud (Bagde and Chaudhari 2016; Dutta et al. 2017) and rumors (Mendoza et al. 2010; Liu et al. 2015; Wu et al. 2015; Zubiaga et al. 2016, 2018), as well as track trends of

information flow (Hong et al. 2011; Badmus 2020). For example, insurance companies and law enforcement agencies can use machine learning to quickly examine the truthfulness of a claim for a flooded house by making a before-and-after comparison of high-resolution satellite images (Gilmour 2019).

4 Practical AI-based decision support tools

To ultimately facilitate informed disaster management in practice, many AI-based decision support tools have been developed by research institutes and industrial companies in the past few decades. By searching on Web sites of Google Scholar and Web of Science with keywords of “disaster management,” “decision support tool,” and “artificial intelligence,” we have found related AI-based tools for decision-making in disaster management. Table 5 presents example tools that apply various AI techniques in disaster management. These tools make use of various data as input to extract useful information, including social media data, mobile phone data, sensor measurements, on-site reports from first responders, and crowdsourced information from volunteers. These tools cover different infrastructures and different types of hazards, contributing to the advancement of AI applications to fostering informed disaster management at different phases. A general trend is that there are more tools applicable for the disaster response phase than other phases. Most tools use social media data as input; a small portion of tools use sensor measurements, remote sensing data, or mobile phone data as input.

Some tools focus on predicting possible consequences under a hazard scenario for developing management plans of retrofit and evacuation in the disaster mitigation and pre-paredness phases. For instance, Optima PredictTM software simulates and predicts emergent medical service demand and ambulance availability changes in the wake of a disaster, helping dispatchers and operations personnel find possible optimal ways of preparing for unexpected emergencies (Mason 2013). Other tools provide comprehensive platforms for efficient communications with text, audio, and location services for professional response teams in the disaster response phase, as saving life is typically the most critical issue in the first few days after a disaster and requires communication and situational awareness (Yin et al. 2012b). For example, Blueline Grid analyzes real-time mobile phone data for efficient disaster responses. One Concern predicts possible infrastructure damages and consequences based on infrastructure data and historical disaster data. Artificial Intelligence for Disaster Response (AIDR) automatically classifies crisis-related tweets along with crowdsourced information of aerial images to identify victims’ needs and infrastructure damage for efficient disaster response management (Imran et al. 2014; Ofli et al. 2016). SensePlace3 is a geo-visual interface that can visualize time, location, and relationships of events, by applying data mining tools available in Solr to process real-time Twitter data (Tomaszewski et al. 2011; Pezanowski et al. 2018). DeepMob simulates human behavior and mobility during natural disasters by learning from millions of users’ GPS records with deep belief networks (Song et al. 2017). GeoQ is an open-source tool for assessing damage by crowdsourcing geo-tagged photographs of the disaster-affected areas, developed in coordination with the National Geospatial-Intelligence Agency, the Presidential Innovation Fellow Program, the Federal Emergency Management Agency (FEMA), and other analysts.

In the meantime, there are some challenging issues of using these AI-based decision support tools in practice. First, these tools typically require large amounts of data as input,

Table 5 AI-based decision support tools for disaster management

Example tool	Owner	Input data	Hazard	Applicable phase	Web site/Reference
Optima Predict™	Intermedix	Mobile phone data, clinical data, and others	General	Mitigation	https://www.r1rem.com/optima
One Concern	One Concern, Inc.	Public and private infrastructure data-sets	Seismic, flood	Mitigation, and response	https://www.oneconcern.com
The Geospiza Solution	Geospiza Inc.	Data of hazard modeling, community, and live event	General	Mitigation, and response	https://geospiza.us/solution
TweetTracker	Arizona State University	Tweet	General	Preparedness, and response	http://tweettracker.fulton.asu.edu/
EARS	National Research Council, Italy	Twitter	Earthquake	Preparedness	Avvenuti et al. (2014)
EAIMS	University of Glasgow	Twitter	General	Preparedness	McCreadie et al. (2016)
Ground Truth	Sandia National Laboratories	Human decision input via video games	General	Preparedness	Djordjević et al. (2008)
Argus	Rutgers University	Smartphone data	General	Preparedness, and response	Sadhu et al. (2017)
CrisisMappers	Crisis Mappers Net	Social media data	General	Preparedness, and response	https://crisismapping.ning.com/
Dataminr	Dataminr	Social media data	General	Preparedness, and response	https://www.dataminr.com/
Disaster Management Coordination simulation (DMCsim) system	George Washington University	Infrastructure data, GIS data, and organization capabilities	General	Preparedness, and response	Hashemipour et al. (2017)
Artificial Intelligence for Digital Response (AIDR)	Qatar Computing Research Institute	Tweets	General	Response	http://aidr.qcri.org
BlueLine Grid	WorldAware, Inc	Mobile phone calls	General	Response	https://www.bluelinegrid.com
Blueworx	Blueworx	Emergency calls	General	Response	https://www.blueworx.com
CRED	Stanford University	Seismogram data	Earthquake	Response	Mousavi et al. (2019)

Table 5 (continued)

Example tool	Owner	Input data	Hazard	Applicable phase	Web site/Reference
DeepMob	Multi-government-industry collaborations	Disaster data, human mobility data, earthquake records, transportation network data	Earthquake	Response	Song et al. (2017)
ESA	Information Engineering Laboratory	Information management system	General	Response	Yin et al. (2012a)
HAC-ER	University of Southampton, University of Nottingham, and University of Oxford	Social media data and first responder reports	General	Response	Ramchurn et al. (2015, 2016)
SensePlace3	Pennsylvania State University	Tweets	General	Response	Pezanowski et al. (2018)
Sahana	Sahana Foundation	Information management system	General	Response	Careem et al. (2006)
Disaster Intelligence product	Disaster Intelligence	Images, data of hazard, infrastructure, and community	General	Mitigation, preparedness, response, and recovery	https://www.disaster-ai.com
Disaster City Digital Twin	Texas A&M University	Remote sensing data and crowdsourced data	General	Mitigation, preparedness, response, and recovery	Fan et al. (2019)
Disaster Reporter	Federal Emergency Management Agency	Photographs and descriptive text	General	Response, and recovery	https://www.fema.gov/disaster-reporter
FIU-Miner	Florida International University	Geospatial data	General	Preparedness, response, and recovery	Zheng et al. (2013a), Li et al. (2017a, b)
GeoQ	National Geospatial-Intelligence Agency	Geo-tagged photographs	General	Response, and recovery	https://github.com/ngageoint
Tweet Earthquake Dispatch	United States Geological Survey	Tweets	Earthquake	Response, and recovery	https://github.com/usgs/earthquake-ted
Tractable	Tractable	Images	Flood, fire, hurricane	Recovery	https://tractable.ai

and data-related issues are a practical challenge. Input data might be available in different types and formats for different communities, or available for some communities but not available for others due to various reasons, such as legal ramifications and commercial competitiveness. For example, big cities and urban areas usually have documented data detailed enough and sufficient in size to make AI predictions accurate, which may not be the case for small cities and rural areas. Even if all input data are available, some of it may be inaccurate, and there may be data ownership issues involved when using some of these tools. Therefore, policies and regulations need to be established for appropriate data collection, cleaning, protection, and management. Second, communities are exposed to different types of hazards and have different socioeconomic backgrounds. The AI-based decision support tools that are developed based on data from one community might not be suitable for another community. This naturally poses a challenge to the application generalization of AI-based decision support tools for a diverse set of communities. Third, some tools may require a high level of competence in deployment, making them less user friendly for practitioners. Many tools require advanced software and high-performance computers to conduct big data analytics, which may not be available for many local governments and emergency agencies in economically disadvantaged regions.

5 Discussion

As shown in Tables 1, 2, 3 and 4, all AI methods have been applied to disaster management. However, there are many untouched application areas by some AI methods. For instance, very few AI methods have been used for disaster training systems (*Application Area 7*); that is probably because there is very little training data of human responses in disasters available to build appropriate AI models for such purposes. Deep neural networks (*method R*) and recursive neural networks (*method T*) are rarely applied for disaster preparedness and disaster recovery (*Application Areas 5–8 and 14–17*). Policy gradient-based algorithms have not been applied in disaster mitigation and disaster recovery (*Application Areas 1–4 and 14–17*). The absence of AI applications to untouched areas may attract future research attention for exploration.

Many challenges of practical AI applications to disaster management are due to data-related issues, such as accessibility, completeness, security, privacy, and ethical issues (Boyd and Crawford 2012; Crawford and Finn 2015). Making accurate predictions with AI techniques typically requires a large amount of good data for building the model. Such data are not always available. For example, some infrastructure data cannot be easily accessible due to reasons of national security and commercial competitiveness. Data trustworthiness is another issue. For instance, raw data from social networks often contain various inaccuracies and biases, requiring advanced information filtering and verification. One step further, collecting and analyzing personal data poses significant issues related to fairness, responsibility, and human rights. Even if the required data are available, data incompleteness is a common problem in disaster-related data analyses due to the dynamically changing environment of a disaster. To deal with the aforementioned issues, there have been various platforms and databases built to collect and share disaster-related data in a relatively standardized form. Some examples include ShakeMap and ShakeCast (USGS 2016b, a), GeoPlatform (GeoPlatform 2016), I-WASTE (EPA 2016), Lantern Live (DOE 2014), and Disaster Response Program (ESRI 2016), DesignSafe (NHERI 2019), xBD (Gupta et al. 2019), etc.

There are three computation-related challenging issues. First, there may not be enough human labeled training data in time considering the increasing amount of data and the limited amount of manpower in the wake of a disaster (Pouyanfar et al. 2018). In this regard, applying and improving unsupervised learning approaches may be the way out for handling real-world data without manual human labels (Ranzato et al. 2013). Second, the computational complexity sharply increases with the size, variety, and update rate of data, which challenges the capacity of processing, managing, and learning data within a reasonable response time in the disaster scenario. Efficiently managing, storing, and processing big data is essential for disaster management, particularly disaster response. Using cloud platforms to efficiently query and store big data is helpful to address this challenge. Developing more efficient AI methods would naturally be helpful. There have been efforts made to address this challenge, including reservoir computing (Tanaka et al. 2019) and using GPUs and AI accelerators (Wang et al. 2019f). Using crowdsourcing with real-time AI analyses can help to complete the necessary computation within the time limit and eliminate the amount of necessary but tedious work that traditionally needs effort on-site (Bevington et al. 2015). Third, building user-friendly tools for disaster management is essential for practitioners. This means building AI-based tools with interfaces that require minimal technical expertise for practical use.

Analysis results from AI models should be explainable and repeatable for supporting practical disaster management. To address this issue, there have been research efforts made to improve the interpretability and explainability of AI models, such as explainable artificial intelligence (Arrieta et al. 2020; Gunning et al. 2019). On the other hand, as AI solutions are developed for disaster management, we recognize that there are often challenges in reproducibility of new results. For disaster related data, the non-reproducibility issue is a particular challenge, because disasters happen irregularly with various impacts in different regions (Wang et al. 2016). Replication of experimental results is essential for trustworthy advancement in science generally and for AI models specifically. To address this issue, there have been research efforts such as IBM's AI OpenScale and OpenML (Vanschoren et al. 2014; Rossi 2019; Yang et al. 2019a). These efforts work toward making AI transparent and trustworthy by capturing the processes, data, and parameters for experiments to become repeatable.

6 Concluding remarks

This study focuses on AI applications in assisting in efficient disaster management during four disaster management phases: mitigation, preparedness, response, and recovery. In particular, this study reviews applications of a total of 26 AI methods in 17 Application Areas in disaster management in all four phases. Both research and practice show that analysis results from AI models are very useful for supporting disaster management. In the current stage, the general trend is that most applications focus on disaster response, followed by disaster mitigation.

AI is better than humans in terms of data analysis speed and thus the volume of analyzable data. It can make acceptable forecasts when the scope is within the range of the training data, but predictions when the scope is beyond the range may be unacceptable. This is especially true as both the hazard and the society are constantly evolving, which might fundamentally change the utility of attributes used to train the original model. Even if AI algorithms can make reasonably good predictions with the available data, a further concern

is whether we should completely rely on the predictions and suggestions from AI algorithms to deploy resources and develop disaster plans. This question has no simple answer.

For practical AI applications in disaster management, there are a number of challenging issues related to data and computation, as well as inseparability and replicability of analysis results. This study also identifies many untouched application areas of different AI methods. How to develop more powerful and cost-effective AI-based tools to support decision-making in practical disaster management with improved analysis accuracy and speed is an urgent problem for the research community. Despite these challenges and untouched areas, AI methods provide numerous opportunities and easy solutions for various successful applications in disaster management. By discussing the application status of AI methods in disaster management, this study aims to inspire future research to tackle the identified challenging issues and advance disaster management with AI for improving community disaster resilience.

Acknowledgements This work is part of the Probabilistic Resilience Assessment of Interdependent Systems (PRAISys) project (www.praisys.org). Support from the National Science Foundation through grant CMMI-1541177 is gratefully acknowledged.

References

- Abdalla R, Esmail M (2018) Artificial intelligence and WebGIS for disaster and emergency management. In: WebGIS for disaster management and emergency response. Springer, pp 57–62
- Abdullahi SI, Habaebi MH, Malik NA (2018) Flood disaster warning system on the go. In: Proceedings of the 2018 7th international conference on computer and communication engineering (ICCCCE). IEEE, pp 258–263. <https://doi.org/10.1109/ICCCCE.2018.8539253>
- Acar A, Muraki Y (2011) Twitter for crisis communication: lessons learned from Japan's tsunami disaster. *Int J Web Based Communities* 7:392–402
- Acuna V, Kumbhar A, Vattapparamban E, Rajabli F, Guvenc I (2017) Localization of WiFi devices using probe requests captured at unmanned aerial vehicles. In: Proceedings of the 2017 IEEE wireless communications and networking conference (WCNC). IEEE. <https://doi.org/10.1109/WCNC.2017.7925654>
- Adams BJ, Huyck C, Mansouri B, Eguchi R, Shinozuka M (2002) Post-disaster bridge damage assessment. In: Proceedings of the 15th Pecora conference: integrating remote sensing at the global, regional, and local scale, 8p, on CD-ROM
- Adams SM, Levitan M, Friedland CJ (2014) High resolution imagery collection for post-disaster studies utilizing unmanned aircraft systems (UAS). *Photogram Eng Remote Sens* 12:1161–1168
- Adeel A, Gogate M, Farooq S, Ieracitano C, Dashtipour K, Larijani H, Hussain A (2018) A survey on the role of wireless sensor networks and IoT in disaster management. In: Geological disaster monitoring based on sensor networks. Springer, pp 57–66
- Afandizadeh S, Jahangiri A, Kalantari N (2013) Determination of the optimal network configuration for emergency evacuation by simulated annealing algorithm. *Nat Hazards* 69:1315–1335
- Agarwal S, Kachroo P, Regentova E (2016) A hybrid model using logistic regression and wavelet transformation to detect traffic incidents. *IATSS Res* 40:56–63
- Aghamohammadi H, Mesgari MS, Mansourian A, Molaei D (2013) Seismic human loss estimation for an earthquake disaster using neural network. *Int J Environ Sci Technol* 10:931–939
- Ahmad R, Samy GN, Ibrahim NK, Bath PA, Ismail Z (2009) Threats identification in healthcare information systems using genetic algorithm and cox regression. In: The fifth international conference on information assurance and security, pp 757–760. <https://doi.org/10.1109/IAS.2009.313>
- Ahmad K, Riegler M, Pogorelov K, Conci N, Halvorsen P, De Natale F (2017) JORD: a system for collecting information and monitoring natural disasters by linking social media with satellite imagery. In: Proceedings of the 15th international workshop on content-based multimedia indexing. ACM, Article No. 12
- Ahmad K, Pogorelov K, Riegler M, Ostroukhova O, Halvorsen P, Conci N, Dahyot R (2019) Automatic detection of passable roads after floods in remote sensed and social media data. *Sig Process Image Commun* 74:110–118

- Akhtar N, Siddique B (2017) On hierarchical visualization of event detection in Twitter. In: *Advances in computer and computational sciences*, pp 571–579
- Alam P, Booth D, Lee K, Thordarson T (2000) The use of fuzzy clustering algorithm and self-organizing neural networks for identifying potentially failing banks: an experimental study. *Expert Syst Appl* 18:185–199
- Alam F, Imran M, Ofli F (2017) Image4Act: online social media image processing for disaster response. In: *Proceedings of the 2017 IEEE/ACM international conference on advances in social networks analysis and mining 2017 (ASONAM'17)*. IEEE, pp 601–604
- Alfaiate J, Aliabadi M, Guagliano M, Susmel L (2007) Identification of damaged bars in three-dimensional redundant truss structures by means of genetic algorithms. *Key Eng Mater* 348–349:229–232
- Ali EM, Ahmed MM, Wulff SS (2019) Detection of critical safety events on freeways in clear and rainy weather using SHRP2 naturalistic driving data: parametric and non-parametric techniques. *Saf Sci* 119:141–149
- Aljehani M, Inoue M (2018) Safe map generation after a disaster, assisted by an unmanned aerial vehicle tracking system. *Trans Electr Electron Eng* 14:271–282
- Andersson M, Rydell J, St-Laurent L, Prévost D, Gustafsson F (2012) Crowd analysis with target tracking, K-means clustering and hidden Markov models. In: *The 15th international conference on information fusion*. IEEE, pp 1903–1910
- Ando H, Ambe Y, Ishii A, Konyo M, Tadakuma K, Maruyama S, Tadokoro S (2018) Aerial hose type robot by water jet for fire fighting. *IEEE Robot Autom* 3:1128–1135
- Ansari A, Firuzi E, Etemadsaeed L (2015) Delineation of seismic sources in probabilistic seismic-hazard analysis using fuzzy cluster analysis and Monte Carlo simulation. *Bull Seismol Soc Am* 105:2174–2191
- Arridha R, Sukaridhoto S, Pramadihanto D, Funabiki N (2017) Classification extension based on IoT-big data analytic for smart environment monitoring and analytic in real-time system. *Int J Space Based Situat Comput* 7:82–93. <https://doi.org/10.1504/IJSSC.2017.10008038>
- Arrieta AB, Díaz-Rodríguez N, Ser JD, Bénéto A, Tabik S, Barbado A, García S, Gil-López S, Molina D, Benjamins R, Chatila R, Herrera F (2020) Explainable artificial intelligence (XAI): concepts, taxonomies, opportunities and challenges toward responsible AI. *Inf Fusion* 58:82–115. <https://doi.org/10.1016/j.inffus.2019.12.012>
- Asgary A, Naini AS (2011) Modelling the adaptation of business continuity planning by business using neural networks. *Intell Syst Acc Finance Manag* 18:89–104
- Ashktorab Z, Brown C, Nandi M, Culotta A (2014) Tweedr: mining Twitter to inform disaster response. In: *Proceedings of the 11th international conference on information systems for crisis response and management (ISCRAM2014)*. ISCRAM, pp 354–358. http://idl.iscram.org/files/ashktorab/2014/275_Ashktorab_et al2014.pdf
- Asim KM, Martínez-Álvarez F, Basit A, Iqbal T (2017) Earthquake magnitude prediction in Hindukush region using machine learning techniques. *Nat Hazards* 85:471–486
- Atasever UH (2017) A new unsupervised change detection approach with hybrid clustering for detecting the areal damage after natural disaster. *Fresen Environ Bull* 26:3891–3896
- Avvenuti M, Cresci S, Marchetti A, Meletti C, Tesconi M (2014) EARS (earthquake alert and report system): a real time decision support system for earthquake crisis management. In: *Proceedings of the 20th ACM SIGKDD international conference on knowledge discovery and data mining*, pp 1749–1758
- Axel C, van Aardt JAN (2017) Building damage assessment using airborne LiDAR. *J Appl Remote Sens* 4:046024
- Aydin ME, Fellows R (2018) Building collaboration in multi-agent systems using reinforcement learning. In: *International conference on computational collective intelligence (ICCCI 2018)*. Springer, pp 201–212
- Badmus O (2020) When the storm is over: sentiments, communities and information flow in the aftermath of Hurricane Dorian. *Int J Disaster Risk Reduct*. <https://doi.org/10.1016/j.ijdrr.2020.101645>
- Bagde PR, Chaudhari MS (2016) Analysis of fraud detection mechanism in health insurance using statistical data mining techniques. *Int J Comput Sci Inf Technol* 7:925–927
- Bagloee SA, Johansson KH, Asadi M (2019) A hybrid machine-learning and optimization method for contraflow design in post-disaster cases and traffic management scenarios. *Expert Syst Appl* 124:67–81
- Bagrow JP, Wang D, Barabási AL (2011) Collective response of human populations to large-scale emergencies. *PLoS One* 6:e17680. <https://doi.org/10.1371/journal.pone.0017680>
- Bahrepour M, Meratnia N, Poel M, Taghikhaki Z, Havinga PJ (2010) Distributed event detection in wireless sensor networks for disaster management. In: *2nd international conference on intelligent networking and collaborative systems*. IEEE, pp 507–512. <https://doi.org/10.1109/INCOS.2010.24>

- Bai SB, Wang J, Lü GN, Zhou PG, Hou SS, Xu SN (2010) GIS-based logistic regression for landslide susceptibility mapping of the Zhongxian segment in the Three Gorges area, China. *Geomorphology* 115:23–31
- Bai Y, Gao C, Singh S, Koch M, Adriano B, Mas E, Koshimura S (2018) A framework of rapid regional tsunami damage recognition from post-event TerraSAR-X imagery using deep neural networks. *IEEE Geosci Remote Sens Lett* 15:43–47
- Bakhshpour M, Ghadi MJ, Namdari F (2017) Swarm robotics search and rescue: a novel artificial intelligence-inspired optimization approach. *Appl Soft Comput* 57:708–726
- Baldazo D, Parras J, Zazo S (2019) Decentralized multi-agent deep reinforcement learning in swarms of drones for flood monitoring. In: 2019 27th European signal processing conference (EUSIPCO). IEEE. <https://doi.org/10.23919/EUSIPCO.2019.8903067>
- Balz T, Liao M (2010) Building-damage detection using post-seismic high-resolution SAR satellite data. *Int J Remote Sens* 31:3369–3391
- Bandara RP, Chan TH, Thambiratnam DP (2014) Structural damage detection method using frequency response functions. *Struct Health Monit* 13:418–429
- Bande S, Shete VV (2017) Smart flood disaster prediction system using IoT and neural networks. In: 2017 international conference on smart technologies for smart nation (SmartTechCon). IEEE. <https://doi.org/10.1109/SmartTechCon.2017.8358367>
- Barabadi A, Ayele Y (2018) Post-disaster infrastructure recovery: prediction of recovery rate using historical data. *Reliab Eng Syst Saf* 169:209–223
- Barrientos F, Sainz G (2012) Interpretable knowledge extraction from emergency call data based on fuzzy unsupervised decision tree. *Knowl Based Syst* 25:77–87
- Barrington L, Ghosh S, Greene M, Har-Noy S, Berger J, Gill S, Lin AYM, Huyck C (2011) Crowdsourcing earthquake damage assessment using remote sensing imagery. *Ann Geophys* 54:680–687. <https://doi.org/10.4401/ag-5324>
- Barthel F, Neumayer E (2012) A trend analysis of normalized insured damage from natural disasters. *Clim Change* 113:215–237
- Bartoli G, Fantacci R, Gei F, Marabissi D, Micciullo L (2013) A novel emergency management platform for smart public safety. *Int J Commun Syst* 28:928–943
- Basu M, Shandilya A, Khosla P, Ghosh K, Ghosh S (2019a) Extracting resource needs and availabilities from microblogs for aiding post-disaster relief operations. *IEEE Trans Comput Soc Syst* 6:604–618
- Basu S, Roy S, Dasbit S (2019b) A post-disaster demand forecasting system using principal component regression analysis and case-based reasoning over smartphone-based DTN. *IEEE Trans Eng Manag* 66:224–239
- Bawono AS, Ali MI, Kusumadewi S, Ramli NI (2020) Methodological study to classification of damage state immediately subsequent to the Banjarnegara Indonesia Earthquake on 2018. *IOP Conf Ser Mater Sci Eng* 712:012032
- Bayerlein H, Kerret PD, Gesbert D (2018) Trajectory optimization for autonomous flying base station via reinforcement learning. In: Proceedings of the 2018 IEEE 19th international workshop on signal processing advances in wireless communications (SPAWC). IEEE. <https://doi.org/10.1109/SPAWC.2018.8445768>
- Bejiga M, Zeggada A, Nouffidj A, Melgani F (2017) A convolutional neural network approach for assisting avalanche search and rescue operations with UAV imagery. *Remote Sens* 9:100
- Bellaire S, Herwijnen A, Mitterer C, Schweizer J (2017) On forecasting wet-snow avalanche activity using simulated snow cover data. *Cold Reg Sci Technol* 144:28–38
- Bengtsson L, Lu X, Thorson A, Garfield R, von Schreeb J (2011) Improved response to disasters and outbreaks by tracking population movements with mobile phone network data: a post-earthquake geospatial study in Haiti. *PLoS Med* 8:e1001083
- Benítez MC, Ramírez J, Segura JC, Ibáñez JM, Almendros J, García-Yeguas A, Cortés G (2007) Continuous HMM-based seismic-event classification at Deception Island, Antarctica. *IEEE Trans Geosci Remote Sens* 45:138–146
- Berawi MA, Leviakangas P, Muhammad F, Sari M, Yatmo YA, Suryanegara M (2019) Optimizing search and rescue personnel allocation in disaster emergency response using fuzzy logic. *Int J Technol* 10:1416–1426
- Berkhahn S, Fuchs L, Neuweiler I (2019) An ensemble neural network model for real-time prediction of urban floods. *J Hydrol* 575:743–754
- Besaleva LI, Weaver AC (2013) CrowdHelp: a crowdsourcing application for improving disaster management. In: Proceedings of the 2013 IEEE global humanitarian technology conference. IEEE. <https://doi.org/10.1109/GHTC.2013.6713678>

- Bevington JS, Eguchi RT, Gill S, Ghosh S, Huyck CK (2015) A comprehensive analysis of building damage in the 2010 Haiti earthquake using high-resolution imagery and crowdsourcings. In: Lippitt C, Stow D, Coulter L (eds) Time-sensitive remote sensing. Springer, New York, pp 131–145
- Bhavaraju SKT, Beyney C, Nicholson C (2019) Quantitative analysis of social media sensitivity to natural disasters. *Int J Disaster Risk Reduct* 39:101251
- Biswas R, Friedrich C, Rao YN, Chakraborty A (2019) Deep reinforcement learning for autonomous inspection system. In: Purdue undergraduate research conference, p 29
- Boccardo P, Tonolo FG (2014) Remote sensing role in emergency mapping for disaster response. *Eng Geol Soc Territ* 5:17–24
- Bocchini P, Frangopol DM (2012a) Optimal resilience- and cost-based postdisaster intervention prioritization for bridges along a highway segment. *J Bridge Eng* 17:117–129. [https://doi.org/10.1061/\(asce\)be.1943-5592.0000201](https://doi.org/10.1061/(asce)be.1943-5592.0000201)
- Bocchini P, Frangopol DM (2012b) Restoration of bridge networks after an earthquake: multicriteria intervention optimization. *Earthq Spectra* 28:427–455. <https://doi.org/10.1193/1.4000019>
- Boyd D, Crawford K (2012) Critical questions for big data. *J Inf Commun Soc* 15:662–679
- Bromley E, Eisenman DP, Magana A, Williams M, Kim B, McCreary M, Chandra A, Wells KB (2017) How do communities use a participatory public health approach to build resilience? The Los Angeles county community disaster resilience project. *Int J Environ Res Public Health* 14(10):1267. <https://doi.org/10.3390/ijerph14101267>
- Bunker D, Levine L, Woody C (2015) Repertoires of collaboration for common operating pictures of disasters and extreme events. *Inf Syst Front* 17:51–65
- Burris JW, Shrestha R, Gautam B, Bista B (2015) Machine learning for the activation of contraflow during hurricane evacuation. In: The 2015 IEEE global humanitarian technology conference (GHTC). IEEE. <https://doi.org/10.1109/GHTC.2015.7343981>
- Butler D (2013) Crowdsourcing goes mainstream in typhoon response. *Nature*. <https://doi.org/10.1038/nature.2013.14186>
- Canon MJ, Satuito A, Sy C (2018) Determining disaster risk management priorities through a neural network-based text classifier. In: Proceedings of the 2018 international symposium on computer, consumer and control (IS3C). IEEE, pp 237–241. <https://doi.org/10.1109/IS3C.2018.00067>
- Caragea C, Squicciarini A, Stehle S, Neppalli K, Tapia A (2014) Mapping moods: geo-mapped sentiment analysis during Hurricane Sandy. In: Proceedings of the 11th international conference on information systems for crisis response and management (ISCRAM 2014). ISCRAM, pp 642–651
- Careem M, Silva CD, Silva RD, Raschid L, Weerawarana S (2006) Sahana: Overview of a disaster management system. In: Proceedings of the 2006 international conference on information and automation. IEEE, pp 361–366. <https://doi.org/10.1109/ICINFA.2006.374152>
- Casagli N, Frodella W, Morelli S, Tofani V, Ciampalini A, Intrieri E, Raspini F, Rossi G, Tanteri L, Lu P (2017) Spaceborne, UAV and ground-based remote sensing techniques for landslide mapping, monitoring and early warning. *Geoenviron Disasters* 4:9
- Castellanos CL, Marti JR, Sarkaria S (2018) Distributed reinforcement learning framework for resource allocation in disaster response. In: 2018 IEEE global humanitarian technology conference (GHTC). IEEE. <https://doi.org/10.1109/GHTC.2018.8601911>
- Cauffman SA, Dillard MK, Helgeson JF (2018) Implementation of the NIST community resilience planning guide for buildings and infrastructure systems. Technical Report NISTIR 8231, National Institute of Standards and Technology. <https://nvlpubs.nist.gov/nistpubs/ir/2018/NIST.IR.8231.pdf>
- Cavalcante IM, Frazzon EM, Forcellini FA, Ivanov D (2019) A supervised machine learning approach to data-driven simulation of resilient supplier selection in digital manufacturing. *Int J Inf Manag* 49:86–97
- Cavaleri F, Franchin P, Cortés JAMB, Tesfamariam S (2014) Models for seismic vulnerability analysis of power networks: comparative assessment. *Comput Aided Civ Infrastruct Eng* 29:590–607
- Cerrai D, Wanik DW, Bhuiyan MAE, Zhang X, Yang J, Frediani MEB, Anagnostou EN (2019) Predicting storm outages through new representations of weather and vegetation. *IEEE Access* 7:29639–29654
- Cervone G, Sava E, Huang Q, Schnebele E, Harrison J, Waters N (2016) Using Twitter for tasking remote-sensing data collection and damage assessment: 2013 Boulder flood case study. *Int J Remote Sens* 37:100–124
- Cha YJ, Buyukozturk O (2015) Structural damage detection using modal strain energy and hybrid multi-objective optimization. *Comput Aided Civ Infrastruct Eng* 30:347–358
- Cha YJ, Choi W, Büyüköztürk O (2017) Deep learning-based crack damage detection using convolutional neural networks. *Comput Aided Civ Infrastruct Eng* 32:361–378

- Chae J, Thom D, Jang Y, Kim S, Ertl T, Ebert D (2014) Public behavior response analysis in disaster events utilizing visual analytics of microblog data. *Comput Graph* 38:51–60. <https://doi.org/10.1016/j.cag.2013.10.008>
- Chang TC, Chien YH (2007) The application of genetic algorithm in debris flows prediction. *Environ Geol* 53:339–347
- Chang LC, Shen HY, Wang YF, Huang JY, Lin YT (2010) Clustering-based hybrid inundation model for forecasting flood inundation depths. *J Hydrol* 385:257–268
- Chang FJ, Chen PA, Lu YR, Huang E, Chang KY (2014) Real-time multi-step-ahead water level forecasting by recurrent neural networks for urban flood control. *J Hydrol* 517:836–846
- Chang SE, Yip JZK, Conger T, Oulahan G, Marteleira M (2018) Community vulnerability to coastal hazards: developing a typology for disaster risk reduction. *Appl Geogr* 91:81–88
- Chaudhuri N, Bose I (2020) Exploring the role of deep neural networks for post-disaster decision support. *Decis Support Syst* 130:113234. <https://doi.org/10.1016/j.dss.2019.113234>
- Chen LH, Hong YT (2012) Regional Taiwan rainfall frequency analysis using principal component analysis, self-organizing maps and L-moments. *Hydrol Res* 43:275–285
- Chen WT, Huang YH (2006) Approximately predicting the cost and duration of school reconstruction projects in Taiwan. *Construct Manag Econ* 24:1231–1239
- Chen S, Wang W (2009) Decision tree learning for freeway automatic incident detection. *Expert Syst Appl* 36:4101–4105
- Chen R, Sharman R, Chakravarti N, Rao HR, Upadhyaya SJ (2008a) Emergency response information system interoperability: development of chemical incident response data model. *J Assoc Inf Syst* 9:200–230
- Chen R, Sharman R, Rao HR, Upadhyaya SJ (2008b) Coordination in emergency response management. *Commun ACM* 51:66–73
- Chen PA, Chang LC, Chang FJ (2013) Reinforced recurrent neural networks for multi-step-ahead flood forecasts. *J Hydrol* 497:71–79
- Chen W, Cutter SL, Emrich CT, Shi P (2014a) Measuring social vulnerability to natural hazards in the Yangtze River Delta region, China. *Int J Disaster Risk Sci* 4:169–181
- Chen Y, Niu Z, Bai J, Wang Y (2014b) Seismic vulnerability assessment of water supply network in Tianjin, China. *Front Environ Sci Eng* 8:767–775
- Chen W, Peng J, Hong H, Shahabi H, Pradhan B, Liu J, Zhu AX, Pei X, Duan Z (2018) Landslide susceptibility modelling using GIS-based machine learning techniques for Chongren County, Jiangxi Province, China. *Sci Total Environ* 626:1121–1135
- Chen W, Yan X, Zhao Z, Hong H, Bui DT, Pradhan B (2019) Spatial prediction of landslide susceptibility using data mining-based kernel logistic regression, naïve Bayes and RBFNetwork models for the Long County area (China). *Bull Eng Geol Environ* 78:247–266
- Chen S, Mao J, Li G, Ma C, Cao Y (2020) Uncovering sentiment and retweet patterns of disaster-related tweets from a spatiotemporal perspective—a case study of Hurricane Harvey. *Telemat Inform* 47:101326
- Cheng MY, Hoang ND (2014) Slope collapse prediction using Bayesian framework with K-nearest neighbor density estimation: case study in Taiwan. *J Comput Civ Eng* 30:04014116
- Cheng L, Zhang J (2020) Is tourism development a catalyst of economic recovery following natural disaster? An analysis of economic resilience and spatial variability. *Curr Issues Tour*. <https://doi.org/10.1080/13683500.2019.1711029>
- Cheng G, Guo L, Zhao T, Han J, Li H, Fang J (2013) Automatic landslide detection from remote-sensing imagery using a scene classification method based on BoVW and pLSA. *Int J Remote Sens* 34:45–59
- Cheng X, Zhang R, Zhou J, Xu W (2017) DeepTransport: learning spatial-temporal dependency for traffic condition forecasting. <https://arxiv.org/abs/1709.09585>
- Choi J, Yeum C, Dyke S, Jahanshahi M (2018) Computer-aided approach for rapid post-event visual evaluation of a building façade. *Sensors* 18:3017
- Chou JS, Thedja JPP (2016) Metaheuristic optimization within machine learning-based classification system for early warnings related to geotechnical problems. *Autom Construct* 68:65–80
- Choubin B, Borji M, Mosavi A, Sajedi-Hosseini F, Singh VP, Shamshirband S (2019) Snow avalanche hazard prediction using machine learning methods. *J Hydrol* 577:123929
- Chung K, Park RC (2016) P2P cloud network services for IoT based disaster situations information. *Peer Peer Netw Appl* 9:566–577
- Conner AJ, Shao Y, Campbell JB (2016) Detection of urban damage using remote sensing and machine learning algorithms: revisiting the 2010 Haiti earthquake. *Remote Sens* 8:868
- Cortez B, Carrera B, Kim YJ, Jung JY (2018) An architecture for emergency event prediction using LSTM recurrent neural networks. *Expert Syst Appl* 97:315–324

- Crawford K, Finn M (2015) The limits of crisis data: analytical and ethical challenges of using social and mobile data to understand disasters. *GeoJournal* 80:491–502
- Crawford PS, Al-Zarrad MA, Graettinger AJ, Hainen AM, Back E, Powell L (2018) Rapid disaster data dissemination and vulnerability assessment through synthesis of a web-based extreme event viewer and deep learning. *Adv Civ Eng*. <https://doi.org/10.1155/2018/7258156>
- Cresci S, Tesconi M, Cimino A, Dell’Orletta F (2015) A linguistically-driven approach to cross-event damage assessment of natural disasters from social media messages. In: Proceedings of the 24th international conference on world wide web. ACM, pp 1195–1200
- Curtis A, Mills JW, Kennedy B, Fotheringham S, McCarthy T (2007) Understanding the geography of post-traumatic stress: an academic justification for using a spatial video acquisition system in the response to Hurricane Katrina. *J Conting Crisis Manag* 15:208–219
- Curtis A, Duval-Diop D, Novak J (2010) Identifying spatial patterns of recovery and abandonment in the post-Katrina Holy Cross neighborhood of New Orleans. *Cartogr Geogr Inf Sci* 37:45–56
- da Silva S, Júnior MD, Junior VL, Brennan MJ (2008) Structural damage detection by fuzzy clustering. *Mech Syst Signal Process* 22:1636–1649
- Dahl GE, Yu D, Deng L, Acero A (2012) Context-dependent pre-trained deep neural networks for large-vocabulary speech recognition. *IEEE Trans Audio Speech Lang Process* 20:30–42
- D’Amico DF, Quiring SM, Maderia CM, McRoberts DB (2019) Improving the hurricane outage prediction model by including tree species. *Clim Risk Manag* 25:100193
- Datt G, Bhatt AK, Kumar S (2015) Disaster management information system framework using feed forward back propagation neural network. *Int J Adv Res Comput Commun Eng* 4:510–514
- de Morsier F, Tuia D, Borgeaud M, Gass V, Thiran JP (2013) Semi-supervised novelty detection using SVM entire solution path. *IEEE Trans Geosci Remote Sens* 51:1939–1950
- Dekanová M, Duchoň F, Dekan M, Kyzek F, Biskupič M (2018) Avalanche forecasting using neural network. In: Proceedings of the 2018 ELEKTRO. IEEE. <https://doi.org/10.1109/ELEKTRO.2018.8398359>
- Deng L, Yu D (2014) Deep learning: methods and applications. *Found Trends Sig Process* 7:199–200
- Deryugina T (2017) The fiscal cost of hurricanes: disaster aid versus social insurance. *Am Econ J Econ Policy* 9:168–198
- Devault JE (2000) Robotic system for underwater inspection of bridge piers. *IEEE Instrum Measur Magaz* 3:32–37
- DeVries PMR, Viégas F, Wattenberg M, Meade BJ (2018) Deep learning of aftershock patterns following large earthquakes. *Nature* 560:632–634
- DHS (2010) DHS risk lexicon. <https://www.dhs.gov/xlibrary/assets/dhs-risk-lexicon-2010.pdf>
- Djordjević DD, Xavier PG, Bernard ML, Whetzel JH, Glickman MR, Verzi SJ (2008) Preparing for the aftermath: using emotional agents in game-based training for disaster response. In: The 2008 IEEE symposium on computational intelligence and games. IEEE, pp 266–275
- DOE (2014) Lantern live. <https://github.com/GSA/digitalgov.gov/blob/master/content/posts/2014/12/2014-12-04-find-fuel-during-disasters-with-lantern-live-app.md>
- Dogarur DI, Dumitrache I (2019) Cyber attack of a power grid analysis using a deep neural networks approach. *J Control Eng Appl Inform* 21:42–50
- Dong L, Wei F, Tan C, Tang D, Zhou M, Xu K (2014) Adaptive recursive neural network for target-dependent Twitter sentiment classification. In: Proceedings of the 52nd annual meeting of the association for computational linguistics (short papers). Association for Computational Linguistics, pp 49–54
- Dou M, Chen J, Chen D, Chen X, Deng Z, Zhang X, Xua K, Wang J (2014) Modeling and simulation for natural disaster contingency planning driven by high-resolution remote sensing images. *Future Gener Comput Syst* 37:367–377
- Dou J, Yamagishi H, Pourghasemi HR, Yunus AP, Song X, Xu Y, Zhu Z (2015) An integrated artificial neural network model for the landslide susceptibility assessment of Osado Island, Japan. *Nat Hazards* 78:1749–1776
- Duffey RB (2019) Power restoration prediction following extreme events and disasters. *Int J Disaster Risk Sci* 10:134–148
- Duncan A, Chen AS, Keedwell E, Djordjević S, Savić DA (2013) RAPIDS: early warning system for urban flooding and water quality hazards. In: Proceedings of machine learning in water systems symposium: part of AISE annual convention 2013. <http://hdl.handle.net/10871/16090>
- Dutta I, Dutta S, Raahemi B (2017) Detecting financial restatements using data mining techniques. *Expert Syst Appl* 90:374–393
- Eckle M, Herfort B, Yan Y, Kuo CL, Zipf A (2017) Towards using volunteered geographic information to monitor post-disaster recovery in tourist destinations. In: Proceedings of the 14th ISCRAM conference, pp 1008–1019

- Eguchi RT, Goltz JD, Taylor CE, Chang SE, Flores PJ, Johnson LA, Seligson HA, Blais NC (1998) Direct economic losses in the Northridge Earthquake: a three-year post-event perspective. *Earth Spectra* 14:245–264
- Eguchi RT, Huyck CK, Ghosh S, Adams BJ (2008) The application of remote sensing technologies for disaster management. In: The 14th world conference on earthquake engineering, paper ID. K004. https://www.iitk.ac.in/nicee/wcee/article/14_K004.pdf
- Eicken H, Jones J, Meyer F, Mahoney A, Druckenmiller ML, Rohith M, Kambhamettu C (2011) Environmental security in Arctic ice-covered seas: from strategy to tactics of hazard identification and emergency response. *Mar Technol Soc J* 45:37–48
- Eid MS, El-adaway IH (2017a) Integrating the social vulnerability of host communities and the objective functions of associated stakeholders during disaster recovery processes using agent-based modeling. *J Comput Civ Eng* 31:04017030
- Eid MS, El-adaway IH (2017b) Sustainable disaster recovery: multiagent-based model for integrating environmental vulnerability into decision-making processes of the associated stakeholders. *J Urban Plann Develop* 143:04016022
- Eisenman DP, Chandra A, Fogleman S, Magana A, Hendricks A, Wells KB, Williams M, Tang J, Plough A (2014) The Los Angeles county community disaster resilience project—a community-level, public health initiative to build community disaster resilience. *Int J Environ Res Public Health* 11:8475–8490
- Ellenberg A, Branco L, Krick A, Bartoli I, Kontsos A (2015) Use of unmanned aerial vehicle for quantitative infrastructure evaluation. *J Infrastruct Syst* 21:04014054
- Ellingwood BR, Cutler H, Gardoni P, Peacock WG, van de Lindt JW, Wang N (2016) The Centerville virtual community: a fully integrated decision model of interacting physical and social infrastructure systems. *Sustain Resilient Infrastruct* 1:95–107
- Elsayed M, Erol-Kantarci M (2018) Deep Q-learning for low-latency tactile applications: microgrid communications. In: Proceedings of the 2018 IEEE international conference on communications, control, and computing technologies for smart grids (SmartGridComm). IEEE. <https://doi.org/10.1109/SmartGridComm.2018.8587476>
- EPA (2016) Incident waste decision support tool (I-WASTE DST). <http://www2.epa.gov/bdrtool/login.asp>
- Eskandarpour R, Khodaei A (2017) Machine learning based power grid outage prediction in response to extreme events. *IEEE Trans Power Syst* 32:3315–3316
- ESRI (2016) Disaster response program. <https://www.esri.com/en-us/disaster-response/overview>
- Ettinger S, Mounaud L, Magill C, Yao-Lafourcade AF, Thouret JC, Manville V, Negulescu C, Zuccaro G, Gregorio DD, Nardone S, Uchuchoque JAL, Arguedas A, Macedo L, Llerena NM (2016) Building vulnerability to hydro-geomorphic hazards: Estimating damage probability from qualitative vulnerability assessment using logistic regression. *J Hydrol* 541:563–581
- EU-CIRCLE (2019) A pan-European framework for strengthening critical infrastructure resilience to climate change. <https://www.eu-circle.eu/eu-funded-projects/>
- Fallahian M, Khoshnoudian F, Meruane V (2018) Ensemble classification method for structural damage assessment under varying temperature. *Struct Health Monit* 17:747–762
- Fan C, Zhang C, Yahja A, Mostafavi A (2019) Disaster City Digital Twin: a vision for integrating artificial and human intelligence for disaster management. *Int J Inf Manag*. <https://doi.org/10.1016/j.ijinfomgt.2019.102049>
- FEMA (2018) Hazard mitigation grant program. <https://www.fema.gov/hazard-mitigation-grant-program>
- FEMA (2019) Federal insurance and mitigation administration national flood insurance program (FIMA NFIP) redacted claims dataset. <https://www.fema.gov/media-library/assets/documents/180374>
- Feng Q, Liu J, Gong J (2019) Urban flood mapping based on unmanned aerial vehicle remote sensing and random forest classifier—a case of Yuyao, China. *Water* 7:1437–1455
- Fernandez P, Mourato S, Moreira M, Pereira L (2016) A new approach for computing a flood vulnerability index using cluster analysis. *Phys Chem Earth Parts A/B/C* 94:47–55
- Fiedrich F, Gehbauer F, Rickers U (2000) Optimized resource allocation for emergency response after earthquake disasters. *Saf Sci* 35:41–57
- Fohringer J, Dransch D, Kreibich H, Schröter K (2015) Social media as an information source for rapid flood inundation mapping. *Nat Hazards Earth Syst Sci* 15:2725–2738
- Foresti GL, Farinosi M, Vernier M (2015) Situational awareness in smart environments: socio-mobile and sensor data fusion for emergency response to disasters. *J Ambient Intell Humaniz Comput* 6:239–257
- Fotovatikhah F, Herrera M, Shamshirband S, Chaue K, Ardabili SF, Piran MJ (2018) Survey of computational intelligence as basis to big data management: challenges, research directions and future work. *Eng Appl Comput Fluid Mech* 12:411–437

- Galatzer-Levy IR, Karstoft KI, Statnikov A (2014) Quantitative forecasting of PTSD from early trauma responses: a machine learning application. *J Psychiatr Res* 59:68–76
- Gama M, Santos BF, Scaparra MP (2016) A multi-period shelter location-allocation model with evacuation orders for flood disasters. *EURO J Comput Optim* 4:299–323
- Ganesan P, Sathish BS, Sajiv G (2016) A comparative approach of identification and segmentation of forest fire region in high resolution satellite images. In: 2016 world conference on futuristic trends in research and innovation for social welfare (startup conclave). IEEE. <https://doi.org/10.1109/STARTUP.2016.7583959>
- Gao Y, Chen YX, Ding YS, Tang BY (2006) Immune genetic algorithm based on network model for flood disaster evaluation. *J Nat Disaster* 15:110–114
- Gao X, Nayeem MK, Hezam IM (2019) A robust two-stage transit-based evacuation model for large-scale disaster response. *Measurement* 145:713–723
- Gauthier F, Germain D, Huétu B (2017) Logistic models as a forecasting tool for snow avalanches in a cold maritime climate: northern Gaspésie, Québec, Canada. *Nat Hazards* 89:201–232
- Geiß C, Taubenböck H, Tyagunov S, Tisch A, Post J, Lakes T (2014) Assessment of seismic building vulnerability from space. *Earthq Spectra* 30:1553–1583
- Gemici MC, Savena A (2014) Learning haptic representation for manipulating deformable food objects. In: Proceedings of the 2014 IEEE/RSJ international conference on intelligent robots and systems. IEEE, pp 638–645. <https://doi.org/10.1109/IROS.2014.6942626>
- Geng B (2019) Traffic prediction and transmission scheduling of artificial intelligence-driven cognitive wireless networks. *Int J Comput Appl*. <https://doi.org/10.1080/1206212X.2019.1706812>
- GeoPlatform (2016) Geoplatform.gov. <https://www.Disasters.GeoPlatform.gov/>
- German S, Jeon JS, Zhu Z, Bearman C, Brilakis I, DesRoches R, Lowes L (2013) Machine vision-enhanced postearthquake inspection. *J Comput Civ Eng* 27:622–634
- Ghaffarian S, Kerle N, Pasolli E, Arsanjani JJ (2019) Post-disaster building database updating using automated deep learning: an integration of pre-disaster OpenStreetMap and multi-temporal satellite data. *Remote Sens* 11:2427
- Ghosh T, Krishnamurti TN (2018) Improvements in hurricane intensity forecasts from a multimodel superensemble utilizing a generalized neural network technique. *Weather Forecast* 33(3):873–885. <https://doi.org/10.1175/WAF-D-17-0006.1>
- Ghosh S, Huyck CK, Greene M, Gill SP, Bevington J, Svekla W, DesRoches R, Eguchi RT (2011) Crowdsourcing for rapid damage assessment: the global earth observation catastrophe assessment network (GEO-CAN). *Earthq Spectra* 27:S179–S198
- Ghosh J, Padgett J, Dueñas-Osorio L (2013) Surrogate modeling and failure surface visualization for efficient seismic vulnerability assessment of highway bridges. *Probab Eng Mech* 34:189–199
- Giffard-Roisin S, Yang M, Charpiat G, Kégl B, Monteleoni C (2018) Deep learning for hurricane track forecasting from aligned spatio-temporal climate datasets. In: Workshop on modeling and decision-making in the spatiotemporal domain, the 32nd conference on neural information processing systems (NIPS 2018). <https://openreview.net/pdf?id=rkMdBsDRKm>
- Gilmour PM (2019) The application of photography in investigating fraud. *Imaging Sci J* 67(4):215–223. <https://doi.org/10.1080/13682199.2019.1600254>
- Giusti A, Guzzi J, Cireşan DC, He FL, Rodríguez JP, Fontana F, Faessler M, Forster C, Schmidhuber J, Caro GD, Scaramuzza D, Gambardella LM (2015) A machine learning approach to visual perception of forest trails for mobile robots. *IEEE Robot Autom Lett* 1:661–667. <https://doi.org/10.1109/LRA.2015.2509024>
- Goetz JN, Brenning A, Petschko H, Leopold P (2015) Evaluating machine learning and statistical prediction techniques for landslide susceptibility modeling. *Comput Geosci* 81:1–11
- Gomes GF, Almeida FA, Junqueira DM, Cunha SS Jr, Ancelotti AC Jr (2019) Optimized damage identification in CFRP plates by reduced mode shapes and GA-ANN methods. *Eng Struct* 181:111–123
- Gomez C, Purdie H (2016) UAV-based photogrammetry and geocomputing for hazards and disaster risk monitoring—a review. *Geoenviron Disasters* 3:23
- Gong Q, Li L, Tognin S, Wu Q, Pettersson-Yeo W, Lui S, Huang X, Marquand AF, Mechelli A (2013) Using structural neuroanatomy to identify trauma survivors with and without post-traumatic stress disorder at the individual level. *Psychol Med* 44:195–203
- Gonzalez MC, Hidalgo CA, Barabasi AL (2009) Understanding individual human mobility patterns. *Nature* 453:779–782
- Goodchild MF, Glennon JA (2010) Crowdsourcing geographic information for disaster response: a research frontier. *Int J Digit Earth* 3:231–241. <https://doi.org/10.1080/17538941003759255>

- Gopnarayan A, Deshpande S (2019) Tweets analysis for disaster management: preparedness, emergency response, impact, and recovery. In: International conference on innovative data communication technologies and application. Springer, pp 760–764
- Grasic V, Kos A, Mileva-Boshkoska B (2018) Classification of incoming calls for the capital city of Slovenia smart city 112 public safety system using open Internet of Things data. *Int J Distrib Sens Netw* 14(9):1–12. <https://doi.org/10.1177/1550147718801703>
- Graves A, Mohamed A-R, Hinton G (2013) Speech recognition with deep recurrent neural networks. <https://arxiv.org/abs/1303.5778>
- Greifeneder R, Bless H, Pham M (2011) When do people rely on affective and cognitive feelings in judgment? A review. *Pers Soc Psychol Rev* 15:107–141
- Guha S, Rastogi R, Shim K (1998) CURE: an efficient clustering algorithm for large databases. In: Proceedings of the 1998 ACM SIGMOD international conference on management of data. ACM, pp 73–84
- Günay O, Taşdemir K, Töreyn BU, Çetin AE (2010) Fire detection in video using LMS based active learning. *Fire Technol* 46:551–577
- Gunning D, Stefik M, Choi J, Miller T, Stumpf S, Yang GZ (2019) XAI—explainable artificial intelligence. *Sci Robot* 4:eaay7120
- Guo X, Yuan Z, Tian B (2009) Supplier selection based on hierarchical potential support vector machine. *Expert Syst Appl* 36:6978–6985
- Guo J, Wu J, Guo J, Jiang Z (2018) A damage identification approach for offshore jacket platforms using partial modal results and artificial neural networks. *Appl Sci* 8:2173
- Guo J, Huo Y, Shi X, Wu J, Yu P, Feng L, Li W (2019) 3D aerial vehicle base station (UAV-BS) position planning based on deep Q-learning for capacity enhancement of users with different QoS requirements. In: Proceedings of the 15th international wireless communications and mobile computing conference (IWCMC). IEEE. <https://doi.org/10.1109/IWCMC.2019.8766625>
- Gupta R, Hosfelt R, Rajeev S, Patel N, Goodman B, Doshi J, Heim E, Choset H, Gaston M (2019) xBD: A dataset for assessing building damage from satellite imagery. In: Proceedings of the CVPR workshops 2019. [arXiv: 1911.09296v1](https://arxiv.org/abs/1911.09296v1)
- Hackl J, Adey BT, Lethanh N (2018) Determination of near-optimal restoration programs for transportation networks following natural hazard events using simulated annealing. *Comput Aided Civ Infrastruct Eng* 33:618–637
- Han W, Tian Z, Huang Z, Huang D, Jia Y (2019) Quantitative assessment of wireless connected intelligent robot swarms network security situation. *IEEE Access* 7:134293–134300
- Haraoka T, Ojima T, Murata C, Hayasaka S (2012) Factors influencing collaborative activities between non-professional disaster volunteers and victims of earthquake disasters. *PLoS One* 7:e47203
- Hartawan DR, Purboyo TW, Setianingsih C (2019) Disaster victims detection system using convolutional neural network (CNN) method. In: 2019 IEEE international conference on industry 4.0. Artificial Intelligence, and Communications Technology (IAICT), IEEE, pp 105–111. <https://doi.org/10.1109/ICIAICT.2019.8784782>
- Hasan S, Ukkusuri SV (2014) Urban activity pattern classification using topic models from online geo-location data. *Transp Res Part C Emerg Technol* 44:363–381. <https://doi.org/10.1016/j.trc.2014.04.003>
- Hashemipour M, Stuban SMF, Dever JR (2017) A community-based disaster coordination framework for effective disaster preparedness and response. *Aust J Emerg Manag* 32:41–46
- Heß VDC (2017) Weigh(t)ing the dimensions of social vulnerability based on a regression analysis of disaster damages. *Nat Hazards Earth Syst Sci*. <https://doi.org/10.5194/nhess-2017-74>
- Heck M, Hammer C, van Herwijnen A, Schweizer J, Fäh D (2010) Automatic detection of snow avalanches in continuous seismic data using hidden Markov models. *Nat Hazards Earth Syst Sci* 18:383–396
- Hernández E, Sanchez-Anguix V, Julian V, Palanca J, Duque N (2016) Rainfall prediction: a deep learning approach. In: Proceedings of the international conference on hybrid artificial intelligence systems (HASI2016), pp 151–162
- Hernandez-Suarez A, Sanchez-Perez G, Toscano-Medina K, Perez-Meana H, Portillo-Portillo J, Sanchez V, Villalba LJG (2019) Using Twitter data to monitor natural disaster social dynamics: a recurrent neural network approach with word embeddings and kernel density estimation. *Sensors* 19:1746
- Higuchi H, Fujimura J, Nakamura T, Kogo K, Tsudaka K, Wada T (2014) Disaster detection by statistics and SVM for emergency rescue evacuation support system. In: The 43rd international conference on parallel processing workshops. IEEE. <https://doi.org/10.1109/ICPPW.2014.52>
- Hochgraf C, Nygate J, Bazdresch M, Indelicato M, Johnson WP, Espinos R (2018) Providing first responders with real-time status of cellular networks during a disaster. In: The 2018 IEEE international symposium on technologies for homeland security (HST). IEEE. <https://doi.org/10.1109/THS.2018.8574145>

- Hoeppe P (2016) Trends in weather related disasters—consequences for insurers and society. *Weather Extreme Events* 11:70–79
- Holgado P, Vollagr  VA, V zquez L (2017) Real-time multistep attack prediction based on hidden Markov models. *IEEE Trans Dependable Secure Comput* 17:134–147
- Holgu n-Veras J, Jaller M, Wassenhove LNV, P rez N, Wachtendorf T (2012) On the unique features of post-disaster humanitarian logistics. *J Oper Manag* 30:494–506
- Hong L, Yin D, Guo J, Davison BD (2011) Tracking trends: incorporating term volume into temporal topic models. In: *Proceedings of the 17th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*. ACM, pp 484–492
- Hoot N, Aronsky D (2006) An early warning system for overcrowding in the emergency department. In: *AMIA annual symposium proceedings symposium*, vol 2006, pp 339–343. PMID: PMC1839284
- Hosseini FS, Choubin B, Mosavi A, Nabipour N, Shamshirband S, Darabi H, Haghighi AT (2019) Flash-flood hazard assessment using ensembles and Bayesian-based machine learning models: application of the simulated annealing feature selection method. *Sci Total Environ* 711:135161. <https://doi.org/10.1016/j.scitotenv.2019.135161>
- Hosseini-Moghari SM, Araghinejad S (2015) Monthly and seasonal drought forecasting using statistical neural networks. *Environ Earth Sci* 74:397–412
- Hou TC, Liu JW, Liu YW (2017) Algorithmic clustering of LiDAR point cloud data for textural damage identifications of structural elements. *Measurement* 108:77–90
- Hou MC, Deng DJ, Wu CL (2019) Optimum aerial base station deployment for UAV networks: a reinforcement learning approach. In: *2019 IEEE Globecom workshops*. IEEE. <https://doi.org/10.1109/GCWeeks45667.2019.9024648>
- Hu D, Li S, Chen J, Kamat VR (2019) Detecting, locating, and characterizing voids in disaster rubble for search and rescue. *Adv Eng Inform* 42:100974
- Huang L, Xiang L (2018) Method for meteorological early warning of precipitation-induced landslides based on deep neural network. *Neural Process Lett* 48:1143–1260
- Huang Z, Zhou J, Song L, Lu Y, Zhang Y (2010) Flood disaster loss comprehensive evaluation model based on optimization support vector machine. *Expert Syst Appl* 37:3810–3814
- Huang W, Wang Y, Yi X (2017) Deep Q-learning to preserve connectivity in multi-robot systems. In: *Proceedings of the 9th international conference on signal processing systems (ICSPS2017)*. ACM, pp 45–50
- Huang Y, Jin L, Zhao H, Huang X (2018) Fuzzy neural network and LLE algorithm for forecasting precipitation in tropical cyclones: comparisons with interpolation method by ECMWF and stepwise regression method. *Nat Hazards* 91:201–220
- Huang M, Lei Y, Cheng S (2019a) Damage identification of bridge structure considering temperature variations based on particle swarm optimization—cuckoo search algorithm. *Adv Struct Eng* 22:3262–3276
- Huang X, Li Z, Wang C, Ning H (2019b) Identifying disaster related social media for rapid response: a visual-textual fused CNN architecture. *Int J Digit Earth*. <https://doi.org/10.1080/17538947.2019.1633425>
- Huang X, Wang C, Li Z, Ning H (2019c) A visual-textual fused approach to automated tagging of flood-related tweets during a flood event. *Int J Digit Earth* 12:1248–1264
- Hung KC, Kalantari M, Rajabifard A (2016) Methods for assessing the credibility of volunteered geographic information in flood response: a case study in Brisbane, Australia. *Appl Geogr* 68:37–47. <https://doi.org/10.1016/j.apgeog.2016.01.005>
- Hutchinson TC, Chen Z (2005) Optimized estimated ground truth for object-based urban damage estimation using satellite images from the 2003 Bam, Iran, Earthquake. *Earthq Spectra* 21:S239–S254
- Ifrim G, Shi B, Brigadir I (2014) Event detection in Twitter using aggressive filtering and hierarchical tweet clustering. In: *The second workshop on social news on the web (SNOW)*. <http://hdl.handle.net/10197/7546>
- Iliadis LS (2005) A decision support system applying an integrated fuzzy model for long-term forest fire risk estimation. *Environ Model Softw* 20:613–621
- Ilyas A (2014) MicroFilters: harnessing Twitter for disaster management. In: *Proceedings of the IEEE global humanitarian technology conference (GHTC 2014)*. IEEE, pp 417–424. <https://doi.org/10.1109/GHTC.2014.6970316>
- Imran M, Elbassouni S, Castillo C, Diaz F (2013) Extracting information nuggets from disaster-related messages in social media. In: *The 10th international conference on information systems for crisis response and management (ISCRAM)*. <https://pdfs.semanticscholar.org/ba89/77eb5d737d643f38d84d0c1476211bb88986.pdf>
- Imran M, Castillo C, Lucas J, Meier P, Vieweg S (2014) AIDR: artificial intelligence for disaster response. In: *Proceedings of the 23rd international conference on world wide web*. ACM, pp 159–162

- Ireland G, Volpi M, Petropoulos GP (2015) Examining the capability of supervised machine learning classifiers in extracting flooded areas from Landsat TM imagery: a case study from a Mediterranean flood. *Remote Sens* 7:3372–3399
- Izadi M, Mohammadzade A, Haghighattalab A (2017) A new neuro-fuzzy approach for post-earthquake road damage assessment using GA and SVM classification from Quickbird satellite images. *J Indian Soc Remote Sens* 45:965–977
- Izumi T, Shaw R, Djalante R, Ishiwatari M, Komino T (2019) Disaster risk reduction and innovations. *Prog Disaster Sci* 2:100033
- Jaech A, Zhang B, Ostendorf M, Kirschen DS (2019) Real-time prediction of the duration of distribution system outages. *IEEE Trans Power Syst* 34:773–781
- Jahangiri A, Afandizadeh S, Kalantari N (2011) The optimization of traffic signal timing for emergency evacuation using the simulated annealing algorithm. *Transport* 26:133–140
- Jamali M, Nejat A, Ghosh S, Jin F, Cao G (2019) Social media data and post-disaster recovery. *Int J Inf Manag* 44:25–37
- Jayaram N, Baker JW (2010) Efficient sampling and data reduction techniques for probabilistic seismic lifeline risk assessment. *Earthq Eng Struct Dyn* 39:1109–1131
- Jhong BC, Wang JH, Lin GF (2017) An integrated two-stage support vector machine approach to forecast inundation maps during typhoons. *J Hydrol* 547:236–252
- Jia M, Zhang Z (2012) Critical mass of women on BODs, multiple identities, and corporate philanthropic disaster response: evidence from privately owned Chinese firms. *J Bus Ethics* 118:303–317. <https://doi.org/10.1007/s10551-012-1589-7>
- Jiang S, Friedland CJ (2016) Automatic urban debris zone extraction from post-hurricane very high-resolution satellite and aerial imagery. *J Geomat Nat Hazards Risk* 7:1–20
- Jiang FZ, Zhong L, Thilakarathna K, Seneviratne A, Takano K, Yamada S, Ji Y (2017) Supercharging crowd dynamics estimation in disasters via spatio-temporal deep neural network. In: The 2017 IEEE international conference on data science and advanced analytics (DSAA). IEEE. <https://doi.org/10.1109/DSAA.2017.11>
- Jones SS, Thomas A, Evans RS, Welch SJ, Haug PJ, Snow GL (2008) Forecasting daily patient volumes in the emergency department. *Acad Emerg Med* 15:159–170
- Joo S, Ogawa Y, Sekimoto Y (2019) Decision-making system for road-recovery considering human mobility by applying deep Q-network. In: The 2019 IEEE international conference on big data. IEEE. <https://doi.org/10.1109/BigData47090.2019.9006385>
- Kahn ME (2006) The death toll from natural disasters: the role of income, geography, and institutions. *Rev Econ Stat* 87:271–284
- Kameshwar S, Padgett JE (2014) Multi-hazard risk assessment of highway bridges subjected to earthquake and hurricane hazards. *Eng Struct* 78:154–166
- Kamilaris A, Boldú FXP (2017) Disaster monitoring using unmanned aerial vehicles and deep learning. In: Disaster management for resilience and public safety workshop
- Karamlou A, Bocchini P (2016) Sequencing algorithm with multiple-input genetic operators: application to disaster resilience. *Eng Struct* 117:591–602
- Karamlou A, Bocchini P, Christou V (2016) Metrics and algorithm for optimal retrofit strategy of resilient transportation networks. In: Proceedings of the maintenance, monitoring, safety, risk and resilience of bridges and bridge networks (IABMAS2016), pp 1121–1128
- Karamouz M, Nazif MK, Nazif S (2014) Prediction of sea level using a hybrid data-driven model: new challenges after Hurricane Sandy. *Water Qual Expo Health* 6:63–71
- Karstoft KI, Galatzer-Levy IR, Statnikov A, Li Z, Shalev AY (2015) Bridging a translational gap: using machine learning to improve the prediction of PTSD. *BMC Psychiatry* 15:30
- Kellermann P, Schröter K, Thieken AH, Haubrock SN, Kreibich H (2020) The object-specific flood damage database HOWAS21. *Nat Hazards Earth Syst Sci*. <https://doi.org/10.5194/nhess-2019-420>
- Khadr M (2016) Forecasting of meteorological drought using Hidden Markov Model (case study: the upper Blue Nile river basin, Ethiopia). *Ain Shams Eng J* 7:47–56
- Khaloo A, Lattanzi D, Cunningham K, Dell'Andrea R, Riley M (2017) Unmanned aerial vehicle inspection of the Placer River trail bridge through image-based 3D modelling. *Struct Infrastruct Eng* 14:124–136
- Khan MAU, Sayem MA (2012) Understanding recovery of small enterprises from natural disaster. *Environ Hazards* 12:218–239
- Khan SH, He X, Porikli F, Bennamoun M (2017) Forest change detection in incomplete satellite images with deep neural networks. *IEEE Trans Geosci Remote Sens* 55:5407–5423
- Khan TA, Alam M, Kadir K, Shahid Z, Mazliham M (2018) A novel approach for the investigation of flash floods using soil flux and CO₂: an implementation of MLP with less false alarm rate. In:

- Proceedings of the 2nd international conference on smart sensors and application (ICSSA). IEEE, pp 130–134. <https://doi.org/10.1109/ICSSA.2018.8535606>
- Khoshnoudian F, Talaei S, Fallahian M (2017) Structural damage detection using FRF data, 2D-PCA, artificial neural networks and imperialist competitive algorithm simultaneously. *Int J Struct Stab Dyn* 17:1750073
- Khouj M, López C, Sarkaria S, Marti J (2011) Disaster management in real time simulation using machine learning. In: Proceedings of the 24th Canadian conference on electrical and computer engineering (CCECE). IEEE. <https://doi.org/10.1109/CCECE.2011.6030716>
- Kiatpanont R, Tanlamai U, Chongstitvatana P (2016) Exaction of actionable information from crowd-sourced disaster data. *J Emerg Manag* 14:377–390
- Kim D, joo Lee H, Cho S (2008) Response modeling with support vector regression. *Expert Syst Appl* 34:1102–1108
- Kim JM, Woods PK, Park YJ, Kim T, Son K (2015) Predicting hurricane wind damage by claim payout based on Hurricane Ike in Texas. *Geomat Nat Hazards Risk* 76:565–585
- Kim JM, Wood PK, Park YJ, Son K (2016a) Estimating the Texas Windstorm Insurance Association claim payout of commercial buildings from Hurricane Ike. *Nat Hazards* 84:405–424
- Kim S, Kim H, Namkoong Y (2016b) Ordinal classification of imbalanced data with application in emergency and disaster information services. *IEEE Intell Syst* 31:50–56
- Kim S, Lee W, Park Y, Lee H, Lee Y (2016c) Forest fire monitoring system based on aerial image. In: Proceedings of the 3rd international conference on information and communication technologies for disaster management (ICT-DM). IEEE, pp 1–6
- Kim DW, Deo RC, Lee JS, Yeom JM (2017) Mapping heatwave vulnerability in Korea. *Nat Hazards* 89:35–55
- Kim J, Sul SH, Choi JB (2018a) Development of unmanned remote smart rescue platform applying Internet of Things technology. *Int J Distrib Sens Netw*. <https://doi.org/10.1177/1550147718784482>
- Kim JM, Kim T, Yu YJ, Son K (2018b) Development of a maintenance and repair cost estimation model for educational buildings using regression analysis. *J Archit Build Eng* 17:307–312
- Kim Y, Ghorpade A, Zhao F, Pereira FC, Zegras PC, Ben-Akiva M (2018c) Activity recognition for a smartphone and web-based human mobility sensing system. *IEEE Intell Syst* 33:5–23
- Kim JM, Son K, Kim YJ (2019) Assessing regional typhoon risk of disaster management by clustering typhoon paths. *Environ Dev Sustain* 21:2083–2096
- Ko B, Kwak S (2012) Survey of computer vision-based natural disaster warning systems. *Opt Eng* 51:070901
- Koch C, Paal SG, Rashidi A, Zhu Z, König M, Brilakis I (2016) Achievements and challenges in machine vision-based inspection of large concrete structures. *Adv Struct Eng* 17:303–318
- Kochersberger K, Kroeger K, Krawiec B, Brewer E, Weber T (2014) Post-disaster remote sensing and sampling via an autonomous helicopter. *J Field Robot* 31:510–521
- Kondaveti R, Ganz A (2009) Decision support system for resource allocation in disaster management. In: The annual international conference of the IEEE engineering in medicine and biology society. IEEE, pp 3425–3428. <https://doi.org/10.1109/IEMBS.2009.5332498>
- Kong Q, Allen RM, Schreier L, Kwon YW (2016a) MyShake: a smartphone seismic network for earthquake early warning and beyond. *Sci Adv* 2:e1501055
- Kong SG, Jin D, Li S, Kim H (2016b) Fast fire flame detection in surveillance video using logistic regression and temporal smoothing. *Fire Saf J* 79:37–43
- Kousky C, Michel-Kerjan E (2015) Examining flood insurance claims in the United States: six key findings. *J Risk Insur* 84:819–850
- Kovordányi R, Roy C (2009) Cyclone track forecasting based on satellite images using artificial neural networks. *ISPRS J Photogramm Remote Sens* 64:513–521
- Krizhevsky A, Sutskever I, Hinton GE (2017) ImageNet classification with deep convolutional neural networks. *Commun ACM* 60:1097–1105
- Kryvasheyeyu Y, Chen H, Obradovich N, Moro E, Hentenryck PV, Fowler J, Cebrian M (2016) Rapid assessment of disaster damage using social media activity. *Sci Adv* 2(3):e1500779. <https://doi.org/10.1126/sciadv.1500779>
- Kuang S, Davison BD (2017) Learning word embeddings with Chi-Square weights for healthcare tweet classification. *Appl Sci* 7(8):846
- Kumar A, Jiang M, Fang Y (2014) Where not to go?: Detecting road hazards using Twitter. In: Proceedings of the 37th international ACM SIGIR conference on research and development in information retrieval. ACM, pp 1223–1226

- Kumar A, Singh JP, Dwivedi YK, Rana NP (2020) A deep multi-modal neural network for informative Twitter content classification during emergencies. *Ann Oper Res*. <https://doi.org/10.1007/s10479-020-03514-x>
- Kundu S, Srijith P, Desarkar MS (2018) Classification of short-texts generated during disasters: a deep neural network based approach. In: Proceedings of the 2018 IEEE/ACM international conference on advances in social networks analysis and mining (ASONAM). IEEE, pp 790–793, <https://doi.org/10.1109/ASONAM.2018.8508695>
- Kusumawardani RP, Hafidz I, Putra SF (2016) BencanaVis visualization and clustering of disaster readiness using K Means with R shiny a case study for disaster, medical personnel and health facilities data at province level in Indonesia. In: Proceedings of the 2016 international conference on information and communication technology and systems (ICTS). IEEE, pp 178–186. <https://doi.org/10.1109/ICTS.2016.7910295>
- Ladds M, Keating A, Handmer K, Magee L (2017) How much do disasters cost? A comparison of disaster cost estimates in Australia. *Int J Disaster Risk Reduct* 21:419–429
- Lagaros ND, Fragiadakis M (2007) Fragility assessment of steel frames using neural networks. *Earthq Spectra* 23:735–752
- Lam NSN, Reams M, Li K, Li C, Mata LP (2016) Measuring community resilience to coastal hazards along the Northern Gulf of Mexico. *Nat Hazards Rev* 17:04015013
- Lattanzi D, Miller GR (2015) 3D scene reconstruction for robotic bridge inspection. *J Infrastruct Syst* 21:04014041
- Lattanzi D, Miller G (2017) Review of robotic infrastructure inspection systems. *J Infrastruct Syst* 23:04017004
- Layek AK, Poddar S, Mandal S (2019) Detection of flood images posted on online social media for disaster response. In: Proceedings of the 2019 second international conference on advanced computational and communication paradigms (ICACCP). <https://doi.org/10.1109/ICACCP.2019.8882877>
- Laylavi F, Rajabifard A, Kalantari M (2017) Event relatedness assessment of Twitter messages for emergency response. *Inf Process Manag* 53:266–280
- Lee J, Eo G, Choi C, Jung J, Kim H (2016) Development of rainfall-flood damage estimation function using nonlinear regression equation. *J Soc Disaster Inf* 12:74–88
- Lee W, Kim S, Lee YT, Lee HW, Choi M (2017) Deep neural networks for wild fire detection with unmanned aerial vehicle. In: Proceedings of the 2017 IEEE international conference on consumer electronics (ICCE). IEEE. <https://doi.org/10.1109/ICCE.2017.7889305>
- Lenjani A, Yeum CM, Dyke SJ, Bilionis I (2019) Automated building image extraction from 360° panoramas for postdisaster evaluation. *Comput Aided Civ Infrastruct Eng*. <https://doi.org/10.1111/mice.12493>
- Lenz I (2016) Deep learning for robotics. PhD dissertation, Cornell University
- Leon F, Atanasiu GM (2006) Data mining methods for GIS analysis of seismic vulnerability. In: Proceedings of the first international conference on software and data technologies (ICSOF 2006), vol 2, pp 153–156
- Leśniak A, Isakow Z (2009) Space–time clustering of seismic events and hazard assessment in the Zabrze-Bielszowice coal mine, Poland. *Int J Rock Mech Min Sci* 46:918–928
- Li J, Rao H (2010) Twitter as a rapid response news service: an exploration in the context of the 2008 China earthquake. *Electron J Inf Syst Develop Ctries* 42:1–22
- Li S, Teo KL (2018) Post-disaster multi-period road network repair: work scheduling and relief logistics optimization. *Ann Oper Res* 283:1345–1385
- Li H, Parikh D, He Q, Qian B, Li Z, Fang D, Hampapur A (2014) Improving rail network velocity: a machine learning approach to predictive maintenance. *Transp Res Part C* 45:17–26
- Li Q, Jin Z, Wan C, Zeng DD (2016a) Mining opinion summarizations using convolutional neural networks in Chinese microblogging systems. *Knowl Based Syst* 107:289–300
- Li T, Zhou W, Zeng C, Wang Q, Zhou Q, Wang D, Xue J, Huang Y, Wang W, Zhang M, Luis S, Chen SC, Rishe N (2016b) DI-DAP: an efficient disaster information delivery and analysis platform in disaster management. In: Proceedings of the 25th ACM international on conference on information and knowledge management, pp 1593–1602
- Li T, Xie N, Zeng C, Zhou W, Zheng L, Jiang Y, Yang Y, Ha HY, Xue W, Huang Y, Chen SC, Navlakha J, Iyengar SS (2017a) Data-driven techniques in disaster information management. *ACM Comput Surv* 50:1–45
- Li T, Zeng C, Zhou W, Xue W, Huang Y, Liu Z, Zhou Q, Xia B, Wang Q, Wang W, Zhu X (2017b) FIU-Miner (a fast, integrated, and user-friendly system for data mining) and its applications. *Knowl Inf Syst* 52:411–443

- Li H, Caragea D, Caragea C, Herndon N (2018a) Disaster response aided by tweet classification with a domain adaptation approach. *J Contingencies Crisis Manag* 26:16–27
- Li Z, Meier M, Hauksson E, Zhan Z, Andrews J (2018b) Machine learning seismic wave discrimination: application to earthquake early warning. *Geophys Res Lett* 45:4773–4779
- Li J, Stephens KK, Zhu Y, Murthy D (2019a) Using social media to call for help in Hurricane Harvey: bonding emotion, culture, and community relationships. *Int J Disaster Risk Reduct* 38:101212
- Li T, Wang Q, Xie Z (2019b) Disaster response knowledge and its social determinants: a cross-sectional study in Beijing, China. *PLoS One* 14:e0214367
- Li W, Batty M, Goodchild MF (2019c) Real-time GIS for smart cities. *Int J Geogra Inf Sci*. <https://doi.org/10.1080/13658816.2019.1673397>
- Liang X (2018) Image-based post-disaster inspection of reinforced concrete bridge systems using deep learning with Bayesian optimization. *Comput Aided Civ Infrastruct Eng* 34:415–430
- Liang NJ, Shih YT, Shih FY, Wu HM, Wang HJ, Shi SF, Wang BB (2001) Disaster epidemiology and medical response in the Chi-Chi earthquake in Taiwan. *Ann Emerg Med* 38(5):549–555. <https://doi.org/10.1067/mem.2001.118999>
- Lin YR (2015) Event-related crowd activities on social media. In: Gonçalves B, Perra N (eds) *Social phenomena*. Springer, Berlin, pp 235–250
- Lin TH, Liaw DC (2015) Development of an intelligent disaster information-integrated platform for radiation monitoring. *Nat Hazards* 76:1711–1725
- Lin WT, Chou WC, Lin CY (2008) Earthquake-induced landslide hazard and vegetation recovery assessment using remotely sensed data and a neural network-based classifier: a case study in central Taiwan. *Nat Hazards* 47:331–347
- Lin SY, Chao KM, Lo CC, Godwin N (2013) Distributed dynamic data driven prediction based on reinforcement learning approach. In: *Proceedings of the 28th annual ACM symposium on applied computing*. ACM, pp 779–784
- Lin GF, Chang MJ, Huang YC, Ho JY (2017a) Assessment of susceptibility to rainfall-induced landslides using improved self-organizing linear output map, support vector machine, and logistic regression. *Eng Geol* 224:62–74
- Lin Y, Margolin D, Wen X (2017b) Tracking and analyzing individual distress following terrorist attacks using social media streams. *Risk Anal* 37:1580–1605
- Lingam G, Rout RR, Somayajulu DVLN (2019) Deep Q-learning and particular swarm optimization for bot detection in online social networks. In: *Proceedings of the 10th international conference on computing, communication and networking technologies (ICCCNT)*. <https://doi.org/10.1109/ICCCNT4567.0.2019.8944493>
- Liu Y, Wu L (2016) Geological disaster recognition on optical remote sensing images using deep learning. *Proc Comput Sci* 91:566–575
- Liu Z, Zhang Z (2018) Artificial neural network based method for seismic fragility analysis of steel frames. *KSCE J Civ Eng* 22:708–717
- Liu H, Davidson RA, Apanasovich TV (2008) Spatial generalized linear mixed models of electric power outages due to hurricanes and ice storms. *Reliab Eng Syst Saf* 93:897–912
- Liu Y, Yang J, Zheng Y, Wu Z, Yao M (2013) Multi-robot coordination in complex environment with task and communication constraints. *Int J Adv Rob Syst* 10:229
- Liu X, Nourbakhsh A, Li Q, Fang R, Shah S (2015) Real-time rumor debunking on Twitter. In: *Proceedings of the 24th ACM international conference on information and knowledge management (CIKM'15)*. ACM, pp 1867–1870
- Liu K, Li Z, Yao C, Chen J, Zhang K, Saifullah M (2016) Coupling the k-nearest neighbor procedure with the Kalman filter for real-time updating of the hydraulic model in flood forecasting. *Int J Sedim Res* 31:149–158
- Liu CH, Chen Z, Tang J, Xu J, Piao C (2018) Energy-efficient UAV control for effective and fair communication coverage: a deep reinforcement learning approach. *IEEE J Sel Areas Commun* 36:2059–2070
- Liu X, Liu Y, Chen Y (2019a) Reinforcement learning in multiple-UAV networks: deployment and movement design. *IEEE Trans Veh Technol* 68:8036–8049
- Liu Z, Du Y, Yi J, Liang F, Ma T, Pei T (2019b) Quantitative estimates of collective geo-tagged human activities in response to typhoon Hato using location-aware big data. *Int J Digit Earth*. <https://doi.org/10.1080/17538947.2019.1645894>
- Lodree EJJ, Davis LB (2016) Empirical analysis of volunteer convergence following the 2011 tornado disaster in Tuscaloosa, Alabama. *Nat Hazards* 84:1109–1135
- Lohumi K, Roy S (2018) Automatic detection of flood severity level from flood videos using deep learning models. In: *Proceedings of the 2018 5th international conference on information and communication*

- technologies for disaster management (ICT-DM). IEEE. <https://doi.org/10.1109/ICT-DM.2018.8636373>
- Long Z, Wang P, Lin Z, Zhu J (2018) Research on system of marine situation information analysis and early warning based on artificial intelligence. *Adv Eng Res* 164:362–368
- Lucieer A, de Jong SM, Turner D (2014) Mapping landslide displacements using Structure from Motion (SfM) and image correlation of multi-temporal UAV photography. *Prog Phys Geogr Earth Environ* 38:97–116
- Luo Y, Liu L, Huang WQ, ad Jie Deng YNY, Yin CH, Ren H, Wang XY (2013) A disaster response and management competency mapping of community nurses in China. *Iran J Public Health* 42(9):941–949
- Ma C, Zhang J, Zhao Y, Habib MF, Savas SS, Mukherjee B (2015a) Traveling repairman problem for optical network recovery to restore virtual networks after a disaster. *IEEE/OSA J Opt Commun Netw* 7:B81–B92
- Ma X, Tao Z, Wang Y, Yu H, Wang Y (2015b) Long short-term memory neural network for traffic speed prediction using remote microwave sensor data. *Transp Res Part C* 54:187–197
- Mabon L (2016) Charting disaster recovery via Google Street View: a social science perspective on challenges raised by the Fukushima nuclear disaster. *Int J Disaster Risk Sci* 7:175–185
- MacEachren AM, Jaiswal A, Robinson AC, Pezanowski S, Savelyev A, Mitra P, Zhang X, Blanford J (2011) Senseplace2: Geotwitter analytics support for situational awareness. In: *Proceedings of the IEEE conference on visual analytics science and technology* 2011. IEEE, pp 181–190
- Maciel-Pearson BG, Marchegiani L, Akcay S, Atapour-Abarghouei A, Garforth J, Breckon TP (2019) Online deep reinforcement learning for autonomous UAV navigation and exploration of outdoor environments. <https://arxiv.org/abs/1912.05684>
- Maharjan L, Ditsworth M, Niraula M, Narvaez CC, Fahimi B (2018) Machine learning based energy management system for grid disaster mitigation. *IET Smart Grid* 2:172–182
- Mahmoudi SN, Chouinard L (2016) Seismic fragility assessment of highway bridges using support vector machines. *Bull Earthq Eng* 14:1571–1587
- Malawani AD, Nurmandi A, Purnomo EP, Rahman T (2020) Social media in aid of post disaster management. *Transform Gov People Process Policy*. <https://doi.org/10.1108/TG-09-2019-0088>
- Maliszewski PJ, Larson EK, Perrings C (2012) Environmental determinants of unscheduled residential outages in the electrical power distribution of Phoenix, Arizona. *Reliab Eng Syst Saf* 99:161–171
- Mane SS, Mokashi MK (2015) Real-time flash-flood monitoring, alerting and forecasting system using data mining and wireless sensor network. In: *Proceedings of the 2015 international conference on communications and signal processing (ICCSP)*. IEEE, pp 1881–1886. <https://doi.org/10.1109/ICCSP.2015.7322851>
- Mangalathu S, Jeon JS, DesRoches R (2018) Critical uncertainty parameters influencing seismic performance of bridges using Lasso regression. *Earthq Eng Struct Dyn* 47:784–801
- Mangalathu S, Heo G, Jeon JS (2018) Artificial neural network based multi-dimensional fragility development of skewed concrete bridge classes. *Eng Struct* 162:166–176
- Mangalathu S, Hwang SH, Choi E Jong-SuJeon (2019) Rapid seismic damage evaluation of bridge portfolios using machine learning techniques. *Eng Struct* 20:109785
- Mao H, Alizadeh M, Menache I, Kandula S (2016) Resource management with deep reinforcement learning. In: *Proceedings of the 15th ACM workshop on hot topics in networks*. ACM, pp 50–56. <https://doi.org/10.1145/3005745.3005750>
- Mao H, Thakur G, Sparks K, Sanyal J, Bhaduri B (2019) Mapping near-real-time power outages from social media. *Int J Digit Earth* 12:1285–1299
- Marjanović M, Kovačević M, Bajat B, Voženilek V (2011) Landslide susceptibility assessment using SVM machine learning algorithm. *Eng Geol* 123:225–234
- Mason AJ (2013) Simulation and real-time optimised relocation for improving ambulance operations. In: *Handbook of healthcare operations management*. Springer, pp 289–317
- Maulik U, Bandyopadhyay S (2002) Performance evaluation of some clustering algorithms and validity indices. *IEEE Trans Pattern Anal Mach Intell* 24:1650–1654
- McCaslin SE, Jacobs GA, Meyer DL, Johnson-Jimenez E, Metzler TJ, Marmar CR (2005) How does negative life change following disaster response impact distress among Red Cross responders? *Prof Psychol Res Pract* 36(3):246–253. <https://doi.org/10.1037/0735-7028.36.3.246>
- McConnon A (2018) AI helps cities predict natural disasters. <https://www.wsj.com/articles/ai-helps-cities-predict-natural-disasters-1530065100>
- McCreadie R, Macdonald C, Ounis I (2016) EAIMS: emergency analysis identification and management system. In: *Proceedings of the 39th international ACM SIGIR conference on research and development in information retrieval*. ACM, pp 1101–1104. <https://doi.org/10.1145/2911451.2911460>

- McGovern A, Gagne DJ II, Troutman N, Brown RA, Basara J, Williams JK (2011) Using spatiotemporal relational random forests to improve our understanding of severe weather processes. *Stat Anal Data Min* 4:407–429
- Mehrjoo M, Khaji N, Moharrami H, Bahreininejad A (2008) Damage detection of truss bridge joints using artificial neural networks. *Expert Syst Appl* 35:1122–1131
- Melchiorre C, Matteucci M, Azzoni A, Zanchi A (2008) Artificial neural networks and cluster analysis in landslide susceptibility zonation. *Geomorphology* 94:379–400
- Memarzadeh M, Pozzi M (2019) Model-free reinforcement learning with model-based safe exploration: Optimizing adaptive recovery process of infrastructure systems. *Struct Saf* 80:46–55
- Mendoza M, Poblete B, Castillo C (2010) Twitter under crisis: Can we trust what we RT? In: The 1st workshop on social media analytics (SOMA '10). ACM, pp 71–79
- Meruane V, Heylen W (2011) Structural damage assessment with antiresonances versus mode shapes using parallel genetic algorithms. *Struct Control Health Monit* 18:825–839
- Merz B, Kreibich H, Lall U (2013) Multi-variate flood damage assessment: a tree-based data-mining approach. *Nat Hazards Earth Syst Sci* 13:53–64
- Middleton SE, Middleton L, Modafferi S (2014) Real-time crisis mapping of natural disasters using social media. *IEEE Intell Syst* 29:9–17
- Mihunov VV, Lam NSN, Zou L, Wang Z, Wang K (2020) Use of Twitter in disaster rescue: lessons learned from Hurricane Harvey. *Int J Digit Earth*. <https://doi.org/10.1080/17538947.2020.1729879>
- Mishra AK, Desai VR (2006) Drought forecasting using feed-forward recursive neural network. *Ecol Model* 198:127–138
- Mitropoulou CC, Papadrakakis M (2011) Developing fragility curves based on neural network IDA predictions. *Eng Struct* 33:3409–3421
- Mitsopoulos I, Mallinis G (2017) A data-driven approach to assess large fire size generation in Greece. *Nat Hazards* 88:1591–1607
- Mitsova D, Esnard AM, Sapat A, Lai BS (2018) Socioeconomic vulnerability and electric power restoration timelines in Florida: the case of Hurricane Irma. *Nat Hazards* 94:689–709
- Mitsova D, Escaleras M, Sapat A, Esnard AM, Lamadrid AJ (2019) The effects of infrastructure service disruptions and socio-economic vulnerability on hurricane recovery. *Sustainability* 11:516
- Moon SH, Kim YH, Lee YH, Moon BR (2018) Application of machine learning to an early warning system for very short-term heavy rainfall. *J Hydrol* 568:1042–1054
- Moradi A, Razmi J, Babazadeh R, Sabbaghnia A (2019) An integrated principal component analysis and multi-objective mathematical programming approach to agile supply chain network design under uncertainty. *Am Inst Math Sci* 15:855–879
- Mori K, Yamane A, Hayakawa Y, Wada T, Ohtsuki K, Okada H (2013) Development of emergency rescue evacuation support system (ERESS) in panic-type disasters: disaster recognition algorithm by support vector machine. *IEICE Trans Fundam Electron Commun Comput Sci* E96–A:649–657. <https://doi.org/10.1587/transfun.E96.A.649>
- Morito T, Sugiyama O, Kojima R, Nakadai K (2016) Partially shared deep neural network in sound source separation and identification using a UAV-embedded microphone array. In: 2016 IEEE/RSJ international conference on intelligent robots and systems (IROS). IEEE, pp 1299–1304. <https://doi.org/10.1109/IROS.2016.7759215>
- Moskowitz H, Drnevich P, Ersoy O, Altinkemer K, Chaturvedi A (2011) Using real-time decision tools to improve distributed decision-making capabilities in high-magnitude crisis situations. *Decis Sci* 42:474–493
- Mousavi SM, Zhu W, Sheng Y, Beroza GC (2019) CRED: a deep residual network of convolutional and recurrent units for earthquake signal detection. *Sci Rep* 9:10267
- Moustapha AI, Selmic RR (2007) Wireless sensor network modeling using modified recurrent neural networks: application to fault detection. In: 2007 IEEE international conference on networking, sensing and control. IEEE, pp 313–318. <https://doi.org/10.1109/ICNSC.2007.372797>
- Moya L, Yamazaki F, Liu W, Yamada M (2018) Detection of collapsed buildings from LiDAR data due to the 2016 Kumamoto earthquake in Japan. *Nat Hazards Earth Syst Sci* 18:65–78
- Muda Z, Yassin W, Sulaiman MN, Udzir NI (2011) A K-means and Naïve Bayes learning approach for better intrusion detection. *Inf Technol J* 10:648–655
- Muhammad K, Ahmad J, Baik SW (2018) Early fire detection using convolutional neural networks during surveillance for effective disaster management. *Neurocomputing* 288:30–42
- Murphy R (2014) Introduction. In: Disaster robotics. The MIT Press, pp 1–20
- Murphy RR, Stover S (2007) Rescue robots for mudslides: a descriptive study of the 2005 La Conchita mudslide response. *J Field Robot* 25:3–16

- Murphy RR, Kravitz J, Stover SL, Shoureshi R (2009) Mobile robotics in mine rescue and recovery. *IEEE Robot Autom Mag* 16:91–103
- Murphy RR, Steimle E, Hall M, Lindemuth M, Trejo D, Hurlebaus S, Medina-Cetina Z, Slocum D (2011) Robotics-assisted bridge inspection. *J Intell Robot Syst* 64:77–95
- Mutlu B, Nefeslioglu HA, Sezer EA, Akcayol MA, Gokceoglu C (2019) An experimental research on the use of recurrent neural networks in landslide susceptibility mapping. *Int J Geo-Inf* 8:578
- Nabian MA, Meidani H (2018a) Accelerating stochastic assessment of post-earthquake transportation network connectivity via machine-learning-based surrogates. In: The 97th annual meeting of transportation research board (TRB). TRB
- Nabian MA, Meidani H (2018b) Deep learning for accelerated seismic reliability analysis of transportation networks. *J Comput Aided Civ Infrastruct Eng* 33:443–458
- Naidu S, Sajinkumar KS, Oommen T, Anuja VJ, Samuel RA (2018) Early warning system for shallow landslides using rainfall threshold and slope stability analysis. *Geosci Front* 9:1871–1882
- Naito S, Tomozawa H, Mori Y, Nakamura H, Fujiwara H (2018) Damage detection method for buildings with machine-learning techniques utilizing images of automobile running surveys aftermath of the 2016 Kumamoto Earthquake. *J Disaster Res* 13:928–942
- Nateghi R, Guikema SD, Quiring SM (2014) Power outage estimation for tropical cyclones: improved accuracy with simpler models. *Risk Anal* 34:1069–1078
- Neppalli VK, Caragea C, Squicciarini A, Tapia A, Stehle S (2017) Sentiment analysis during Hurricane Sandy in emergency response. *Int J Disaster Risk Reduct* 21:213–222
- Neppalli VK, Caragea C, Caragea D (2018) Deep neural networks versus Naïve Bayes classifiers for identifying informative tweets during disasters. In: Boersma K, Tomaszewski B (eds) *Proceedings of the 15th international conference on information systems for crisis response and management (ISCRAM 2018)*. ACM. http://idl.iscram.org/files/venkatakishoreneppalli/2018/2141_VenkataKishoreNeppalli_et_al2018.pdf
- Ngiam J, Khosla A, Kim M, Nam J, Nam H, Ng AY (2011) Multimodal deep learning. In: *Proceedings of the 28th international conference on machine learning*. ACM, pp 689–696
- Nguyen C, Han F, Schlesinger KJ, Gür I, Carlson JM (2016) Collective decision dynamics in group evacuation: behavioral experiment and machine learning models. <https://arxiv.org/abs/1606.05647>
- Nguyen DT, Ofli F, Imran M, Mitra P (2017) Damage assessment from social media imagery data during disasters. In: *Proceedings of the 2017 IEEE/ACM international conference on advances in social networks analysis and mining 2017*. ACM, pp 569–576
- Nguyen L, Yang Z, Li J, Pan Z, Cao G, Jin F (2019a) Forecasting people's needs in hurricane events from social network. *IEEE Trans Big Data*. <https://doi.org/10.1109/TBDDATA.2019.2941887>
- Nguyen VQ, Anh TN, Yang HJ (2019b) Real-time event detection using recurrent neural network in social sensors. *Int J Distrib Sens Netw*. <https://doi.org/10.1177/1550147719856492>
- NHERI (2019) DesignSafe. <https://www.designsafe-ci.org/>
- Ning L, Li Y, Zhou M, Song H, Dong H (2019) A deep reinforcement learning approach to high-speed train timetable rescheduling under disturbances. In: *2019 IEEE intelligent transportation systems conference (ITSC)*. IEEE, pp 3469–3474
- NIST (2018) Community resilience planning guide. <https://www.nist.gov/topics/community-resilience/community-resilience-planning-guide>
- Noda K, Arie H, Suga Y, Ogata T (2014) Multimodal integration learning of robot behavior using deep neural networks. *Robot Auton Syst* 62:721–736
- Nolasco-Javier D, Kumar L (2018) Deriving the rainfall threshold for shallow landslide early warning during tropical cyclones: a case study in northern Philippines. *Nat Hazards* 90:921–941
- Novellino A, Jordan C, Ager G, Bateson L, Fleming C, Confuorto P (2018) Remote sensing for natural or man-made disasters and environmental changes. In: *Geological disaster monitoring based on sensor networks*. Springer, pp 23–31
- Noymanee J, Nikitin NO, Kalyuzhnaya AV (2017) Urban pluvial flood forecasting using open data with machine learning techniques in Pattani Basin. *Proc Comput Sci* 119:288–297
- Ofli F, Meier P, Castillo C, Tuisa D, Briant J, Millet P, Reinhard F, Parkan M, Joost S (2016) Combining human computing and machine learning to make sense of Big (aerial) Data for disaster response. *Big Data* 4:47–59
- Oh J, Hwang JE, Smith SF (2006) Agent technologies for post-disaster urban planning. In: *First international AAMAS workshop on agent technology for disaster management*, pp 24–31
- Oktarina R, Bahagia SN, Diawati L, Pribadi KS (2019) Artificial neural network for predicting earthquake casualties and damages in Indonesia. In: *The 3rd international conference on eco engineering*. IOP-science, p 012156

- Orabi W, Senouci AB, El-Rayes K, Al-Derham H (2010) Optimizing resource utilization during the recovery of civil infrastructure systems. *J Manag Eng* 26:237–246
- Otoum S, Kantarci B, Mouftah H (2019) Empowering reinforcement learning on big sensed data for intrusion detection. In: Proceedings of the 2019 IEEE international conference on communications (ICC2019). IEEE. <https://doi.org/10.1109/ICC.2019.8761575>
- Özdamar L, Demir O (2012) A hierarchical clustering and routing procedure for large scale disaster relief logistics planning. *Transp Res Part E Logist Transp Rev* 48:591–602
- Ozdemir A, Altural T (2013) A comparative study of frequency ratio, weights of evidence and logistic regression methods for landslide susceptibility mapping: Sultan Mountains, SW Turkey. *J Asian Earth Sci* 64:180–197
- Padil KH, Bakhary N, Hao H (2017) The use of a nonprobabilistic artificial neural network to consider uncertainties in vibration-based-damage detection. *Mech Syst Signal Process* 83:194–209
- Padmawar PM, Shinde AS, Sayyed TZ, Shinde SK, Moholkar K (2019) Disaster prediction system using convolution neural network. In: The 2019 international conference on communication and electronics systems (ICCES). IEEE, pp 808–812. <https://doi.org/10.1109/ICCES45898.2019.9002400>
- Park YS, Kim J, Kim A (2019) Radar localization and mapping for indoor disaster environments via multi-modal registration to prior LiDAR map. In: 2019 IEEE/RSJ international conference on intelligent robots and systems (IROS). IEEE, pp 407–419. <https://doi.org/10.1109/IROS40897.2019.8967633>
- Parra J, Fuentes O, Anthony EY, Kreinovich V (2016) Use of machine learning to analyze and—hopefully—predict volcano activity. Technical Report UTEP-CS-16-80a, University of Texas at El Paso. http://digitalcommons.utep.edu/cs_techrep/1053
- Pau J, Baker J, Houston N (2017) Artificial intelligence in Asia: preparedness and resilience. https://www.asiabusinesscouncil.org/docs/AI_briefing.pdf
- Pechenkin A, Demidov R (2018) Application of deep neural networks for security analysis of digital infrastructure components. *SHS Web Conf* 44:00068
- Peduzzi P, Dao H, Herold C, Mouton F (2009) Assessing global exposure and vulnerability towards natural hazards: the Disaster Risk Index. *Nat Hazards Earth Syst Sci* 9:1149–1159
- Peiris RH, Hallé C, Budman H, Moresoli C, Peldszus S, Huck PM, Legge RL (2010) Identifying fouling events in a membrane-based drinking water treatment process using principal component analysis of fluorescence excitation-emission matrices. *Water Res* 44:185–194
- Peng Y, Li SW, Hu ZZ (2019) A self-learning dynamic path planning method for evacuation in large public buildings based on neural networks. *Neurocomputing* 365:71–85
- Perol T, Gharbi M, Denolle M (2018) Convolutional neural network for earthquake detection and location. *Sci Adv* 4:e1700578
- Pessin G, Osorio F, Wolf DF, Dias MA (2009) Genetic algorithm applied to robotic squad coordination. In: 2009 electronics, robotics and automotive mechanics conference (CERMA). IEEE, pp 169–174. <https://doi.org/10.1109/CERMA.2009.17>
- Pezanowski S, MacEachren AM, Savelyev A, Robinson AC (2018) SensePlace3: a geovisual framework to analyze place-time-attribute information in social media. *J Cartogr Geogr Inf Sci* 45:420–437
- Pham TTH, Apparicio P, Gomez C, Weber C, Mathon D (2014) Towards a rapid automatic detection of building damage using remote sensing for disaster management: the 2010 Haiti Earthquake. *Disaster Prev Manag* 23:53–66
- Pham BT, Bui DT, Prakash I, Dholakia MB (2017) Hybrid integration of multilayer perceptron neural networks and machine learning ensembles for landslide susceptibility assessment at Himalayan area (India) using GIS. *CATENA* 149:52–63
- Pilkington SF, Mahmoud HN (2016) Using artificial neural networks to forecast economic impact of multi-hazard hurricane-based events. *Sustain Resil Infrastruct* 1:63–83
- Pillai AS, Chandraprasad GS, Khwaja AS, Anpalagan A (2019) A service oriented IoT architecture for disaster preparedness and forecasting system. *Internet Things*. <https://doi.org/10.1016/j.iot.2019.100076>
- Pogrebnykov N, Maldonado E (2017) Identifying emergency stages in Facebook posts of police departments with convolutional and recurrent neural networks and support vector machines. In: Proceedings of the 2017 IEEE international conference on big data. IEEE, pp 4343–4352. <https://doi.org/10.1109/BigData.2017.8258464>
- Pourrahmani E, Delavar MR, Mostafavi MA (2015) Optimization of an evacuation plan with uncertain demands using fuzzy credibility theory and genetic algorithm. *Int J Disaster Risk Reduct* 14:357–372
- Pouyanfar S, Sadiq S, Tian H, Tao Y, Reyes MP, Shyu ML, Chen SC, Iyengar SS (2018) A survey on deep learning: algorithms, techniques, and applications. *ACM Comput Surv* 51:1–36
- Pradhan B (2009) Flood susceptible mapping and risk area delineation using logistic regression, GIS and remote sensing. *J Spat Hydrol* 9:1–18

- Paul JA, Hariharan G (2012) Location-allocation planning of stockpiles for effective disaster mitigation. *Ann Oper Res* 196:469–490
- Pugh J, Martinoli A (2007) Inspiring and modeling multi-robot search with particle swarm optimization. In: 2007 IEEE swarm intelligence symposium. IEEE. <https://doi.org/10.1109/SIS.2007.367956>
- Pyayt AL, Mokhov II, Lang B, Krzhizhanovskaya VV, Meijer RJ (2011) Machine learning methods for environmental monitoring and flood protection. *Int J Comput Electr Autom Control Inf Eng* 5:549–554
- Qiang Y, Huang Q, Xu J (2020) Observing community resilience from space: using nighttime lights to model economic disturbance and recovery pattern in natural disaster. *Sustain Cities Soc* 57:102115
- Qiao L, Luo J (2012) Research on Q-learning algorithm with sharing experience in learning process. *Computer Science*, vol 39. http://en.cnki.com.cn/Article_en/CJFDTotal-JSJA201205053.htm
- Qiu M, Ming Z, Wang J, Yang LT, Xiang Y (2014) Enabling cloud computing in emergency management systems. *IEEE Cloud Comput* 1:60–67
- Rafiei MH, Adeli H (2017) NEEWS: A novel earthquake early warning model using neural dynamic classification and neural dynamic optimization. *Soil Dyn Earthq Eng* 100:417–427
- Rahman R, Hasan S (2018) Short-term traffic speed prediction for freeways during hurricane evacuation: a deep learning approach. In: The 21st international conference on intelligent transportation systems (ITSC). IEEE, pp 1291–1296. <https://doi.org/10.1109/ITSC.2018.8569443>
- Rahnemoonfar M, Murphy R, Miquel MV, Dobbs D, Adams A (2018) Flooded area detection from UAV images based on densely connected recurrent neural networks. In: Proceedings of the 2018 IEEE international geoscience and remotely sensing symposium. IEEE, pp 1788–1791. <https://doi.org/10.1109/IGARSS.2018.8517946>
- Rakgase M, Norris D (2014) Factors that influence choice of drought coping strategies in Limpopo Province, South Africa. *J Hum Ecol* 47:111–116
- Ramchurn SD, Huynh TD, Ikuno Y, Flann J, Wu F, Moreau L, Jennings NR, Fischer J, Jiang W, Rodden T, Simpson E, Reece S, Roberts SJ (2015) HAC-ER: a disaster response system based on human-agent collectives. In: Proceedings of the 2015 international conference on autonomous agents and multiagent systems (AAMAS 2015), pp 533–541
- Ramchurn SD, Huynh TD, Wu F, Ikuno Y, Flann J, Moreau L, Fischer JE, Jiang W, Rodden T, Simpson E, Reece S, Roberts S, Jennings NR (2016) A disaster response system based on human-agent collectives. *J Artif Intell Res* 57:661–708. <https://doi.org/10.1613/jair.5098>
- Ranzato M, Mnih V, Susskind JM, Hinton GE (2013) Modeling natural images using gated MRFs. *IEEE Trans Pattern Anal Mach Intell* 35:2206–2222
- Rasouli MR (2018) Intelligent process-aware information systems to support agility in disaster relief operations: a survey of emerging approaches. *Int J Prod Res* 57:1857–1872
- Rauter M, Winkler D (2018) Predicting natural hazards with neuronal networks. <https://arxiv.org/pdf/1802.07257.pdf>
- Rawat P, Haddad M, Altman E (2015) Towards efficient disaster management: 5G and device to device communication. In: Proceedings of the 2nd international conference on information and communication technologies for disaster management (ICT-DM). IEEE. <https://doi.org/10.1109/ICT-DM.2015.7402056>
- Raymond R, Morimura T, Osogami T, Hirose N (2012) Map matching with hidden Markov model on sampled road network. In: Proceedings of the 21st international conference on pattern recognition (ICPR2012). IEEE, pp 2242–2245
- Reed D (2008) Electric utility distribution analysis for extreme winds. *J Wind Eng Ind Aerodyn* 96:123–140
- Reilly J, Dashti S, Ervasti M, Bray JD, Glaser SD, Bayen AM (2013) Mobile phones as seismologic sensors: automating data extraction for the iShake system. *IEEE Robot Autom Soc* 10:242–251
- Ren M, Wang B, Fu QLG (2010) Classified real-time flood forecasting by coupling fuzzy clustering and neural network. *Int J Sedim Res* 25:134–148
- Renwick N (2017) China's approach to disaster risk reduction: human security challenges in a time of climate change. *J Asian Secur Int Aff* 4:26–49
- Resch B, Usländer F, Havas C (2018) Combining machine-learning topic models and spatiotemporal analysis of social media data for disaster footprint and damage assessment. *J Artif Intell Res* 45:362–376
- Reynard D, Shirgaokar M (2019) Harnessing the power of machine learning: Can Twitter data be useful in guiding resource allocation decisions during a natural disaster? *Transp Res Part D Transp Environ* 77:449–463
- Rhee J, Im J (2017) Meteorological drought forecasting for ungauged areas based on machine learning: using long-range climate forecast and remote sensing data. *Agric For Meteorol* 237–238:105–122
- Riad JK, Norris FH, Ruback RB (2006) Predicting evacuation in two major disasters: risk perception, social influence, and access to resources. *J Appl Soc Psychol* 29:918–934

- Rizk Y, Jomaa H, Award M, Castillo C (2019) A computationally efficient multi-modal classification approach of disaster-related Twitter images. In: The 34th ACM/SIGAPP symposium on applied computing (SAC '19). ACM. <https://doi.org/10.1145/3297280.3297481>
- Robertson BW, Johnson M, Murthy D, Smith WR, Stephens KK (2019) Using a combination of human insights and 'deep learning' for real-time disaster communication. *Prog Disaster Sci* 2:100030
- Robinson S, Murphy H, Bies A (2014) Structured to partner: school district collaboration with non-profit organizations in disaster response. *Risk Hazards Crisis* 5(1):77–95. <https://doi.org/10.1002/rhc3.12047>
- Rodriguez-Ramos A, Sampedro C, Bavle H, de la Puente P, Campoy P (2019) A deep reinforcement learning strategy for UAV autonomous landing on a moving platform. *J Intell Robot Syst* 93:351–366
- Romlay MRM, Rashid MM, Toha SF (2016) Development of particle swarm optimization based rainfall-runoff prediction model for Pahang River Pekan. In: Proceedings of the 2016 international conference on computer and communication engineering (ICCCCE). IEEE, pp 306–310. <https://doi.org/10.1109/ICCCCE.2016.72>
- Rosellini AJ, Dussailant F, Zubizarreta JR, Kessler RC, Rose S (2018) Predicting posttraumatic stress disorder following a natural disaster. *J Psychiatr Res* 96:15–22
- Rosser JF, Leibovici DG, Jackson MJ (2017) Rapid flood inundation mapping using social media, remote sensing and topographic data. *Nat Hazards* 87:103–120
- Rossi F (2019) Building trust in artificial intelligence. *J Int Aff* 72(1):127–134
- Ruan JH, Wang XP, Chan FTS, Shi Y (2016) Optimizing the intermodal transportation of emergency medical supplies using balanced fuzzy clustering. *Int J Prod Res* 54:4368–4386
- Rudin C, Waltz D, Anderson RN, Boulanger A, Salieb-Aouissi A, Chow M, Dutta H, Gross P, Huang B, Jerome S, Isaac D, Kressner A, Passonneau RJ, Radeva A, Wu L (2012) Machine learning for the New York City power grid. *IEEE Trans Pattern Anal Mach Intell* 34:328–345
- Rudner TGJ, Rußwurm M, Fil J, Pelich R, Bischke B, Kopačková V, Biliński P (2019) Multi3Net: segmenting flooded buildings via fusion of multiresolution, multisensor, and multitemporal satellite imagery. In: The thirty-third AAAI conference on artificial intelligence (AAAI-19). AAAI, pp 702–709
- Russell SJ, Norvig P (2016) Learning from examples. Artificial intelligence: a modern approach, 3rd Edn. Pearson, Chap 18, pp 693–767
- Ruz GA, Henriquez PA, no AM (2020) Sentiment analysis of Twitter data during critical events through Bayesian networks classifiers. *Future Gener Comput Syst* 106:92–104
- Saad OM, Shalaby A, Sayed MS (2014) Automatic arrival time detection for earthquakes based on fuzzy possibilistic C-means clustering algorithm. In: Proceedings of the 2017 8th international conference on recent advances in space technologies (RAST). IEEE, pp 1749–1758
- Sachdeva S, Bhatia T, Verma AK (2018) GIS-based evolutionary optimized gradient boosted decision trees for forest fire susceptibility mapping. *Nat Hazards* 92:1399–1418
- Sadhu V, Salles-Loustau G, Pompili D, Zonouz S, Sritapan V (2017) Argus: smartphone-enabled human cooperation for disaster situational awareness via MARL. In: Proceedings of the 2017 IEEE international conference on pervasive computing and communications demonstrations. IEEE. <https://doi.org/10.1109/PERCOMW.2017.7917529>
- Sadiq FI, Selamat A, Ibrahim R (2015) Human activity recognition prediction for crowd disaster mitigation. In: Asian conference on intelligent information and database systems (ACIID). Springer, pp 200–210
- Sadiq FI, Selamat A, Ibrahim R (2018) Performance valuation of classifiers on activity recognition for disasters mitigation using smartphone sensing. *Jurnal Teknologi* 77:11–19
- Saito H, Nakayama D, Matsuyama H (2009) Comparison of landslide susceptibility based on a decision-tree model and actual landslide occurrence: the Akaishi Mountains, Japan. *Geomorphology* 109:108–121
- Sakaki M, Okazaki M, Matsuo Y (2012) Tweet analysis for real-time event detection and earthquake reporting system development. *IEEE Trans Knowl Data Eng* 25:919–931
- Salmane H, Khoudour L, Ruichek Y (2015) A video-analysis-based railway-road safety system for detecting hazard situations at level crossings. *IEEE Trans Intell Transp Syst* 16:596–609
- Samir M, Chraiti M, Assi C, Ghayeb A (2019) Joint optimization of UAV trajectory and radio resource allocation for drive-thru vehicular networks. In: Proceedings of the 2019 IEEE wireless communications and networking conference (WCNC). IEEE. <https://doi.org/10.1109/WCNC.2019.8885893>
- Sánchez-García J (2019) A distributed PSO-based exploration algorithm for a UAV network assisting a disaster scenario. *Future Gener Comput Syst* 90:129–148
- Sankaranarayanan S, Prabhakar M, Satish S, Jain P, Ramprasad A, Krishnan A (2019) Flood prediction based on weather parameters using deep learning. *J Water Clim Change*. <https://doi.org/10.2166/wcc.2019.321>

- Sarabakha A, Kayacan E (2016) Y6 tricopter autonomous evacuation in an indoor environment using Q-learning algorithm. In: The 2016 IEEE 55th conference on decision and control (CDC). IEEE, pp 5992–5997. <https://doi.org/10.1109/CDC.2016.7799189>
- Sarkale Y, Nozhati S, Chong EKP, Ellingwood BR, Mahmoud H (2018) Solving Markov decision processes for network-level post-hazard recovery via simulation optimization and rollout. In: The IEEE 14th international conference on automation science and engineering (CASE). IEEE, pp 906–912
- Saxena A, Wong LLS, Ng AY (2008) Learning grasp strategies with partial shape information. In: Proceedings of the 23rd national conference on artificial intelligence - volume 3, pp 1491–1494
- Schempf H, Chemel B, Everett N (1995) Neptune: above-ground storage tank inspection robot system. *IEEE Robot Autom Soc Mag* 2:6–15
- Schneider FE, Wildermuth D (2017) Using robots for firefighters and first responders: scenario specification and exemplary system description. In: Proceedings of the 18th carpathian control conference, pp 216–221
- Schwartz J (2018) How can AI help to prepare for floods in a climate-changed world? <https://www.scientificamerican.com/article/former-fema-chief-uses-ai-to-prepare-for-hurricanes-and-rising-seas/>
- Seydi S, Rastiveis H (2019) A deep learning framework for roads network damage assessment using post-earthquake LiDAR data. *Int Soc Photogramm Remote Sens* 42:955–961
- Sharma S, Ogunlana K (2015) Using genetic algorithm and neural network for modeling learning behavior in a multi-agent system during emergency evacuation. *Int J Comput Appl* 22:172–182
- Sharma H, Anderson PA, Granmo OC, Goodwin M (2020) Deep Q-learning with Q-matrix transfer learning for novel fire evacuation. *IEEE Trans Syst Man Cybern Syst*. <https://doi.org/10.1109/TSMC.2020.2967936>
- Shelton T, Poorthuis A, Graham M, Zook M (2014) Mapping the data shadows of Hurricane Sandy: uncovering the sociospatial dimensions of ‘big data’. *Geoforum* 52:167–179
- Sheu JB (2007) An emergency logistics distribution approach for quick response to urgent relief demand in disasters. *Transp Res Part E Logist Transp Rev* 43:687–709
- Sheu JB (2010) Dynamic relief-demand management for emergency logistics operations under large-scale disasters. *Transp Res Part E Logist Transp Rev* 46:1–17
- Sheykhoumousa M, Kerle N, Kuffer M, Ghaffarian S (2019) Post-disaster recovery assessment with machine learning-derived land cover and land use information. *Remote Sens* 11:1174
- Shi H, Gao Q, Qi Y, Liu J, Hu Y (2010) Wind erosion hazard assessment of the Mongolian plateau using FCM and GIS techniques. *Environ Earth Sci* 61:689–697
- Shi H, Kim M, Lee SC, Pyo S, Esfahani I, Yoo C (2015) Localized indoor air quality monitoring for indoor pollutants’ healthy risk assessment using sub-principal component analysis driven model and engineering big data. *Korean J Chem Eng* 32:1960–1969
- Shibuya Y, Tanaka H (2019) Using social media to detect socio-economic disaster recovery. *IEEE Intell Syst* 34:29–37
- Shirzaei M, Walter TR (2010) Time-dependent volcano source monitoring using interferometric synthetic aperture radar time series: a combined genetic algorithm and Kalman filter approach. *J Geophys Res* 115:B10421
- Shirzadi A, Bui DT, Pham BT, Solaimani K, Chapi K, Kavian A, Shahabi H, Revhaug I (2017) Shallow landslide susceptibility assessment using a novel hybrid intelligence approach. *Environ Earth Sci* 76:60
- Silver D, Lever G, Heess N, Degris T, Wierstra D, Riedmiller M (2014) Deterministic policy gradient algorithms. In: Proceedings of the 31st international conference on machine learning (ICML-14). ACM, pp 387–395
- Simmons KM, Sutter D (2008) Tornado warning, lead times and tornado casualties: an empirical investigation. *Weather Forecast* 23:246–258
- Simonyan K, Zisserman A (2014) Very deep convolutional networks for large-scale visual recognition. <https://arxiv.org/abs/1409.1556>
- Singh N, Roy N, Gangopadhyay A (2019) Analyzing the emotions of crowd for improving the emergency response services. *Pervasive Mobile Comput* 58:101018
- Smith AB, Katz RW (2013) US billion-dollar weather and climate disasters: data sources, trends, accuracy and biases. *Nat Hazards* 67:387–410
- Socher R, Huval B, Bhat B, Manning CD, Ng AY (2008) Convolutional-recursive deep learning for 3D object classification. In: Proceedings of the 25th international conference on neural information processing systems, volume 1, pp 656–664
- Socher R, Lin CC, Manning C, Ng AY (2011) Parsing natural scenes and natural language with recursive neural networks. In: Proceedings of the international conference on machine learning. Omnipress, pp 129–136

- Song X, Zhang Q, Sekimoto Y, Shibasaki R (2014) Prediction of human emergency behavior and their mobility following large-scale disaster. In: Proceedings of the 20th ACM SIGKDD international conference on knowledge discovery and data mining. ACM, pp 5–14
- Song X, Zhang Q, Sekimoto Y, Shibasaki R, Yuan NJ, Xie X (2015) A simulator of human emergency mobility following disasters: Knowledge transfer from big disaster data. In: Twenty-Ninth AAAI conference on artificial intelligence. AAAI, pp 730–736
- Song X, Zhang Q, Sekimoto Y, Shibasaki R, Yuan NJ, Xie X (2016) Prediction and simulation of human mobility following natural disasters. *ACM Trans Intell Syst Technol* 8:1–23
- Song X, Shibasaki R, Yuan NJ, Xie X, Li T, Adachi R (2017) DeepMob: learning deep knowledge of human emergency behavior and mobility from big and heterogeneous data. *ACM Trans Intell Syst Technol* 35:1–19
- Sriram LMK, Ulak MB, Ozguven EE, Arghandeh R (2019) Multi-network vulnerability causal model for infrastructure co-resilience. *IEEE Access* 7:35344–35358. <https://doi.org/10.1109/ACCESS.2019.2904457>
- Srivastava M, Abdelzaher T, Szymanski B (2012) Human-centric sensing. *Philos Trans R Soc A Math Phys Eng Sci* 370:176–197
- Stefanov WL, Evans CA (2014) The international space station: a unique platform for remote sensing of natural disasters. Technical Report 20150003831, NASA. <https://ntrs.nasa.gov/search.jsp?R=20150003831>
- Steimle ET, Murphy RR, Lindemuth M, Hall ML (2009) Unmanned marine vehicle use at Hurricanes Wilma and Ike. In: OCEANS 2009. IEEE, pp 1–6. <https://doi.org/10.23919/OCEANS.2009.5422201>
- Stojadinovic Z, Kovacevic M, Marinkovic D, Stojadinovic B (2017) Data-driven housing damage and repair cost prediction framework based on the 2010 Kraljevo earthquake data. In: Proceedings of the 16th world conference on earthquake engineering (16WCEE), p 4987
- Strauss A, Hoffman S, Wendner R, Bergmeier K (2009) Structural assessment and reliability analysis for existing engineering structures, applications for real structures. *Struct Infrastruct Eng* 5:277–286
- Su Z, Jiang J, Liang C, Zhang G (2011) Path selection in disaster response management based on Q-learning. *Int J Autom Comput* 8:100–106
- Su S, Pi J, Wan C, Li H, Xiao R, Li B (2015) Categorizing social vulnerability patterns in Chinese coastal cities. *Ocean Coast Manag* 116:1–8
- Subikš, Rohde S, Weber T, Wietfeld C (2010) SPIDER: enabling interoperable information sharing between public institutions for efficient disaster recovery and response. In: Proceedings of the 2010 IEEE international conference on technologies for homeland security. IEEE, pp 190–196. <https://doi.org/10.1109/THS.2010.5655061>
- Suganya R, Jayashree LS (2018) Fuzzy rough set inspired rate adaptation and resource allocation using Hidden Markov Model (FRSIRA-HMM) in mobile ad hoc networks. *Clust Comput* 22:9875–9888
- Sun Y, Li S (2016) Real-time collaborative GIS: a technological review. *ISPRS J Photogramm Remote Sens* 115:143–152
- Sun Y, Tan W (2019) A trust-aware task allocation method using deep Q-learning for uncertain mobile crowdsourcing. *Human-centric Comput Inf Sci* 9:25
- Sun H, Tian X, Li Z, Chen E, Wang W (2017) Remotely sensed monitoring forest changes-a case study in the Jinhe town of Inner Mongolia. In: 2017 IEEE international geoscience and remote sensing symposium (IGARSS). IEEE. <https://doi.org/10.1109/IGARSS.2017.8127747>
- Sun H, Burton H, Wallace J (2019) Reconstructing seismic response demands across multiple tall buildings using kernel-based machine learning methods. *Struct Control Health Monit* 26:e2359
- Sun W, Bocchini P, Davison BD (2020a) Model for estimating the impact of interdependencies on system recovery. *J Infrast Syst* 26(3):04020031. [https://doi.org/10.1061/\(ASCE\)IS.1943-555X.0000569](https://doi.org/10.1061/(ASCE)IS.1943-555X.0000569)
- Sun W, Bocchini P, Davison BD (2020b) Resilience metrics and measurement methods for transportation infrastructure: the state of the art. *Sustain Resil Infrastruct* 5(3):168–199. <https://doi.org/10.1080/23789689.2018.1448663>
- Sun W, Bocchini P, Davison BD (2021) Quantitative models for interdependent functionality and recovery of critical infrastructure systems. In: Objective resilience: manual of practice. ASCE, Under Review
- Suriya M, Sumithra MG (2019) Enhancing cooperative spectrum sensing in flying cell towers for disaster management using convolutional neural networks. In: Proceedings of the EAI international conference on big data innovation for sustainable cognitive computing, pp 181–190
- Sutton RS, Barto AG (2018) Temporal-difference learning. In: Sutton RS, Barto AG (eds) Reinforcement learning: an introduction, 2nd edn. The MIT Press, Cambridge, pp 119–140
- Takahashi B, Tandoc EC Jr, Carmichael C (2015) Communicating on Twitter during a disaster: an analysis of tweets during Typhoon Haiyan in the Philippines. *Comput Hum Behav* 50:392–398

- Takeda T, Mori Y, Kubota N, Arai Y (2014) A route planning for disaster waste disposal based on robot technology. In: 2014 IEEE symposium on robotic intelligence in informationally structured space (RiiSS). IEEE. <https://doi.org/10.1109/RIISS.2014.7009173>
- Tan D, Qu W, Tu J (2010) The damage detection based on the fuzzy clustering and support vector machine. In: The 2010 international conference on intelligent system design and engineering application, pp 598–601. <https://doi.org/10.1109/ISDEA.2010.404>
- Tanaka G, Yamane T, Héroux JB, Nakane R, Kanazawa N, Takeda S, Numata H, Nakano D, Hirose A (2019) Recent advances in physical reservoir computing: a review. *Neural Netw* 115:100–123
- Tapia C, Padgett JE (2015) Multi-objective optimisation of bridge retrofit and post-event repair selection to enhance sustainability. *Struct Infrastruct Eng* 12:93–107
- Tapia AH, Bajpai K, Jansen BJ, Yen J (2011) Seeking the trustworthy tweet: Can microblogged data fit the information needs of disaster response and humanitarian relief organizations. In: The 8th international conference on information systems for crisis response and management: from early-warning systems to preparedness and training (ISCRAM 2011), pp 1–10
- Tatem AJ, Qiu Y, Smith DL, Sabot O, Ali AS, Moonen B (2009) The use of mobile phone data for the estimation of the travel patterns and imported Plasmodium falciparum rates among Zanzibar residents. *Malar J* 8:287
- Tatsubori M, Watanabe H, Shibayama A, Sato S, Imamura F (2012) Social web in disaster archives. In: The proceedings of the 21st international conference companion on world wide web—WWW'12 Companion. ACM, pp 715–716. <https://doi.org/10.1145/2187980.2188190>
- Terranova OG, Gariano SL, Iaquinia P, Iovine GGR (2015) ^{GA}SAKE: forecasting landslide activations by a genetic-algorithms-based hydrological model. *Geosci Model Develop* 8:1955–1978
- The PRAISys Team (2018) Probabilistic resilience assessment of interdependent systems (PRAISys). <http://praisys.org>
- The Rockefeller Foundation (2019) 100 Resilient Cities (100RC). <http://www.100resilientcities.org>
- Tian H, Chen SC (2017a) MCA-NN: Multiple correspondence analysis based neural network for disaster information detection. In: The 3rd IEEE international conference on multimedia big data. IEEE. <https://doi.org/10.1109/BigMM.2017.30>
- Tian H, Chen SC (2017b) A video-aided semantic analytics system for disaster information integration. In: The 3rd IEEE international conference on multimedia big data. IEEE, pp 242–243. <https://doi.org/10.1109/BigMM.2017.31>
- Tian H, Pouyanfar S, Chen J, Chen SC, Iyengar SS (2018) Automatic convolutional neural network selection for image classification using genetic algorithms. In: 2018 IEEE international conference on information reuse and integration (IRI), pp 444–451. <https://doi.org/10.1109/IRI.2018.00071>
- Tinoco J, Correia AG, Cortez P, Toll DG (2018) Data-driven model for stability condition prediction of soil embankments based on visual data features. *J Comput Civ Eng* 32:04018027
- Tinoco J, Correia AG, Cortez P, Toll D (2019) Combining artificial neural networks and genetic algorithms for rock cuttings slopes stability condition identification. In: International conference on information technology in geo-engineering. Springer, pp 196–209
- Tomaszewski B, Blanford J, Ross K, Pezanowski S, MacEachren AM (2011) Supporting geographically-aware web document foraging and sensemaking. *Comput Environ Urban Syst* 35:192–207
- Tomin N, Kurbatsky V, Rehtanz C (2013) An intelligent security alert system for power system pre-emergency control. In: The 13th international conference on environment and electrical engineering (EEEIC). IEEE. <https://doi.org/10.1109/EEEIC-2.2013.6737884>
- Toreyin BU, Cetin AE (2009) Wildfire detection using LMS based active learning. In: Proceedings of the 2009 IEEE international conference on acoustics, speech and signal processing, pp 1461–1464
- Torok MM, Golparvar-Fard M, Kochersberger KB (2014) Image-based automated 3D crack detection for post-disaster building assessment. *J Comput Civ Eng* 28:A4014004
- Trafalis TB, Adrianto I, Richman MB, Lakshminarayanan S (2014) Machine-learning classifiers for imbalanced tornado data. *CMS* 11:403–418
- Trugman DT, Shearer PM (2017) GrowClust: A hierarchical clustering algorithm for relative earthquake relocation, with application to the Spanish Springs and Sheldon, Nevada, earthquake sequences. *Seismol Res Lett* 88:379–391
- Tucker I, Gil-Garcia JR, Sayogo DS (2017) Collaborative data analytics for emergency response: Identifying key factors and proposing a preliminary framework. In: Proceedings of the 10th international conference on theory and practice of electronic governance, pp 508–515
- Tunusluoglu MC, Gokceoglu C, Nefeslioglu HA, Sonmez H (2007) Extraction of potential debris source areas by logistic regression technique: a case study from Barla, Besparmak and Kapi mountains (NW Taurids, Turkey). *Environ Geol* 54:9–22

- Uddin MN, Islam AKMS, Bala SK, Islam GMT, Adhikary S, Saha D, Haque S, Fahad MGR, Akter R (2019) Mapping of climate vulnerability of the coastal region of Bangladesh using principal component analysis. *Appl Geol* 102:47–57
- Ukkusuri SV, Zhan X, Sadri AM, Ye Q (2014) Use of social media data to explore crisis informatics: study of 2013 Oklahoma Tornado. *Transp Res Rec J Transp Res Board* 2459:110–118
- UN (2015) Sendai framework for disaster risk reduction: 2015–2030. https://www.unisdr.org/files/43291_sendaiframeworkfordrren.pdf
- USGS (2016a) ShakeCast. <https://earthquake.usgs.gov/research/software/shakecast.php>
- USGS (2016b) ShakeMap. <https://earthquake.usgs.gov/data/shakemap/>
- Uunk L, Wijnberg K, Morelissen R (2010) Automated mapping of the intertidal beach bathymetry from video images. *Ocean Eng* 57:461–469
- Valkaniotis S, Papathanassiou G, Ganas A (2018) Mapping an earthquake-induced landslide based on UAV imagery: case study of the 2015 Okeanos landslide, Lefkada, Greece. *Eng Geol* 245:141–152
- van Aardt JA, McKeown D, Faulring J, Raqueño N, Casterline M, Renschler C, Eguchi R, Messinger D, Krzaczek R, Cavillia S, Antalovich J Jr, Philips N, Bartlett B, Salvaggio C, Ontiveros E, Gill S (2011) Geospatial disaster response during the Haiti Earthquake: a case study spanning airborne deployment, data collection, transfer, processing, and dissemination. *Photogramm Eng Remote Sens* 9:943–952
- Vanschoren J, van Rijn JN, Bischl B, Torgo L (2014) OpenML: networked science in machine learning. *ACM SIGKDD Explor Newsl* 15:49–60
- Velev D, Zlateva P, Zong X (2018) Challenges of 5G usability in disaster management. In: *Proceedings of the 2018 international conference on computing and artificial intelligence (ICCAI 2018)*. ACM, pp 71–75
- Verma S, Vieweg S, Corvey WJ, Palen L, Martin JH, Palmer M, Anderson KM (2011) Natural language processing to the rescue? extracting “situational awareness” tweets during mass emergency. In: *Proceedings of the fifth international conference on weblogs and social media (ICWSM2011)*. AAAI, pp 385–392. <https://www.aaai.org/ocs/index.php/ICWSM/ICWSM11/paper/view/2834>
- Verma S, Nair HS, Agarwal G, Dhar J, Shukla A (2020) Deep reinforcement learning for single-shot diagnosis and adaptation in damaged robots. In: *Proceedings of the 7th ACM IKDD CoDS and 25th COMAD*. ACM, pp 82–89
- Vetrivel A, Kerle N, Gerke M, Nex G, Vosselman G (2016) Towards automated satellite image segmentation and classification for assessing disaster damage using data-specific features with incremental learning. In: Kerle N, Gerke M, Lefevre S (eds) *Proceedings of the GEOBIA2016: solutions and synergies*, Enschede: University of Twente, Faculty of Geo-Information Science and Earth Observation (ITC), pp 1–5. <https://doi.org/10.3990/2.369>
- Vetrivel A, Gerke M, Kerle N, Nex G, Vosselman G (2018) Disaster damage detection through synergistic use of deep learning and 3D point cloud features derived from very high resolution oblique aerial images, and multiple-kernel-learning. *ISPRS J Photogramm Remote Sens* 140:45–59
- Victores JG, Martínez S, Balaguer AJC (2011) Robot-aided tunnel inspection and maintenance system by vision and proximity sensor integration. *Autom Constr* 20:629–636
- Vieweg S (2012) Situational awareness in mass emergency: a behavioral and linguistic analysis of microblogged communications. PhD dissertation, University of Colorado at Boulder
- Wahab AM, Ludin ANM (2018) Flood vulnerability assessment using artificial neural networks in Muar Region, Johor Malaysia. *IOP Conf Ser Earth Environ Sci* 169:012056
- Wan C, Mita A (2010) Early warning of hazard for pipelines by acoustic recognition using principal component analysis and one-class support vector machines. *Smart Struct Syst* 17:405–421
- Wang W (2018) Human detection based on radar sensor network in natural disaster. In: *Geological disaster monitoring based on sensor networks*. Springer, pp 109–134
- Wang J, Zhang W, Ip W (2010a) An integrated road construction and resource planning approach to the evacuation of victims from single source to multiple destinations. *IEEE Trans Intell Transp Syst* 11:277–289
- Wang J, Zhu S, Gong Y (2010b) Driving safety monitoring using semi-supervised learning on time series data. *IEEE Trans Intell Transp Syst* 11:728–737
- Wang F, Jin Z, Qian X, Ren Q, Huo Z (2012) Fuzzy clustering analysis in determining sub-faults of large earthquakes based on aftershock distribution. *Acta Seismol Sin* 34:793–803 in Chinese
- Wang JP, Huang D, Chang SC, Brant L (2013a) On-site earthquake early warning with multiple regression analysis: featuring two user-friendly applications for Excel. *Comput Geosci* 58:1–7
- Wang L, Sawada K, Moriguchi S (2013b) Landslide susceptibility analysis with logistic regression model based on FCM sampling strategy. *Comput Geosci* 57:81–92
- Wang J, Wu Y, Yen N, Guo S, Cheng Z (2016) Big data analytics for emergency communication networks: a survey. *IEEE Commun Surv Tutor* 18:1758–1778

- Wang C, Wu J, Wang X, He X (2018a) Application of the hidden Markov model in a dynamic risk assessment of rainstorms in Dalian, China. *Stoch Env Res Risk Assess* 32:2045–2056
- Wang J, Zhang J, Gong L, Li Q, Zhou D (2018b) Indirect seismic economic loss assessment and recovery evaluation using nighttime light images—application for Wenchuan earthquake. *Nat Hazards Earth Syst Sci* 18:3253–3266
- Wang Z, Wu J, Cheng L, Liu K, Wei Y (2018c) Regional flood risk assessment via coupled fuzzy c-means clustering methods: an empirical analysis from China's Huaihe River Basin. *Nat Hazards* 93:803–822
- Wang ZN, Chen J, Chen WC, Arulrajah A, Horpibulsuk S (2018d) Investigation into the tempo-spatial distribution of recent fire hazards in China. *Nat Hazards* 92:1889–1907
- Wang JH, Lin GF, Chang MJ, Huang IH, Chen YR (2019a) Real-time water-level forecasting using dilated causal convolutional neural networks. *Water Resour Manag* 33:3759–3780
- Wang K, Shi X, Goh APX, Qian S (2019b) A machine learning based study on pedestrian movement dynamics under emergency evacuation. *Fire Saf J* 106:163–176
- Wang L, Abdel-Aty M, Lee J, Shi Q (2019c) Analysis of real-time crash risk for expressway ramps using traffic, geometric, trip generation, and socio-demographic predictors. *Accid Anal Prev* 122:378–384
- Wang LC, Lai CC, Shuai HH, Lin HP, Li CY, Cheng TH, Chen CH (2019d) Communications and networking technologies for intelligent drone cruisers. In: *Proceedings of the 2019 IEEE GLOBE-COM workshops on space-ground integrated networks*. IEEE. <https://doi.org/10.1109/GCWeeks45667.2019.9024679>
- Wang P, Tan E, Jin Y, Wang J, Wang L (2019e) A deep reinforcement learning evolution of emergency state during traffic network. In: *Proceedings of the 14th IEEE conference on industrial electronics and applications*. IEEE. <https://doi.org/10.1109/ICIEA.2019.8833977>
- Wang Y, Wang Q, Shi S, He X, Tang Z, Zhao K, Chu X (2019f) Benchmarking the performance and power of AI accelerators for AI training. <https://arxiv.org/abs/1910.10045>
- Wang Z, Lam NS, Obradovich N, Ye X (2019g) Are vulnerable communities digitally left behind in social responses to natural disasters? an evidence from Hurricane Sandy with Twitter data. *Appl Geogr* 108:1–8
- Wang B, Li Y, Ming W, Wang S (2020a) Deep reinforcement learning method for demand response management of interruptible load. *IEEE Trans Smart Grid*. <https://doi.org/10.1109/TSG.2020.2967430>
- Wang Q, Guo Y, Yu L, Li P (2020b) Earthquake prediction based on spatio-temporal data mining: an LSTM network approach. *IEEE Trans Emerg Top Comput* 8:148–158. <https://doi.org/10.1109/TETC.2017.2699169>
- Wanik DW, Anagnostou EN, Hartman BM, Frediani MEB, Astitha M (2015) Storm outage modeling for an electric distribution network in Northeastern USA. *Nat Hazards* 79:1359–1384
- Watson D, Clark L (1994) The PANAS-X: manual for the positive and negative affect schedule—expanded form. Technical Report, The University of Iowa. <https://ntrs.nasa.gov/search.jsp?R=20150003831>
- Wilson R, zu Erbach-Schoenberg E, Albert M, Power D, Tudge S, Gonzalez M, Guthrie S, Chamberlain H, Brooks C, Hughes C, Pitonakova L, Buckee C, Lu X, Wetter E, Tatem A, Bengtsson L (2016) Rapid and near real-time assessments of population displacement using mobile phone data following disasters: the 2015 Nepal earthquake. *PLoS Curr Disasters*. <https://doi.org/10.1371/currents.dis.d073fbee328e4c39087bc086d694b5c>
- Wilts A (2018) Natural disaster damage cost America \$306 billion in 2017. <https://www.independent.co.uk/news/world/americas/natural-disasters-us-damage-cost-money-2017-a8148771.html>
- Wlwood E, Corotis RB (2015) Application of fuzzy pattern recognition of seismic damage to concrete structures. *ASCE-ASME J Risk Uncertain Eng Syst Part A Civ Eng* 1:04015011
- Wu Q, Xu H, Pang W (2008) GIS and ANN coupling model: an innovative approach to evaluate vulnerability of karst water inrush in coalmines of north China. *Environ Geol* 54:937–943
- Wu D, Yan D, Yang G, Wang X, Xiao W, Zhang H (2013) Assessment on agricultural drought vulnerability in the Yellow River basin based on a fuzzy clustering iterative model. *Nat Hazards* 67:919–936
- Wu K, Yang S, Zhu KQ (2015) False rumors detection on Sina Weibo by propagation structures. In: *The IEEE 31st international conference on data engineering*. IEEE, pp 651–662
- Xiao Y, Li B, Gong Z (2018) Real-time identification of urban rainstorm waterlogging disasters based on Weibo big data. *Nat Hazards* 94:833–842
- Xiong J, Li J, Cheng W, Wang N, Guo L (2019) A gis-based support vector machine model for flash flood vulnerability assessment and mapping in China. *Int J Geo-Inf* 8:297
- Xu N, Guikema SD, Davidson RA, Nozick LK, Çağın Z, Vaziri K (2007) Optimizing scheduling of post-earthquake electric power restoration tasks. *Earthq Eng Struct Dyn* 36:265–284
- Xu C, Dai F, Xu X, Lee YH (2012) GIS-based support vector machine modeling of earthquake-triggered landslide susceptibility in the Jianjiang River watershed, China. *Geomorphology* 145–146:70–80

- Xu JX, Lu W, Li Z, Khaitan P, Zaytseva V (2019a) Building damage detection in satellite imagery using convolutional neural networks. In: Proceedings of the 33rd conference on neural information processing systems (NeurIPS 2019). [arXiv:1910.06444](https://arxiv.org/abs/1910.06444)
- Xu N, Zhang Q, Zhang H, Hong M, Akerkard R, Liang Y (2019b) Global optimization for multi-stage construction of rescue units in disaster response. *Sustain Cities Soc* 51:101768
- Yabe T, Ukkusuri SV (2019) Integrating information from heterogeneous networks on social media to predict post-disaster returning behavior. *J Comput Sci* 32:12–20
- Yadollahnejad V, Bozorgi-Amiri A, Jabalameli M (2017) Allocation and vehicle routing for evacuation operations: a model and a simulated annealing heuristic. *J Urban Plan Dev* 143:04017018
- Yamaguchi K, Shirota Y (2019) Pattern classification of disasters impact on companies stock prices. In: The 10th international conference on awareness science and technology (iCAST). IEEE. <https://doi.org/10.1109/ICAwST.2019.8923362>
- Yan J, He H, Zhong X, Tang Y (2016) Q-learning-based vulnerability analysis of smart grid against sequential topology attacks. *IEEE Trans Inf Forensics Secur* 12:200–210
- Yan Y, Kong L, He X, Ouyang M, Peeta S, Chen X (2017) Pre-disaster investment decisions for strengthening the Chinese railway system under earthquakes. *Transp Res Part E Logist Transp Rev* 105:39–59
- Yang L, Cervone G (2019) Analysis of remote sensing imagery for disaster assessment using deep learning: a case study of flooding event. *Soft Comput* 23:13393–13408
- Yang B, Liu M (2018) Keeping in touch with collaborative UAVs: a deep reinforcement learning approach. In: Proceedings of the twenty-seventh international joint conference on artificial intelligence (IJCAI-18), pp 562–568
- Yang J, Yu M (2011) A model for seismic vulnerability score assignment of road infrastructure using linear regression technique. *Appl Mech Mater* 147:266–269
- Yang Y, Lu W, Domack J, Li T, Chen SC, Luis S, Navlakha JK (2012) MADIS: a multimedia-aided disaster information integration system for emergency management. In: Proceedings of the 8th international conference on collaborative computing: networking, applications and worksharing (CollaborateCom). IEEE. <https://doi.org/10.4108/icst.collaboratecom.2012.250525>
- Yang J, Chesbrough H, Hurmelinna-Laukkanen P (2019a) The rise, fall, and resurrection of IBM Watson Health. Technical Report, Haas School of Business, University of California. <http://jultika.oulu.fi/files/nbnfi-fe2020050424858.pdf>
- Yang S, Yang D, Chen J, Zhao B (2019b) Real-time reservoir operation using recurrent neural networks and inflow forecast from a distributed hydrological model. *J Hydrol* 579:142229
- Yang T, Xie J, Li G, Mou N, Li Z, Tian C, Zhao J (2019c) Social media big data mining and spatio-temporal analysis on public emotions for disaster mitigation. *ISPRS Int J Geo-Inf* 8:29
- Yang Y, Chen G, Reniers G (2019d) Vulnerability assessment of atmospheric storage tanks to floods based on logistic regression. *Reliab Eng Syst Saf* 196:106721
- Yao Z, Zhang G, Lu D, Liu H (2019) Data-driven crowd evacuation: a reinforcement learning method. *Neurocomputing* 366:314–327
- Yaseen ZM, El-shafie A, Jaafar O, Afan HA, Sayla KN (2015) Artificial intelligence based models for stream-flow forecasting: 2000–2015. *J Hydrol* 530:829–844
- Yeum CM, Dyke SJ (2015) Vision-based automated crack detection for bridge inspection. *Comput Aided Civ Infrastruct Eng* 30:759–770
- Yilmaz I (2010) Comparison of landslide susceptibility mapping methodologies for Koyulhisar, Turkey: conditional probability, logistic regression, artificial neural networks, and support vector machine. *Environ Earth Sci* 61:821–836
- Yin J, Karimi S, Robinson B, Cameron M (2012a) ESA: emergency situation awareness via microbloggers. In: The 21st ACM international conference on information and knowledge management. ACM, pp 2701–2703
- Yin J, Lampert A, Cameron M, Robinson B, Power R (2012b) Using social media to enhance emergency situation awareness. *IEEE Intell Syst* 27:52–59
- Yoon DK, Jeong S (2016) Assessment of community vulnerability to natural disasters in Korea by using GIS and machine learning techniques. In: Quantitative regional economic and environmental analysis for sustainability in Korea. Springer, pp 123–140
- Yoon H, Shiftehfar R, Cho S, Spencer BFJ, Nelson ME, Agha G (2016) Victim localization and assessment system for emergency responders. *J Comput Civ Eng* 30:04015011
- Yu L, Zhu JH (2014) Nonlinear damage detection using higher statistical moments of structural responses. *Struct Eng Mech* 54(2):221–237. <https://doi.org/10.12989/sem.2015.54.2.221>
- Yu L, Wang N, Meng X (2005) Real-time forest fire detection with wireless sensor networks. In: International conference on wireless communications, networking and mobile computing. IEEE, pp 1214–1217

- Yu S, Kim SW, Oh CW, An H, Kim JM (2014) Quantitative assessment of disaster resilience: an empirical study on the importance of post-disaster recovery costs. *Reliab Eng Syst Saf* 137:6–17
- Yu L, Zhu JH, Yu LL (2016) Structural damage detection in a truss bridge model using fuzzy clustering and measured FRF data reduced by principal component projection. *Adv Struct Eng* 16:207–217
- Yu PS, Yang TC, Chen SY, Kuo CM, Tseng HW (2017) Comparison of random forests and support vector machine for real-time radar-derived rainfall forecasting. *J Hydrol* 552:92–104
- Yu M, Yang C, Li Y (2018) Big data in natural disaster management: a review. *Geosciences* 8:165
- Yu M, Huang Q, Qin H, Scheele C, Yang C (2019) Deep learning for real-time social media text classification for situation awareness—using Hurricanes Sandy, Harvey, and Irma as case studies. *Int J Digit Earth* 12:1230–1247
- Yuan C, Moayedi H (2019) Evaluation and comparison of the advanced metaheuristic and conventional machine learning methods for the prediction of landslide occurrence. *Eng Comput.* <https://doi.org/10.1007/s00366-019-00798-x>
- Yuan C, Liu Z, Liu Z (2015) A survey on technologies for automatic forest fire monitoring, detection, and fighting using unmanned aerial vehicles and remote sensing techniques. *Can J For Res* 45:783–792
- Zagorecki AT, Johnson DE, Ristvej J (2013) Data mining and machine learning in the context of disaster and crisis management. *Int J Emerg Manag* 9:351–365
- Zahrn S, Brody SD, Peacock WG, Vedlitz A, Grover H (2008) Social vulnerability and the natural and built environment: a model of flood casualties in Texas. *Disasters* 32:537–560
- Zare M, Pourghasemi HR, Vafakhah M, Pradhan B (2013) Landslide susceptibility mapping at Vaz Watershed (Iran) using an artificial neural network model: a comparison between multilayer perceptron (MLP) and radial basic function (RBF) algorithms. *Arab J Geosci* 6:2873–2888
- Zeng Y, Yan Y, Weng S, Sun Y, Tian W, Yu H (2018) Fuzzy clustering of time-series model to damage identification of structures. *Adv Struct Eng* 22:868–881
- Zhang J (2004) Risk assessment of drought disaster in the maize-growing region of Songliao Plain, China. *Agric Ecosyst Environ* 102:133–153
- Zhang H (2016) Household vulnerability and economic status during disaster recovery and its determinants: a case study after the Wenchuan earthquake. *Nat Hazards* 83:1505–1526
- Zhang Y, Burton HV (2019) Pattern recognition approach to assess the residual structural capacity of damaged tall buildings. *Struct Saf* 78:12–22
- Zhang Y, Peacock WG (2009) Planning for housing recovery? Lessons learned from Hurricane Andrew. *J Am Plan Assoc* 76:5–24
- Zhang R, Rezaee Z, Zhu J (2010) Corporate philanthropic disaster response and ownership type: evidence from Chinese firms' response to the Sichuan Earthquake. *J Bus Ethics* 91:51–63
- Zhang G, Li B, Li Z, Wang C, Zhang H, Shang H, Hu W, Zhang T (2014) Development of robotic spreader for earthquake rescue. In: Proceedings of the 2014 IEEE international symposium on safety, security, and rescue robotics. IEEE. <https://doi.org/10.1109/SSRR.2014.7017679>
- Zhang H, Li N, Zhang W, Pei X (2016a) Experiments to automatically monitor drought variation using simulated annealing algorithm. *Nat Hazards* 84:175–184
- Zhang L, Zhang L, Du B (2016b) Deep learning for remote sensing data: a technical tutorial on the state of the art. *IEEE Geosci Remote Sens Mag* 4:22–40
- Zhang K, Niroui F, Fococelli M, Nejat G (2018a) Robot navigation of environments with unknown rough terrain using deep reinforcement learning. In: Proceedings of the 2018 IEEE international symposium on safety, security, and rescue robotics (SSRR). <https://doi.org/10.1109/SSRR.2018.8468643>
- Zhang Y, Burton HV, Sun H, Shokrabadi M (2018b) A machine learning framework for assessing post-earthquake structural safety. *Struct Saf* 72:1–16
- Zhang D, Zhang Y, Li Q, Plummer T, Wang D (2019a) CrowdLearn: A crowd-AI hybrid system for deep learning-based damage assessment applications. In: Proceedings of the IEEE 39th international conference on distributed computing systems (ICDCS). IEEE, pp 1221–1232. <https://doi.org/10.1109/ICDCS.2019.00123>
- Zhang L, Lv X, Dhakal S (2019b) A reinforcement learning-based stakeholder value aggregation model for collaborative decision making on disaster resilience. In: ASCE international conference on computing in civil engineering 2019. ASCE, pp 490–497
- Zheng S, Liu H (2019) Improved multi-agent deep deterministic policy gradient for path planning-based crowd simulation. *IEEE Access* 7:147755–147770
- Zhao Z, Wu Y (2016) Attention-based convolutional neural networks for sentence classification. In: The 17th annual conference of the international speech communication association, pp 705–709
- Zhao J, Zhu L, Liu GF, Liu G, Han Z (2009) A modified genetic algorithm for global path planning of searching robot in mine disasters. In: 2009 international conference on mechatronics and automation. IEEE, pp 4936–4940. <https://doi.org/10.1109/ICMA.2009.5246026>

- Zhao L, Hicks FE, Fayek AR (2012) Applicability of multilayer feed-forward neural networks to model the onset of river breakup. *Cold Reg Sci Technol* 70:32–42
- Zhao Y, Zheng Z, Zhang X, Liu Y (2017) Q-learning algorithm based UAV path learning and obstacle avoidance approach. In: Proceedings of the 36th Chinese control conference. <https://doi.org/10.23919/ChiCC.2017.8027884>
- Zhao Q, Chen Z, Liu C, Luo N (2019) Extracting and classifying typhoon disaster information based on volunteered geographic information from Chinese Sina microblog. *Concurr Comput Pract Exp* 31:e4910
- Zhao Y, Meng X, Qi T, Qing F, Xiong M, Li Y, Guo P, Chen G (2020) AI-based identification of low-frequency debris flow catchments in the Bailong River basin, China. *Geomorphology* 359:107125
- Zheng L, Shen C, Tang L, Li T, Luis S, Chen SC (2011) Applying data mining techniques to address disaster information management challenges on mobile devices. In: Proceedings of the 17th ACM SIG-KDD international conference on Knowledge discovery and data mining. ACM, pp 283–291
- Zheng L, Shen C, Tang L, Zeng C, Li T, Luis S, Chen SC (2013a) Data mining meets the needs of disaster information management. *IEEE Trans Hum Mach Syst* 43:451–464
- Zheng YJ, Ling HF, Xue JY, Chen SY (2013b) Population classification in fire evacuation: a multiobjective particle swarm optimization approach. *IEEE Trans Evol Comput* 18:70–81
- Zhong L, Garlachs K, Yamada S, Takano K, Ji Y (2018) Mission planning for UAV-based opportunistic disaster recovery networks. In: 2018 15th IEEE annual consumer communications and networking conference (CCNC). IEEE. <https://doi.org/10.1109/CCNC.2018.8319233>
- Zhou J, Pei H, Wu H (2017a) Early warning of human crowds based on query data from Baidu maps: analysis based on Shanghai Stampede. In: Big data support of urban planning and management. Springer, pp 19–41
- Zhou YL, Maia NMM, Sampaio RPC (2017b) Structural damage detection using transmissibility together with hierarchical clustering analysis and similarity measure. *Struct Health Monit* 16:711–731. <https://doi.org/10.1016/j.cag.2013.10.008>
- Zhou C, Yin K, Cao Y, Ahmed B, Li Y, Catani F, Pourghasemi HR (2018a) Landslide susceptibility modeling applying machine learning methods: a case study from Longju in the Three Gorges reservoir area, China. *Comput Geosci* 112:23–37
- Zhou YL, Maia NMM, Wahab MA (2018b) Damage detection using transmissibility compressed by principal component analysis enhanced with distance measure. *J Vib Control* 24:2001–2019
- Zhu C, Wu J (2013) Hybrid of genetic algorithm and simulated annealing for support vector regression optimization in rainfall forecasting. *Int J Comput Intell Appl* 12:1350012
- Zidi I, Al-Omani M, Aldhafeeri K (2019) A new approach based on the hybridization of simulated annealing algorithm and Tabu search to solve the static ambulance routing problem. *Proc Comput Sci* 159:1216–1228
- Zobel CW (2014) Quantitatively representing nonlinear disaster recovery. *Decis Sci* 45:1053–1082
- Zorn CR, Shamsedin AY (2015) Post-disaster infrastructure restoration: a comparison of events for future planning. *Int J Disaster Risk Reduct* 13:158–166
- Zou L, Lam NSN, Shams S, Cai H, Meyer MA, Yang S (2019) Social and geographical disparities in Twitter use during Hurricane Harvey. *Int Journal Digit Earth* 12:1300–1318
- Zubiaga A, Liakata M, Procter R, Hoi GWS, Tolmie P (2016) Analysing how people orient to and spread rumours in social media by looking at conversational threads. *PLoS One* 11:1–29
- Zubiaga A, Aker A, Bontcheva K, Liakata M, Procter R (2018) Detection and resolution of rumours in social media: a survey. *ACM Comput Surv* 51:32