

Institut Universitaire Des Sciences

Faculté des sciences et des Technologies

TD N-X_Systeme

Nom : JEROME

Prenom : Ruth-Jose

Niveau : L3 Science Informatique

Date : 03/11/25

Objectif du TD

L'objectif de mon TD c'est de pourvoir montrer ce que j'ai compris et appris sur le concepts de base de git ,et apprendre a utiliser Github.

Sign up for GitHub

 Continue with Google

 Continue with Apple

or

Email*

keyruthnysiaskajeanbaptiste@gmail.com 

Password*

***** 

Password should be at least 15 characters OR at least 8 characters including a number and a lowercase letter.

Username*

Ruth-jose 

Username may only contain alphanumeric characters or single hyphens, and cannot begin or end with a hyphen.

Your Country/Region*

Haiti 

For compliance reasons, we're required to collect country information to send you occasional updates and announcements.

Email preferences

Receive occasional product updates and announcements

Create account >



Sign in to GitHub

Your account was created successfully! Please [sign in to continue.](#) ×

Username or email address

Password

[Forgot password?](#)

Sign in

or

 [Continue with Google](#)


 [Continue with Apple](#)

New to GitHub? [Create an account](#)


[Sign in with a passkey](#)

la je viens de creer mon compte github

Ici je vais verifier si mon compte est bien installer



```
MINGW64:/c/Users/keyru
keyru@jose MINGW64 ~ (master)
$ |
```



```
MINGW64:/c/Users/keyru
keyru@jose MINGW64 ~ (master)
$ git --version
git version 2.51.1.windows.1
keyru@jose MINGW64 ~ (master)
$ |
```

```
MINGW64:/c/Users/keyru
keyru@jose MINGW64 ~ (master)
$ git --version
git version 2.51.1.windows.1

keyru@jose MINGW64 ~ (master)
$ git config --global user.name "Ruth-jose"

keyru@jose MINGW64 ~ (master)
$ git config --global user.email "keyruthnysiaskajeanbaptiste@gmail.com"

keyru@jose MINGW64 ~ (master)
$
```

```
MINGW64:/c/Users/keyru
keyru@jose MINGW64 ~ (master)
$ git config --global user.email "keyruthnysiaskajeanbaptiste@gmail.com"

keyru@jose MINGW64 ~ (master)
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=schannel
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
user.name=Ruth-jose
user.email=keyruthnysiaskajeanbaptiste@gmail.com
core.repositoryformatversion=0
core.filemode=false
core.bare=false
```

```

MINGW64:/c/Users/keyrn/Desktop/projet-git
$ git --version
git version 2.51.1.windows.1

keyrn@jose: MINGW64 ~ (master)
$ git config --global user.name "Ruth-jose"
keyrn@jose: MINGW64 ~ (master)
$ git config --global user.email "keyruthnysiaskajeanbaptiste@gmail.com"
keyrn@jose: MINGW64 ~ (master)
$ git config -l
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=channel
core.autocrlf=true
core.fscache=true
core.synlinks=false
pull.rebase=true
credential.helper=manager
credential=https://dev.azure.com.usehttppath=true
init.defaultbranch=master
user.name=Ruth-jose
user.email=keyruthnysiaskajeanbaptiste@gmail.com
core.repositoryformatversion=0
core.filemode=false
core.bare=false
core.logallrefupdates=true
core.synlinks=false
core.ignorecase=true

keyrn@jose: MINGW64 ~ (master)
$ ls
/AppData/          Downloads/           NTUSER.DAT{e0ce1681-1c99-11f0-adb3-5802055da19f}.TxR.0.retrans-ms
'Application Data' Favorites/          NTUSER.DAT{e0ce1681-1c99-11f0-adb3-5802055da19f}.TxR.1.retrans-ms
'Cisco Packet Tracer 9.0.0' Links/        NTUSER.DAT{e0ce1681-1c99-11f0-adb3-5802055da19f}.TxR.2.retrans-ms
'Contacts/'        Local Settings'     NTUSER.DAT{e0ce1681-1c99-11f0-adb3-5802055da19f}.TxR.b1F
'Cookies'@        Music/              NTUSER.DAT{e0ce1682-1c99-11f0-adb3-5802055da19f}.TM.b1F
/Desktop/          'My Documents'@    NTUSER.DAT{e0ce1682-1c99-11f0-adb3-5802055da19f}.TMContainer00000000000000000000000000000001.retrans-ms
/Documents/        NTUSER.DAT          NTUSER.DAT{e0ce1682-1c99-11f0-adb3-5802055da19f}.TMContainer00000000000000000000000000000002.retrans-ms
$ cd Desktop
keyrn@jose: MINGW64 ~/Desktop (master)
$ mkdir projet-git
keyrn@jose: MINGW64 ~/Desktop (master)
$ cd projet-git
$ ls
MINGW64:/c/Users/keyrn/Desktop/projet-git (master)
$ 

MINGW64:/c/Users/keyrn/Desktop/projet-git
$ git config --global user.name "Ruth-jose"
keyrn@jose: MINGW64 ~ (master)
$ git config --global user.email "keyruthnysiaskajeanbaptiste@gmail.com"
keyrn@jose: MINGW64 ~ (master)
$ git config -l
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=channel
core.autocrlf=true
core.fscache=true
core.synlinks=false
pull.rebase=true
credential.helper=manager
credential=https://dev.azure.com.usehttppath=true
init.defaultbranch=master
user.name=Ruth-jose
user.email=keyruthnysiaskajeanbaptiste@gmail.com
core.repositoryformatversion=0
core.filemode=false
core.bare=false
core.logallrefupdates=true
core.synlinks=false
core.ignorecase=true

keyrn@jose: MINGW64 ~ (master)
$ ls
/AppData/          Downloads/           NTUSER.DAT{e0ce1681-1c99-11f0-adb3-5802055da19f}.TxR.0.retrans-ms
'Application Data' Favorites/          NTUSER.DAT{e0ce1681-1c99-11f0-adb3-5802055da19f}.TxR.1.retrans-ms
'Cisco Packet Tracer 9.0.0' Links/        NTUSER.DAT{e0ce1681-1c99-11f0-adb3-5802055da19f}.TxR.2.retrans-ms
'Contacts/'        Local Settings'     NTUSER.DAT{e0ce1681-1c99-11f0-adb3-5802055da19f}.TxR.b1F
'Cookies'@        Music/              NTUSER.DAT{e0ce1682-1c99-11f0-adb3-5802055da19f}.TM.b1F
/Desktop/          'My Documents'@    NTUSER.DAT{e0ce1682-1c99-11f0-adb3-5802055da19f}.TMContainer00000000000000000000000000000001.retrans-ms
/Documents/        NTUSER.DAT          NTUSER.DAT{e0ce1682-1c99-11f0-adb3-5802055da19f}.TMContainer00000000000000000000000000000002.retrans-ms
$ 


```

```
MINGW64:/c/Users/keyru/Desktop/projet-git - X
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
user.name=Ruth-jose
user.email=keyruthnysiaskajeanbaptiste@gmail.com
core.repositoryformatversion=0
core.filemode=false
core.bare=false
core.logallrefupdates=true
core.symlinks=false
core.ignorecase=true

keyru@jose MINGW64 ~ (master)
$ ls
AppData/
'Application Data'@
'Cisco Packet Tracer 9.0.0'/
Contacts/
Cookies@
Desktop/
Documents/
Downloads/
Favorites/
Links/
'Local Settings'@
Music/
'My Documents'@
NTUSER.DAT{ NTUSER.DAT{
NTUSER.DAT{ NTUSER.DAT{
NTUSER.DAT{ NTUSER.DAT{
NTUSER.DAT{ NTUSER.DAT{
NTUSER.DAT{ NTUSER.DAT{

keyru@jose MINGW64 ~ (master)
$ cd Desktop

keyru@jose MINGW64 ~/Desktop (master)
$ mkdir projet-git
```



```
MINGW64:/c/Users/keyru/Desktop/projet-git
keyru@jose MINGW64 ~ (master)
$ ls
AppData/
'Application Data'@
'Cisco Packet Tracer 9.0.0'/
Contacts/
Cookies@
Desktop/
Documents/
Downloads/
Favorites/
Links/
'Local Settings'@
Music/
'My Documents'@
NTUSER.DAT
NTUSER.DAT{e0ce1681-1c99-11f0-adb3-5802
NTUSER.DAT{e0ce1681-1c99-11f0-adb3-5802
NTUSER.DAT{e0ce1681-1c99-11f0-adb3-5802
NTUSER.DAT{e0ce1681-1c99-11f0-adb3-5802
NTUSER.DAT{e0ce1682-1c99-11f0-adb3-5802
NTUSER.DAT{e0ce1682-1c99-11f0-adb3-5802
NTUSER.DAT{e0ce1682-1c99-11f0-adb3-5802
NTUSER.DAT{e0ce1682-1c99-11f0-adb3-5802

keyru@jose MINGW64 ~ (master)
$ cd Desktop

keyru@jose MINGW64 ~/Desktop (master)
$ mkdir projet-git

keyru@jose MINGW64 ~/Desktop (master)
$ cd projet-git

keyru@jose MINGW64 ~/Desktop/projet-git (master)
$ git init
Initialized empty Git repository in C:/Users/keyru/Desktop/projet-git/.git/

keyru@jose MINGW64 ~/Desktop/projet-git (master)
$ echo "Hello Git!" > README.md
```

```
MINGW64:/c/Users/keyru/Desktop/projet-git
keyru@jose MINGW64 ~ (master)
$ cd Desktop

keyru@jose MINGW64 ~/Desktop (master)
$ mkdir projet-git

keyru@jose MINGW64 ~/Desktop (master)
$ cd projet-git

keyru@jose MINGW64 ~/Desktop/projet-git (master)
$ git init
Initialized empty Git repository in C:/Users/keyru/Desktop/projet-git/.git/


keyru@jose MINGW64 ~/Desktop/projet-git (master)
$ echo "Hello Git!" > README.md

keyru@jose MINGW64 ~/Desktop/projet-git (master)
$ git add README.md
warning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it

keyru@jose MINGW64 ~/Desktop/projet-git (master)
$ git commit -m "Premier commit avec PowerShell"
[master (root-commit) 2b0eb1d] Premier commit avec PowerShell
 1 file changed, 1 insertion(+)
 create mode 100644 README.md

keyru@jose MINGW64 ~/Desktop/projet-git (master)
$ git status
On branch master
nothing to commit, working tree clean

keyru@jose MINGW64 ~/Desktop/projet-git (master)
$
```



```
keyru@jose MINGW64 ~/Desktop/projet-git (master)
$ git log
commit 2b0eb1dac1a3e82ea17f08c8376ee62df5e13a84 (HEAD -> master)
Author: Ruth-jose <keyruthnysiaskajeanbaptiste@gmail.com>
Date:   Mon Nov 3 11:17:23 2025 -0500

    Premier commit avec PowerShell

keyru@jose MINGW64 ~/Desktop/projet-git (master)
$
```

Maintenant je vais Générer une clé Publique.

```
keyru@jose MINGW64 ~/Desktop (master)
$ ssh-keygen -t rsa -b 4096 -C "keyruthnysiaskajeanbaptiste@gmail.com"
Generating public/private rsa key pair.
Enter file in which to save the key (/c/Users/keyru/.ssh/id_rsa):
/c/Users/keyru/.ssh/id_rsa already exists.
Overwrite (y/n)? y
Enter passphrase for "/c/Users/keyru/.ssh/id_rsa" (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /c/Users/keyru/.ssh/id_rsa
Your public key has been saved in /c/Users/keyru/.ssh/id_rsa.pub
The key fingerprint is:
SHA256:mJ0AKFPwrmOLhzH357VDo6pov/aJ11obaRsQfe5X3DE keyruthnysiaskajeanbaptiste@gmail.com
The key's randomart image is:
+---[RSA 4096]---+
| .0...
| o... ..
| o. .... E |
| . .=o. . . o|
| . .o S. o . |
| o... ...+ . |
| o* . o+=o . |
| ++o.o++*o.. |
| +o+=*+.o. |
+---[SHA256]-----+
```

```
keyru@jose MINGW64 ~/Desktop (master)
$ cat ~/.ssh/id_rsa.pub
ssh-rsa AAAAB3NzaC1yc2EAAAQABAAQCTWnZc0YNUFnLFQTvaBmSRNTxWjX1YbL4Jci+Rng+rLJteOAD95M10cgA4vHFNFUk5f9Cchtr0kdBKz70QeFbFhwSHPh4skbLQ/vCK9y/dtVtTrfYMPdVarUBXagxx4QX2x1XWqRZaCo/DuzMpsZRSUJE6hZ5M4X1EsyLB+dmGocbH+mcLtaZDJJwFLHjGG0KnT+Ppra5uFpWuX2Eqde7u71JifpFZfZjZmT0t1KgHr0CJZFbm23P4YrcELph3//GRRba4PGbI/bfG00QcfCXnbRYjXZA8c1YvXNv6TMGKcNaug1pLUkvUR1DHhynVfTUpXiqdAkdsZGuz5wNBPS2mE5gW3wQdkarFvnPDxaxQS1pMryPPINXbxi8fsZjffP0b80iLb7ZUFMAQFCaiX4/FLTlWrvw88IYZ5H3zaEnDoN40WAfu2xkLWTD418sKJ/yN+248jAn8hJg4XrdQ0qpgzv/v1Qn8TAQ09Eg1xcppbb+CV0hpwXNUYnNQdJ7Y3TPPPJI0ypFqDjWEftoxzfevHuVH6BUqbo1XmySKNDM7Me6nnx42VBKCEH0xxZm2z83abAQDPqiltezKFKewZjjBORd66BfbtbATkYiTyksVzn/vZjohH7jGznaIKo+7Hl0oSENjo50sm+vV7AbUiidhcnpwiGsZiwody8Ve9TC/Q== keyruthnysiaskajeanbaptiste@gmail.com
```

The screenshot shows the GitHub user profile page for 'Ruth-jose'. On the left, there's a sidebar with navigation links: Public profile, Account, Appearance, Accessibility, Notifications, Access (Billing and licensing, Emails, Password and authentication, Sessions, SSH and GPG keys, Organizations, Enterprises, Moderation), Code, planning, and automation, and Repositories. The 'SSH and GPG keys' link is highlighted.

The main area is titled 'Add new SSH Key'. It has fields for 'Title' (set to 'Mon-projet') and 'Key type' (set to 'Authentication Key'). Below these is a large text input field containing the public SSH key copied from the terminal. At the bottom of this field is a green 'Add SSH key' button.

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).
Required fields are marked with an asterisk (*).

1 General

Owner *



Ruth-jose

Repository name *

monprojet

✓ monprojet is available.

Great repository names are short and memorable. How about [urban-disco](#)?

Description

0 / 350 characters

2 Configuration

Choose visibility *

Choose who can see and commit to this repository

Public

Add README

READMEs can be used as longer descriptions. [About READMEs](#)

On



Add .gitignore

.gitignore tells git which files not to track. [About ignoring files](#)

No .gitignore

Add license

Licenses explain how others can use your code. [About licenses](#)

No license

Create repository


```
MINGW64:/c/Users/keyru/Desktop
keyru@jose MINGW64 ~/Desktop (master)
$ git clone git@github.com:Ruth-jose/monprojet.git
Cloning into 'monprojet'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.

keyru@jose MINGW64 ~/Desktop (master)
$ ls
Canva.Lnk*
CapCut.Lnk*
'Cisco Packet Tracer.Lnk'*
Claudy.docx
CodeBlocks.Lnk*
'Devoir Systeme.docx'
'Eclipse IDE for Enterprise Java and Web Developers - 2025-09.Lnk'*
'Eclipse IDE for Java Developers - 2025-09.Lnk'*
'Git-2.51.1-64-bit.exe'*
'IUS IMAGE.avif'
InterfaceGraphic/
'JEROME Marie Anne Clara.docx'
JESULA.docx
'Jean-baptiste - Chrome.Lnk'*
'Jose Devoir System.docx'
Ruth.docx
Ruthdy.docx
SetupKms/
'Visual Studio Code.Lnk'*
desktop.ini
jj/
monprojet/
projet-git/
'~$Claudy.docx'
'~$Ruthdy.docx'
'~$voir Systeme.docx'
'~WRL1226.tmp'

keyru@jose MINGW64 ~/Desktop (master)
$ cd monprojet

keyru@jose MINGW64 ~/Desktop/monprojet (main)
$ echo "Systeme d'exploitation!" > Module.txt

keyru@jose MINGW64 ~/Desktop/monprojet (main)
$ git add .
warning: in the working copy of 'Module.txt', LF will be replaced by CRLF the next time G it touches it

keyru@jose MINGW64 ~/Desktop/monprojet (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
```

```
keyru@jose MINGW64 ~/Desktop/TD/systeme (master)
$ mkdir image

keyru@jose MINGW64 ~/Desktop/TD/systeme (master)
$ mkdir projet

keyru@jose MINGW64 ~/Desktop/TD/systeme (master)
$ mkdir presentation

keyru@jose MINGW64 ~/Desktop/TD (master)
$ cd ..

keyru@jose MINGW64 ~/Desktop/TD (master)
$ mkdir reseauI

keyru@jose MINGW64 ~/Desktop/TD (master)
$ mkdir image

keyru@jose MINGW64 ~/Desktop/TD (master)
$ mkdir projet

keyru@jose MINGW64 ~/Desktop/TD (master)
$ mkdir presentation

keyru@jose MINGW64 ~/Desktop/TD (master)
$ cd ..

keyru@jose MINGW64 ~/Desktop (master)
$ |
```

Pour conclure :

Ce travail m'a permis d'apprendre beaucoup de choses et m'a poussée à réfléchir davantage sur le TD, cependant j'ai rencontré pas mal de difficulté mais à chaque fois que je rencontre des difficultés, je recommence toujours afin de mieux comprendre. Et à cause des problèmes liés au cyclone cela m'a fait prendre beaucoup de temps pour soumettre le devoir car je n'avais pas les moyens de recharger mon ordi .mais il m'a permis de mieux comprendre, de faire des recherches supplémentaires et d'approfondir mes connaissances.