

Git Commands Cheatsheet

Command	Usage	Example
git --version	Check installed Git version	git --version
git config --global user.name "Name"	Set global username	git config --global user.name "Alice"
git config --global user.email "Email"	Set global email	git config --global user.email "alice@mail.com"
git config --list	View Git configuration	git config --list
git init	Initialize new repo	git init
git clone <url>	Clone remote repo	git clone https://github.com/user/repo.git
git status	Show changes (staged/unstaged)	git status
git add <file>	Stage file for commit	git add main.c
git add .	Stage all changes	git add .
git commit -m "msg"	Commit staged changes	git commit -m "Initial commit"
git commit --amend -m "msg"	Edit last commit	git commit --amend -m "Fix bug"
git log	Show commit history	git log
git log --oneline	Short commit history	git log --oneline
git diff	Show unstaged changes	git diff
git diff --staged	Show staged changes	git diff --staged
git show <hash>	Show details of commit	git show a1b2c3
git blame <file>	Show who changed each line	git blame main.c
git branch	List local branches	git branch
git branch -a	List all (local + remote)	git branch -a
git branch new-feature	Create branch	git branch login-ui
git checkout <branch>	Switch branch	git checkout main

Command	Usage	Example
git switch <branch>	Switch branch (new syntax)	git switch dev
git checkout -b <branch>	Create + switch branch	git checkout -b feature1
git switch -c <branch>	Create + switch branch	git switch -c api-update
git branch -d <branch>	Delete branch (safe)	git branch -d feature1
git branch -D <branch>	Delete branch (force)	git branch -D old-feature
git merge <branch>	Merge branch into current	git merge dev
git rebase <branch>	Reapply commits on another branch	git rebase origin/main
git branch --merged	Show merged branches	git branch --merged
git remote -v	View remotes	git remote -v
git remote add <name> <url>	Add remote	git remote add origin https://github.com/user/repo.git
git remote remove <name>	Remove remote	git remote remove origin
git remote rename old new	Rename remote	git remote rename origin upstream
git remote set-url origin <url>	Change remote URL	git remote set-url origin git@github.com:user/repo.git
git remote show <name>	Show remote details	git remote show origin
git push origin <branch>	Push branch to remote	git push origin main
git push -u origin <branch>	Push + set upstream	git push -u origin dev
git pull origin <branch>	Pull updates & merge	git pull origin main
git fetch origin	Fetch updates (no merge)	git fetch origin
git fetch origin <branch>	Fetch specific branch	git fetch origin feature
git remote prune origin	Remove deleted remote branches	git remote prune origin
git stash	Save changes temporarily	git stash
git stash list	Show saved stashes	git stash list
git stash apply	Apply latest stash (keep)	git stash apply

Command	Usage	Example
git stash pop	Apply + remove stash	git stash pop
git stash drop stash@{n}	Remove specific stash	git stash drop stash@{0}
git stash clear	Remove all stashes	git stash clear
git reset <file>	Unstage file	git reset main.c
git restore --staged <file>	Unstage (new syntax)	git restore --staged app.js
git restore <file>	Discard changes	git restore index.html
git checkout -- <file>	Discard changes (old syntax)	git checkout -- config.py
git reset --hard HEAD~1	Remove last commit (dangerous)	git reset --hard HEAD~1
git revert <hash>	Undo commit safely	git revert a1b2c3
git reflog	Show all refs & actions	git reflog
git checkout -b <branch> <hash>	Recover deleted branch	git checkout -b bugfix a1b2c3