

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Simple Calculator</title>
  <style>
    body {
      font-family: Arial, sans-serif;
    }

    .calculator {
      width: 300px;
      margin: 50px auto;
      padding: 20px;
      border: 1px solid #ccc;
      border-radius: 5px;
      text-align: center;
    }

    .calculator input[type="text"], .calculator button {
      margin: 5px;
      padding: 8px;
    }

    .calculator button {
      cursor: pointer;
      background-color: #4CAF50;
      color: white;
      border: none;
      border-radius: 3px;
      width: 100px; /* Set a fixed width for all buttons */
      height: 40px; /* Set a fixed height for all buttons */
    }

    .calculator button:hover {
      background-color: #45a049;
    }
  </style>
</head>
<body>
  <div class="calculator">
    <h2>Calculator</h2>
    <input type="text" id="num1" placeholder="Enter number">
    <input type="text" id="num2" placeholder="Enter number"><br>
    <button onclick="calculate('+')">Add</button>
    <button onclick="calculate('-')">Subtract</button><br>
    <button onclick="calculate('*')">Multiply</button>
    <button onclick="calculate('/')">Divide</button>
  </div>

```

```
<script>
    // Function to perform addition
    function add(x, y) {
        return x + y;
    }

    // Function to perform subtraction
    function subtract(x, y) {
        return x - y;
    }

    // Function to perform multiplication
    function multiply(x, y) {
        return x * y;
    }

    // Function to perform division
    function divide(x, y) {
        if (y === 0) {
            return "Error: Division by zero";
        }
        return x / y;
    }

    // Function to calculate based on operator
    function calculate(operator) {
        const num1 = parseFloat(document.getElementById("num1").value);
        const num2 = parseFloat(document.getElementById("num2").value);
        let result;

        switch (operator) {
            case '+':
                result = add(num1, num2);
                alert(`Result of Addition: ${result}`);
                break;
            case '-':
                result = subtract(num1, num2);
                alert(`Result of Subtraction: ${result}`);
                break;
            case '*':
                result = multiply(num1, num2);
                alert(`Result of Multiplication: ${result}`);
                break;
            case '/':
                result = divide(num1, num2);
                alert(`Result of Division: ${result}`);
                break;
            default:
                alert("Error: Invalid operator");
        }
    }

```

```
        }  
    }  
</script>  
</body>  
</html>
```