MËSIMI 27 / SHËNIME PËR INSTRUKTORIN

Komponenti Obstacles

75 minuta • App.js, Bird.js dhe Obstacles.js

Rezultati i pritshëm
Nxënësi krijon Obstacles.js dhe shfaq dy çifte pengesash. Secili çift lëviz majtas sipas intervalit të vet, si në materialin origjinal.

Rrjedha e orës

Koha	Çfarë bën instruktori
0-5	Rikujtim i Bird.js dhe props.
5-15	Vizato dy pengesat dhe hapësirën mes tyre.
15-30	Krijo Obstacles.js dhe shpjego props.
30-45	Shto gjendjen dhe intervalin për çiftin e parë.
45-60	Përsërit hapat për çiftin e dytë.
60-70	Provo lëvizjen dhe rikthimin në anën e djathtë.
70-75	Pyetje kontrolli dhe ruajtja e punës.

Si ta përdorësh këtë PDF

Tre faqet e para janë shënime në shqip për drejtimin e orës. Më pas përdor materialin origjinal dhe kodin e tij në JavaScript. Jep një hap, provo rezultatin dhe vetëm pastaj vazhdo me hapin tjetër.

Ruaj të njëjtët emra variablash dhe të njëjtat props si në fotografitë e kodit. Shënimet shpjegojnë shembullin ekzistues; nuk shtojnë funksione të reja në lojë.

MËSIMI 27 / SHËNIME PËR INSTRUKTORIN

Obstacles.js: shpjego një çift fillimisht

Vazhdo mbi projektin e modulit 26. Krijo src/components/Obstacles.js, pastaj importoje në App.js. Përdor emrin **Obstacles** njësoj në emrin e skedarit, import dhe JSX.

Prop	Roli në shembullin origjinal
color	Ngjyra e dy View-ve që formojnë çiftin.
obstacleWidth	Gjerësia e pengesës.
obstacleHeight	Lartësia e pengesës së poshtme.
randomBottom	Zhvendosja vertikale e çiftit.
gap	Hapësira e lirë mes dy pengesave.
obstaclesLeft	Pozicioni horizontal i përbashkët.

Si ta vizatosh në tabelë

Vizato pengesën e poshtme, pastaj hapësirën gap. Pengesa e sipërme fillon mbi atë hapësirë. Formula që shfaqet te kodi është:

```
bottom: randomBottom + obstacleHeight + gap
```

Të dyja View-t marrin të njëjtin obstaclesLeft. Prandaj lëvizin së bashku si një çift. Trego një çift statik përpara se të shtosh intervalin.

Për të mos i ngatërruar
Së pari ndërto dhe provo çiftin e parë. Vetëm pasi funksionon, shto variantet Two për çiftin e dytë. Mbaj emrat e materialit; mos prezanto një strukturë tjetër për listën e pengesave.

MËSIMI 27 / SHËNIME PËR INSTRUKTORIN

Lëvizja dhe kontrolli në klasë

Lexoje intervalin me fjali të thjeshta

"Për sa kohë pengesa nuk ka dalë në të majtë, çdo 30 ms ia zvogëlojmë pozicionin me 5. Kur del, e kthejmë në anën e djathtë." Pastaj trego të njëjtin hap për obstaclesLeftTwo.

Çfarë të kontrollosh

Simptoma	Kontrollo
Nuk shfaqet pengesa	Importin, export default dhe thirrjen e komponentit.
Të dy çiftet janë njëri mbi tjetrin	Pozicionin fillestar të obstaclesLeft dhe obstaclesLeftTwo.
Lëviz vetëm çifti i parë	Intervalin e dytë dhe props-in obstaclesLeft të çiftit të dytë.
Pengesa nuk rikthehet	Kushtin që kontrollon daljen nga ekrani dhe degën else.
Hapësira duket e gabuar	Vlerat e gap, obstacleHeight dhe randomBottom.

Pyetje me përgjigje orientuese

Pse dy View? Një pengesë sipër dhe një poshtë.
Pse një pozicion horizontal për të dyja? Që të formojnë një çift.
Çfarë e lëviz pengesën majtas? Zbritja e 5 nga pozicioni horizontal.

Komandat
Ky modul nuk ka komandë të re për t'u zëvendësuar. Hape projektin ekzistues me npm start. Ruaj kodin dhe vazhdo me të njëjtën mënyrë pune si në modulin 26.

Burimi dhe komandat e verifikuara

Materiali bazë: Lesson 27, Digital School, PDF-ja e furnizuar. Pas këtyre 3 faqeve vijon materiali origjinal me numërtimin e vet. Kodi dhe rendi i hapave ruhen; në modulin 26 janë përditësuar vetëm komandat e krijimit dhe nisjes.

Template blank: JavaScript me strukturë minimale
https://docs.expo.dev/more/create-expo/

Nisja e projektit me Expo CLI
https://docs.expo.dev/more/expo-cli/

Intervalet mbeten të mbështetura
https://reactnative.dev/docs/timers

Verifikuar më 31.10.2026. Provoje hapjen në pajisjen e klasës para orës; përputhshmëria e Expo Go varet nga SDK-ja e projektit.

Lesson 27 (Estimated time: 75 minutes)

Lesson 27

Obstacles Components

Contents:

- Bird Behavior
- Obstacles Component

Notes for instructor:

Before starting to teach this lesson, you'll have to do a 5-minute review previous lesson to make sure they remember something from previous lessons. After you finish the review you should explain on the board the contents just to get them ready. All the coursework completed in class should be uploaded to GitHub.

Bird Behavior

In today's lesson, we continue with the Bird Behavior & Obstacles component. First, we start by declaring obstaclesTimerId, which will be a let variable usable everywhere(global declaration), we declare obstaclesLeft, which will be the value of screenWidth, we continue

useEffect function for obstacles which will look like this:

```
//start first obstacle
useEffect(() => {
  if (obstaclesLeft > -60) {
    obstaclesTimerId = setInterval(() => {
      setObstaclesLeft(obstaclesLeft => obstaclesLeft - 5)
    }, 30)
    return () => {
      clearInterval(obstaclesTimerId)
    }
  } else {
    setObstaclesLeft(screenWidth)
  }
}, [obstaclesLeft])
```

We have an interval every 30 milliseconds; the obstacle will move to the left for 5 pixels.

We continue by creating the Obstacles Component, which will be stored inside the components folder and will have this structure:

App.js Obstacle.js Bird.js

src > components > Obstacle.js > Obstacles

```
1  import React from 'react';
2  import { View } from 'react-native';
3
4  const Obstacles = ({
5      color,
6      obstacleWidth,
7      obstacleHeight,
8      randomBottom,
9      gap,
10     obstaclesLeft}) => {
11
12     return (
13         <>
14             <View style={{
15                 position: 'absolute',
16                 backgroundColor: color,
17                 width: obstacleWidth,
18                 height: 500,
19                 left: obstaclesLeft,
20                 bottom: randomBottom + obstacleHeight + gap,
21             }}></View>
22             <View style={{
23                 position: 'absolute',
24                 backgroundColor: color,
25                 width: obstacleWidth,
26                 height: obstacleHeight,
27                 left: obstaclesLeft,
28                 bottom: randomBottom,
29             }}></View>
30         </>
31     )
32 }
33
34 export default Obstacles
```

The component is quite simple. It has some props that will be passed to the component and based on passed props, and we will render to view elements that represent the Obstacles.

Inside the App.js file, we render Obstacle Components, and we pass the required properties. After this, we will get a view of obstacles moving and a falling bird.

We continue by creating another pair of Obstacles, and because we're going to have a different position for the second pair, we create another useEffect function with other values. The useEffect function for the second Obstacles will be like this:

```
//start second obstacle
useEffect(() => {
 if (obstaclesLeftTwo > -60) {
   obstaclesTimerIdTwo = setInterval(() => {
     setObstaclesLeftTwo(obstaclesLeftTwo => obstaclesLeftTwo - 5
   }, 30)
     return () => {
       clearInterval(obstaclesTimerIdTwo)
     }
   } else {
       setObstaclesLeftTwo(screenWidth)
       setObstaclesNegHeightTwo( - Math.random() * 100)
     }
}, [obstaclesLeftTwo])
```

After we're finished with useEffect, we render another Obstacle Component inside App.js, which will look like:

```
return (
  <View style={styles.container}>
    <Bird
      birdBottom = {birdBottom}
      birdLeft = {birdLeft}
    />

    <Obstacle
      color={'green'}
      obstacleWidth = {obstacleWidth}
      obstacleHeight = {obstacleHeight}
      randomBottom = {obstaclesNegHeight}
      gap = {gap}
      obstaclesLeft = {obstaclesLeft}
    />

    <Obstacle
      color={'yellow'}
      obstacleWidth = {obstacleWidth}
      obstacleHeight = {obstacleHeight}
      randomBottom = {obstaclesNegHeightTwo}
      gap = {gap}
      obstaclesLeft = {obstaclesLeftTwo}
    />
  </View>
);
```

As a result, we now will get two pairs of moving Obstacles with a Bird stuck on the bottom point.

Source Code: Flappy Bird



Award the student who demonstrated exceptional attention to detail with the Precision Engineer in React Native badge: Award

Evaluation Criteria:

✓ All students should understand Obstacles Component

✓ Badges should be awarded

Tools needed:

✓ Computers

✓ VS Code

Jump to...

Copyright © Digital School. All rights reserved.