

Train and save the model

```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
from sklearn.model_selection import train_test_split
from sklearn.linear_model import LinearRegression
from sklearn.metrics import mean_squared_error, r2_score
from mpl_toolkits.mplot3d import Axes3D
```

```
df = pd.read_csv("/content/drive/MyDrive/My_Datasets/Cgpa_iq_package.csv")
```

```
df.shape
```

```
(200, 3)
```

```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 200 entries, 0 to 199
Data columns (total 3 columns):
 #   Column      Non-Null Count  Dtype
---  ---
 0    cgpa        200 non-null    float64
 1    iq          200 non-null    int64
 2    package     200 non-null    float64
dtypes: float64(2), int64(1)
memory usage: 4.8 KB
```

```
df.head()
```

	cgpa	iq	package
0	5.13	88	11.05
1	5.90	113	12.59
2	8.36	93	15.33
3	8.27	97	16.30
4	5.45	110	11.81

```
df.describe()
```

	cgpa	iq	package
count	200.000000	200.000000	200.000000
mean	6.983400	101.995000	13.439000
std	1.624101	12.161599	2.550027
min	4.600000	83.000000	8.490000
25%	5.407500	91.000000	11.135000
50%	7.040000	102.000000	13.600000
75%	8.585000	113.000000	15.542500
max	9.300000	121.000000	19.160000

```
#Define features (X) and target (y)
X = df[['cgpa', 'iq']] # independent variables
y = df['package']      # dependent variable
```

```
#Train-test split
X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.2, random_state=42)
```

```
#Train Linear Regression model
model = LinearRegression()
model.fit(X_train, y_train)
```

LinearRegression  
 LinearRegression()

```
#Predictions
y_pred = model.predict(X_test)
```


```
#Evaluation
print("Coefficients (slopes):", model.coef_)
print("Intercept:", model.intercept_)
print("Mean Squared Error (MSE):", mean_squared_error(y_test, y_pred))
print("R² Score:", r2_score(y_test, y_pred))
```

```
Coefficients (slopes): [1.27307827 0.04407907]
Intercept: 0.026846398989246012
Mean Squared Error (MSE): 0.8021109840082266
R² Score: 0.8667649262834889
```

```
#Visualisation (3D Scatter + Regression Plane)
fig = plt.figure(figsize=(8,6))
ax = fig.add_subplot(111, projection='3d')

ax.scatter(X['cgpa'], X['iq'], y, c='blue', marker='o', alpha=0.5, label="Actual")
```

```
<mpl_toolkits.mplot3d.art3d.Path3DCollection at 0x7ccb90dc8e30>
```



```
#Visualisation (3D Scatter + Regression Plane)
fig = plt.figure(figsize=(8,6))
ax = fig.add_subplot(111, projection='3d')


ax.scatter(X['cgpa'], X['iq'], y, c='blue', marker='o', alpha=0.5, label="Actual")

# Create meshgrid for regression plane
cgpa_range = np.linspace(X['cgpa'].min(), X['cgpa'].max(), 20)
iq_range = np.linspace(X['iq'].min(), X['iq'].max(), 20)
cgpa_grid, iq_grid = np.meshgrid(cgpa_range, iq_range)
package_pred = model.intercept_ + model.coef_[0]*cgpa_grid + model.coef_[1]*iq_grid

ax.plot_surface(cgpa_grid, iq_grid, package_pred, color='red', alpha=0.5)

ax.set_xlabel('CGPA')
ax.set_ylabel('IQ')
ax.set_zlabel('Package')
ax.set_title("Multivariate Linear Regression: CGPA & IQ vs Package")
plt.legend()
plt.show()
```

Multivariate Linear Regression: CGPA & IQ vs Package



```
#Prediction for a new student
new_student = np.array([[8.5, 120]]) # example (cgpa=8.5, iq=120)
predicted_package = model.predict(new_student)
print("Predicted Package for CGPA=8.5 and IQ=120:", predicted_package[0])
```

```
Predicted Package for CGPA=8.5 and IQ=120: 16.13750021005186
/usr/local/lib/python3.12/dist-packages/sklearn/utils/validation.py:2739: UserWarning: X does not have valid feature names, but
warnings.warn(
```

```
import pickle
```

```
pickle.dump(model, open('MLRModel.pkl', 'wb'))
```

Flask Code

```
from flask import Flask, render_template, request
import pickle
import numpy as np

app = Flask(__name__)

# Load the trained Multiple Linear Regression model
model = pickle.load(open("StudentPackageModel.pkl", "rb"))

@app.route('/')
def home():
    return render_template("index.html")

@app.route('/predict', methods=['POST'])
def predict():

    # Read inputs from the HTML form
    cgpa = float(request.form['cgpa'])
    iq = float(request.form['iq'])

    # Predict package
    prediction = model.predict(np.array([[cgpa, iq]]))

    return render_template(
        "index.html",
        prediction_text=f"Predicted Package : {prediction[0]:.2f} LPA"
    )
```

```
if __name__ == "__main__":  
    app.run(debug=True)
```

HTML Code

```
<!DOCTYPE html>  
<html lang="en">  
  
<head>  
  
  <meta charset="UTF-8">  
  <meta name="viewport" content="width=device-width, initial-scale=1.0">  
  
  <title>Student Package Predictor</title>  
  
  <style>  
  
    *{  
      margin:0;  
      padding:0;  
      box-sizing:border-box;  
      font-family:Arial, Helvetica, sans-serif;  
    }  
  
    body{  
  
      background:#f4f7fc;  
      display:flex;  
      justify-content:center;  
      align-items:center;  
      height:100vh;  
  
    }  
  
    .container{  
  
      width:430px;  
      background:white;  
      padding:35px;  
      border-radius:15px;  
      box-shadow:0 10px 25px rgba(0,0,0,.2);  
  
    }  
  
    h1{  
  
      text-align:center;  
      color:#0d47a1;  
      margin-bottom:8px;  
  
    }  
  
    h3{  
  
      text-align:center;  
      color:#555;  
      margin-bottom:25px;  
  
    }  
  
    label{  
  
      font-weight:bold;  
      display:block;  
      margin-top:12px;  
      margin-bottom:6px;  
  
    }  
  
    input{  
  
      width:100%;  
      padding:12px;  
      border:1px solid #ccc;
```

```
        border-radius:8px;
        font-size:16px;

    }

    button{

        width:100%;
        margin-top:25px;
        padding:12px;
        font-size:18px;
        background:#1565c0;
        color:white;
        border:none;
        border-radius:8px;
        cursor:pointer;
        transition:.3s;

    }

    button:hover{

        background:#0d47a1;

    }

    .result{

        margin-top:25px;
        background:#e8f5e9;
        color:green;
        padding:15px;
        border-radius:8px;
        text-align:center;
        font-size:20px;
        font-weight:bold;

    }

    footer{

        text-align:center;
        margin-top:20px;
        color:#777;
        font-size:13px;

    }

</style>

</head>

<body>

<div class="container">

    <h1>Student Package Predictor</h1>

    <h3>Multiple Linear Regression</h3>

    <form action="/predict" method="POST">

        <label>Enter Student CGPA</label>

        <input
            type="number"
            name="cgpa"
            step="0.01"
            min="0"
            max="10"
            placeholder="Example : 8.25"
            required>

        <label>Enter IQ Score</label>

        <input
            type="number"
```

```
        name="iq"
        placeholder="Example : 120"
        required>

<button type="submit">

    Predict Package

</button>

</form>

{% if prediction_text %}

<div class="result">

    {{ prediction_text }}

</div>

{% endif %}

<footer>

    Machine Learning by Dr. Sachin Balawant Takmare

</footer>

</div>

</body>
</html>
```