Arjun's Cloud Kitchen

Meet the Waiter and the Chef

Docker Episode 2 as a story: install, run, ports, logs and more. No tech knowledge needed!

Week 1 - Episode 2 - Story Edition



Arjun is the waiter, Riya is the chef. Watch how one order becomes a running container.

Part 1: Setting Up the Kitchen



Before cooking, Arjun sets up the kitchen. TECH: install Docker Desktop (Windows, Mac) or Docker Engine (Linux), then check it with docker --version.



You never talk to the chef directly. The WAITER (docker CLI) takes your order and passes it to the CHEF (Docker daemon), who does the real work.

Part 2: Getting the Recipe and Cooking

3



docker pull fetches a recipe kit (image) from the cookbook library (registry) into your pantry. docker images shows what is in the pantry.

4

```
$ docker run -d --name web nginx
```

-d = cook in the background

--name = put a name tag on the dish



docker run cooks a dish (starts a container) from a recipe kit. -d cooks it in the background, --name puts a name tag on it.

Part 3: Serving Customers

5

```
-p 8080:80
```

host port : container port



-p 8080:80 opens window 8080 for customers on your computer and sends them to hatch 80 inside the container. Format: host port : container port.

6

The Order Board

```
NAME   IMAGE    STATUS
web    nginx    Up 5 minutes
old    ubuntu   Exited (0)
hello  hello-w  Exited (0)
```

```
docker ps
```

= only RUNNING dishes

```
docker ps -a
```

= ALL dishes, even finished

docker ps is the order board of running dishes. docker ps -a also lists finished (exited) ones. Check it first when something seems wrong.

Part 4: Checking the Kitchen

7

KITCHEN DIARY (logs)

```
10:01 started
10:02 GET / 200
10:03 GET / 200
10:05 GET /x 404
10:06 GET / 200
```

ID CARD (inspect)

```
Name: web
Image: nginx
Status: running
Ports: 8080->80
```

```
docker logs web
```

```
docker inspect web
```

docker logs reads the kitchen diary (what the app printed). docker inspect shows the dish's ID card: name, image, status, ports and more.

8

```
$ docker exec -it web bash
```



docker exec -it walks you into the running kitchen with a terminal so you can look around. -it means interactive terminal.

Part 5: Cleaning Up and Finishing

9

Created → Running → Exited → Removed

STOP

Stove off. The dish stays.

```
docker stop web
```

START

Stove on again.

```
docker start web
```

REMOVE

Throw the dish away.

```
docker rm web
```

Tip: you must stop a dish before removing it (or use rm -f to force).

A container goes Created, Running, Exited, Removed. stop turns the stove off, start turns it on again, rm throws the dish away for good.

10

Now you can fetch recipes, cook dishes, serve customers, read the diary, step inside and clean up. That is the core of the Docker command line!

Story-to-Tech Dictionary

In the story	In real tech
Setting up the kitchen	Installing Docker
The waiter	docker CLI (what you type)
The chef	Docker daemon (does the work)
Cookbook library	Registry (Docker Hub)
Pantry shelf	Local images (docker images)
Cooking a dish	docker run (creates a container)
Name tag on the dish	--name web
Cooking in the back	-d (detached mode)
Window 8080 to hatch 80	-p 8080:80 (port mapping)
Order board	docker ps / docker ps -a
Kitchen diary	docker logs
Stepping into the kitchen	docker exec -it
The dish's ID card	docker inspect
Stove off / on / bin	docker stop / start / rm

Remember

- Waiter (CLI) talks to chef (daemon).
- pull = get the recipe, run = cook it.
- -d runs in the background.
- -p HOST:CONTAINER opens a window.
- ps = what is running. logs = what happened.
- exec = step inside. stop, then rm to clean up.