

# Authentication



POST /auth/signup Signup



Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "email": "user@example.com",
  "password": "string",
  "role": "string"
}
```

Responses

Code	Description	Links
200	<div>Successful Response</div> <div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{   "access_token": "string",   "token_type": "string" }</pre></div>	No links
422	<div>Validation Error</div> <div>Media type</div> <div>application/json</div> <div>Example Value Schema</div> <div><pre>{   "detail": [</pre></div>	No links

Code	Description	Links
	<pre>{   "loc": [     "string",     0   ],   "msg": "string",   "type": "string" }</pre>	

POST /auth/login Login ^

Parameters

Try it out

No parameters

Request body required

application/x-www-form-urlencoded

grant\_type

string | (string | null)

username \* required

string

password \* required

string

scope

string

client\_id

string | (string | null)

client\_secret

string | (string | null)

Responses

Code	Description	Links
200	<div>Successful Response</div> <div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div><pre>{  "access_token": "string",  "token_type": "string"}</pre></div>	No links
422	<div>Validation Error</div> <div>Media type</div> <div>application/json</div> <div>Example Value Schema</div> <div><pre>{  "detail": [    {      "loc": [        "string",        0      ],      "msg": "string",      "type": "string"    }  ]}</pre></div>	No links

Parking Slots



POST /parking/slots/create Create Slot



Parameters

Try it out

No parameters

Request body required

application/json

Example Value

Schema

```
{
  "location": "string",
  "slot_number": "string",
  "floor": 0
}
```

Responses

Code	Description	Links
200	<div>Successful Response</div> <div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div> <div>Example Value</div> <div>Schema</div> <pre>{   "id": 0,   "location": "string",   "slot_number": "string",   "floor": 0 }</pre>	No links
422	<div>Validation Error</div> <div>Media type</div> <div>application/json</div> <div>Example Value</div> <div>Schema</div> <pre>{   "detail": [     {       "loc": [         "string",         0       ],       "msg": "string",       "type": "string"     }   ] }</pre>	No links

GET

/parking/slots

Get Slots



Parameters

Try it out

Name	Description
------	-------------

floor

floor

integer |  
(integer |  
null)  
(query)

Responses

Code	Description	Links
------	-------------	-------

200	Successful Response	No links
-----	---------------------	----------

Media type

application/json

Controls Accept header.

Example Value   Schema

```
[
  {
    "id": 0,
    "location": "string",
    "slot_number": "string",
    "floor": 0
  }
]
```

422	Validation Error	No links
-----	------------------	----------

Media type

application/json



Example Value   Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ]
    }
  ]
}
```

Code	Description	Links
	<pre>],   "msg": "string",   "type": "string" } ]</pre>	

PUT

/parking/{slot\_id} Update Slot



Parameters

Try it out

Name	Description
<b>slot_id</b> * required integer (path)	<input type="text" value="slot_id"/>
<b>in_maintenance</b> * required boolean (query)	<input type="text" value="--"/>

Responses

Code	Description	Links
200	<div>Successful Response</div> <div>Media type</div> <div><div>application/json</div></div> <div>Controls Accept header.</div> <div><div>Example Value</div><div>Schema</div></div> <div>"string"</div>	No links
422	<div>Validation Error</div> <div>Media type</div> <div><div>application/json</div></div>	No links

Code	Description	Links
	<div>Example ValueSchema</div> <pre>{  "detail": [    {      "loc": [        "string",        0      ],      "msg": "string",      "type": "string"    }  ]}</pre>	

DELETE

/parking/{slot\_id} Delete Slot

^

Parameters

Try it out

Name	Description
<div>slot_id * required</div> <div>integer</div> <div>(path)</div>	<div>slot_id</div>

Responses

Code	Description	Links
200	<div>Successful Response</div> <div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div>"string"</div>	No links
422	Validation Error	No links

Code	Description	Links
	<div>Media type</div> <div>application/json</div> <div>Example Value   Schema</div> <div><pre>{  "detail": [    {      "loc": [        "string",        0      ],      "msg": "string",      "type": "string"    }  ]}</pre></div>	

# Booking



GET	/booking/   Get My Bookings	
<div>Parameters</div> <div>Try it out</div> <div>No parameters</div>		
<div>Responses</div>		
Code	Description	Links
200	<div>Successful Response</div> <div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div> <div>Example Value   Schema</div> <div><pre>[  {    "id": 0,    "slot_id": 0,    "user_id": 0  }]</pre></div>	No links



CodeDescriptionLinks

```
}
]
```

POST /booking/ Book Slot

Try it out

Parameters

No parameters

Request body required

application/json

Example Value Schema

```
{
  "slot_id": 0
}
```

Responses

CodeDescriptionLinks

200Successful ResponseNo links

Media type

application/json

Controls Accept header.

Example Value Schema

```
{
  "id": 0,
  "slot_id": 0,
  "user_id": 0
}
```

422Validation ErrorNo links

Media type

application/json

Example Value Schema

Code	Description	Links
	<pre>{   "detail": [     {       "loc": [         "string",         0       ],       "msg": "string",       "type": "string"     }   ] }</pre>	

DELETE /booking/{booking\_id} Cancel Booking  

Parameters 

Try it out

Name	Description
<b>booking_id</b> * required integer (path)	<div>booking_id</div>

Responses

Code	Description	Links
200	<div>Successful Response</div> <div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div>"string"</div>	No links
422	<div>Validation Error</div> <div>Media type</div>	No links

Code	Description	Links
	<div>application/json</div> <div>Example Value   Schema</div> <pre>{  "detail": [    {      "loc": [        "string",        0      ],      "msg": "string",      "type": "string"    }  ]}</pre>	

# Feedback



GET   /feedback/   View Feedbacks   ^

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	<div>Successful Response</div> <div>Media type<div>application/json</div><div>Controls Accept header.</div></div> <div>Example Value   Schema</div> <pre>[  {    "id": 0,    "booking_id": 0,    "message": "string"  }]</pre>	No links

CodeDescriptionLinks

```
}  
]
```

POST /feedback/ Submit Feedback

Try it out

Parameters

No parameters

Request body required

application/json

Example Value Schema

```
{  
  "booking_id": 0,  
  "message": "string"  
}
```

Responses

CodeDescriptionLinks

200Successful ResponseNo links

Media type

application/json

Controls Accept header.

Example Value Schema

```
{  
  "id": 0,  
  "booking_id": 0,  
  "message": "string"  
}
```

422Validation ErrorNo links

Media type

application/json

Example Value Schema

Code	Description	Links
	<pre>{   "detail": [     {       "loc": [         "string",         0       ],       "msg": "string",       "type": "string"     }   ] }</pre>	

default



GET / Root

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	<div>Successful Response</div> <div>Media type</div> <div>application/json</div> <div>Controls Accept header.</div> <div>Example Value Schema</div> <div>"string"</div>	No links

Schemas



**Body\_login\_auth\_login\_post** ^ Collapse all object

```
grant_type ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string matches ^password$
    #1 null
username* string
password* string
scope ^ Collapse all string
  Default=""
client_id ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null
client_secret ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null
```

**BookingCreate** ^ Collapse all object

```
slot_id* integer
```

**BookingOut** ^ Collapse all object

```
id* integer
slot_id* integer
user_id* integer
```

**FeedbackCreate** ^ Collapse all object

```
booking_id* integer
message* string
```

**FeedbackOut** ^ Collapse all object

```
id* integer
booking_id* integer
message* string
```

**HTTPValidationError** ^ Collapse all object

```
detail ^ Collapse all array<object>
  Items ^ Collapse all object
    loc* ^ Collapse all array<(string | integer)>
      Items ^ Collapse all (string | integer)
        Any of ^ Collapse all (string | integer)
          #0 string
          #1 integer
      msg* string
      type* string
```

**ParkingSlotCreate** ^ Collapse all object

```
location* string
slot_number* string
floor* integer
```

**ParkingSlotOut** ^ Collapse all object

```
id* integer
location* string
slot_number* string
floor* integer
```

**Token** ^ Collapse all object

```
access_token* string
token_type* string
```

**UserCreate** ^ Collapse all object

```
email* string email
password* string
role* string
```

**ValidationError** ^ Collapse all object

```
loc* ^ Collapse all array<(string | integer)>
  Items ^ Collapse all (string | integer)
    Any of ^ Collapse all (string | integer)
```

```
#0 string
#1 integer
msg* string
type* string
```