

MySQL Assignment

```
CREATE TABLE Department (  
    DeptID INT PRIMARY KEY,  
    DeptName VARCHAR(50)  
);
```

```
Create Table Employee(  
    EmpID INT,  
    EmpName VARCHAR(100),  
    Salary DECIMAL(10,2),  
    DeptID INT,  
    HireDate DATE,  
    FOREIGN KEY (DeptID) REFERENCES Department(DeptID)  
);
```

select* From Department;

	DeptID	DeptName
▶	101	HR
	102	IT
	103	Marketing
	104	Sales
*	NULL	NULL


Select *from Employee;

Result Grid					
Filter Rows:					
Export:  Wi					
	EmpID	EmpName	Salary	DeptID	HireDate
▶	1	Rutuja	30000.00	101	2025-08-15
	2	Priyank	35000.00	102	2026-02-10
	3	Sakshi	40000.00	102	2025-07-10
	4	Akanksha	22000.00	103	2026-01-05
	5	Neha	35000.00	102	2025-10-25
	6	Amruta	18000.00	104	2025-11-15
	7	Rutuja	25000.00	103	2025-08-01
	8	Vipul	20000.00	104	2026-03-05
	9	Prajakta	30000.00	101	2026-02-15
	10	Raj	32000.00	102	2026-03-05

Q1. Top 5 highest salary employees

Select EmpName, Salary from Employee order by Salary desc LIMIT 5;

Output:



The screenshot shows a 'Result Grid' with a 'Filter Rows' button. The grid contains two columns: 'EmpName' and 'Salary'. The data is as follows:


EmpName	Salary
Sakshi	40000.00
Priyank	35000.00
Neha	35000.00
Raj	32000.00
Rutuja	30000.00

Q2. Department wise employee count

select DeptName,count(*) from Department,Employee where employee.DeptID=department.DeptID group by DeptName ;

select d.DeptName,count(*) from Department d Inner join Employee e ON d.DeptId=e.DeptId group by DeptName;

Output:



The screenshot shows a 'Result Grid' with a 'Filter Rows' button. The grid contains two columns: 'DeptName' and 'count(*)'. The data is as follows:


DeptName	count(*)
HR	2
IT	4
Marketing	2
Sales	2

3. Find Second highest salary

Query::

Select EmpName ,Salary from Employee order by Salary DESC LIMIT 1 OFFSET 0;

Output:



The screenshot shows a 'Result Grid' with two columns: 'EmpName' and 'Salary'. The data is as follows:

EmpName	Salary
Priyank	35000.00

4. Employees whose salary > department average salary

```
SELECT e.EmpID, e.EmpName, e.Salary,e.DeptID FROM Employee e
WHERE e.Salary >
(
    SELECT AVG(e2.Salary)
    FROM Employee e2
    WHERE e2.DeptID = e.DeptID
);
```

Output:

	EmpID	EmpName	Salary	DeptID
▶	3	Sakshi	40000.00	102
	7	Rutuja	25000.00	103
	8	Vipul	20000.00	104

5. Inner Join

```
SELECT e.EmpID,e.EmpName,e.Salary,d.DeptName FROM Employee e INNER JOIN Department d ON
e.DeptID = d.DeptID
```

Output:

Result Grid				
	EmpID	EmpName	Salary	DeptName
▶	1	Rutuja	30000.00	HR
	9	Prajakta	30000.00	HR
	2	Priyank	35000.00	IT
	3	Sakshi	40000.00	IT
	5	Neha	35000.00	IT
	10	Raj	32000.00	IT
	4	Akanksha	22000.00	Marketing
	7	Rutuja	25000.00	Marketing
	6	Amruta	18000.00	Sales
	8	Vipul	20000.00	Sales

6. Left Join

```
SELECT e.EmpID,e.EmpName,e.Salary,d.DeptName FROM Employee e LEFT JOIN Department d ON  
e.DeptID = d.DeptID;
```

Output:

	EmpID	EmpName	Salary	DeptName
▶	1	Rutuja	30000.00	HR
	2	Priyank	35000.00	IT
	3	Sakshi	40000.00	IT
	4	Akanksha	22000.00	Marketing
	5	Neha	35000.00	IT
	6	Amruta	18000.00	Sales
	7	Rutuja	25000.00	Marketing
	8	Vipul	20000.00	Sales
	9	Prajakta	30000.00	HR
	10	Raj	32000.00	IT

7. Group By with Having

```
SELECT DeptID,COUNT(*) AS EmployeeCount FROM Employee GROUP BY DeptID HAVING COUNT(*) > 2;
```

Output:

	DeptID	EmployeeCount
▶	102	4

8. Employees hired in last 6 months

```
SELECT * FROM Employee WHERE HireDate >= DATE_SUB(CURDATE(), INTERVAL 6 MONTH);
```

Output:

	EmpID	EmpName	Salary	DeptID	HireDate
▶	2	Priyank	35000.00	102	2026-02-10
	4	Akanksha	22000.00	103	2026-01-05
	8	Vipul	20000.00	104	2026-03-05
	9	Prajakta	30000.00	101	2026-02-15
	10	Raj	32000.00	102	2026-03-05

9. Find the Duplicates records

```
SELECT EmpName, COUNT(*) AS DuplicateCount FROM Employee GROUP BY EmpName HAVING COUNT(*) > 1
```

Output:

	EmpName	DuplicateCount
▶	Rutuja	2

10. How to remove the duplicates

Query:

```
DELETE e1 FROM Employee e1 INNER JOIN Employee e2
```

```
ON e1.EmpName = e2.EmpName
```

```
AND e1.Salary = e2.Salary
```

```
AND e1.DeptID = e2.DeptID
```

```
AND e1.EmpID > e2.EmpID;
```