

Question # 1

 Revisit

\_\_\_\_\_ directly inherits the Object "public boolean equals(Object obj)" method and does not override it.

Choose the best option

- ☐ String
- ☐ Enum
- ☒ StringBuffer
- ☐ Runnable

Question # 2

 Revisit

Which of the following for loop declarations does not meet the requirements?

Choose the best option

- ☒ for ( int i = 99; i >= 0; i / 2 )
- ☐ for ( int i = 7; i <= 77; i += 7 )
- ☐ for ( int i = 20; i >= 2; -i )
- ☐ for ( int i = 2; i <= 20; i = 2 \* i )

Question # 3

 Revisit

In order to prevent a collision, which of the following is not a most effective technique?

Choose the best option

- ☐ Make the hash function appear random
- ☐ Use the chaining method
- ☐ Use uniform hashing
- ☐ Increasing hash table size

Question # 4

 Revisit

What will be the output for given statement?  
`System.out.println("5" + "10" + "3" + "9" + 1);`

Choose the best option

- ☐ 510391
- ☐ 28
- ☐ 51391
- ☐ 271

### Question # 5

The number of threads in the Java programme shown below is:

```
public class ThreadExtended extends Thread
{
    public void run()
    { System.out.println("\nThread is running now\n"); }
    public static void main(String[] args)
    { ThreadExtended threadE = new ThreadExtended(); threadE.start();
    }
}
```

 Revisit

Choose the best option

- ☐ 0
- ☐ 1
- ☒ 2
- ☐ 3

### Question # 6

When do Java exceptions occur in the course of a program's execution?

 Revisit

Choose the best option

- ☐ Run Time
- ☐ Compilation Time
- ☐ Can Occur Any Time
- ☐ None of the above

### Question # 7

Which of the following is false about static keyword?


 Revisit

Choose the best option

- ☐ Static methods can access other static members directly.
- ☐ Non static methods cannot access other static members directly.
- ☐ Static import can access directly all the static members of class.
- ☐ Static block gets called only once and a class can have multiple static blocks.


### Question # 8

Which of these is used as a default for a member of a class if no access specifier is used for it?

 Revisit

Choose the best option


- ☐ Public
- ☐ Private
- ☐ Default
- ☐ Auto

**Question # 9** Revisit

Which is the correct syntax to make a single dimensional array?

**Choose the best option**

- ☐ int a[] = new int [5];
- ☐ int a = new int[5];
- ☐ Both of the above
- ☐ None of the Above

**Question # 10** Revisit

What is the aim of the following code?

```
import java.io.File;
import java.io.FileInputStream;
import java.io.IOException;
public class FileInputStreamExample {
    public static void main(String args[]) throws IOException {
        File file = new File("C:/Java Program/auto.jpg ");
        FileInputStream inputStream = new FileInputStream(file);
        byte bytes[] = new byte[(int) file.length()];
        int numofBytes = inputStream.read(bytes);
        System.out.println("Data copied successfully...");
        System.out.println(numofBytes);
    }
}
```

**Choose the best option**

- ☐ To create an image file
- ☐ To delete an image file
- ☐ To read the file through input stream
- ☐ To write the file through output stream


**Question # 11** Revisit

Calculate the output of the following code snippet.

```
interface A { }
class C { }
class D extends C { }
class B extends D implements A { }
public class Test extends Thread{
    public static void main(String[] args){
        B b = new B();
        if (b instanceof A)
            System.out.println("b is an instance of A");
        if (b instanceof C)
            System.out.println("b is an instance of C");
    }
}
```

**Choose the best option**

- ☐ Nothing
- ☐ b is an instance of A.
- ☐ b is an instance of C.
- ☐ b is an instance of A followed by b is an instance of C.

**Question # 12** Revisit

When is it decided if a method should be overloaded?

**Choose the best option**

- ☐ At run time
- ☐ At compile time
- ☐ At coding time
- ☐ At execution time



Question # 13

Revisit

Which of the following is an example of a garbage collection method?

Choose the best option

- ☐ Sweep model
- ☐ Mark and sweep model
- ☐ Space management model
- ☐ Cleanup model

Question # 14

Revisit

`int x = 100;`  
In this example, Literal(Constant) is:

Choose the best option

- ☐ int
- ☐ x
- ☐ =
- ☐ 100

Question # 15

Revisit

Anonymous Inner Class can \_\_\_\_\_.

Choose the best option

- ☐ be extended by another class
- ☐ not be instantiated
- ☐ have a name
- ☐ access the members of its outer class

Question # 16

Revisit

What will be the output of the following code snippet?

```
int a=15;
int b=25;
if ((a < b) || (a = 5)>15)
System.out.println(a);
else
System.out.println(b);
```

Choose the best option

- ☐ Error
- ☐ 15
- ☐ 25
- ☐ No output

Question # 17

Which of the following statement is false?

Choose the best option

- ☒ Checked & Unchecked exceptions are detected or occur only in run-time.
- ☐ Javac by default handles the checked exceptions instead of forcing upon the programmer
- ☐ finally block always survives except System.exit(0)
- ☐ throws keyword is for satisfying javac instead of java

Question # 18

Enum Constant \_\_\_\_\_.

Choose the best option

- ☐ must be defined as first statement
- ☐ is an object of type enum
- ☐ is implicitly private static final
- ☐ ordinal value starts from 1

Question # 19


Choose the incorrect syntax for a lambda expression.

Choose the best option

- ☐ (param) -> System.out.println("parameterized lambda expression");
- ☐ () -> System.out.println("lambda expression");
- ☐ (String s) -> {"lambda expression of type String";}
- ☐ () -> 3.567

Question # 20

If there are multiple operators in the expression, then they will follow the rule of \_\_\_\_\_.

 Revisit

Choose the best option

- ☐ Precedence
- ☐ Associativity
- ☐ Random
- ☐ POSIX

### Question # 21

Method Overloading has multiple methods with:

Choose the best option

- ☐ Same method name but different number or datatype of arguments.
- ☐ Same method name & same number of arguments
- ☐ Same method name & same data type of arguments
- ☐ All of the Above

### Question # 22

What is the output of the following code?


```
{
int rollno=01;
String name="Ronak";
public void displayInfo();
}
interface StudentMarks
{
int M3=50;
int OOP=70;
public void displayMarks();
}
class Student implements StudentInfo, StudentMarks
{
    // class Student implements StudentInfo, StudentMarks
    {
    public void displayInfo()
    {
    System.out.println("Roll No:"+rollno);
    System.out.println("Name:"+name);
    }
    public void displayMarks()
    {
    System.out.println("M3 Marks:"+M3);
    System.out.println("OOP Marks:"+OOP);
    }
    }
}
public class Sample
```

Choose the best option

- ☐ Roll No: 1  
Name: Ronak  
M3 Marks: 50
- ☐ Roll No: 1  
Name: Ronak
- ☐ Roll No: 1  
Name: Ronak  
M3 Marks: 50  
OOP Marks: 70
- ☐ Error

### Question # 23

Which of the following statement is correct to check the largest number from given three numbers?

 Revisit

Choose the best option

- ☐ a>(a>b?a:b)?c:(a>b?a:b);
- ☐ b>(a>b?a:b)?c:(a>b?a:b);
- ☐ c>(a>b?a:b)?c:(a>b?a:b);
- ☐ d>(a>b?a:b)?c:(a>b?a:b);



Question # 24

Which of the following is true about HashMap<K, V> API?

Revisit

Choose the best option

- ☐ It does not guarantee constant time performance.
- ☐ It allows to add null key reference (once)
- ☐ It is inherently thread safe
- ☐ It is sorted map implementation class

Question # 25

When do you expect the daemon thread to be terminated?

Revisit

Choose the best option

- ☐ Once all non-daemon threads execution is completed
- ☐ When wait() method is called
- ☐ When interrupt() method is called
- ☐ None of these

Question # 26

A place where a class's objects are kept is called as :

Revisit

Choose the best option

- ☐ Heap
- ☐ Stack
- ☐ Disk
- ☐ File

Question # 27

What type of conversion is shown in the following code?  
`long l=100; int i=(int) l;`

Revisit

Choose the best option

- ☐ Implicit Type Conversion
- ☐ Explicit Type Conversion
- ☐ Auto Type Conversion
- ☐ None of the Above

Question # 28

Aggregation is also called as:

Revisit

Choose the best option

- ☐ OR A Relation
- ☐ AND A Relation
- ☐ HAS A Relation
- ☐ None of the Above

Question # 29

Collections.emptySet() is used to get :

Revisit

Choose the best option

- ☐ Mutable HashSet
- ☐ Immutable Set
- ☐ Non-Serializable Set
- ☐ No Such method

Question # 30

What will be the output of the following program?

```
class W
{
    static int c = 0;
    public static void main(String[] args)
    {
        W w1 = c();
        W w2 = c(w1);
        W w3 = c(w2);
        W w4 = c(w3);
    }
    private W()
    {
        private W()
        {
            System.out.println("c = " + c);
        }
    }
    static W c()
    {
        return c++ <= 0 ? new W() : null;
    }
    static W c(W w)
    {
        return w.c++ == 1 ? new W() : null;
    }
}
```

Revisit

Choose the best option

- ☐ C=1, C=2
- ☐ C=1,C=2,C=3
- ☐ C=1,C=2,C=3, C=4
- ☐ Null Pointer Exception

Question # 31

Which of the following is true about Reflection?

Choose the best option

- ☐ It is not used to break abstraction
- ☐ It is used to access private method using its class object
- ☐ Used to access only public variables
- ☐ Used to access only common variables

Question # 32

What will be the output if Sample.java does not have the main () method?

Revisit

Choose the best option

- ☐ Compile time error using javac command.
- ☐ Run time error using java command.
- ☐ Class will get executed without any error.
- ☐ Class will get executed with an exception.





Question # 37

Choose the correct set of String class methods from the following:

 Revisit

Choose the best option

- ☐ charAt, compareTo, containAll
- ☐ copyValueOf, format, valueAt
- ☐ endsWith, length, intern
- ☐ getBytes, toCharArray, lowerCase

Question # 38

"Object value = 13.401;" represents \_\_\_\_\_.

 Revisit

Choose the best option

- ☐ Generalization and Down Casting
- ☐ Widening and Up Casting
- ☐ Composition and Down Casting
- ☐ Auto Boxing and Up Casting

Question # 39

Just-In-Time Compiler increases the efficiency of \_\_\_\_\_.

 Revisit

Choose the best option

- ☐ Compiler
- ☐ Interpreter
- ☐ Garbage Collector
- ☐ Resource Allocation

Question # 40

Which of the following can be used to move thread from waiting state to runnable state?

 Revisit

Choose the best option

- ☐ using yield method
- ☐ using start method
- ☐ using awake method
- ☐ using notifyAll method