Q_No	Question	Option1	Option2	Option3	Option4	CorrectOptionNo
1	Which of the following attribute triggers events when a form gets user input?	onchange	onedit	onformchange	onforminput	Option4
2	which of the following property of a table element specifies whether the browser should control the appearance of the adjacent borders that touch each other or whether each cell should maintain its style?	border-collapse	border-spacing	caption-side	empty-cells	Option1
3	which of the following consists in CSS	Selector	Declarations	Property and Value	All of the above	Option4
1 4	How do you display the background image with CSS property	background- image:sec('image.png');	background- image:url('image.png');	background- image:href('image.png);	background- image:hrf('image.png);	Option2
5	What would be the output of the following code: php echo date('y-M-d h:i:s');?	16-11-2017 04:00	17-11-2016 04:00	17-Nov-16 04:01:13	17-Nov-16 16:01:13	Option3
6	Name the correct statement for echo()	Echo is just a statement	Echo is a function	Echo returns and prints the value	Echo is a pretty print function	Option1
7	What is the syntax for multiple lines commenting in PHP?	//	/**/	#	/?	Option2
8	What does \$out contains in the following code? php \$a=2 \$out=(\$a==2?5:1); ?	2	5	FALSE	TRUE	Option2
9	Which is the function capable of reading a specific number of characters from a file	Filegets()	Getfile()	Fgets()	Fget()	Option3
10	What does sprintf() function do in PHP?	it prints the output of program converting into string	Formatted printing of string	No such function in php	None of the above	Option2

Q_No	Question	Option1	Option2	Option3	Option4	CorrectOptionNo
11	What is the output of the following PHP ode? php Function HelloWorld () { Echo"HellowWorld <br/ } } \$HelloWorld_function=Helloworld; ?>	Fatal Error	Helloworld	HelloWorld	No Output	Option4
12	Count the number of array elements from the following array \$animals=array("Lion", "Tiger". "Leopard", arrauy("Dog", "Cat", "Cow"), array ("Fish", "Turtle", "Whale"));	11	9	10	5	Option4
13	XML is designed toand store data	transport	design	verify	None of these	Option1
14	is a rectangular area in the browser in which you can draw shapes using javascript	box	bordered text	div	canvas	Option4
15	Some Characters have a special meaning in XML those are called as	variables	Symbols	Entities	None of these	Option3
16	Which of the following will change the text color to red for entire page?	<body text=" red"></body>	<div color="red"></div>	<html color="red"></html>	All of the above	Option1
	Which of the following will display text box for accepting only numbers between 10 to 18?	<input <br="" type="text"/> min="10" max="18">	<input <br="" type="number"/> min="10" max="18">	<input <br="" type="number"/> min="10" maximum="18">	None of the above	Option2
18	Which of the following code will return a valid JSON object?	JSON.parse('({FirstName": "Web", "LastName", "Programming"}));	JSON.parse("{FirstName ':'Web', 'LastName', 'Programming'});		JSON.parse("{'FirstName ":"Web", "LastName": "Programming"});	Option4
	In the following notation, Employee is of type {"Employee":["Amit","Nilesh", "Abhishek"]}	Not a valid JSON string	Array	Class	Object	Option2

Q_No	Question	Option1	Option2	Option3	Option4	CorrectOptionNo
20	Which of the following attributes cannot be used in Table tag?	Colspan	rowspan	border	both A and B	Option4
21	Which of these is a benefit JSON has over XML?	JSON is more forgiving of poor formatting	JSON has less markup requirements and therefore is lighter than XML	JSON can be written poorly and still be parsed	JSON need to be stored in a file to be sent remotely	Option2
22	What does JSON stand for?	JavaScript Object Nomenclature	JavaScript Objective Notation	JavaScript Object Notation	JavaScript Oriented Nomenclature	Option3
23	Which of the following is right selector to assign particular style to following element? This is text in p tag	#myid	.myid	:myid	None of the above	Option1
24	Which character is most likely to be used for an SQL injection attack?	Single quote(')	Null (\0) byte	Less than sign(<)	Greater than sign(<)	Option1
1 /5	Which of the following languages are the primary targets of cross-site scripting?	HTML	SQL	XSLT	Xpath	Option3
26	Following is true above JASON	Its plain text	Can be easily converted to Javascript Object	Represented as key value pairs	All of the above	Option4
27	Following is true about AJAX	Used to refresh part of a Web page	Uses Post back approach	Both	None	Option1
28	Following are Global Object in php	\$GET	\$POST	\$Globals	All of the above	Option3
29	Which attribute specifies a unique alphanumeric identifier to be associated with an element?	class	id	article	html	Option2
	The attribute specifies an inline style associated with an element, which determines the rendering of the affected element.	dir	style	css	class	Option2
31	Which parameter is commonly used for size attribute?	centimeter	pixels	inch	millimeter	Option2
32	Borders can't be applied on	th	td	tr	thead	Option3

Q_No	Question	Option1	Option2	Option3	Option4	CorrectOptionNo
33	Which of the following is not the element associated to HTML table layout? a) size b) spanning c) alignment d) colo	size	spanning	alignment	color	Option2
34	Which of the following tag is used for embedding an audio file in a web page, which must be played as background sound? If the browser doesnot support sound effect it must display a message "Your browser does not support this feature"	<audio controls="controls" hidden="false" src="hourse.ogg">Your browser does not support this feature</audio>	<audio src="hourse.ogg" controls="controls" hidden="true">Your browser does not support this feature</audio 	controls="controls" hidden>Your browser does not support this	<embed src="hourse.ogg" controls="controls" hidden="true">Your browser does not support this feature</embed 	Option1
35	In HTML the tag specifies the font face, font size and color of text	<fonttype></fonttype>		<basefont/>	<fontstyle></fontstyle>	Option2
36	Which of the following tag will display	<input lines="5" name="Address" type="text"/>	<input name="Address" type="text"/>	<textarea <br="" rows="5">name="address"></texta
rea></td><td>None of the above</td><td>Option3</td></tr><tr><td>37</td><td>In the following code, how many radio buttons can be selected at a time? <input type="radio" value="html" id="radio1">HTML <input type="radio" value="php" id="radio1">HTML <inout type="radio" value="html" id="radio1">HTML <inout type="radio" value="html" id="radio1">HTML <inout type="radio" value="html" id="radio1">HTML</td><td>1</td><td>2</td><td>3</td><td>4</td><td>Option4</td></tr><tr><td>38</td><td>Which of the css property will display box with rounded corner?</td><td>box-raduis:40px</td><td>border-radius:40px</td><td>corner:round 40px</td><td>None of the above</td><td>Option2</td></tr><tr><td>39</td><td>In the given below information which of the following is correct way to invoke index.html page sample directory? A) A webserver is located on server machine whose IP address is 10.10.83.23 b) Server is running on default port 80 c) Directory in which web pages are stored is sample</td><td>http://localhost:80/sampl
e</td><td>http://10.10.83.23/sam
ple</td><td>http://localhost/sample</td><td>http://10.10.83.23:80/in
dex.html</td><td>Option2</td></tr></tbody></table></textarea>		

Q_No	Question	Option1	Option2	Option3	Option4	CorrectOptionNo
40	Html5 provides a standard for showing a video/movie on a web page. Which of the following element achieves this	<movie controls="start,pause,sto p" src="myfile.ext"></movie>	<plugin controls="controls" file="myfile.ext"></plugin>	controls="controls"> <td><object videosrc="myfile.ext" loop></object </td> <td>Option3</td>	<object videosrc="myfile.ext" loop></object 	Option3
41	Which of the following statements are true for the given rule in css h1,h2, p {color:green;}			for all h1,h2 and p tag border color will change to green	None of the above	Option2
42	Which of the following will select every element tat is the first child of its parent in the css	p	p(first-child)	p:first-child	None of the above	Option3
43	A web developer wants to put an address field onto web page with below requirements: a) The text area show have 10 rows and 20 colums b) It should have a background of red color. Chose correct option	<input <br="" type="textarea"/> name="address" rows=10 columns=10 background- color="red"/>	<input <br="" type="textarea"/> name="address" rows=10 columns=10 style="background- color=red"/>	<input <br="" type="textarea"/> name="address" rows=10 cols=10 style="background- color=red"/>	None of the above	Option3
44	Answer code based on xml code below <musician><musicians><name>Don Bryon</name><instrument>clarinet</instrument><recording>20</recording></musicians></musician> > Which of the following statement is true to make it well formed	Code is already wellformed	xml version="1.0"? must be added at top	Remove <musicians> tag</musicians>	None of the above	Option1
	Following xml element <phone><landline></landline><mobile> </mobile><ext> </ext> </phone> What is the following xsd eklement can be used giving a choice of having only one phone number from landline mobile and ext?	<xs:sequence>nce></xs:sequence>	<xs:all></xs:all>	<xs:choice></xs:choice>	None of the above	Option3
46	Which is valid array of JASON object	{{"perid":2222,"pname":" Rajas","sal":22222},{"peri d":333,"pname":"Deven", "sal":33333}}	:"Rajas","sal":22222},{"	Both a and b	None of the above	Option2

Q_No	Question	Option1	Option2	Option3	Option4	CorrectOptionNo
47	Following is true for JASON Objects	Stored as test	Its lightweight than XML	JavaScript object can be converted into JASON	All of the above	Option4
48	Which of the following ready state value represents AJAX request completion	1	2	3	4	Option4
49	Which of the following is a valid property of XMLHttpRequest that indicates whether or not cross-site accesss control should be made using credentials?	with Credentials	with CrossOriginCredentials	with Control Credentials	None of the above	Option1
50	To create XMLHttpRequest object using Javascript which of the following file is added to the src path of script tag?	Ajax.js	JSON.js	Prototype.js	None of the above	Option4
51	is displayed as a grey box with rounded corners. It also enlarges the font sizes of the text inside it in BootstrapJs	Thumbnails	col-lg.*	jumbotron	glaphicon	Option3
52	class is used to display label in light blue color in BootstapJS	label-primary	label-success	label-info	label-warning	Option3
53	In bootstrap grid class is used for mobile device screen	col-xs-	col-sm-*	col-small-*	Any of the above	Option2
54	Which of the following method is used for retrieving all the element with name "a" in html page	var links=document.getEleme ntById("a")	var links=document.getEle mentByClass("a")	var links=document.getElem entsByTagName("a")	var links=document.getElem entByTagName("a")	Option3
55	Which statement in JavaScript ensures whether a variable is declared?	Strict	Declare	Use strict	No strict	Option1
56	The method used to fetch an element from DOM tree by its unique identifier.	getElementByld	getElementByName	getElernentsByName	getElementbyTagName	Option1
57	Which of these functions will add two numbers?	Fun=function(a,b){return a+b};	Fun=function(var a,var b){return a+b};	function fun(var a,var b)(return a+b);	Fun=function(var a,var b){c=a+b};	Option1

Q_No	Question	Option1	Option2	Option3	Option4	CorrectOptionNo
58	What is the type of value returned by parseInt	Integer	Int	Number	Whole number	Option1
59	Which of these is used for printing messages in console	Print	Println	Write	Log	Option4
60	How do I get the value of the form control in javascript?	val()	text()	value	innerValue	Option1
61	var x=5, y="A"; c=x+y; what is the type of c?	Number	String	Object	Boolean	Option2
	Var x=prompt("Enter number 1"); var y=prompt("Enter number 2"); c=x+y; What is the type of c?	Number	String	Object	Boolean	Option2
63	In the registration form, there has to be an option to get the gender of the participant, which of the following controls can be used	Radio	Checkbox	Select	Both a and c	Option1
64	What is the use of regular expression?	Search a pattern	Delete a string	Remove a string	None of the above	Option1
65	What is the expansion of JSON?	Java Script Object Nomenclature	Java Script object Notification	Java Virtual Object Notation	Javascript Object Notation	Option4
66	var pen={color:"blue", type:"fountain"}, how shoutd I fetch the type of pen	pen.color	pen["type"]	pen[1].type;	pen[1]	Option3
67	which method is used to change the address in address bar of the browser?	location.href	location.assign	location.address	window.href	Option2
68	which object has pixelWidth attribute	Screen	Window	Location	Navigator	Option2
69	what Is the order of events when a key is typed	keydown, keypress, keyup	keypress,keydown,keyu p	keyup, keydown, keypress	keydown,keyup, keypress	Option1
70	which of these methods is used for getting confirmation from user?	confirmation()	confirm()	accept()	agree()	Option2
71	which of the following methods are used to remove some elements from an array and insert into certain location	splice	slice	insert	add	Option1
72	which of these methods are used to remove an element from an array	push	рор	slice	sort	Option3

Q_No	Question	Option1	Option2	Option3	Option4	CorrectOptionNo
/3	which method is used to get the last occurance of a letter in a string	index.Of	lastOccuranceOf	lastIndexOf	occuranceOf	Option3
74	what is the result of d=new Date(); d.getDay() if today is Monday	mon	Monday	1	0	Option3
1 /5	Which object is used to get the width and height of current browser window?	currentTarget	window	location	navigator	Option2
76	Inside which HTML element do we put the JavaScript?	<script></td><td><scripting></td><td><js></td><td><javascript></td><td>Option1</td></tr><tr><td>. //</td><td>A JavaScript program can traverse and manipulate document content through</td><td>navigator Object</td><td>document Object</td><td>element object</td><td>None of the mentioned</td><td>Option2</td></tr><tr><td>78</td><td>The setTimeout() method is used to</td><td>Make the event sleep</td><td>Register a function to be invoked after a certain time</td><td>Invoke an event after a certain time</td><td>Time for iteration</td><td>Option2</td></tr><tr><td>79</td><td>what is the parameter of hide method in jquery</td><td>milliseconds</td><td>seconds</td><td>minutes</td><td>call back function</td><td>Option1</td></tr><tr><td>80</td><td>Which of these effects is used to alternate between hide and show?</td><td>hideToggle</td><td>showToggle</td><td>toggle</td><td>slideToggle</td><td>Option1</td></tr><tr><td>ı xı ı</td><td>Which is the following jQuery method can be used to get the attribute value?</td><td>attribute()</td><td>attr()</td><td>add()</td><td>none of the above</td><td>Option2</td></tr><tr><td></td><td>Which jOuery function is used to prevent code from running , before the document is finished loading?</td><td>\$(document). fun ()</td><td>\$(document) click()</td><td>\$(document).animate()</td><td>\$(document). ready ()</td><td>Option4</td></tr><tr><td>1 X</td><td>jQuery code to set background color of all the div elements to red?</td><td>\$("div").style("backgroun d-color","red");</td><td>\$("div").manipulate("background-color","red");</td><td>\$("div").css("background-color","red");</td><td>\$("div").layout("backgro und-color","red");</td><td>Option1</td></tr><tr><td>84</td><td>Which jOuery method is used to switch between adding/removing one or more classes (for CSS) from selected elements?</td><td>switchClass()</td><td>addRemoveClass()</td><td>altClass()</td><td>toggleClass()</td><td>Option4</td></tr><tr><td>85</td><td>Angular JS is</td><td>One way data binding framework</td><td>Two way data binding framework</td><td>Three way data binding framework</td><td>Routing framework</td><td>Option2</td></tr><tr><td>86</td><td>Angular js expressions are written inside</td><td>[expr]</td><td>{[expr}]</td><td>{{expr}}</td><td>[{expr}]</td><td>Option3</td></tr></tbody></table></script>				

Q_No	Question	Option1	Option2	Option3	Option4	CorrectOptionNo
87	Which object stores the values of a form?	\$window	\$route	\$scope	\$main	Option3
88	Which directive is used to loop through the list	ng-loop	ng-repeat	ng-for	ng-while	Option3
1 89 1	Which of the following are the cause of SQL injection attack?	Session IDs	Registry keys	Cookies	SQL queries based on user input	Option4
90	Which of the following are not core modules?	fs	Path	Platform	url	Option1
91	Which of the following method creates Http server in Nodejs?	createNode()	connect()	createconnection()	None of the above	Option4
1 47 1	Which of the following language is the primary target of cross-site scripting?	java	SQL	XSLT	javaScript	Option3
93	Which of the following can send a rendered view template in Express JS?	app.render(view,[locals], callback);	res,render(view,[locals], callback);	Both a and b	None of the above	Option3
	Which of the following is used to get route parameters for the given route path/users/:userID/books/:bookid	req.body.userid,req.body. bookid	req.body.users,req.body .books	req.params.userid, req.params.bookid	req.params.users, req.params.books	Option3
95	What is Babel?	JavaScript compiler	JavaScript interpreter	JavaScript transpiller	None of above	Option1
1 96 1	Identify the command used to create a react app.	npm install -g create-react- app	npm install create-react- app	install create-react-app	None of the above	Option1
1 4/ 1	Which of the following port is the default where webpack-dev-server runs?	3000	3306	3030	8080	Option4
98	How many elements can a valid react component return?	1	2	3	4	Option1
99	A state in React.js is also known as?	External storage of the component	The internal storage of the component	Permanent storage	All of the above	Option2
100	Which of the following method is used to access the state of a component from inside of a member function?	this.prototype.statValue	this.values	this.getState()	this.state	Option4
1 1()1 1	What are arbitrary inputs of components in react also known as?	Elements	props	Keys	Ref	Option2
102	In MVC, what does React.js act as?	Model	Controller	View	Middlewear	Option3

Q_No	Question	Option1	Option2	Option3	Option4	CorrectOptionNo
103	Among The following options, choose the one which helps react for keeping their data uni-directional?	DOM	Flux	JSX	Props	Option2
1 1 1 1 1	Using which of the following command can prevent default behaviour at in react?	preventDefault()	avoidDeafult()	revokeDefault()	None of the above	Option1
105	Identify the smallest building block of React.JS.	Props	Elements	Components	None of the above	Option3
106	What is ReactJS mainly used for building?	Database	Connectivity	User Interface	Design Platform	Option3
1 107	Which of the following function is used to change the state of react component?	this.setState()	this.state()	this.setChangestate()		Option1
108	Among the following which acts as the input of class-based component?	Factory	Render	Class	Props	Option4
1 109	Among the following which is used to create a class inheritance?	Inherit	Extends	create	this	Option2
110	Choose the correct data flow sequence of flux concept.	Action -> Dispatcher -> Store -> View	Action -> View -> Store- > Dispatcher	Action -> Store -> -> View -> Dispatcher		Option1
111	Total ways of defining variables in ES6 is?	1	2	3	4	Option3
112	Which of the following are two ways to handle data in react?	services and components	State and Props	state and services	state and component	Option2
113	In which directory is react component saved?	vendor/js/components	js/components	components/js	vendor/components	Option2
114	What is the functionality of a "webpack" command?	Runs react local development server	transfer files all the JavaScript down into one file	a module blunder	none of the above	Option1