

Web Programming Technologies eDAC Sept 21

Contents

Architecture of web	
HTML	
CSS	
PHP	 26
XML	33
JSON	
AJAX	37
Web Security	 38
UI	

Architecture of web

- 1. A piece of icon or image on a web page associated with another webpage is called a) url **b) hyperlink** c) plugin d) none of the mentioned
 - 2. Dynamic web page
 - a) is same every time whenever it displays
 - b) generates on demand by a program or a request from browser c
 - c) both (a) and (b)
 - d) none of the mentioned
 - 3. What is a web browser?
 - a) a program that can display a web page
 - b) a program used to view html documents
 - c) it enables user to access the resources of internet
 - d) all of the mentioned
 - 4. Common gateway interface is used to
 - a) generate executable files from web content by web server
 - b) generate web pages
 - c) stream videos
 - d) none of the mentioned
 - 5. URL stands for
- a) unique reference label

- b) uniform reference label
- c) uniform resource locator
- d) unique resource locator
- 6. A web cookie is a small piece of data
- a) sent from a website and stored in user's web browser while a user is browsing a website
- b) sent from user and stored in the server while a user is browsing a website



c) sent from root server to all serversd) advanced javascript and xml		
11. The number of objects in a Web page		
a) 4	•	ne of the mentioned
12. The default connection type used by I	HTTP is	
a) Persistent	b) Non-persistent	
c) Either of the mentioned	d) None of the mentioned	
13. The time taken by a packet to travel f a) STT b) RTT c) PT	rom client to server and then b T d) None of the menti	
Explanation: RTT stands for round-trip tin	ne.	
14. The HTTP request message is sent in _	part of three-way ha	andshake.
a) First b) Second		ne of the mentioned
15. In the process of fetching a web page a) 2 b) 1	from a server the HTTP reques c) 4 d) 3	t/response takes RTTs.
Explanation: The line followed by request response message. 17. The values GET, POST, HEAD etc are s	pecified in of HT ne c) Status line	d status line is the initial part of TP message d) Entity body
	n the method field, leaves entit th of the mentioned	ty body empty. d) None of the mentioned
19. The HTTP response message leaves or a) GET b) POST	ut the requested object when _ c) HEAD	method is used d) PUT
20. Find the oddly matched HTTP status of a) 200 OK c) 301 Moved permanently Explanation: 404 Not Found.	b) 400 Bad Request d) 304 Not Found	1xx: Informational responses 2xx: Successful responses 3xx: Redirection messages 4xx: Client error responses 5xx: Server error responses
21. Which of the following is not correct?	>	302 for temporary redirection is Found
a) Web cache doesnt has its own disk sp		301 Moved Permanently indicates
b) Web cache can act both like server and		permanent redirection
c) Web cache might reduce the response		
d) Web cache contains copies of recently	requested objects	



a) Imposes conditional GET mechanisms a) Imposes conditions on the object b) Limits the number of response c) Helps to keep a cache upto da d) None of the mentioned	ects to be reque from a server	sted		
23. Which of the following is presa) HTTP version number	sent in both an F b) URL	HTTP request line and c) Method	a status line? d) None of the mention	ned
	, TOD			
24. Multiple object can be sent or			and server in	
a) persistent HTTP	b) nonpersis			
c) both (a) and (b)	d) none of t	he mentioned		
25. HTTP is protocol.				
a) application layer	b) transport	layer		
c) network layer	d) none of t	he mentioned		
26. In the network HTTP resource	es are located by			
a) uniform resource identifier	•	source locator		
c) unique resource identifier		ne mentioned		
e) amque resource lacitimei	a) Horic of th	ie mentioned		
27. HTTP client requests by estab	lishing a	connection to a	particular port on the server.	
a) user datagram protocol		nsmission control pr		
c) broader gateway protocol		ne of the mentioned		
 28. In HTTP pipelining a) multiple HTTP requests are se responses b) multiple HTTP requests can no c) multiple HTTP requests are ser d) none of the mentioned 	t be sent on a si	ngle TCP connection		
29. FTP server listens for connect	ion on port num	ber		
a) 20 b) 21	c) 22		d) 23	
30. In FTP protocol, client contact	ts server using	as the transport r	protocol.	
a) transmission control protocol		b) user datagram p		
c) datagram congestion control pro	otocol	, , ,	ansmission protocol	
21 In which made FTD the client	initiatos hath th	an control and data or	nnactions	
31. In which mode FTP, the client a) active mode b) r	niitiates both ti passive mode	c) both (a) and (b)	d) none of the mentioned	
7,		2, 222 (2, 2 2 (2,	.,	
32. The file transfer protocol is bu	uilt on			
a) data centric architecture	b) sei	rvice oriented archited	cture	
c) client server architecture	d) none of th	ne mentioned		



Web Programming Technologies eDAC Sept 21

33. In file transfer pro	otocol, data transfer ca	an be done in	
a) stream mode	b) block mode	c) compressed mode	d) all of the mentioned
		HTML	
Q1. Body tag do not h	nave a attribute		
		c. font	
Q2. To increase font size	ze		
a. 	b. <text size="5"></text>		
Q3. It will bring the te	xt on next line		
a.	b. <break></break>	c. 	
Q4. It will always disp	lay data on next line		
a.	b. <h></h>	c. <pre></pre>	
Q5. It will display data	a after leaving one line	e	
a. <h3></h3>	b.	c. 	
Q6. In img tag align at		value	
a. left	b. right	c. center	
Q7. small tag increase			
a. to 3	b. 1 from current siz	e c. <size=5></size=5>	
Q8. big tag increase for	ont size		
a. to 4	b.+1 from current siz	e c1 from curi	rent size
Q9. it is used to link to	wo file		
a. anchor tag	b. link	c. href	
Q10. B and strong to	ag is used to make tex	t	
a. italic	b. bold	c. underline	
Q11. It is used to give	e red color to the text		
a. 	b. <for< td=""><td>n color="blue"></td><td>c. <text color="red"></text></td></for<>	n color="blue">	c. <text color="red"></text>
Q12. minimum head	ling is		
a. <h1></h1>	b. <h5></h5>	c. <h6< td=""><td>></td></h6<>	>
Q13. Max heading is			
a. <h6></h6>	b. <h5></h5>	c. <h1< td=""><td>></td></h1<>	>

Q14. It is used to display data as it appear in editor



a. <blockquote></blockquote>	b. <pre></pre>	c. 	
Q15. Hyperlink is also cold a a. HOT SPOT	s b. LINK	c. A	
Q16. It is used to display dat a. td	a in center and bold in b. th	table tag c. tr	
Q17. It is used to display ima a. <image link="pot.gif"/>	age b. <img src="</td><td>'pot.gif"/>	c. 	
Q18. which attribute is used a. bgproperties	to keep background fix b. attachment	xed c. scroll	
Q19. It is used to animate to a. blink	text b. marquee	c. <a>	
Q20. It is used to display ho	orizontal line b. <hr/>	c. <vr></vr>	
Q21. This attribute will incre a. scrollamount	ase the speed of marq b. speed	uee text c. Behavior	
Q22. This attribute of form a. action	take you to the anoth b. anchor	er page c.name	
Q23. This display data of for a. <form method="post"></form>	orm in url b. <form b="" me<=""></form>	thod="get">	c. <form method="dopost"></form>
Q24. How to give link to you href="www.reidffmail.com" href="mailto:vita_trg@redemail="vita_trg@rediaama"	n"/> b. < a diffmail.com"> c. <a< td=""><td></td><td></td></a<>		
Q25. It allows you to select	t only one option at a t b. checkbox	ime c. radio	
Q26. It allows you to select r a. Choice	multiple option at a tim b. checkbox	ne c. radio	
Q27. What is the correct ta a. <select></select>	ng for drop down box b. <combobox></combobox>	c. <option></option>	
Q28. Which attribute enab	les you to select multip	ole option in dropdowr c. more	n box



Q29. Which attribute of	lisplay data on button		
a.name	b. value	c. button	
Q30. Which attributes	value is used as variable		
a. value	b. name	c. submit	
Q31. What is default va	alue of submit button in I	E	
a. SUBMITQUERY	b. SUBMIT	c. RESET	
Q32. Correct tag to cle	ar form		
a. <input <="" td="" type="reset"/> <td>value="reset"></td> <td></td> <td></td>	value="reset">		
b. <input <="" td="" type="clear"/> <td>value="reset"></td> <td></td> <td></td>	value="reset">		
c. <input type="buttor</td><td>n" value="reset"/>			
Q33. To mark checkbo	x checked as default you	use	
a. <input checked="ch</td" type="check</td><td>box"/> <td></td> <td></td>			
b. <input checked="true" type="checkl</td><td>oox"/>			
c. <input checked="unchecked</td" type="checkl</td><td>oox"/> <td>"></td> <td></td>	" >		
Q34. What is the corre	ect HTML for adding a bac	ckground color?	
a. <body bgcolor="yell</td><td>ow"></body>			
b. <background>yellov</background>	/		
c. <body color="yellow</td><td>/"></body>			
, ,			
-	pen a link in a new brows	ser window?	
a. <a href="url" targ<="" td=""><td>get="_blank"></td><td></td><td></td>	get="_blank">		
b. 			
<a dropdowr<="" href="url" target="n</td><td></td><td></td><td></td></tr><tr><td></td><td>_</td><td>content inside a tablecell?</td><td></td></tr><tr><td>a. <tdleft></td><td>o. +</td><td>c.</td><td>d.</td></tr><tr><td></td><td>e a list that lists the items</td><td></td><td></td></tr><tr><td>a. </td><td>. <list></td><td>c. </td><td>d. <dl></td></tr><tr><td>Q38. What is the corre</td><td>ect HTML for making a dr</td><td>op-down list?</td><td></td></tr><tr><td>a. <list> b</td><td>. <input type=" td=""><td>n"> c. <input type="lis</td><td>t"/> d. <select></select></td>	n"> c. <input type="lis</td><td>t"/> d. <select></select>		
Q39. What is the corre	ct HTML for making a tex	t area?	
a. <input type="textar</td><td>ea"/> b. <textare< td=""><td>ea> c. <input type="te</td><td>xtbox"/></td></textare<>	ea> c. <input type="te</td><td>xtbox"/>		
Q40. Links are also kno	own as		
a. Hotspots	b. Anchors	c. Both 1 and 2	d. None of the above
Q41. While is a g	eneric inline element tha	it applies no inherent formatt	ing, the is a generic block leve
element that applies n			5, - <u></u> <u>B</u>
a. DIV, SPAN	b. GROUP, DIV	c. SPAN, DIV	d. SPAN, GROUP



Web Programming Technologies eDAC Sept 21

Q42.How do you di	splay hyperlinks witho	ut an underline?		
a. {text-decoration:	none}	b. {text-decoration:no underline}		
c. {underline:none}		d. {decoration:no un	derline}	
	element, the attribute	•		
a. Height	b. Width	c. Max size	d. Visible size	
044 TL 600 H 'L				
			e to be displayed in a Frame	
a. IFrame	b. Frameset	c. src	d. href	
O45 The linked regi	ions of an image map a	are called		
a. anchors	b. source	c. transfer	d. hot regions	
ar arreners	5. 50d. 60	or cransrer	ar not regions	
Q46. The att	ribute takes text to be	displayed in case the I	Browser is unable to display t	he image specified
in the SRC attr				σ.
a. ALT	b. href	c. link	d. vspace	
Q47. Main protocol u	sed in Internet is:			
a. IPX/SPX	b. Zolan Bus	c. TCP/IP	d. X.25	
Q48. Who is making t				
a. The World Wide V	veb Consortium	b. Microsoft	c. Netscape	
O40 Which of those	tags are all tag	ac 2		
	b. <thead><body></body></thead>		ad> <tfoot> d. <tr< td=""><td>~+d></td></tr<></tfoot>	~+d>
a. \table>\ti>\tt>	b. \tileau\\bouy\\til	C. \table>\liea	d. \table>\ti	~\tu>
O50 What is the co	rrect HTML for insertin	ig a hackground image	.?	
	ound.gif" background>		•	
_	d="background.gif">			
c. <background img="</td"><td></td><td></td><td></td><td></td></background>				
Q51. How to open lin	k in new unique windo	W		
a. Target=_new	<pre>b. Target=_sel</pre>	f c. Target=_bl a	ınk	
Q52. align attribute c				
a. Hr	b. H1	c. Font		
OF2 W/bat is ALT to				
Q53. What is ALT te		h Toyt display whom y	you hold mouse over image	c Poth
a. Text display when	n image is not found	b. Text display when y	ou hold mouse over image	c. Both
O54 How can yourn	nake a row stretch ove	r 2 column		
a.		d rowspan=2>	c. <rd colspan="2"></rd>	
ata colopuli-27	5. \	2.0110puii-27	0. 10 0015puil-27	

Q55. How to define table background color



a. Background-color=	b. bgcolor=	c. ackgro	undcolor=	
Q56. How to table give bord	er color			
a. Border=	b. Bordercolo	r= c. Bgcolo	r=	
Q57. Default font size is a. 7	b. 2	c. 3		
Q58. Server is one who a. Provide service	b. Host website	c. Both		
Q59. It will put horizontal lir a. Hr	ne on the text b. Strike	c. Table		
Q60. Tag used to give heading a. <optgoup <="" lable="heading" td=""><td>•</td><td></td><td><select <="" name="heading" td=""><td>'></td></select></td></optgoup>	•		<select <="" name="heading" td=""><td>'></td></select>	' >
Q61. Which two tag has sam a. <i>,</i>	ne effect b. 	c. <ci< td=""><td>te></td><td></td></ci<>	te>	
Q62. Attribute used to incre a. Height	ase the height of line in b. Size	n <hr/> tag c. Length		
Q63. It will increase the speca. Scroll	ed of marquee tag b. Scrollamount	c. Behav	rior	
Q64. What are the attribute a. Name,href,target,src	of anchar tag b. Name,href,	target,title c	. Href, tooltip,src	
Q65. It interprete the html of a. Server	ode b. Browser	С	. notepad	
Q66. Which of the following a. HTML5 is the next major of b. HTML5 is a standard for s c. HTML5 is a cooperation b Technology Working Ground. All of the above. Q67. Which of the following	revision of the HTML st tructuring and present etween the World Wic up WHATWG.	tandard superseding HTM ing content on the World de Web Consortium W3C	l Wide Web.	
a. Persistent Local Storage	b. WebSocket		ents d. All of the	above.
Q68. Which of the following f a. Canvas b. Aud	eature is a part of HTM io & Video	IL 5? c. Geolocation	d. All of the above .	
Q69. Which of the following l a. Apple Safari	orowser supports HTM b. Google Chrome	L5 in its latest version? c. Both of the a	bove. d. None of t	the above.



Web Programming Technologies eDAC Sept 21

Q70. Which of the foll a. Mozilla Firefox	owing browser		L5 in its latest c. Both of tl		d. None of the above.
a. Wiozilia i li elox	Б. Оре	51 a	c. Both of th	ie above.	d. None of the above.
Q71. Which of the foll	owing browser	supports HTM	L5 in its latest	version?	
a. Mozilla Firefox	b. Ope	era	c. Both of t	he above.	d. None of the above.
Q72. Is HTML5 backy	ward compatib	le with old brov	wsers?		
a. true	b. fals	se			
Q73. Are HTML tags	case sensitive?)			
a. true	b. fals				
Q74. Which of the fo	ollowing tag rep	oresents a gene	eric document	or application	section in HTML5?
a. section	b. article	c. asid	le	d. he	ader
Q75. Which of the f	ollowing tag re	presents an inc	dependent pie	ce of content o	of a document in HTML5?
a. section	b. article	c. asid	de	d. header	
Q76. Which of the fo	ollowing tag rep	oresents a piec	e of content t	nat is only sligh	tly related to the rest of the page
a. section	b. article	c. asi	de	d. header	
Q77. Which of the f	ollowing tag re	presents the he	eader of a sec	tion in HTML5?	
a. section	b. article	c. asi		d. header	
Q78. Which of the fo	ollowing tag rei	oresents the fo	oter of a secti	on in HTML5?	
a. footer	b. nav	c. section	d. dia		
079. Which of the fo	ollowing tag rei	oresents a secti	on of the doc	ument intende	d for navigation in HTML5?
a. footer	b. nav	c. sec		d. dialog	
Q80. Which of the fo	ollowing tag car	n be used to ma	ark up a conve	ersation in HTM	IL5?
a. footer	b. nav	c. dialog	d. fig		
	ollowing tag car	n be used to as	sociate a capt	ion together w	th some embedded content in
HTML5?	h nov	م مانمام م	al £:a		
a. footer	b. nav	c. dialog	d. fig	ure	
Q82. Which of the fo	ollowing is corr	ect about custo	m attributes	in HTML5?	
a. A custom data att				•	•
 b. You would be able for standard attrib 	-	ues of these at	tributes using	JavaScript APIs	or CSS in similar way as you get
c. Both of the above	.				

d. d. None of the above.



Web Programming Technologies eDAC Sept 21

Q83.	Which	of the	following is	correct	about custom	attributes in	n HTML5?

- a. A custom data attribute starts with data- and would be named based on your requirement.
- b. You would be able to get the values of these attributes using JavaScript APIs or CSS in similar way as you get for standard attributes.
- c. Both of the above.
- d. d. None of the above.

Q84. Which of the following is correct about Web form 2.0 in HTML5?

- a. Web Forms 2.0 is an extension to the forms features found in HTML4.
- b. Form elements and attributes in HTML5 provide a greater degree of semantic mark-up than HTML4.
- c. Form elements and attributes in HTML5 remove a great deal of the need for tedious scripting and styling that was required in HTML4.
- d. All of the above.

Q85. Which of the following is correct about Web form 2.0 in HTML5?

- a. Web Forms 2.0 is an extension to the forms features found in HTML4.
- b. Form elements and attributes in HTML5 provide a greater degree of semantic mark-up than HTML4.
- c. Form elements and attributes in HTML5 remove a great deal of the need for tedious scripting and styling that was required in HTML4.
- d. All of the above.

	ollowing input control represents second encoded according to ISO			•
				2.0:
a. datetime	b. datetime-local	c. date	d. month	
Q87. Which of the fo	ollowing input control represents	a date and time yea	r, month, day, hour, minute,	second,
fractions of a	second encoded according to ISO	8601 with no time z	one information in Web Forn	า 2.0?
a. datetime	b. datetime-local	c. date	d. month	
Q88. Which of the fo	ollowing input control represents	a date year, month,	day encoded according to IS	O 8601 in
a. datetime	b. datetime-local	c. date	d. month	
	ollowing input control represents Web Form 2.0?	a date consisting of	a year and a month encoded	according
a. datetime	b. datetime-local	c. date	d. month	

Q90. Which of the following input control represents a date consisting of a year and a week number encoded according to ISO 8601 in Web Form 2.0?

a. week b. time c. number d. range

Q91. Which of the following input control represents a time hour, minute, seconds, fraction al seconds encoded according to ISO 8601 in Web Form 2.0?

a. week b. **time c.** number d. range

Q92. Which of the following input control accepts only numerical value in Web Form 2.0?



b. time

a. week

Web Programming Technologies eDAC Sept 21

c. number

d. range

Q93. Which of the following numbers in Web Forn	•	for input fields that sh	ould contain a value from a range of
a. week	b. time	c. number	d. range
Q94. Which of the following	g input control is used	for input fields that sh	nould contain an e-mail address in Web
a. email	b. url	c. number	d. range
Q95. Which of the following Form 2.0?	g input control is used	for input fields that sh	ould contain an URL address in Web
a. email	b. url	c. number	d. range
Q96. Which of the following a. output	g tag is used to represe b. placeholder	ent the result of differ c. autofocus	ent types of output in HTML5? d. required
Q97. Which of the following a. output	g tag provides a hint to b . placeholder	the user of what can c. autofocus	be entered in the field in HTML5? d. required
Q98. Which of the following a. output	g tag automatically foc b. placeholder	cus one particular form c. autofocus	
Q99. Which of the following a. output	g tag insists to have a v b. placeholder	value in an input contr c. autofocus	
Q100. Can you use SVG tags a. true	s directly in HTML5 wit b. false	thout any plugin?	
Q101. Can you use MathMl	tags directly in HTML b. false	5 without any plugin?	
Q102. Which of the following a. Cookies are included with the same data.			your web application by transmitting
b. Cookies are included withc. Cookies are limited to ab	•		unencrypted over the internet. red data. d. All of the above.
Q103. Which of the following a. HTML5 introduces the sestorage.	=	_	by the sites to add data to the session
b. It will be accessible to an c. As soon as you close the	· · -	· · · · · · · · · · · · · · · · · · ·	ndow i.e. session. I of the above.
Q104. Which of the following	ng is true about Local S	Storage in HTML5?	



Web Programming Technologies eDAC Sept 21

- a. HTML5 introduces the local Storage attribute which would be used to access a page's local storage area without no time limit.
- b. This local storage will be available whenever you would use that page.
- c. Both of the above.
- d. None of the above.

Q105. When a session storage data gets deleted in HTML5?

- a. The Session Storage Data would be deleted by the browsers immediately after the session gets terminated.
- b. If you want to clear all settings, you need to call localStorage. clear method.
- **c.** Both of the above.
- d. None of the above.

Q106. How to delete a local storage data in HTML5?

- a. To clear a local storage setting you would need to call localStorage.remove'key';
 where 'key' is the key of the value you want to remove.
- b. If you want to clear all settings, you need to call localStorage. clear method.
- c. Both of the above.
- d. None of the above.

Q107. Which of the following is correct about Server Side EventsSSE in HTML5?

- a. Using SSE you can push DOM events continously from your web server to the visitor's browser.
- b. The event streaming approach opens a persistent connection to the server, sending data to the client when new information is available, eliminating the need for continuous polling.
- c. Server-sent events standardizes how we stream data from the server to the client.
- d. All of the above.

Q108. Which of the following is correct about Server Side EventsSSE in HTML5?

- a. To use Server-Sent Events in a web application, you would need to add an <eventsource> element to the document.
- b. The src attribute of <eventsource> element should point to an URL which should provide a persistent HTTP connection that sends a data stream containing the events.
- c. The URL would point to a PHP, PERL or any Python script which would take care of sending event data consistently.
- d. All of the above.

Q109. Which of the following is correct Content-type header that a server side script should send for SSE in HTML5?

a. Content-Type: text/event-stream

b. Content-Type: text/application-stream

c. Content-Type: text/data-stream

d. None of the above.

Q110. Which of the following is correct about WebSockets in HTML5?

a. Web Sockets is a next-generation bidirectional communication technology for web applications which operates over a single socket and is exposed via a JavaScript interface in HTML 5 compliant browsers.



Web Programming Technologies eDAC Sept 21

	end method, and receive.		r, you can send data from browser to browser by an onmessage event handler.
Q111. Which value of established		ribute of WebSocket ii	ndicates that the connection has not yet been
a. 0	b. 1	c. 2	d. 3
	of Socket. readyState a ion is possible?	tribute of WebSocket i	ndicates that the connection is established and
a. 0	b. 1	c. 2	d. 3
Q113. Which value of the closing handshal	-	ribute of WebSocket ii	ndicates that the connection is going through
a. 0	b. 1	c. 2	d. 3
Q114. Which value of could not be o		ribute of WebSocket in	ndicates that the connection has been closed or
a. 0	b. 1	c. 2	d. 3
a. HTML5 element <	canvas> gives you an e draw graphs, make pho	•	? to draw graphics using JavaScript. simple and not so simplea nimations. c.
a. HTML5 supports <	<audio> tag which is us _5 draft specification dec.</audio>		ntent in an HTML or XHTML document. audio formats browsers should support in the
a. Commonly used a		3 and wav are supporte	ed. ope and many other attributes.

Q118. Which of the following is true about 'video' tag in HTML5?

a. HTML5 supports <video> tag which is used to embed a video file in an HTML or XHTML document.

c. An audio element allows multiple source elements and browser will use the first recognized format.

- b. The current HTML5 draft specification does not specify which video formats browsers should support in the video tag.
- c. Ogg files with Thedora video codec and Vorbis audio codec are supported.
- d. All of the above.

d. All of the above.



Web Programming Technologies eDAC Sept 21

Q119. Which of the following is true about 'video' tag in HTML5?

- a. MPEG4 files with H.264 video codec and AAC audio codec are supported.
- b. You can use <source> tag to specify media along with media type and many other attributes.
- c. An video element allows multiple source elements and browser will use the first recognized format.
- d. All of the above.

Q120. Which of the following is correct about geolocation api in HTML5?

- a. HTML5 Geolocation API lets you share your location with your favorite web sites.
- b. A Javascript can capture your latitude and longitude and can be sent to backend web server and do fancy location-aware things like finding local businesses or showing your location on a map.
- c. Today most of the browsers and mobile devices support Geolocation API.
- d. All of the above.

Q121. Which of the following is correct about geolocation api in HTML5?

- a. The geolocation APIs work with a new property of the global navigator object.
- b. The geolocation object is a service object that allows widgets to retrieve information about the geographic location of the device.
- c. Both of the above.
- d. None of the above.

Q122. Which of the following method returns a geolocation object in HTML5?

- a. navigator.geolocation
- b. browser.geolocation
- c. API.geolocation
- d.None of the above.

Q123. Which of the following method retrieves the current geographic location of the user?

a. geolocation.getCurrentPosition

b. geolocation.watchPosition

c) geolocation.clearPosition

d. None of the above.

Q124. Which of the following method cancels an ongoing watchPosition call?

a. geolocation.getCurrentPosition

b. geolocation.watchPosition

c. geolocation.clearPosition

d. None of the above.

Q125. Which of the following is correct about web workers in HTML5?

- a. Web Workers do all the computationally expensive tasks without interrupting the user interface and typically run on separate threads.
- b. Web Workers allow for long-running scripts that are not interrupted by scripts that respond to clicks or other user interactions.
- c. Web Workers allow long tasks to be executed without yielding to keep the page responsive. d. **All of the above.**

Q126. Which of the following attribute specifies a keyboard shortcut to access an element in HTML5?

- a. accesskey
- b. key
- c. contextmenu
- d. contextkey

Q127. Which of the following attribute specifies if the user can edit the element's content or not?

- a. editable
- b. contenteditable
- c. contextmenu
- d. content



Web Programming Technologies eDAC Sept 21

	following attribute spe					
a. key	b. contextcontent	C.	contextmen	u	d. context	
Q129. Which of the	following attribute spe	cifies whe	ther or not a	user is allowed	d to drag an elemer	nt?
a. drag	b. content	C.	context		d. draggable	
Q130. Which of the f	following attribute is us	sed to gro	up elements?)		
a. item	b. itemprop	_	itemcheck		d. itemgroup	
O121 Which of the	following attribute is u	sad to are	un itams?			
a. item	b. itemprop	c. itemch	•	d. itemgroup		
0422 141: 1 5:1	.					1 12
Q132. Which of the table is	following attribute spe b. itemcheck	c. spellch		ust have it's sp d. itemgroup	elling or grammar o	checked?
		o. 0 00o.		an noom.		
Q133. Which of the factorial a. offline	following attribute trig b. off	-		cument goes foreonload	offline?	
a. Offinie	D. OH	c. out	u. onbe	roreomoau		
	following attribute trig	_				
a. offline	b. onabort	C.	abort	d. onb	eforeonload	
Q135. Which of the	following attribute trig	gers even	t after the do	cument is prin	ted?	
a. offlineprint	b. onprint			terprint	d. onbeforeprint	
a. offline	following attribute trig b. onabort		t before the conload	document load	วร? d. onbeforeonload	1
a. Offilite	b. Ollabort	C.	Officac		d. Officeroreofficac	ı
	following attribute trig	_		locument is pr		
a. onbeforeprint b	. onafterprint	C	. onprint		d. beforeprint	
Q138. Which of the	following attribute trig	gers even	t when the w	indow loses fo	cus?	
a. onbeforeload	b. onblur	C	. onlostfocus		d. lostfocus	
O139. Which of the	following attribute trig	gers even	t when media	ı can start plav	but might has to s	stop for
buffering?		8-1-1-1-1		, , , , , , , , , , , , , , , , , , , ,	,	
a. onbeforeplay	b. onplay	c	. oncanplay	d. onca	anplaythrough	
Q140. Is .htm and .htn	nl the same?					
a. No	b. Yes					
Q141. What is the diff	erence between XML and	d HTML?				
	changing data, XML is no					
	hanging data, HTML is n r defined tags, XML cann					
d. Both b and c above						
0142. Which tags are	most commonly used by	search end	oines?			
CATE WINCH LUBS ALC	most commonly used by	Jeuren en	,,,,,,,,			

c. Paragraph

a. **Heading**

b. Title

d. All of above



Q143. What is the	tag for?		
a. Space	b. Paragraph break	c . Line break	d. Word break
Q144. What is the	attribute for <image/> tag?		
a. pt	b. url	c. path	d. src
Q145. Can a data	cell contain images?		
a. Yes	b. No		
Q146. Each list ite	m in an ordered or unorde	red list has which ta	ag?
a. list tag	b. Is tag	c. li tag	d. ol tag
Q147. Which of th	ne following tags below are	used for a multi-lir	ne text input control?
a. textml tag	b. text tag	c. textarea tag	d. Both b and c above
Q148. <meta/> tag	cannot be defined in the <	head> tag.	
a. False	b. True		
Q149. Which of th	ne following attributes belo	w are used for a fo	nt name?
a. fontname	b. fn	c. font	d. face
Q150. Is width="1	00" and width="100%" the	same?	
a. No	b. Yes		
Q151. What are <	div> tags used for?		
a. To replace paragr	aphs. i.e. p tags		b. To logically divide the paragraphs
c. To logically divide	e the document		d. To provide space between tables
Q152. What is cell			
a. Used to separab. Used to set spa	te cell walls from their con	tents.	
c. Both a and b ab			
d. Used to provide	e width to a cell		
Q153. Can I play a	udios in HTML?		
a. No	b. Yes		
Q154. What attrib	oute is used to specify numb	per of rows?	
a. Rownum	b. Rownumb	c. rn	d. Rowspan
Q155. What are m	neta tags used for?		
	nation usually relevant to b		h engines.
•	formation usually relevant ormation about search eng		
•	ation about external links	illes.	
O156 How can we	e resize the image?		
a. Using resize attrib		b. Using height	and width



c. Using size attribute		d. Using rs att	ribute		
Q157. For Frames in HT a. Using &	ML, how do you specif b. Using \$	y the rest of the c. Using *	screen? d. Using #		
Q158. bgcolor is an attr a. True	bute of body tag				
a. 114C	o. 1 disc	CS	SS		
Q1. Which of the follo a. CSS is used to contr b. You can write CSS o c. All of the above.	ol the style of a web	t CSS? document in a	simple and easy way.		
b. CSS can store web a	ontent to be optimize applications locally w	ed for more the		; and better overall perfo	ormance
Q3. Which of the follo	wing is a component b. Property	of CSS style ru c. Value	ule? d. All of the ak	oove.	
Q4. Which of the follo a. The Type Selector c. The Descendant Selector	b. The	es all elements Universal Sele Class Selector	ector		
Q5. Which of the follo a. The Type Selector	wing selector match b. The Univer			ector d. The Class Sele	ector
Q6. Which of the follo	wing selector match b. The Univers	•		es inside a particular eler ector d. The Class Sele	
Q7. Which of the follo a. The Type Selector	_		ased on its class attribu c. The Descendant Selec		ector
Q8. Which of the follo a. The Id Selector	wing selector match b. The Unive		ased on its id? c. The Descendant Sele	ector d. The Class Sel	ector
Q9. How to apply a straction as the type selector with the ID selector w	r with, delimiter	b. Us	e the type selector with	.delimiter limiter Q10. Which prope	erty
Q10. applies a color to	text? b. foreground	l-color	c. background	-color d. color	



Web Programming Technologies eDAC Sept 21

	r tont-tamily property	y is valid?		
ı. Times New Roman,	serif b. " T i	imes New Roman", se	rif	
. Times New Roman;	serif;zz d. "Ti	imes New Roman"; "se	rif";	
Q12. What does the I				
a. Apply the style to a	a specific element	•	oply the style to all the elements	
d. Apply the style to a	group of elements	d. Ap	oply the style to elements of the same type	
Q13. Which of the fo	ollowing is a way to as	ssociate styles with you	ur HTML document?	
a. Embedded CSS - Tl	he <style> Element</td><td>b. Inline CSS</td><td>- The style Attribute</td><td></td></tr><tr><td>c. Both of the above</td><td>•</td><td>d. None of th</td><td>ne above.</td><td></td></tr><tr><td>Q14. Which of the fo</td><td>ollowing is a way to as</td><td>ssociate styles with you</td><td>ur HTML document?</td><td></td></tr><tr><td>a. External CSS - The</td><td>Element</td><td>b. Imported</td><td>l CSS - @import Rule</td><td></td></tr><tr><td>c. Both of the above</td><td>•</td><td>d. None of</td><td>the above.</td><td></td></tr><tr><td>Q15. Which of the fo</td><td>ollowing is a true abou</td><td>ut CSS style overriding?</td><td></td><td></td></tr><tr><td></td><td>eet takes highest pric</td><td>-</td><td>e any rule defined in tags or rules defined in</td><td>any</td></tr><tr><td>•</td><td></td><td>ulas dafinad in any avto</td><td>ornal style shoot file</td><td></td></tr><tr><td></td><td></td><td>les defined in any exte</td><td></td><td>: a d</td></tr><tr><td>-</td><td>two rules are not app</td><td></td><td>ity, and rules defined in this file will be appli e above.</td><td>eu</td></tr><tr><td>Q16. Which of the formal enclosing ele</td><td>_</td><td>easurement as a perce</td><td>ntage relative to another value, typically an</td><td></td></tr><tr><td>a. %</td><td>b. cm</td><td>c. em</td><td>d. ex</td><td></td></tr><tr><td>Q17. Which of the fo</td><td>ollowing defines a me</td><td>easurement in centime</td><td>ters?</td><td></td></tr><tr><td>a. %</td><td>b. cm</td><td>c. em</td><td>d. ex</td><td></td></tr><tr><td>Q18. Which of the fo</td><td>ollowing defines a rela</td><td>ative measurement for</td><td>the height of a font in em spaces?</td><td></td></tr><tr><td>a. %</td><td>b. cm</td><td>c. em</td><td>d. ex</td><td></td></tr><tr><td>Q19. Which of the fo</td><td>ollowing defines a me</td><td>asurement relative to</td><td>a font's x-height?</td><td></td></tr><tr><td>a. %</td><td>b. cm</td><td>c. em</td><td>d. ex</td><td></td></tr><tr><td>Q20. Which of the foll</td><td>owing defines a meas</td><td>surement in inches?</td><td></td><td></td></tr><tr><td>a. in</td><td>b.mm</td><td>c. pc</td><td>d. pt</td><td></td></tr><tr><td>Q21. Which of the foll</td><td>owing defines a meas</td><td>surement in millimetre</td><td>?</td><td></td></tr><tr><td>a. in</td><td>b. mm</td><td>c. pc</td><td>d. pt</td><td></td></tr><tr><td>Q22. Which of the fol</td><td>lowing defines a mea</td><td>surement in picas?</td><td></td><td></td></tr><tr><td>a. in</td><td>b. mm</td><td>c. pc</td><td>d. pt</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr></tbody></table></style>			

Q23. Which of the following defines a measurement in points?



a. in	b. mm	c. pc	d. pt	
Q24. Which of the	e following define d. vh	es a measurement in s	screen pixels? d. vmin	
a. px	a. vii	C. VVV	a. viiiiii	
Q25. Which of the	e following define	es 1% of viewport hei	=	
a. px	b. vh	C. VW	d. vmin	
	digitsRR represer	rect about Hex Code f nt a red value.		are a green valueGG.
a. This is a shorter b. In this format, e value.	r form of the six-o	rect about Short Hex digit notation. cated to arrive at an expression of the cated by a pound of the c	equivalent six-digit	colors?
d. All of the abov	=			
a. This color value b. This property to c. The value can b d. All of the abo Q29. Which of the a. These are 216 c b. These colors va	e is specified using akes three values be an integer betwoe. If following is correctly are solors which are solors to use becolor palette.	rect about RGB Values g the rgb property. , one each for red, gr ween 0 and 255 or a p rect about Browser Sa supposed to be most le 000000 to FFFFFF. ause they ensure tha	een, and blue. percentage. afe Colors? safe and computer	
d. All of the above	S .			
Q30. Which of the a. background-co		rty is used to set the und-image c. back		of an element? d. background-position
Q31. Which of the a. background-co		rty is used to set the und-image c. back	background image kground-repeat	of an element? d. background-position
Q32. Which of the a. background-col		= -	the repetition of ar ckground-repeat	n image in the background? d. background-position
Q33. Which of the a. background-co		= -	the position of an i ackground-repeat	mage in the background? d. background-position
		-	_	image in the background?



Web Programming Technologies eDAC Sept 21

Q35. Which of the for properties?	ollowing property is us	ed as a shorthand to spec	ify a number of otl	her background
a. background-attach	ment b. backgrou	nd c. background-re	epeat d. ba	ckground-position
Q36. Which of the fo	ollowing property is us b. font-style	ed to change the face of a c. font-variant		nt-weight
Q37. Which of the fo	bllowing property is us b. font-style	eed to make a font italic or c. font-variant	r oblique? d. font-weigh	nt
Q38. Which of the fo	ollowing property is us b. font-style	eed to create a small-caps c. font-variant d.	effect? . font-weight	
Q39. Which of the fo		ed to increase or decrease c. font-variant	e how bold or light d. font-weigh	
Q40. Which of the fo	ollowing property is us b. font	ed to increase or decrease c. font-variant	e the size of a font d. font-weigh	
Q41. Which of the fo	ollowing property is us b. font	ed as shorthand to specify c. font-variant	y a number of othe d. font-weigh	• •
Q42. Which of the fol a. color	llowing property is use b. direction	ed to set the color of a tex c. letter-spacing	t? d. word-spac	cing
Q43. Which of the foll a. color	owing property is use b. direction	d to set the text direction c. letter-spacing	? d. word-spa	cing
Q44. Which of the f	ollowing property is u	sed to add or subtract spa	ce between the le	tters that make up a
a. color	b. direction	c. letter-spacing	d. word-spa	acing
Q45. Which of the fo	ollowing property is us b. direction	ed to add or subtract space c. letter-spacing		ords of a sentence? ord-spacing
Q46. Which of the fo	ollowing property is us b. text-align	ed to add or subtract space c. text-decoration		ords of a sentence? kt-transform
Q47. Which of the fo	ollowing property is us text-alignc	ed to align the text of a do c. text-do	ocument? ecoration	d. text-transform
Q48. Which of the fo	ollowing property is us	sed to underline, overline,	and strikethrough	text?

c. text-decoration d. text-transform

a. text-indent

b. text-align



Q49. Which of the f a. text-indent	following property is u b. text-align	sed to capitalize text o c. text-decoration	r convert text to uppero d. text-transfo	
Q50. Which of the fa. white-space	following property is u b. text-shado		and formatting of text at-decoration d. text	t? t-transform
Q51. Which of the fo . white-space	bllowing property is us b. text-shad	ed to set the text shad ow c. tex		t-transform
Q52. Which of the fo a. border	ollowing property is us b. height	ed to set the width of a c. width	an image border? d. moz-opacity	
Q53. Which of the fa. border	following property is u b. height	sed to set the height o	f an image? d. moz-opacity	
Q54. Which of the fa. border	following property is u b. height	sed to set the width of c. width	an image? d. moz-opacity	
Q55. Which of the fo . border	ollowing property is us b. height	ed to set the opacity o c. width		z-opacity
Q56. Which of the f	following property of a b. :visited	anchor element signit c. :hover	fies unvisited hyperlinks d. :act	
Q57. Which of the f	following property of a b . :visited	anchor element signit c. :hover	fies visited hyperlinks? d. :act	ive
	following property of a hovering over it?	anchor element signif	fies an element that cur	rently has the user's
a. :link	b. :visited	c. :hover	d. :act	tive
Q59.Which of the fo	ollowing property of a	anchor element signif	ies an element on which	n the user is currently
a. :link	b. :visited	c. :hover	d. :act	ive
		at touch each other or	es whether the browser whether each cell shou ption-side	
Q61. Which of the f	following property of a	table element specific	es the width that should	l appear between table
a. :border-collapse	b. :border-spac	ing c.:caption-si	ide d. :empty-cells	S
Q62. Which of the fa.:border-collapse	following property of a b. :border-spaci		ls the placement of the dide d :empty-co	•



Web Programming Technologies eDAC Sept 21

Q63. Which of the fol	llowing property of a tab	le element specifies whet	her the border should be shown if a cell is
a. :border-collapse	b. :border-spacing	c. :caption-side	d. :empty-cells
using the first w			rs to speed up layout of a table by Dlumn rather than having to load the
a. :table-layout	b. :border-spacing	c. :caption-side	d. :empty-cells
Q65. Which of the fol	llowing property specifie b. :border-style	s the color of a border? c. :border-width	d. :border-bottom-color
	llowing property specifie r possible values?	s whether a border should	d be solid, dashed line, double line, or
a. :border-color	b. :border-style	c. :border-width	d. :border-bottom-color
Q67. Which of the fol a. :border-color	llowing property specifie b. :border-style	s the width of a border? c. :border-width	d. :border-bottom-color
Q68. Which of the fol a. :border-color	llowing property changes b. :border-style	s the color of bottom bord c. :border-width	ler? d.:border-bottom-color
Q69. Which of the fol a. :border-top-color		s the color of top border? or c. :border-right-colo	or d. :border-bottom-color
Q70. Which of the fol a. :border-top-color	llowing property changes b. :border-left-colo	s the color of left border? or c. :border-right-co	olor d. :border-bottom-color
Q71. Which of the fol a. :border-top-color	llowing property changes b. :border-left-color	s the color of right border c. :border-right-colo	
Q72. Which of the fol a. :border-bottom-st		s the style of bottom bord p-style c. :border-left-	
Q73. Which of the fol a. :border-bottom-st		s the style of top border? tyle c. :border-left-st	yle d. :border-right-style
Q74. Which of the fol a. :border-bottom-sty		s the style of left border? cyle c. :border-left-st	t yle d.:border-right-style
Q75. Which of the fol a. :border-bottom-sty	= : : : =	s the style of right border? e c. :border-left-style	
Q76. Which of the fol	llowing property changes	s the width of bottom bore	der?

c.:border-left-width

a.:border-bottom-width

b.:border-top-width

d.:border-right-width



Web Programming Technologies eDAC Sept 21

	following property cha width b. :border-to	anges the width of top bor p-width c. :border-lef		lth
Q78. Which of the tall a. :border-bottom-		anges the width of left bortop-width c. :borde	der? r-left-width d. :border-right-v	width
Q79. Which of the tall a. :border-bottom-	= : : :	anges the width of right bo pp-width c. :border-left-		
Q80. Which of the declaration?	following property spe	ecifies a shorthand proper	ty for setting the margin properti	es in one
a. :margin	b. :margin-bottom	c. :margin-top	d. :margin-left	
Q81. Which of the tale : margin	following property spe b.:margin-bottom	ecifies the bottom margin c. :margin-top	of an element? d. :margin-left	
	following property spe b. :margin-bottom	ecifies the top margin of ance: :margin-top	n element? d. :margin-left	
	following property spe o. :margin-bottom	ecifies the left margin of ance c. :margin-top	n element? d. :margin-left	
	following property spe b. :margin-bottom	ecifies the right margin of a	an element? d. :margin-left	
Q85. Which of the tall a. list-style-type		ows you to control the sha c. list-style-image	pe or appearance of the marker	of a list?
with the first line o	r start underneath the	e start of the marker of a li		uld align
a. list-style-type	b. list-style-position	c. list-style-image	d. list-style	
	following property spe b. list-style-position	_	arker rather than a bullet point on d. list-style	numberí
Q88. Which of the fa. list-style-type	following property ser b. list-style-position	ves as shorthand for the n c. list-style-image	narker properties? d. list-style	
Q89. Which of the a. marker-offset	following property sp b. list-style-position	ecifies the distance betwo c. list-style-image	een a marker and the text in the d. list-style	list?
Q90. Which of the factor a. padding-bottom	•	ecifies the bottom padding c. padding-left	g of an element? d. padding-right	
Q91. Which of the tall a padding-bottom	•	ecifies the top padding of a	an element? d. padding-right	



Q92. Which of the following prope a. padding-bottom b. padding-t		g of an element? d. padding-ri	σht
a. padamig bottom b. padamig t	c. padding icit	u. padamg m	Bc
Q93. Which of the following prope a. padding-bottom b. padding		ng of an element? d. padding-	right
Q94. Which of the following prope a. padding b. padding-to-	-	the padding properties d. padding-right	?
Q95. Which of the following value a. crosshair b. default	of cursor shows it as crossho c. pointer	air or plus sign? d. move	
Q96. Which of the following value a. crosshair b . default		ow? d. move	
Q97. Which of the following value a. crosshair b. default		ing hand? move	
Q98. Which of the following value a. crosshair b. default		oar? nove	
Q99. What does CSS stand for? . Creative Style Sheets . Cascade Style Sheets	b. Computer Style Sheets e. Colorful Style Sheets	c. Cascading Style Sl	neets
Q100. Where in an HTML documer In the <body> section</body>		·	heet?
. At the end of the document . In the <head> section</head>		op of the document head and body	
Q101. Which HTML tag is used to ca. css b. text/style	define an internal style sheet c. style	t? d. script	
		u. script	
Q102. Which HTML attribute is use font b. styles	c. css d. text	e. style	
Q103. Which is the correct CSS syn a. body {color: black} b. body		or=black(body} d. {b	ody;color:black}
Q104. How do you insert a comme a. /*this is a comment */ b. 'th		is a comment// b. ,	//this is a comment
Q105. Which property is used to cl	_		



a. all.h1 {backgrounb. h1.all {backgrouncc. h1 {backgroundcc.	d-color:#FFFFFF}	for all " <h1>" ele</h1>	ements?		
Q107. How do you o	change the text color of	an element?			
a. text-color:	b. color:	c. text-color=	d	. font-color:	
Q108. Which CSS pr a. font-style	operty controls the tex b. text-style		d	. text-size	
Q109. What is the case a. p {text-size:bold}	orrect CSS syntax for m b. p {font-wei		elements bold? c. style:bold	d. p{font	:bold}
Q110. How do you on a. a {decoration:no urc. a {underline:none}	-	out an underline? ext-decoration:no ext-decoration:no	underline}		
Q111. How do you ra. text-transform:up b. text-transform:cac. You can't do that	apitalize	xt start with a cap	oital letter		
Q112. How do you ch a. fon-face:	nange the font of an ele b .font-family		. f: d	. font-style:	
Q113. How do you r a. font:b	make the text bold? b. style:bold	c. font-w	veight:bold		
border = 20 pa. border-width:10px		= 1pixel? b. borde	er-width:10px 1	рх 5рх 20рх	·
c. border-width:10p	x 5px 20px 1px	d. border	-width:5px 20p	x 10px 1px C	(115.
Q115. How do you da. padding:	change the left margin of b. indent:	of an element? c. margin:	d. text-in	dent:	e. margin-left:
	space between the elector use negative values? b. No	ement's border ar	nd content, you	use the pado	ding property, but are
Q117. How do you ra. type: square	make a list that lists its b. list-style-type: squa		es? ype: square	d. style-list:	square
	orrect HTML for referri	_	-		



Web Programming Technologies eDAC Sept 21

b. <style <stylesheet="" c.="" src="m">n</th><th>nainstyle.css</s</th><th>•</th><th>مالمعالم معالم</th><th></th></tr><tr><td>a. <iink uri="styl</td><td>esneet" type="</td><td>text/css" href="m</td><td>iainstyle.css"></td><td></td></tr><tr><td>Q119. What is the a.p {font-weight. <p style="text-page" </td><td>it:bold}</td><td>b. p {t</td><td>all the elements bold ext-size:bold} style="font-size:bold"></td><td>?</td></tr><tr><td>Q120. How do y a. text-transform</td><td></td><td></td><td>t with a capital letter? orm:uppercase c.</td><td>You can't do that with CSS</td></tr><tr><td>a. Dreamweaver</td><td>r, GoLive or Fro Ided or docum</td><td>ntPage ent level and exte</td><td>e sheets with a web page</td><td></td></tr><tr><td>Q122. Which of a. In-Line styles</td><td>the following s b. Extern</td><td>tyles is recommer al styles</td><td>nded? c. Embedded styles</td><td>d. Multiple styles</td></tr><tr><td>Q113. In what for a. selector { propose. selector (propose.</td><td>erty: value }</td><td>les presented?</td><td>b. selector { prod. selector (pro</td><td></td></tr><tr><td></td><td>ector should yo Class</td><td>u use when apply c.Type</td><td>ing a style to multiple elen d. Any of the abo</td><td></td></tr><tr><td></td><td></td><td></td><td>PHP</td><td></td></tr><tr><td></td><td>Preprocessor</td><td></td><td>Processor c. Pre Hyper ay to begin and end a PHP c. <?php ?></td><td></td></tr><tr><td>a. It converts theb. It returns Truc. If the two valued. It bases its co</td><td>em to a common e only if they a ues are strings, mparison on th</td><td></td><td>a type and then compares ne type and value cal comparison on exclusively</td><td>the resulting values</td></tr><tr><td>Q4. Variables alv a. Pond-sign</td><td>•</td><td>a in PHP . Yen-sign</td><td>c. Dollar-sign</td><td>d. Euro-sign</td></tr><tr><td>Q5. What is the the following UF</td><td></td><td>l when the follow t.php?c=25</td><td>ing is executed? Assume tl</td><td>nat the code was executed using</td></tr></tbody></table></style>
--

function process(\$c, \$d = 25)



```
{
   global $e;
   \text{$retval} = \text{$c + $d - $GET['c'] - $e;}
 return $retval;
   }
   e = 10;
   echo process(5);
   ?>
   a. 25
                        b. -5
                                               c. 10
                                                                      d. 5
                                                                                     e. 0
 Q6. PHP is an open source software
                                    b. False
 a. True
 Q7. Which of the following is not valid PHP code?
                                                                     d. $10_somethings
                                                                                                 e. $aVaR
a. $ 10
                        b. ${"MyVar"}
                                               c. &$something
 Q8.PHP runs on different platforms (Windows, Linux, Unix, etc.)
 a. True
                       b. False
 Q9. Array values are keyed by _____ values (called indexed arrays) or using _
                                                                                         values (called associative
 arrays). Of course, these key methods can be combined as well.
 a. Float, string
                                       b. Positive number, negative number
c. Even number, string
                                       d. String, Boolean
                                                                                     e. Integer, string
 Q10. What will the following script output?
      <?php
      $array = array (1, 2, 3, 5, 8, 13, 21, 34, 55);
      sum = 0;
                    for ($i =
 0; $i < 5; $i++) {
      $sum += $array[$array[$i]];
      echo $sum;
      ?>
                       b. 19
  a. 78
                                             c. NULL
                                                                  d. 5
                                                                                     e. 0
 Q11. What elements will the following script output?
      $array = array (true => 'a', 1 => 'b');
       Var dump ($array);
       ?>
    a. 1 => 'b'
                                                   c. 0 => 'a', 1 => 'b'
                                                                                          e. It will output NULL
                      b. True => 'a', 1 => 'b'
                                                                              d. None
```

- Q12. There are three different kind of arrays:
- a. Numeric array, String array, Multidimensional array
- b. Numeric array, Associative array, Dimensional array
- c. Numeric array, Associative array, Multidimensional array
- d. Const array, Associative array, Multidimensional array



•		array in ascending orde ctions would you use?	r by value while p	reserving key associati	ons
a. ksort()	b. asort()	c. krsort()	d. sort()	e. usort()	
	n computes the diffe	•	al al:66 a		
a. array_diff	b. diff_array	c. arrays_diff	d. diff_array	/s	
	ns count elements in	•			
a. count	b. Sizeof	c. Array_Count	d. Count	:_array	
a. An array with prb. An array with prc. An array with prd. An array with ke	operties of that objourned operties of that arra operties of that obje		ents. nts.	l.("Hello World");	
Q18. What is the co	orrect way to end a I	PHP statement?			
a. New Line	b. ;		.		
Q19.The PHP synta a. VBScript	x is most similar to: b. JavaScript	c. Perl and	С		
Q20.How do you go a. Request.Form;	et information from b. \$_GET[];	a form that is submitted c. Request.Q		method?	
Q21. When using to a. False	he POST method, the b. True	e variables are displaye	d in the URL:		
Q22. In PHP you ca a . True	n use both single qu b. False	otes (' ') and double q	uotes (" ") for str	ings:	
Q23. Include files n a. True	nust have the file ex	tension ".inc"			
a. <% include file=	"time.inc" % >		clude_file("time.i	•	
c. php require("ti</td <td>me.inc");</td> <td>d. <!-- incl</td--><td>ude file= "time.ind</td><td>c"></td><td></td></td>	me.inc");	d. incl</td <td>ude file= "time.ind</td> <td>c"></td> <td></td>	ude file= "time.ind	c">	
Q25.What is the coa. create myFunction	orrect way to create and the street way to create a str	a function in PHP? inction myFunction()	c. function	myFunction()	
Q26. What is the co	•	he file "time.txt" as rea b. open("time.txt");			



Web Programming Technologies eDAC Sept 21

c. fopen("time.txt", "r");		fopen("time.txt", "r+	");	
Q27. PHP allows you to se a. False b . True	end emails directly fro	om a script		
Q28. What is the correct va. \$count++; b.+		count variable? Scount = +1	d. count+ +;	
Q29. What is a correct wa	y to add a comment	in PHP?		
a. <comment><td>t> b. /**/</td><td>c. **</td><td>d. <!-- --></td><td></td></comment>	t> b. /**/	c. **	d.	
Q30.PHP can be run on M a. True b . Fa		(Internet Information	ı Server):	
Q31. Which of the followinga. PHP is a recursive acronyrb. PHP is a server side scriptic. It is used to manage dyna above.	m for "PHP: Hypertext F ing language that is em	bedded in HTML.	build entire e-commerce sites. d. A l	ll of the
Q32. Which of the followin	_			
			open, read, write, and close them. u email you can send data, return data to	o the
c. You add, delete, modify e	lements within your da	tabase thru PHP. d	. All of the above.	
Q33. Which of the followi a. PHP can access cookies b. Using PHP, you can resi It can encrypt data. d. All of the above .	variables and set co	okies.	ebsite. c.	

Q34. Using which of the following way can you embed PHP code in an HTML page?

a. <?php PHP code goes here ?>

b. <? PHP code goes here ?>

c. <script language="php"> PHP code goes here </script>

d. All of the above.

Q35. Which of the following is true about php.ini file?

- a. The PHP configuration file, php.ini, is the final and most immediate way to affect PHP's functionality.
- b. The php.ini file is read each time PHP is initialized.
- c. Both of the above.
- d. None of the above.

Q36. Which of the following is true about php.ini file?

- a. The PHP configuration file, php.ini, is the final and most immediate way to affect PHP's functionality.
- b. The php.ini file is read each time PHP is initialized.
- c. Both of the above.
- d. None of the above.



Web Programming Technologies eDAC Sept 21

Q37. Is PHP whitespace				
a. false	b. true			
Q38. Is PHP case sens	itive?			
a. false	b. true			
Q39. Which of the following	lowing is true about	t php variables?		
a. All variables in PHP	are denoted with a	leading dollar sign (\$).		
b. The value of a varia	ble is the value of it	ts most recent assignment.		
c. Variables are assign evaluated on the rig	•	ator, with the variable on th	e left-hand side and the ex	pression to be
d. All of the above.				
Q40. Which of the following	lowing is true about	t php variables?		
	_	leclared before assignment.		
b. Variables in PHP do store a number or a		cypes - a variable does not k rs.	now in advance whether it	will be used to
c. Both of the above.				
d. All of the above.				
Q41. Which of the following	lowing type of varia	bles are whole numbers, wi	thout a decimal point, like	4195?
a. Integers	b. Doubles	c. Booleans	d. Strings	
Q42. Which of the following	lowing type of varia	bles are floating-point num	bers, like 3.14159 or 49.1?	
a. Integers	b. Doubles	c. Booleans	d. Strings	
Q43. Which of the following	lowing type of varia	bles have only two possible	values either true or false?)
a. Integers	b. Doubles	c. Booleans	d. Strings	
Q44. Which of the following	lowing type of varia	bles are special type that or	nly has one value: NULL?	
a. Strings	b. Doubles	c. Booleans	d. NULL	
O45. Which of the following	lowing type of varia	bles are sequences of chara	cters, like 'PHP supports st	ring operations.'?
a. Strings	b. Arrays	c. Objects	d. Resources	G specialist
046 Which of the following	lowing type of varia	bles are named and indexed	d collections of other value	c 2
a. Strings	b. Arrays	c. Objects	d. Resources	5 :
	_			
		bles are instances of progra		
a. Strings	b. Arrays	c. Objects	d. Resources	
		bles are special variables tha	at hold references to resou	rces external to
PHP (such as database	•		d Bass	
a. Strings	b. Arrays	c. Objects	d. Resources	

Q49. Which of the following is correct about variable naming rules?



Web Programming Technologies eDAC Sept 21

b. A variable name can	consist of number	r or underscore character. s, letters, underscores. , (,) . & , etc in a variable na	me. d. All of the abo	ove.
a. If the value is a numberb. If the value is a string otherwise.c. Values of type NULL	per, it is false if exa g, it is false if the st	out determine the "truth" of actly equal to zero and true o cring is empty (has zero char	otherwise.	, ,
d. All of the above.				
a. If the value is an arra a value means having a	ly, it is false if it cor a member variable rue (although som ssful).	out determine the "truth" of ntains no other values, and it that has been assigned a va e functions that return resou	is true otherwise. For an olue.	object, containing
Q52. Which of the follo a. NULL is a special type b. The special constant c. Both of the above .	e that only has one NULL is capitalized		it is case insensitive.	
	een assigned NULL	out NULL? Levaluates to FALSE in a Boo Lreturns FALSE when tested d. None of the above.		
	, you do not need	out constants? to have a constant with a \$. t and string) can be containe d. None of the above.		
Q55.Which of the followa. array_reverse()	wing function retu b. array_search()	rns selected parts of an array c. array_shift()	y? d. array_slice()	
Q56. Which of the follo a. array_sum()	wing function retu b. array_splice()	irns the sum of the values in c. array_udiff()	an array? d. array_udiff_ass	oc()
Q57.Which of the followa. extract()	wing function chec b. in_array()	ks if a specified value exists c. key()	in an array? d. krsort()	
Q58. Singly quoted strii	ngs are treated aln	nost literally, whereas doubl	y quoted strings replace v	ariables

with their values as well as specially interpreting certain character sequences. a. true

false

b.



Web Programming Technologies eDAC Sept 21

	as specially interpreting cert b. false		strings replace variables
Q60. How will you conca a. Using . operator.	tenate two strings? b. Using + operator.	c. Using add() function	d. Using append() function
continue execution.	-	e require() function generat	es a warning but the script will
a. true	b. false		
Q62. If there is any probl continue execution.	em in loading a file then the	e include() function generat	es a warning but the script will
a. true	b. false		
Q63. Which of the follow a. fopen()	ving function opens a file? b. fread()	c. filesize()	d. file_exist()
Q64. Which of the follow a. fopen()	ring function is used to read b. fread()	the content of a file? c. filesize()	d. file_exist()
Q65. Which of the follow a. fopen()	ring function is used to get to b. fread()	he size of a file? c. filesize()	d. file_exist()
Q66. Which of the follow a. fopen()	ring function is used to check b. fread()	k if a file exists or not? c. filesize()	d. file_exist()
Q67. Can you assign the a. true	default values to a function b. false	parameters?	
Q68.Which of the follow a. setcookie() function	ing is used to set cookies? b. \$_COOKIE variable	c. \$HTTP_COOKIE_VARS	S variable d. isset() function
Q69. Which of the follow a. getcookie() function	ving is used to get cookies? b. \$_COOKIE variable	c. isset() function	d. None of the above.
Q70. Which of the follow a. getcookie() function	ving is used to check that a c b. \$_COOKIE variable	ookie is set or not? c. isset() function	d. None of the above.
Q71. Which of the follow a. setcookie() function	ving is used to delete a cooki b. \$_COOKIE variable	ie? c. isset() function	d. None of the above.
Q72. Which of the follow	ring is used to create a session	on?	

c. isset() function

b. \$_SESSION[]

a. session_start() function

d. session_destroy() function



Web Programming Technologies eDAC Sept 21

Q73. Which of the following is used to access session variables in PHP? a. session_start() function
Q74. Which of the following is used to check if session variable is already set or not in PHP? a. session_start() function b. \$_SESSION[] c. isset() function d. session_destroy() function
Q75. Which of the following is used to destroy the session? a. session_start() function b. \$_SESSION[] c. isset() function d. session_destroy() function
Q76. Which of the following provides access to the uploaded file in the temporary directory on the web server? a. \$_FILES['file']['tmp_name'] b. \$_FILES['file']['name'] c. \$_FILES['file']['size'] d. \$_FILES['file']['type']
Q77. Which of the following provides the actual name of the uploaded file? a. \$_FILES['file']['tmp_name'] b. \$_FILES['file']['name'] c. \$_FILES['file']['size'] d. \$_FILES['file']['type']
Q78.Which of the following provides the size of the uploaded file in PHP? a. \$_FILES['file']['tmp_name'] b. \$_FILES['file']['name'] c. \$_FILES['file']['size'] d. \$_FILES['file']['type'] Q79. Which of the following provides content type of the uploaded file in PHP? a. \$_FILES['file']['tmp_name'] b. \$_FILES['file']['name'] c. \$_FILES['file']['size'] d. \$_FILES['file']['type']
Q79. Which of the following is correct about constants? a. To define a constant you have to use define() function. b. To retrieve the value of a constant, you have to simply specify its name. c. Both of the above. d. None of the above.
XML
Q1. What does XML stand for?
a. Example Markup Language b. X-Markup Language
c. extensible Markup Language d. eXtra Modern Link
Q2. There is a way of describing XML data, how? a. XML uses a DTD to describe the data b. XML uses a description node to describe data c. XML uses XSL to describe data
Q3. XML's goal is to replace HTML
a. False b. True
Q4. What is the correct syntax of the declaration which defines the XML version?
a. <xml version="1.0"></xml> b. xml version= "1.0"/ c. xml version = "1.0"?

b. Direct Type Definition

Q5. What does DTD stand for? a. Dynamic Type Definition



Web Programming Technologies eDAC Sept 21

d. Do the Dance c. Document Type Definition Q6. Is this a "well formed" XML document? <?xml version= "1.0"?> <note> <to>Tove</to> <from>Jani</from> <heading>Reminder</heading> <body>Don't forget me this weekend!</body> </note> a. No b.Yes Q7. Is this a "well formed" XML document? <?xml version= "1.0"?> <to>Tove</to> <from>Jani</from> <heading>Reminder</heading> <body>Don't forget me this weekend!</body> a. No Q8. Which statement is true? a. All XML documents must have a DTD b. All XML elements must be lower case c. All XML elements must be properly closed d. All the statements are true Q9. Which statement is true? a. XML tags are case sensitiv b. XML documents must have a root tag d. All the statements are true c. XML elements must be properly nested Q10. XML preserves white spaces b. False a. True Q11. Is this a "well formed" xml document? <?xml version= "1.0"?> <note> <to age= "29">Tove</to> <from>Jani</from> </note> a. Yes b. No Q12. Is this a "well formed" xml document? <?xml version= "1.0"?> <to age= 29>Tove</to> <from>Jani</from> </note>

b. No

a. Yes



Web Programming Technologies eDAC Sept 21

Q13. XML elements cannot be empty a. False b. True			
Q14. Which is not a correct name for a a. <note> b. All 3 names are</note>		c. <1 dollar>	. <h1></h1>
Q15. Which is not a correct name for a a. <name> b. <first name=""></first></name>	n XML element? c. <age></age>	d. All 3 names ar	re incorrect
Q16. Which is not a correct name for a a. <xmldocument> b. <phone num<="" th=""><th>an XML document? ber> c. All 3 name</th><th>s are incorrect d. <7el</th><th>even></th></phone></xmldocument>	an XML document? ber> c. All 3 name	s are incorrect d. <7el	even>
Q17. XML attribute values must always a. False b. True	s be enclosed in quo	otes	
Q18. What does XSL stand for? a. eXtra Style Language c. eXpandable Style Language	b. eXtensible d. eXtensible	Style Listing Stylesheet Language	
Q19. What is a correct way of referring a. <stylesheet <="" href="text/xsl" text="" th="" type="text/xsl" xsl"="" =""><th>nystyle.xsl"/> xsl" /></th><th></th><th></th></stylesheet>	nystyle.xsl"/> xsl" />		
Q20. For the XML parser to ignore a ce correct?			
a. <cdata> Text to be ignored c. <xml:cdata[]="" be="" ignored="" text="" to=""></xml:cdata[></cdata>		CDATA[Text to be ignor	
Q21. Which statement is true? a. All the statements are true c. All XML elements must be lower case		(ML elements must have IML documents must have	
Q22. Is it easier to process XML than H a. Yes b. No	TML? c. Sometimes	d. Can	t say
Q23. Which of the following programs a. Internet Explorer 5.5 b. Netsca	• •	IL applications? c. RealPlayer. d. both 1	L and 2
Q24. Kind of Parsers are a. well-formed b. well-documente	ed c. non- \	validating and validating	d. none of the above
Q25. Well formed XML document mea	ns		

a. it contains a root elementb. it contain an element



Web Programming Technologies eDAC Sept 21

- c. it contains one or more elements
- d. must contain one or more elements and root element must contain all other elements
- Q26. Comment in XML document is given by
- a. <?-- -->

b. <!-- --!>

- c. <!-- -->
- d. </-- -- >

- Q27. Which of the following strings are a correct XML name?
- a. _myElement
- b. my Element
- c. #myElement
- d. None of the above

- Q28. Which of the following XML fragments are well-formed?
- a. <?xml?>

- b. <?xml version="1.0"?>
- c. <?xml encoding="JIS"?>
- d. <?xml encoding="JIS" version="1.0"?>
- Q29. Valid XML document means (most appropriate)
- a. the document has root element
- b. the document contains atleast one or more root element
- c. the XML document has DTD associated with it & it complies with that DTD
- d. Each element must nest inside any enclosing element property
- Q30. XML uses the features of
- a. HTML

b. XHTML

- c. VML
- d. SGML
- Q31. Which of the following XML documents are well-formed?
- a. <firstElement>some text goes here
- <secondElement>another text goes here</secondElement>
- </firstElement>
- b. <firstElement>some text goes here</firstElement>
 - <secondElement> another text goes here</secondElement>
- c. <firstElement>some text goes here
- <secondElement> another text goes here</firstElement>
- </secondElement>
- d. </firstElement>some text goes here
- </secondElement>another text goes here<secondElement>
- <firstElement>
- Q32. To use the external DTD we have the syntax
- a. <?xml version="1.0" standalone="no"?> <! DOCTYPE DOCUMENT SYSTEM "order.dtd"?>
- b. <?xml version="1.0" standalone="yes"?> <! DOCTYPE DOCUMENT SYSTEM "order.dtd"?>
- c. <?xml version="1.0" standalone="no"?> <! DOCTYPE DOCUMENT "order.dtd"?>
- d. <?xml version="1.0" standalone="yes"?> <! DOCTYPE DOCUMENT SYSTEM "order.dtd"?>
- Q33. The syntax for parameter entity is
- a, <! ENTITY % NAME DEFINITION>
- b. < ENTITY % NAME DEFINITION>
- c. <! ENTITY \$ NAME DEFINITION>
- d. < ENTITY % NAME DEFINITION>
- Q34. Which of the following XML fragments are well-formed?



<pre>a. <myelement myattribute="someValue"></myelement> c. <myelement myattribute="someValue"></myelement></pre>	<pre>b. <myelement myattribute="someValue/"> d. <myelement <!doctype="" c.="" dtd="" file="" myattribute="someValue'/></pre></td></tr><tr><td>Q35. how to include external dtd in xml file a. <!DOCTYPE rootnode SYSTEM " name="" of="" rootnode="" src="name of dtd file"></myelement></myelement></pre>	b. childnode SYSTEM "name of dtd file" d. SYSTEM "name of dtd file"
	JSON	
Q1. JSON stands for a. java source object notes b. javascript object		
Q2.JSON is a. language and platform independent b. language dependent and platform independent c. language independent and platform dependent		
Q3. Json is used to a. Transfer data as key value pair b. Transfer of	data as image c. Transfer data as arraylist d. None	
Q4.To send data as Jason in php we use a. json_encode(); b. encode_json()	c. parsejson d. none	
Q5.To read json data received from server javasca. parseJSON(); b. parseHTML();	cript use c. parseOBJECT() d. none	
	AJAX	
Q1. Using AJAX we can make our web page a. More inactive and faster b. Easy to co c. more dynamic d. none	onnect web page with server	
Q2. XML Http Request object is a part of a. W3C andard b. DOM Level 3	c. both 1 and 2 d. none	
Q3. AJAX is combination of a. java+css+DOM+x	xml c. avascript+css+DOM+XMLHttpRequest	
Q4. What is AJAX? a. AJAX = Asynchronous JavaScript and XML. c. AJAX = Asynchronous JavaScript and HTML	b. AJAX = Asynchronous rquest and XML.d. None	
Q5. Ajax request pass through total how many r a. 5 b. 4	readystate c. 3 d. none	
Q6. which Ajax property is used to read data from		



a. responseText	b. responsete	ext	c. responsedata	d. none	
Q7. Which method of a. send	of Ajax hit server b. Hit	c. Go	d. none		
		Web Se	ecurity		
Q1. What is XSS sta a. Cross Site Scripti		b. Extended	site security	c. None	
	ly targets scripts embe er than on the server-		which are executed	on the client-side (in the use	er's
a. XSS	er tilali oli tile server-	b. SQL Inject	ion	c. None	
	h fraudsters imperson n credentials is called	ate a legitimate	e company and attem	npt to steal people's persona	al
a. Phishing email	ir credentials is called	b. SQL Inject	ion	c. None	
aSQL Injection a. Insecure Direct (b. Cross-Site Requ c. Broken Authent	est Forgery cation and Session Masure to stop unauthor control.	anagement rized access to o b. Bus	documents is: iness continuity/disa kup/restore.	ster recovery.	
Q6. What is an exa	ample of vulnerabilitie b) Cross-site		programs and enviro	onments? d) none of the ab	ove
Q7. CSRF is stand a) Cross-Site Reque c) Cascading script f	st Forgery	,	required format	Is called	
a) SQL injection	b) Cross-Site F	Request Forgery	c) None		
Q9. Phishing is form a) Spamming	of b) Identity The	eft c) Im	personation		
Q10. Sniffing is used t a) Passive stac		ive stack	c) None		
Q11. What is the best a) Threat	statement for taking b) Attack	advantage of a	weakness in the secu c) Vulnerab		



Web Programming Technologies eDAC Sept 21

UI

- 1) Which of the following is correct about Bootstrap?
- a. Bootstrap is a sleek, intuitive, and powerful, mobile first front-end framework for faster andeasier web development.
- b. It uses HTML, CSS and Javascript.
- c. Bootstrap was developed by Mark Otto and Jacob Thornton at Twitter.
- d. All of the above.
- 2) Which of the following is correct about Bootstrap?
- a. Bootstrap's responsive CSS adjusts to Desktops, Tablets and Mobiles.
- b. Provides a clean and uniform solution for building an interface for developers.
- c. It contains beautiful and functional built-in components which are easy to customize.
- d. All of the above.
- 3) Which of the following is a part of Mobile First Strategy of Bootstrap?
- a. Content: Determine what is most important.
- b. Layout: Design to smaller widths first. Base CSS address mobile device first; media queriesaddress for tablet, desktops.
- c. Progressive Enhancement: Add elements as screen size increases.
- d. All of the above.
- 4) Which of the following is correct about Bootstrap Grid System?
- a. Rows must be placed within a .container class for proper alignment and padding.
- b. Use rows to create horizontal groups of columns.
- c. Content should be placed within the columns, and only columns may be the immediate childrenof rows.
- d. All of the above.
- 5) Which of the following is correct about Bootstrap Grid System?
- a. Predefined grid classes like .row and .col-xs-4 are available for quickly making grid layouts. LESSmixins can also be used for more semantic layouts.
- b. Columns create gutters (gaps between column content) via padding. That padding is offset inrows for the first and the last column via negative margin on .rows.
- c. Grid columns are created by specifying the number of twelve available columns you wish tospan. For example, three equal columns would use three .col-xs-4.
- d. All of the above.
- 6) Which of the following is correct about Bootstrap Media Query?
- a. It simply applies some CSS, based on certain conditions set forth. If those conditions are met, the style is applied.
- b. Both of the above.
- c. None of the above.
- 7) Which of the following is correct about Bootstrap Media Query?
- a. Media queries have two parts, a device specification and then a size rule.
- b. Media Queries in Bootstrap allow you to move, show and hide content based on the viewportsize. c.



Web Programming Technologies eDAC Sept 21

Both of the above.

- d. None of the above.
- 8) Which of the following is correct about Bootstrap Mobile First Strategy?
- a. You need to add the viewport meta tag to the element, to ensure proper rendering and touch zooming on mobile devices.
- b. width property controls the width of the device. Setting it to device-width will make sure that it is rendered across various devices (mobiles,desktops,tablets...) properly.
- c. initial-scale=1.0 ensures that when loaded, your web page will be rendered at a 1:1 scale, andno zooming will be applied out of the box.
- d. All of the above.
- 9) Which of the following is correct about Bootstrap Responsive Images?
- a. Bootstrap 3 allows you to make the images responsive by adding a class ..img-responsive to the <.img> tag.
- b. ..img-responsive class applies max-width: 100%; and height: auto; to the image so that itscales nicely to the parent element.
- c. Both of the above.
- d. None of the above.
- 10) Which of the following is correct about Bootstrap cross browser consistency?
- a. Bootstrap uses Normalize to establish cross browser consistency.
- b. Normalize.css is a modern, HTML5-ready alternative to CSS resets.
- c. Normalize.css is a small CSS file that provides better cross-browser consistency in the defaultstyling of HTML elements.
- d. All of the above.
- 11) Which of the following class styles a table as a nice basic table with just some light padding and horizontal dividers?
- a. table
- b. table-striped
- c. table-bordered
- d. table-hover
- 12) Which of the following class styles a table as a nice basic table with stripes on rows?
- a. table
- b. table-striped
- c. table-bordered
- d. table-hover
- 13) Which of the following class styles a table with borders surrounding every element and rounded corners around the entire table?
- a. table
- b. table-striped
- c. table-bordered
- d. table-hover
- 14) Which of the following class styles a table with a light gray background to rows while the cursor hovers over them?
- a. table
- b. table-striped
- c. table-bordered
- d. table-hover
- 15) Which of the following class applies the hover color to a particular row or cell of a table?
- a. active
- b. success

c. warning

- d. danger
- 16) Which of the following class indicates a successful or positive action?
- a. active
- b. success

c. warning

d. danger



Web Programming Technologies eDAC Sept 21

17) Which of the fo	ollowing class indicates a	a warning that might n	eed attention?
a. active	b. success	c. warning	d. danger
18) Which of the fo	ollowing class indicates a	a dangerous or potenti	ally negative action?
a. active	b. success	c. warning	d. danger
19) Which of the fo	ollowing class can be use	ed to create a responsi	ve table?
a. table-responsive	b . responsive	c. active	d. table
20) Which of the fo	ollowing is the default la	yout of a bootstrap for	rm?
a. vertical	b. inline	c. horizontal	d. None of the above.
21) Which of the fo	ollowing class is required	d to be added to form t	ag to make it inline?
a. inline	b. form-inline	c. horizontal	d. None of the above.
22) Which of the fo	ollowing class is required	d to be added to form t	ag to make it horizontal?
a. horizontal	b. form-horizontal	c. horizontal	d. None of the above.
23) Which of the fo	ollowing is true about bo	ootstrap help text?	
•	controls can have a blo		·
c. Both of the abo	dth block of content, us	e the .help-block after	the <input/> .
d. None of the abo			
24) Which of the fo	allowing bootstrap stylo	of button croates a do	fault/ standard button?
	n-primary	c. btn-success	d. btn-info
25) Which of the fo	llowing bootstrop style	of button provides out	era visual weight and identifies the primary
action in a set of	_	of button provides ext	ra visual weight and identifies the primary
a.btn b. bt	n-primary	c. btn-success	d. btn-info

c. btn-success

b. btn-primary