

Search syntax

About {{ instance_name }}

Deep Search Manual

Deep Search Manual

Deep Search Manual

Deep Search expands a single query into multiple targeted sub-queries, runs them in parallel across SearXNG's engines, merges the results, and returns a richer result set. It is designed for research-heavy tasks such as gathering public company data.

What Deep Search does

When enabled, Deep Search automatically generates complementary queries from your original query. For company or business searches, it targets common public data points such as:

- incorporation / registration details
- public contact information: emails, phone numbers
- financials: turnover, revenue, profit, loss
- organization data: headcount, locations, subsidiaries
- corporate filings: annual reports, shareholder data
- professional profiles: LinkedIn, Glassdoor, Crunchbase
- official web presence: homepage, press releases, careers page

Results from all sub-queries are merged and deduplicated before being presented.

How to enable Deep Search

From the web UI

- Use the **Deep search** toggle on the search page, or append `&deep=true` to the search URL.

- Example: `/search?q=Infosys&deep=true`

From the API

- Send `?deep=true` along with your normal search parameters.
- Example: `/api/search?q=Infosys&deep=true&apikey=YOUR_KEY`

How it behaves

- The original query is always preserved.
- Expansion is best-effort: if no targeted sub-queries apply, Deep Search falls back to the normal search.
- Engine selection, language, safesearch, time range, and categories are preserved across all sub-queries.
- Results are merged using SearXNG's existing deduplication logic.

Tips for company data scraping

- Start with the **full legal company name** for best expansion quality.
- Add location context when relevant: `Infosys Bangalore` or `Infosys headquarters`.
- Use category filters to narrow noisy results: `general`, `news`, `it`.
- Combine with time range filters to target recent filings or press releases.
- If a sub-query returns too many irrelevant results, refine the original query before expanding.

Performance notes

- Deep Search increases total request volume because multiple queries run in parallel.
- Some engines may rate-limit or timeout on repeated sub-queries.
- If you see missing results, try reducing categories or increasing the timeout with `<5` syntax.
- For bulk or automated lookups, prefer the API and respect the configured rate limits.

No tracking · No profiling · Your query stays private