

Incident Summary

1)Title Of the Incident

IPS:- RDP Microsoft Remote Desktop Protocol Server
WebSocketServer Usage (Ticket No:-CS-0292)

2)Incident Details

- **Receive Time:** - 4/24/2025 11:33
- **Source IP:** -
- **Destination IP:** -
- **Threat Name:** - RDP: Microsoft Remote Desktop Protocol Server
WebSocketServer Usage
- **Action Taken:** - Blocked
- **Severity:** - Critical
- **User:** - NA
- **Direction:** - Inbound

3)Description Of Incident

On 24 April 2025 at 11:33, the Intrusion Prevention System (IPS) detected and blocked an RDP Microsoft Remote Desktop Protocol WebSocketServer usage attempt targeting the internal host. The alert was classified as **Critical**, and all associated inbound traffic was blocked by the IPS to prevent unauthorized access.

4)Investigation Summary

During the investigation, the source IP was verified against the organization's asset management records and confirmed **not to belong** to any internal asset.

Threat intelligence checks on AbuseIPDB revealed that the IP has a **100% malicious reputation**, associated with ISP **O.M.C. Computers & Communications Ltd**, located in **Stockholm, Sweden**.

The destination IP corresponds to (Server 2019, HR Department, managed by the Team), which is active and operational.

Splunk Findings:

- **Firewall:** 5 events recorded, all **allowed**.

- **IPS:** 6 events recorded, all **blocked** with the threat name *RDP: Microsoft Remote Desktop Protocol Server WebSocketServer Usage*.
- **WAF:** 1,124 events recorded — **806 allowed (71.7%)** and **318 blocked (28.3%)**. Threat categories included *Brute Force Attack (31.7%)*, *Cross-Site Scripting (29.2%)*, *Remote Code Execution (22%)*, and *Directory Traversal (17.1%)*. Most HTTP methods used were **GET (84.7%)**, followed by **PUT (8%)** and **POST (7.3%)**.

These findings indicate that the malicious IP engaged in multiple attack vectors across different services, attempting RDP exploitation along with various web application attacks, targeting multiple internal hosts.

5)Action Taken

The source IP _____ was immediately blocked at the IPS level to prevent further RDP exploitation attempts. A firewall rule was created to deny inbound traffic from this IP across all services.