```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
</head>
<body>
    <header>Form concept</header>
    <main>
        <form action="/C:\Users\rutur\OneDrive\Desktop\action.php">
            Basic
            <input>
            <br>
            Text
            <input type="text">
            <br>
            Password
            <input type="password">
            <br>
            Number
            <input type="number">
            <br>
            Time
            <input type="time">
            <br>
            Colour
            <input type="color">
            <br>
            Username
            <input type="text" placeholder="enter your Username">
```

```html
<br>
Password
<input type="password" placeholder="enter your password">
<br>
<label>
    Username
    <input type="text" placeholder="enter your Username">
</label>
<br>
<label>
    Password
    <input type="password" placeholder="enter your password">
</label>
<br>
<label for="Username">Username :-</label>
<input type="text" placeholder="enter your Username" id="Username">
<br>
<label for="Password">Password :-</label>
<input type="password" placeholder="enter your Password" id="Password">
<br>
<label for="Age">Age :-</label>
<input type="age" placeholder="enter your age" id="Age">
<br>
<div>
    <label for="Username1">Username :-</label>
    <input type="text" placeholder="enter your Username" id="Username1">
</div>
<br>
<div>
    <label for="Password1">Password :-</label>
    <input type="password" placeholder="enter your Password" id="Password1">
```

```html
    </div>

    <br>

    <div>

      <label for="Age1">Age :-</label>

      <input type="age" placeholder="enter your age" id="Age1" name="hjverv">

    </div>

    <br>

    <button type="submit"> click1 </button>

    <button>Server</button>

  </form>

  <br>

  <input type="submit" value="click2" name="submit">

</main>

<footer>end</footer>

</body>

</html>
```

Output :

☐ **Header**: A header titled "Form concept."

☐ **Form Section**: Multiple form inputs displayed vertically, including:

- A "Basic" input field with no type specified (default text input).

- A "Text" input field.

- A "Password" input field.

- A "Number" input field.

- A "Time" input field.

- A "Colour" input field.

- A "Username" input field with a placeholder text.

- A "Password" input field with a placeholder text.

- A labeled "Username" input field.

- A labeled "Password" input field.

- A labeled "Age" input field.

⬜ **Additional Inputs**:

- Inputs wrapped within <label> tags for "Username" and "Password."

- Inputs inside a <div> element for "Username1," "Password1," and "Age1."

- The "Age1" input has an additional name="hjverv" attribute.

⬜ **Buttons**:

- A button labeled "click1" that submits the form.

- A button labeled "Server" that doesn't have any specified action.

- A submit button labeled "click2" outside the form, which is typically used to submit the form.

⬜ **Footer**: A footer with the text "end."