







MICRO USB CN TYPE-B




I/O Power SW JP



Note) "XX" stands for NM


| | | | | | | | | | |
|------------------------|--|--|------------|-------------------|-------|-----------------|--------------------|------------------|---------------------------|
| 3 X | | | | GENERAL TOLERANCE | | | | DATE OF ISSUE | |
| 2 X | | | | | | | | DOCUMENT TYPE | |
| 1 X | | | | | | | | CIRCUIT DIAGRAM | |
| HISTORY X COUNT | | | | RELEASE NO. | | | | TOLERANCING | |
| | | | | DATE | | | | ISO 8015 | |
| LEGAL OWNER | | | | | | | | MATERIAL (COLOR) | |
| | | | | | | | | FINISH (COLOR) | |
| | | | | | | | | 2019.12.23 | |
| RESPONSIBLE DEPARTMENT | | | | | | SIZE | UNIT | ORIGINAL MODEL | DESCRIPTION (E) |
| | | | | | | A3 | mm | SPRESENSE | LTE Board (CXD5602PWBLM1) |
| PLANNED BY | | | CHECKED BY | APPROVED BY | SCALE | TENTATIVE MODEL | | DESCRIPTION (J) | |
| | | | | | | | | | |
| DRAWN BY | | | | | | PRJ.METHOD | TENTATIVE PART NO. | | PART NO. |
| | | | | | | | | | SHEET/PAGES |
| | | | | | | | | | 1 / 7 |




ALL resistors are in ohms, unless otherwise noted.

ALL capacitors are in uF(p.pF) unless otherwise noted.

| | | |
|----------------|---------------------------|-------------|
| ORIGINAL MODEL | SPRESENSE | |
| DESCRIPTION | LTE Board (CXD5602PWBLM1) | |
| PART NO. | 2019.12.23 | SHEET 3 / 7 |





| | | |
|----------------|---------------------------|-------|
| ORIGINAL MODEL | SPRESENSE | |
| DESCRIPTION | LTE Board (CXD5602PWBLM1) | |
| PART NO. | 2019.12.23 | SHEET |
| | | 5 / 7 |

