EARKE QUANT 3.0

Weekly Investment Report

Von Linck Capital Management · Private Research Memorandum

2026-03-09	2	6.2%	3	0
AS OF DATE	POSITIONS	INVESTED	ENTRY ALERTS	EXIT ALERTS

AUM €50M

■ ACTION REQUIRED THIS WEEK

RF US: 4.25% · RF EU: 2.79%

CONFIDENTIAL — For authorised recipients only. All decisions require human review.

Executive Dashboard

2
TOTAL POSITIONS

6.2%
INVESTED

93.8%
CASH

3
ENTRY SIGNALS



Current Portfolio Holdings

Ticker	Bucket	Weight	Composite	Physical	Quality	Crowding	Kelly 25%	Status
LMT	defense	3.7%	0.797	0.999	1.000	0.202	—	**HOLD**
ANET	ai_infra	2.5%	0.620	0.999	1.000	0.380	—	**HOLD**

Cash reserve: **93.8%** · Max per position: 8% · Max per bucket: 35%



Signal Deep Dive — Portfolio Holdings

Radar charts decompose each position into its five EARKE signal dimensions. All axes: 0 (worst) → 1 (best). Anti-Crowding = 1 – X_C.





Signal Sub-Component Breakdown

ROIC–WACC: quality spread (hard gate at 0). Margin SNR: gross-margin stability (higher = better). Inf.Conv.: inflation anti-fragility (∂GM/∂PPI). Autocorr Δ / Abs.Δ: Critical Slowing Down indicators.

Ticker	ROIC–WACC	Margin SNR	Inf.Conv.	Δρ■ (CSD)	Abs.Δ (CSD)	ETF Corr
LMT	22.36%	10.0×	—	-0.508	-0.0071	0.000
ANET	23.92%	47.5×	—	-0.123	-0.0071	0.000

This Week's Actions

Positions to Exit

No exit signals triggered.

New Entry Candidates

Ticker	Composite	Quality	Crowding	μ_base
LMT	0.797	1.000	0.202	28.2%
ANET	0.620	1.000	0.380	22.8%
RHM.DE	0.406	0.654	0.378	15.0%

Watch List — Crowding Elevated

Watch list is clear.

Universe Scanner — Top 15 Candidates

Ranked by composite score (X_E × X_P × (1–X_C)). Entry = YES requires composite ≥ 0.30 and crowding ≤ 0.40.

#	Ticker	Composite	μ_base	Quality	Crowding	Entry
1	LMT	0.797	28.2%	1.000	0.202	YES
2	ANET	0.620	22.8%	1.000	0.380	YES
3	ENR.DE	0.590	20.5%	1.000	0.410	—
4	KLAC	0.512	19.6%	1.000	0.487	—
5	ASML	0.503	19.4%	1.000	0.496	—
6	NVDA	0.497	19.2%	1.000	0.503	—
7	RHM.DE	0.406	15.0%	0.654	0.378	YES
8	CEG	0.232	11.2%	0.305	0.241	—
9	VRT	0.199	10.2%	0.627	0.683	—
10	FCX	0.148	8.7%	0.193	0.232	—
11	GLEN.L	0.074	5.0%	0.151	0.508	—
12	XYL	0.058	6.0%	0.163	0.645	—
13	AWK	0.017	4.8%	0.031	0.448	—
14	CCJ	0.016	4.7%	0.022	0.275	—
15	RR.L	0.000	2.8%	0.000	0.637	—

Physical (X_E) omitted — it is market-wide and identical across all stocks (0.999 this week).

FX & Capital Flows



FX Pair Returns

Sector Flow Heatmap



Country Capital Flows (EUR-adjusted)

Region	Index	4W EUR	13W EUR	Flow Direction
US	SPY	+4.99%	+3.38%	inflow
CA	EWC	-7.52%	+0.36%	outflow
EU	EXW1.DE	-2.13%	+14.05%	inflow

Portfolio Implications

- SECTOR_INFLOW: EU|defense (+1.00), US|defense (+1.00), CA|defense (+1.00)
- SECTOR_OUTFLOW: EU|grid (-1.00), EU|nuclear (-1.00), US|nuclear (-1.00)
- COUNTRY_US_INFLOW (4W EUR-adj=4.99%)
- COUNTRY_CA_OUTFLOW (4W EUR-adj=-7.52%)
- COUNTRY_EU_INFLOW (4W EUR-adj=-2.13%)

Macro Context & Risk Parameters



Risk-Free Rates & Macro Context

Region / Series	Value	Interpretation
US 10Y Risk-Free Rate	4.25%	WACC baseline for US equity
EU 10Y Risk-Free Rate	2.79%	WACC baseline for EU equity
CA 10Y Risk-Free Rate	3.85%	WACC baseline for CA equity
PPIENG (latest index)	175.4	US Energy Producer Price Index (level)
PPIENG ECS percentile rank	2.7%	Position in 37-month window (■ spec: 60m — wider history needed)
X_E — EROEI logistic signal	0.999	1=max EROEI advantage, 0=energy-cost cliff

Kelly & Constraint Parameters

Parameter	Value	Description
Kelly fraction	25%	Fractional Kelly multiplier (epistemic discount)
Max position	8%	Per-stock cap — Goodhart immunity
Max bucket	35%	Megatrend concentration cap
Min position	2%	Below this → position dropped
Cash reserve	10%	Minimum liquidity buffer
Entry threshold	0.30	Composite score required for entry
Crowding entry max	0.40	Maximum X_C at entry (crowding gate)
Crowding exit	0.75	X_C ≥ this → mandatory exit
Quality exit	0.25	X_P ≤ this → mandatory exit
Impact scaling c	1.0	Universal Square-Root Law constant (Bouchaud)

EARKE Module Implementation Status

Module	Spec Component	Status
I — Kausales Gedächtnis	CD-NKBF · bitemporale t_e/t_k · Ghost States	PARTIAL
II — Deterministischer Anker	X_E · X_P · X_C · μ_base (Eq. 4–7)	COMPLETE

Module	Spec Component	Status
III — Hybrider Motor	UDE · Deep Ensembles · σ^2_epist (Eq. 8–9)	DEFERRED
IV — Kontrafaktisches Labor	PI-SBDM · Lévy diffusion · minimax λ^* (Eq. 10)	DEFERRED
V — Hard-Capacity Kelly	Full Eq. 12 · Not-Aus · AUM-Asymptote	PARTIAL

Generated by EARKE Quant 3.0 on 2026-03-09. Paradigm: Minimax-Robust Control under Non-Ergodicity. P(Ruin) = 0 is a hard constraint. This document is PRIVATE & CONFIDENTIAL.