

보건복지부 고시 제2024-178호

「국민건강보험법」 제41조제3항 및 제4항, 「국민건강보험 요양급여 기준에 관한 규칙」 제5조제2항에 따라 「요양급여의 적용기준 및 방법에 관한 세부사항」 (보건복지부 고시 제2024-155호(2024. 7. 26.))을 다음과 같이 개정·발령합니다.

2024년 8월 28일
보건복지부장관

「요양급여의 적용기준 및 방법에 관한 세부사항」 일부개정

요양급여의 적용기준 및 방법에 대한 세부사항 일부를 다음과 같이 개정한다.

II. 약제 “[114] 편두통 치료제, [629] Palivizumab 주사제(품명: 시나지스주 등)”의 세부인정기준 및 방법의 일부를 별지 2와 같이 변경한다.

부 칙

이 고시는 2024년 9월 1일부터 시행한다.

- 1 -

변경대비표

[별지 2]

[114] 해열, 진통, 소염제			
구 분	세부인정기준 및 방법		사유
	현 행	개 정(안)	
[114] 편두통 치료제	허가사항 범위 내에서 아래와 같은 기준으로 투여 시 요양급여를 인정하며, 동 인정기준 이외에는 약값 전액을 환자가 부담토록 함. - 아 래 - 가. 대상 1) 전조증상이 없는 편두통 2) 중등(Moderate) 또는 중증(Severe) 편두통 3) 심한 오심이나 구토, 수명(광선공포증), 고성(소음)공포증 등이 수반되는 편두통 나. 용량: 허가사항 범위 내에서 인정하며, 다만, <u>Sumatriptan succinate</u> 는 1일 200mg, Zolmitriptan는 1일 5mg까지 인정함.	허가사항 범위 내에서 아래와 같은 기준으로 투여 시 요양급여를 인정하며, 동 인정기준 이외에는 약값 전액을 환자가 부담토록 함. - 아 래 - 가. (현행과 같음) 나. 용량: 허가사항 범위 내에서 인정하며, 다만, <u>Sumatriptan succinate 단일제</u> 는 1일 200mg, Zolmitriptan는 1일 5mg까지 인정함.	○ <u>Sumatriptan succinate</u> + Naproxen sodium 복합제(품명: 수백스정)가 등재 예정임에 따라 교과서, 가이드라인, 임상 논문, 학회(전문가) 의견 등을 참조하여 대상 약제에 경구제 중 복합제를 추가하여 해당 약제의 성분 조합을 명시하여 급여 기준 개정함.

[114] 해열, 진통, 소염제			
구 분	세부인정기준 및 방법		사유
	현 행	개 정(안)	
	※ 대상 약제 <u><추 가></u> Almotriptan, Frovatriptan, Naratriptan, Sumatriptan succinate, Zolmitriptan <u><추 가></u>	※ 대상 약제 <u>[경구제 중 단일제]</u> Almotriptan, Frovatriptan, Naratriptan, Sumatriptan succinate, Zolmitriptan <u>[경구제 중 복합제]</u> <u>Sumatriptan succinate + Naproxen sodium</u>	
※ 관련근거 · Harrison's Principle of Internal Medicine, 21e(2022) · 통증의학 5판(2018) · Goldman cecil medicine(2023) · Conn's Current therapy(2024) · Headaches in over 12s:diagnosis and management(2021), NICE · 두통진료지침(2017), 한국정신신체학회 · The Acute Treatment of Migraine in Adults: The American Headache Society Evidence Assessment of Migraine Pharmacotherapies., <i>Headache</i> 2015;55:3-20. AHS(2015) · Guideline for primary care management of headache in adults. Canadian Family Physician·Le Médecin de famille canadien Vol 61: august·août 2015.CHS(2015) · 편두통진료지침 제2판(2009), 대한두통학회 · Acute Migraine Headache: Treatment Strategies. American Family Physician. 2018;97(4):243-251. · Migraine Acute Therapies: Acute treatment of migraine improves daily function and reduces associated disability and risk of transformation to chronic migraine(2019). PRACTICAL NEUROLOGY. · Sumatriptan-Naproxen for Acute Treatment of Migraine. Jan Lewis Brandes et al. JAMA. 2007;297:1443-1454.			

[114] 해열, 진통, 소염제			
구 분	세부인정기준 및 방법		사유
	현 행	개 정(안)	
	· Multimechanistic(sumatriptan-naproxen) early intervention for the acute treatment of migraine. S. D. Silberstein et al. Neurology 2008;71:114-121. · Sumatriptan/naproxen sodium for the acute treatment of probable migraine without aura: A randomized study.Stephen Silberstein et al. Cephalalgia 2014, Vol. 34(4) 268 - 279.		

[629] 기타의 화학요법제			
구 분	세부인정기준 및 방법		사유
	현 행	개 정(안)	
[629] Palivizumab 주사제 (품명 사나지스주 등)	허가사항 범위 내에서 아래와 같은 기준으로 투여 시 요양급여를 인정하며, 동 인정 기준 이외에는 약값 전액을 환자가 부담토록 함. - 아 래 - 가. 투여대상 1) 호흡기세포융합바이러스(RSV; Respiratory Syncytial Virus) 계절(10월-3월) 시작 시점에 다음 중 하나에	허가사항 범위 내에서 아래와 같은 기준으로 투여 시 요양급여를 인정하며, 동 인정 기준 이외에는 약값 전액을 환자가 부담토록 함. - 아 래 - 가. 투여대상 1) 호흡기세포융합바이러스(RSV; Respiratory Syncytial Virus) 계절(10월-3월) 시작 시점에 생후 6개월 이하	○ 국내·외 허가사항, 교과서, 가이드라인, 임상논문, 학회(전문가)의견 등을 참조하여 RSV 계절 출생이면서 손위형제 또는 손위자매가 없는 재태기간 36주 미만으로 태어난 소아에 급여 확대함. ○ 허가사항을 반영하여

[629] 기타의 화학요법제			
구 분	세부인정기준 및 방법		사유
	현 행	개 정(안)	
	해당하는 경우 - 다 음 - 가) 생후 6개월 이하(당해 4월1일 이후 출생)이면서 재태기간 32주 미만(31주+6일)으로 태어난 소아 나) 다음 감염 위험인자를 모두 만족하는 재태기간 36주 미만(35주+6일)으로 태어난 소아 (1) RSV 계절(10-3월) 출생 (2) 1명 이상의 순위형제 또는 순위자매가 있는 경우 2) (생 략) 3) (생 략) 나. (생 략)	<u>이면서</u> 다음 중 하나에 해당하는 경우 - 다 음 - 가) 당해 4월 1일 이후 출생이면서 재태기간 32주 미만(31주+6일)으로 태어난 소아 나) 당해 RSV 계절(10월-3월) 출생이면서 재태기간 36주 미만(35주+6일)으로 태어난 소아 (1) <삭 제> (2) <삭 제> 2) (현행과 같음) 3) (현행과 같음) 나. (현행과 같음)	‘생후 6개월 이하’ 문구의 위치 변경을 통해 내용을 명확히 함.
※ 관련근거 · Fanaroff and Martin’s Neonatal-Perinatal Medicine, 11e, 2020 > Chapter 50. Viral Infections in the Neonate · Nelson Textbook of Pediatrics, 21e, 2020 > Chapter 287. Respiratory Syncytial Virus · Mandell, Douglas, and Bennett’s Principles and Practice of Infectious Diseases, 9e, 2020 > Chapter 158. Respiratory Syncytial Virus			

[629] 기타의 화학요법제			
구 분	세부인정기준 및 방법		사유
	현 행	개 정(안)	
			· Feigin and Cherry’s Textbook of Pediatric Infectious Diseases, 8e, 2019 > Chapter 182. Respiratory Syncytial Virus · Caserta MT, et al. Palivizumab Prophylaxis in Infants and Young Children at Increased Risk of Hospitalization for Respiratory Syncytial Virus Infection. Pediatrics. 2023 Jul 1;152(1):e2023061803. · Okada K, et al. The Working Group for Revision of "Guidelines for the Use of Palivizumab in Japan": A Committee Report. Pediatr Int. 2020 Nov;62(11):1223-1229. · Luna MS, et al. Expert consensus on palivizumab use for respiratory syncytial virus in developed countries. Paediatr Respir Rev. 2020 Feb;33:35-44. · Reeves RM, et al. A Systematic Review of European Clinical Practice Guidelines for Respiratory Syncytial Virus Prophylaxis. J Infect Dis. 2022 Aug 12;226(Suppl 1):S110-S116. · Garegnani L, et al. Palivizumab for preventing severe respiratory syncytial virus (RSV) infection in children. Cochrane Database Syst Rev. 2021 Nov 16;11(11):CD013757. · Notario G, et al. Respiratory syncytial virus related hospitalization in premature infants without bronchopulmonary dysplasia: subgroup efficacy analysis of the Impact-RSV trial by gestational age group. Pediatric Health Med Ther. 2014;5:43 - 48 · Krilov LR, et al. Severity and Cost of RSV Hospitalization Among US Preterm Infants Following the 2014 American Academy of Pediatrics Policy Change. Infect Dis Ther. 2021 Mar;10(Suppl 1):27-34.