

```
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ ls
Desktop  Downloads  Pictures  snap      Videos
Documents Music      Public    Templates
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ cd/Documents
bash: cd/Documents: No such file or directory
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ cd Documents/
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents$ mkdir new
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents$ ls
new one practice Training
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents$
```

```
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ ls
Desktop  Downloads  Pictures  snap      Videos
Documents Music      Public    Templates
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ cd/Documents
bash: cd/Documents: No such file or directory
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ cd Documents/
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents$ mkdir new
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents$ ls
new  one  practice  Training
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents$ cd new
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/new$ touch newfile.txt
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/new$ ls
newfile.txt
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/new$
```

```
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ ls
Desktop  Downloads  Pictures  snap      Videos
Documents Music      Public    Templates
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ cd/Documents
bash: cd/Documents: No such file or directory
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ cd Documents/
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents$ mkdir new
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents$ ls
new one practice Training
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents$ cd new
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/new$ touch newfile.txt
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/new$ ls
newfile.txt
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/new$ touch .hiddenfile.txt
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/new$ ls -a
.  .. .hiddenfile.txt newfile.txt
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/new$
```

```
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ ls
Desktop  Downloads  Pictures  snap      Videos
Documents Music      Public    Templates
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ cd/Documents
bash: cd/Documents: No such file or directory
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ cd Documents/
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents$ mkdir new
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents$ ls
new one practice Training
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents$ cd new
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/new$ touch newfile.txt
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/new$ ls
newfile.txt
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/new$ touch .hiddenfile.txt
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/new$ ls -la
.  .. .hiddenfile.txt newfile.txt
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/new$ chmod 700 .hiddenfile.txt
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/new$ ls -la
.  .. .hiddenfile.txt newfile.txt
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/new$ ls -l
total 0
-rw-rw-r-- 1 rx-prateekd rx-prateekd 0 Feb 21 18:49 newfile.txt
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/new$ ls -la
total 8
drwxrwxr-x 2 rx-prateekd rx-prateekd 4096 Feb 21 18:50 .
drwxr-xr-x 6 rx-prateekd rx-prateekd 4096 Feb 21 18:37 ..
-rwx----- 1 rx-prateekd rx-prateekd  0 Feb 21 18:50 .hiddenfile.txt
-rw-rw-r-- 1 rx-prateekd rx-prateekd  0 Feb 21 18:49 newfile.txt
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/new$
```



```
. .. .hiddenfile.txt newfile.txt
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/new$ chmod 700 .hiddenfile.txt
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/new$ ls -la
. .. .hiddenfile.txt newfile.txt
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/new$ ls -l
total 0
-rw-rw-r-- 1 rx-prateekd rx-prateekd 0 Feb 21 18:49 newfile.txt
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/new$ ls -la
total 8
drwxrwxr-x 2 rx-prateekd rx-prateekd 4096 Feb 21 18:50 .
drwxr-xr-x 6 rx-prateekd rx-prateekd 4096 Feb 21 18:37 ..
-rwx----- 1 rx-prateekd rx-prateekd 0 Feb 21 18:50 .hiddenfile.txt
-rw-rw-r-- 1 rx-prateekd rx-prateekd 0 Feb 21 18:49 newfile.txt
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/new$ mv .hiddenfile.txt /Home/Desktop
mv: cannot move '.hiddenfile.txt' to '/Home/Desktop': No such file or directory
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/new$ cd~
Command 'cd~' not found, did you mean:
  command 'cdo' from deb cdo (2.0.0-rc2-1)
  command 'cdb' from deb tinycdb (0.78build1)
  command 'cd5' from deb cd5 (0.1-4)
  command 'cdi' from deb cdo (2.0.0-rc2-1)
  command 'cde' from deb cde (0.1+git9-g551e54d-1.2)
  command 'cdp' from deb irpas (0.10-8ubuntu1)
  command 'cdw' from deb cdw (0.8.1-1build5)
Try: sudo apt install <deb name>
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/new$ cd ~
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ ls
Desktop Documents Downloads Music Pictures Public snap Templates Videos
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ mv/Documents/new/.hiddenfile.txt/cd ~/Desktop
bash: mv/Documents/new/.hiddenfile.txt/cd: No such file or directory
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ mv/home/rx-prateekd/Documents/new/.hiddenfile.txt home/rx-prateekd/Desktop
bash: mv/home/rx-prateekd/Documents/new/.hiddenfile.txt: No such file or directory
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ ls
Desktop Documents Downloads Music Pictures Public snap Templates Videos
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ cd /Documents/new
bash: cd: /Documents/new: No such file or directory
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ cd documents
bash: cd: documents: No such file or directory
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ cd Documents/new
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/new$ mv .hiddenfile.txt /home/rx-prateekd/Desktop
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/new$ cd ~
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ cd Desktop
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Desktop$ ls -la
. .. .hiddenfile.txt
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Desktop$
```

```
.. .hiddenfile.txt
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Desktop$ mkdir ques7
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Desktop$ ls
ques7
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Desktop$ cd ques7
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Desktop/ques7$ touch abc.txt,bcs.txt,bvc.txt
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Desktop/ques7$ ls
abc.txt,bcs.txt,bvc.txt
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Desktop/ques7$ cd.
Command 'cd.' not found, did you mean:
  command 'cd5' from deb cd5 (0.1-4)
  command 'cdw' from deb cdw (0.8.1-1build5)
  command 'cdb' from deb tinycdb (0.78build1)
  command 'cdi' from deb cdo (2.0.0-rc2-1)
  command 'cde' from deb cde (0.1+git9-g551e54d-1.2)
  command 'cdo' from deb cdo (2.0.0-rc2-1)
  command 'cdp' from deb irpas (0.10-8ubuntu1)
Try: sudo apt install <deb name>
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Desktop/ques7$ cd .
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Desktop/ques7$ cd ..
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Desktop$ deldir ques7
deldir: command not found
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Desktop$ rmdir ques7
rmdir: failed to remove 'ques7': Directory not empty
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Desktop$ rmdir -r ques7
rmdir: invalid option -- 'r'
Try 'rmdir --help' for more information.
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Desktop$ man rmdir
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Desktop$ hepl -rmdir
Command 'hepl' not found, did you mean:
  command 'sepl' from deb sepia (0.992-7)
  command 'repl' from deb mailutils-mh (1:3.11.1-5)
  command 'repl' from deb mmh (0.4-4)
  command 'repl' from deb nmh (1.7.1-7)
Try: sudo apt install <deb name>
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Desktop$ help -rmdir
bash: help: -r: invalid option
help: usage: help [-dms] [pattern ...]
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Desktop$ help rmdir
bash: help: no help topics match `rmdir'. Try `help help' or `man -k rmdir' or `info rmdir'.
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Desktop$ man rmdir
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Desktop$ rm -r ques7
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Desktop$ ls
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Desktop$ ls
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Desktop$
```



rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2: ~



```
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ groupadd ques8
```

```
groupadd: Permission denied.
```

```
groupadd: cannot lock /etc/group; try again later.
```



```
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ sudo groupadd ques8
```

```
[sudo] password for rx-prateekd:
```

```
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$
```






```
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ sudo useradd -g ques8 -d home username
useradd: invalid home directory 'home'
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ sudo useradd -g ques8 -d /home username
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ cd~
Command 'cd~' not found, did you mean:
  command 'cdo' from deb cdo (2.0.0~rc2-1)
  command 'cdp' from deb irpas (0.10-8ubuntu1)
  command 'cdi' from deb cdo (2.0.0~rc2-1)
  command 'cdb' from deb tinycdb (0.78build1)
  command 'cdw' from deb cdw (0.8.1-1build5)
  command 'cd5' from deb cd5 (0.1-4)
  command 'cde' from deb cde (0.1+git9-g551e54d-1.2)
Try: sudo apt install <deb name>
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ cd ~
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ ls
Desktop  Documents  Downloads  Music  Pictures  Public  snap  Templates  Videos
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ groups
rx-prateekd adm cdrom sudo dip plugdev lpadmin lxd sambashare
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ sudo groups
root
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ cd ..
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:/home$ groups
rx-prateekd adm cdrom sudo dip plugdev lpadmin lxd sambashare
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:/home$ sudo useradd -g ques8 -d /home username
useradd: user 'username' already exists
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:/home$ cat
```





rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2: ~



```
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ sudo usermod -a -G ques10 username
```

```
usermod: group 'ques10' does not exist
```

```
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ sudo usermod -a -G ques8 username
```

```
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ cat /etc/group
```

```
root:x:0:
```

```
daemon:x:1:
```

```
bin:x:2:
```

```
sys:x:3:
```

```
adm:x:4:syslog,rx-prateekd
```

```
tty:x:5:
```

```
disk:x:6:
```

```
lp:x:7:
```

```
mail:x:8:
```

```
news:x:9:
```

```
uucp:x:10:
```

```
man:x:12:
```

```
proxy:x:13:
```

```
kmem:x:15:
```

```
dialout:x:20:
```

```
fax:x:21:
```

```
voice:x:22:
```

```
cdrom:x:24:rx-prateekd
```

```
floppy:x:25:
```

```
tape:x:26:
```

```
sudo:x:27:rx-prateekd
```

```
audio:x:29:pulse
```

```
dip:x:30:rx-prateekd
```

```
www-data:x:33:
```

```
backup:x:34:
```

```
operator:x:37:
```

```
list:x:38:
```

```
irc:x:39:
```

```
src:x:40:
```

```
gnats:x:41:
```

```
shadow:x:42:
```

```
utmp:x:43:
```

```
video:x:44:
```

```
sasl:x:45:
```

```
plugdev:x:46:rx-prateekd
```

```
staff:x:50:
```

```
games:x:60:
```

```
users:x:100:
```

```
nogroup:x:65534:
```

```
systemd-journal:x:101:
```

```
systemd-network:x:102:
```

```
video:x:44:
sasl:x:45:
plugdev:x:46:rx-prateekd
staff:x:50:
games:x:60:
users:x:100:
nogroup:x:65534:
systemd-journal:x:101:
systemd-network:x:102:
systemd-resolve:x:103:
systemd-timesync:x:104:
crontab:x:105:
messagebus:x:106:
input:x:107:
sgx:x:108:
kvm:x:109:
render:x:110:
syslog:x:111:
tss:x:112:
bluetooth:x:113:
ssl-cert:x:114:
uidd:x:115:
tcpdump:x:116:
_ssh:x:117:
avahi-autoipd:x:118:
rtkit:x:119:
netdev:x:120:
avahi:x:121:
lpadmin:x:122:rx-prateekd
whoopsie:x:123:
sssd:x:124:
nm-openvpn:x:125:
scanner:x:126:saned
saned:x:127:
colord:x:128:
geoclue:x:129:
pulse:x:130:
pulse-access:x:131:
gdm:x:132:
lxd:x:133:rx-prateekd
rx-prateekd:x:1000:
sambashare:x:134:rx-prateekd
systemd-coredump:x:999:
ques8:x:1001:username
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$
```

```
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Desktop$ cd..  
cd..: command not found  
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Desktop$ cd ..  
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ cd Documents  
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents$ ls  
new one practice Training  
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents$ cd/new/  
bash: cd/new/: No such file or directory  
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents$ cd new  
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/new$ ln -s newfile.txt /home/rx-prateekd/Documents/ques10  
ln: failed to create symbolic link '/home/rx-prateekd/Documents/ques10': No such file or directory  
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/new$ ln -s newfile.txt /home/rx-prateekd/Documents/ques10  
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/new$ cd ..  
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents$ cd ques10  
bash: cd: ques10: No such file or directory  
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents$ cd ques10/  
bash: cd: ques10/: No such file or directory  
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents$ cd /ques10  
bash: cd: /ques10: No such file or directory  
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents$ cd ques 10  
bash: cd: too many arguments  
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents$ ln -s newfile.txt /home/rx-prateekd/Documents/ques10/  
ln: failed to create symbolic link '/home/rx-prateekd/Documents/ques10/': File exists  
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents$ ln -s newfile.txt /home/rx-prateekd/Documents/ques10/  
ln: failed to create symbolic link '/home/rx-prateekd/Documents/ques10/': No such file or directory  
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents$ ln -s newfile.txt /home/rx-prateekd/Documents/ques10/  
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents$ cd ques10  
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/ques10$ ls  
newfile.txt  
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/ques10$ ls -a  
.. newfile.txt  
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/ques10$ ls -l  
total 0  
lrwxrwxrwx 1 rx-prateekd rx-prateekd 11 Feb 21 19:20 newfile.txt -> newfile.txt  
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~/Documents/ques10$
```



```
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ top |grep firefox
```

```
27916 rx-prat+ 20 0 3346384 339964 189092 S 1.0 2.1 0:06.36 firefox
27916 rx-prat+ 20 0 3346384 340100 189220 S 1.0 2.1 0:06.39 firefox
27916 rx-prat+ 20 0 3344336 340036 189220 S 1.0 2.1 0:06.42 firefox
27916 rx-prat+ 20 0 3344336 340172 189220 S 0.7 2.1 0:06.44 firefox
27916 rx-prat+ 20 0 3344336 339704 189280 S 0.3 2.1 0:06.45 firefox
```

```
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ ps aux|grep firefox
```

```
rx-prat+ 27916 9.1 2.1 3344336 341852 ? SL 19:53 0:06 /snap/firefox/996/usr/lib/firefox/firefox
rx-prat+ 28077 0.0 0.2 202244 32580 ? SL 19:53 0:00 /snap/firefox/996/usr/lib/firefox/firefox -contentproc -parentBuildID 20220216211230 -prefsLen 1 -pr
efMapSize 253645 -appDir /snap/firefox/996/usr/lib/firefox/browser 27916 true socket
rx-prat+ 28107 1.4 0.7 2462108 127512 ? SL 19:53 0:01 /snap/firefox/996/usr/lib/firefox/firefox -contentproc -childID 1 -isForBrowser -prefsLen 139 -prefM
apSize 253645 -jsInitLen 279340 -parentBuildID 20220216211230 -appDir /snap/firefox/996/usr/lib/firefox/browser 27916 true tab
rx-prat+ 28236 0.5 0.6 2455788 100312 ? SL 19:53 0:00 /snap/firefox/996/usr/lib/firefox/firefox -contentproc -childID 3 -isForBrowser -prefsLen 5061 -pref
MapSize 253645 -jsInitLen 279340 -parentBuildID 20220216211230 -appDir /snap/firefox/996/usr/lib/firefox/browser 27916 true tab
rx-prat+ 28397 0.2 0.4 2403948 74308 ? SL 19:53 0:00 /snap/firefox/996/usr/lib/firefox/firefox -contentproc -childID 4 -isForBrowser -prefsLen 5673 -pref
MapSize 253645 -jsInitLen 279340 -parentBuildID 20220216211230 -appDir /snap/firefox/996/usr/lib/firefox/browser 27916 true tab
rx-prat+ 28400 0.2 0.4 2403948 75264 ? SL 19:53 0:00 /snap/firefox/996/usr/lib/firefox/firefox -contentproc -childID 5 -isForBrowser -prefsLen 5673 -pref
MapSize 253645 -jsInitLen 279340 -parentBuildID 20220216211230 -appDir /snap/firefox/996/usr/lib/firefox/browser 27916 true tab
rx-prat+ 28404 0.2 0.4 2403944 75040 ? SL 19:53 0:00 /snap/firefox/996/usr/lib/firefox/firefox -contentproc -childID 6 -isForBrowser -prefsLen 5673 -pref
MapSize 253645 -jsInitLen 279340 -parentBuildID 20220216211230 -appDir /snap/firefox/996/usr/lib/firefox/browser 27916 true tab
rx-prat+ 28574 0.0 0.0 17792 2404 pts/0 R+ 19:55 0:00 grep --color=auto firefox
```

```
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ kill grep|firefox
```

```
bash: kill: grep: arguments must be process or job IDs
```

```
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ kill grep|pidof firefox
```

```
bash: kill: grep: arguments must be process or job IDs
```

```
28404 28400 28397 28236 28107 28077 27916
```

```
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ top grep|firefox
```

```
top: unknown option 'g'
```

```
Usage:
```

```
top -hv | -bcEeHiOSs1 -d secs -n max -u|U user -p pid(s) -o field -w [cols]
```

```
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ top |grep firefox
```

```
27916 rx-prat+ 20 0 3362504 337548 186368 S 0.3 2.1 0:10.14 firefox
27916 rx-prat+ 20 0 3362504 337056 186368 S 0.3 2.1 0:10.15 firefox
```

```
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$ kill 27916
```

```
rx-prateekd@rxprateekd-ThinkPad-L14-Gen-2:~$
```