Faculty of Science

Course:	CSCI 2020U: Software Systems Development and Integration
Lab:	#5
Topic:	User Interfaces 2

Overview

In this lab, you'll develop a Java program with a table user interface that shows student marks, using JavaFX. It is recommended, but not required, that you use IntelliJ for this lab.

Instructions

You can use any operating system or environment for this laboratory assignment.

You will create a new directory (or IntelliJ IDEA project) called `lab05`. The first user interface demo might serve as a useful starting point, since this lab is similar. Use the following steps to complete this lab:

1. Create a class, called `StudentRecord`, which represents one row of data for our student. A `StudentRecord` should contain the following fields:
    *   Student ID
    *   Midterm
    *   Assignments
    *   Final exam
    *   Final Mark
    *   Letter Grade

    The final mark will be calculated as a weighted average of the assignments (20%), midterm (30%), and final exam (50%).

    The letter grade will be determined from the following table:

Minimum	Maximum	Letter Grade
80	100	A
70	79	B
60	69	C
50	59	D
0	49	F

2. Use the following `DataSource` class that generates some sample `StudentRecord` instances:

```
public class DataSource {
    public static ObservableList<StudentRecord> getAllMarks() {
        ObservableList<StudentRecord> marks =
FXCollections.observableArrayList();
```

```
        // Student ID, Assignments, Midterm, Final exam
        marks.add(new StudentRecord("100100100", 75.0f, 68.0f, 54.25f));
        marks.add(new StudentRecord("100100101", 70.0f, 69.25f, 51.5f));
        marks.add(new StudentRecord("100100102", 100.0f, 97.0f, 92.5f));
        marks.add(new StudentRecord("100100103", 90.0f, 88.5f, 68.75f));
        marks.add(new StudentRecord("100100104", 72.25f, 74.75f, 58.25f));
        marks.add(new StudentRecord("100100105", 85.0f, 56.0f, 62.5f));
        marks.add(new StudentRecord("100100106", 70.0f, 66.5f, 61.75f));
        marks.add(new StudentRecord("100100107", 55.0f, 47.0f, 50.5f));
        marks.add(new StudentRecord("100100108", 40.0f, 32.5f, 27.75f));
        marks.add(new StudentRecord("100100109", 82.5f, 77.0f, 74.25f));

        return marks;
    }
}
```

3. Create a table that will show a list of `StudentRecord` objects, using our `DataSource` data

   Note: *This table user interface can use FXML or you can define it programmatically*

Note: *See figure 1 for an example of the final product.*

Figure 1: The running application, showing the marks table

Extra Challenge (Optional)

Add a button (Add) and some text fields below for entering the Student ID, midterm, assignment, and final exam marks. Calculate the remaining values just like in step 3. When Add is pressed, these values get added to the table.

SID	Assignments	Midterm	Final Exam	Final Mark	Letter Grade
100100100	75.0	68.0	54.25	62.525	C
100100101	70.0	69.25	51.5	60.525	C
100100102	100.0	97.0	92.5	95.35	A
100100103	90.0	88.5	68.75	78.925	B
100100104	72.25	74.75	58.25	66.0	C
100100105	85.0	56.0	62.5	65.05	C
100100106	70.0	66.5	61.75	64.825	C
100100107	55.0	47.0	50.5	50.35	D
100100108	40.0	32.5	27.75	31.625	F
100100109	82.5	77.0	74.25	76.725	B
123456789	81.0	76.5	68.25	73.275	B

SID: [SID]   Assignments: [Assignments/100]

Midterm: [Midterm/100]   Final Exam: [Final Exam/100]

[Add]

Figure 2: The application, showing the fields below for adding new student records

How to Submit

Show your running application to the TA to prove that you have finished this lab. The TA can provide oral feedback if you do not receive full marks for any lab assignment, but it is most appropriate to ask the TA for this feedback in a timely fashion (i.e. ask now, not at the end of the term).