


JAMF PRO ADCS Full Setup Ver. 1.0

Created by: Ryan Adams

Internal CA



JAMF PRO ADCS Full Setup Ver. 1.0

General

The screenshot shows the 'jamf2 Properties' dialog box with the 'General' tab selected. The dialog has a title bar with a question mark and a close button. Below the title bar is a tabbed interface with the following tabs: 'Subject Name', 'Issuance Requirements', 'Superseded Templates', 'Extensions', 'Security', 'Server', 'General' (selected), 'Compatibility', 'Request Handling', 'Cryptography', and 'Key Attestation'. The 'General' tab contains the following fields and options:

- 'Template display name:' text box containing 'jamf2'.
- 'Template name:' text box containing 'jamf2'.
- 'Validity period:' dropdown menu showing '2 years'.
- 'Renewal period:' dropdown menu showing '6 weeks'.
- A checkbox labeled 'Publish certificate in Active Directory' which is currently unchecked.
- A sub-checkbox labeled 'Do not automatically reenroll if a duplicate certificate exists in Active Directory' which is also unchecked.

At the bottom of the dialog are four buttons: 'OK', 'Cancel' (highlighted with a blue border), 'Apply', and 'Help'.

JAMF PRO ADCS Full Setup Ver. 1.0

Compatibility

The screenshot shows the 'jamf2 Properties' dialog box with the 'Compatibility' tab selected. The dialog has a title bar with a question mark and a close button. Below the title bar is a tabbed interface with tabs for 'General', 'Compatibility', 'Request Handling', 'Cryptography', and 'Key Attestation'. The 'Compatibility' tab is active, showing a text box with the message: 'The template options available are based on the earliest operating system versions set in Compatibility Settings.' Below this is a checked checkbox labeled 'Show resulting changes'. Underneath is a 'Compatibility Settings' section containing two dropdown menus: 'Certification Authority' set to 'Windows Server 2003' and 'Certificate recipient' set to 'Windows XP / Server 2003'. At the bottom of the dialog are four buttons: 'OK', 'Cancel', 'Apply', and 'Help'. The 'Cancel' button is highlighted with a blue border.

jamf2 Properties

Subject Name Issuance Requirements

Superseded Templates Extensions Security Server

General Compatibility Request Handling Cryptography Key Attestation

The template options available are based on the earliest operating system versions set in Compatibility Settings.

☒ Show resulting changes

Compatibility Settings

Certification Authority

Windows Server 2003

Certificate recipient

Windows XP / Server 2003

These settings may not prevent earlier operating systems from using this template.

OK Cancel Apply Help

JAMF PRO ADCS Full Setup Ver. 1.0

Request Handling

The screenshot shows the 'jamf2 Properties' dialog box with the 'Request Handling' tab selected. The dialog has a title bar with a question mark and a close button. Below the title bar is a tabbed interface with tabs for 'General', 'Compatibility', 'Request Handling' (selected), 'Cryptography', and 'Key Attestation'. The 'Request Handling' tab contains the following settings:

- Subject Name** and **Issuance Requirements** sections are visible at the top.
- Purpose:** A dropdown menu is set to 'Signature and encryption'.
- Three checkboxes are present:
 - ☐ Delete revoked or expired certificates (do not archive)
 - ☐ Include symmetric algorithms allowed by the subject
 - ☐ Archive subject's encryption private key
- ☐ Authorize additional service accounts to access the private key (*)
- A 'Key Permissions...' button is located below the previous checkbox.
- ☐ Allow private key to be exported
- ☐ Renew with the same key (*)
- ☐ For automatic renewal of smart card certificates, use the existing key if a new key cannot be created (*)
- A section titled 'Do the following when the subject is enrolled and when the private key associated with this certificate is used:' contains three radio buttons:
 - ☒ Enroll subject without requiring any user input
 - ☐ Prompt the user during enrollment
 - ☐ Prompt the user during enrollment and require user input when the private key is used
- A footnote at the bottom states: '* Control is disabled due to [compatibility settings](#).'

At the bottom of the dialog are four buttons: 'OK', 'Cancel' (highlighted with a blue border), 'Apply', and 'Help'.

JAMF PRO ADCS Full Setup Ver. 1.0

Cryptography

The screenshot shows the 'jamf2 Properties' dialog box with the 'Cryptography' tab selected. The dialog has a title bar with a question mark and a close button. Below the title bar is a tabbed interface with tabs for 'Subject Name', 'Issuance Requirements', 'Superseded Templates', 'Extensions', 'Security', 'Server', 'General', 'Compatibility', 'Request Handling', 'Cryptography', and 'Key Attestation'. The 'Cryptography' tab is active, showing the following settings:

- Provider Category:** Legacy Cryptographic Service Provider (dropdown)
- Algorithm name:** Determined by CSP (dropdown)
- Minimum key size:** 2048 (text box)
- Choose which cryptographic providers can be used for requests:**
 - ☐ Requests can use any provider available on the subject's computer
 - ☒ Requests must use one of the following providers:
- Providers:** A list box containing:
 - ☒ Microsoft RSA SChannel Cryptographic Provider
 - ☐ Microsoft Base Smart Card Crypto Provider
 - ☐ Microsoft DH SChannel Cryptographic Provider
 - ☐ Microsoft Enhanced Cryptographic Provider v1.0
 - ☐ Microsoft Enhanced DSS and Diffie-Hellman Cryptographic PrUp and down arrow buttons are to the right of the list.
- Request hash:** Determined by CSP (dropdown)
- ☐ Use alternate signature format

At the bottom are buttons for 'OK', 'Cancel', 'Apply', and 'Help'.

JAMF PRO ADCS Full Setup Ver. 1.0

Key Attestation

The screenshot shows the 'jamf2 Properties' dialog box with the 'Key Attestation' tab selected. The dialog has a title bar with a question mark and a close button. Below the title bar is a tabbed interface with tabs for 'Subject Name', 'Issuance Requirements', 'Superseded Templates', 'Extensions', 'Security', 'Server', 'General', 'Compatibility', 'Request Handling', 'Cryptography', and 'Key Attestation'. The 'Key Attestation' tab is active, showing three radio button options for 'Key Attestation': 'None' (selected), 'Required, if client is capable', and 'Required'. Below these is a section 'Perform attestation based on:' with three checkboxes: 'User credentials', 'Hardware certificate', and 'Hardware key'. Further down is a section 'Issuance policies for key attested certificates' with two radio button options: 'Include issuance policies for enforced attestation types' and 'Perform attestation only (do not include issuance policies)'. At the bottom, a message states 'Controls are disabled due to [compatibility settings](#)'. The bottom of the dialog features four buttons: 'OK', 'Cancel' (highlighted with a blue border), 'Apply', and 'Help'.

jamf2 Properties

Subject Name Issuance Requirements

Superseded Templates Extensions Security Server

General Compatibility Request Handling Cryptography Key Attestation

Key Attestation

☒ None

☐ Required, if client is capable

☐ Required

Perform attestation based on:

☐ User credentials

☐ Hardware certificate

☐ Hardware key

Issuance policies for key attested certificates

☐ Include issuance policies for enforced attestation types

☐ Perform attestation only (do not include issuance policies)

Controls are disabled due to [compatibility settings](#)

OK Cancel Apply Help

JAMF PRO ADCS Full Setup Ver. 1.0

Subject Name

The screenshot shows the 'jamf2 Properties' dialog box with the 'Subject Name' tab selected. The dialog has a title bar with a question mark and a close button. Below the title bar is a tabbed interface with tabs for 'General', 'Compatibility', 'Request Handling', 'Cryptography', 'Key Attestation', 'Superseded Templates', 'Extensions', 'Security', and 'Server'. The 'Subject Name' tab is active, showing options for how to supply subject information. The 'Supply in the request' option is selected with a radio button. Below it is a checkbox for 'Use subject information from existing certificates for autoenrollment renewal requests (*)'. The 'Build from this Active Directory information' option is unselected. Below it is a text box for 'Subject name format' with a dropdown menu showing 'None'. There is also a checkbox for 'Include e-mail name in subject name'. At the bottom of the tab is a section 'Include this information in alternate subject name:' with checkboxes for 'E-mail name', 'DNS name', 'User principal name (UPN)', and 'Service principal name (SPN)'. At the very bottom of the dialog is a note: '* Control is disabled due to [compatibility settings.](#)' and four buttons: 'OK', 'Cancel', 'Apply', and 'Help'.

jamf2 Properties

General Compatibility Request Handling Cryptography Key Attestation
Superseded Templates Extensions Security Server

Subject Name Issuance Requirements

☒ Supply in the request

☐ Use subject information from existing certificates for autoenrollment renewal requests (*)

☐ Build from this Active Directory information

Select this option to enforce consistency among subject names and to simplify certificate administration.

Subject name format:

None

☐ Include e-mail name in subject name

Include this information in alternate subject name:

☐ E-mail name
☐ DNS name
☐ User principal name (UPN)
☐ Service principal name (SPN)

* Control is disabled due to [compatibility settings.](#)

OK Cancel Apply Help

JAMF PRO ADCS Full Setup Ver. 1.0

Issuance Requirements

The screenshot shows the 'jamf2 Properties' dialog box with the 'Issuance Requirements' tab selected. The dialog has a title bar with a question mark and a close button. Below the title bar are two rows of tabs: 'General', 'Compatibility', 'Request Handling', 'Cryptography', 'Key Attestation' in the first row, and 'Superseded Templates', 'Extensions', 'Security', 'Server' in the second row. The 'Issuance Requirements' tab is active, showing a 'Subject Name' field and a section for enrollment requirements. The enrollment section includes checkboxes for 'CA certificate manager approval' and 'This number of authorized signatures' (set to 0). A note states that autoenrollment is not allowed if more than one signature is required. Below this are dropdown menus for 'Policy type required in signature:', 'Application policy:', and 'Issuance policies:'. The 'Issuance policies' section has an 'Add...' button and a 'Remove' button. A section for reenrollment requirements follows, with radio buttons for 'Same criteria as for enrollment' (selected) and 'Valid existing certificate'. There is also a checkbox for 'Allow key based renewal (*)'. A note at the bottom states that control is disabled due to compatibility settings. At the bottom of the dialog are 'OK', 'Cancel', 'Apply', and 'Help' buttons.

jamf2 Properties

General Compatibility Request Handling Cryptography Key Attestation
Superseded Templates Extensions Security Server

Subject Name Issuance Requirements

Require the following for enrollment:

☐ CA certificate manager approval

☐ This number of authorized signatures: 0

If you require more than one signature, autoenrollment is not allowed.

Policy type required in signature:

Application policy:

Issuance policies:

Add...

Remove

Require the following for reenrollment:

☒ Same criteria as for enrollment

☐ Valid existing certificate

☐ Allow key based renewal (*)


Requires subject information to be provided within the certificate request.

* Control is disabled due to [compatibility settings](#).

OK Cancel Apply Help

JAMF PRO ADCS Full Setup Ver. 1.0

Superseded Templates



The image shows the 'jamf2 Properties' dialog box with the 'Superseded Templates' tab selected. The dialog has a title bar with a question mark and a close button. Below the title bar are two tabs: 'Subject Name' and 'Issuance Requirements'. The 'Superseded Templates' tab is active, showing a list of certificate templates. The list has two columns: 'Template Display Name' and 'Minimum Supported CAs'. Below the list are 'Add...' and 'Remove' buttons. At the bottom of the dialog are 'OK', 'Cancel', 'Apply', and 'Help' buttons. The 'Cancel' button is highlighted with a blue border.

jamf2 Properties

Subject Name Issuance Requirements

General Compatibility Request Handling Cryptography Key Attestation

Superseded Templates Extensions Security Server

Certificates issued by this template supersede certificates issued by all templates added to this list. Add only those templates whose certificates allow tasks permitted by certificates issued by this template.

Certificate templates:


Template Display Name	Minimum Supported CAs
-----------------------	-----------------------

Add... Remove

OK Cancel Apply Help


JAMF PRO ADCS Full Setup Ver. 1.0

Extensions




JAMF PRO ADCS Full Setup Ver. 1.0

Security



JAMF PRO ADCS Full Setup Ver. 1.0

Server




JAMF PRO ADCS Full Setup Ver. 1.0

Install ADCS Connector


On the server where you will install the ADCS connector use this info. I have JAMF in the Cloud so I have a server with a public DNS name.

```
Untitled1 - Notepad
File Edit Format View Help
.\deploy.ps1 -fqdn public-dns-name.mydomain.com -jamfProDn my-JAMF-PRO-Cloud-URL.jamfcloud.com -cleanInstall
```

JAMF PKI Setup




Configure new cert auth



JAMF PRO ADCS Full Setup Ver. 1.0

AD CS



JAMF PRO ADCS Full Setup Ver. 1.0

AD CS Server Intergration

Add in your Issuing CA info:

FQDN of CA: cert40.mydomain.com

CA Name: Issuing CA 5.mydomain.com

URL or IP Address of ADCS Server (Public DNS name): romandog.mydomain.com

Upload the certs that JAMF ADCS connector gives you with the password.

AD CS Server Integration Settings to integrate Jamf Pro with Active Directory Certificate Service

FULLY QUALIFIED DOMAIN NAME Fully qualified domain name of the certificate authority server

CA NAME Name of the certificate authority

Jamf AD CS Connector Settings for Jamf Pro to request a certificate from Active Directory Certificate Service via the Jamf AD CS Connector

URL OR IP ADDRESS URL or IP address of the Jamf AD CS Connector

SERVER CERTIFICATE Certificate required for Jamf Pro to verify identity of the Jamf AD CS Connector (.pem, .cer)

CLIENT CERTIFICATE Certificate required for Jamf Pro to authenticate with the Jamf AD CS Connector (.pfx, .p12)

JAMF PRO ADCS Full Setup Ver. 1.0

JAMF Profile

Computers > Configuration Profiles > Corporate

Options Scope

General

Network
Physically Configured

Certificate
Physically Configured

WIFI

SERVICE KEY IDENTIFIER (SSID) Identification of the wireless network to connect to
Corporate

Hidden Network
Choose if target network is not open or broadcasting

Auto Join
Automatically join this wireless network

PROXY SETUP Configures proxy settings to be used with this network
None

SECURITY TYPE Wireless network encryption to use when connecting
WPA2 Enterprise

☐ Use an e-Login-Window configuration
Use this to authenticate the Mac to the network

Network Security Settings Configurations options for 802.1X network authentication

Protocols	Trust
ACCEPTED EAP TYPES Authentication protocols supported on target network	
☒ TLS ☐ TTLS ☐ LEAP ☐ PEAP ☐ EAP-FAST ☐ EAP-SM ☐ EAP-AKA	

USERNAME Username for connection to the network

TLS MINIMUM VERSION
None

TLS MAXIMUM VERSION
None

IDENTITY CERTIFICATE Credentials for connection to the network
Issuing CA 2

FAST LANE QUALITY OF SERVICE (QoS) MARKING
Mark All Apps

☐ Show in Jamf Pro Dashboard

JAMF PRO ADCS Full Setup Ver. 1.0

Network: Protocols

Corporate

Options Scope

General

Network Physical Configured

Certificate Physical Configured

WPA3

SECURITY SET IDENTIFIER (SSID) Identification of the wireless network to connect to

Corporate

Hidden Network

Enabled if target network is not open or broadcasting

Auto Join

Automatically join this wireless network

PROXY SETUP Configure proxy settings to be used with this network

None

SECURITY TYPE Wireless network encryption to use when connecting

WPA3 Enterprise

Use as a Login Window configuration

Use this configuration as the Login Window for this network

Network Security Settings

Protocols

Trust

ACCEPTED EAP TYPES Authentication protocols supported on target network

TLS

TTLS

LEAP

PEAP

EAP-FAST

EAP-SIM

EAP-AAA

USERNAME Username for connection to the network

TLS MINIMUM VERSION

None

TLS MAXIMUM VERSION

None

IDENTITY CERTIFICATE Certificate for connection to the network

Using CA 2

FAST LANE QUALITY OF SERVICE (QoS) MARKING

Mark All Apps

Show in Jamf Pro Dashboard

JAMF PRO ADCS Full Setup Ver. 1.0

Network: Trust

Computers > Configuration Profiles > Corporate

Options Scope Show in Jamf Pro Dashboard

General

Network

Certificate

Network

NETWORK INTERFACE: Type of network interface on the device
Wi-Fi

SERVICE SET IDENTIFIER (SSID): Identification of the wireless network to connect to
Corporate

☐ Hidden Network
Enables if target network is not open or broadcasting.

☐ Auto Join
Automatically join this wireless network.

PROXY SETUP: Configure proxy settings to be used with this network
None

SECURITY TYPE: Wireless network encryption to use when connecting
WPA2 Enterprise

☐ Use as a Login Window configuration
Use this SSID to authenticate for Mac OS to the network.

Network Security Settings: Configuration options for 802.1X network authentication

Protocol Trust

USERNAME: Username for connection to the network

YLS MINIMUM VERSION
None

YLS MAXIMUM VERSION
None

IDENTITY CERTIFICATE: Credentials for connection to the network
Issuing CA 2

TRUSTED CERTIFICATES: Certificates trusted/expected for authentication

☐ Issuing Cert

☐ Root CA

TRUSTED SERVER CERTIFICATE NAMES: Certificate names expected from authentication server

CERTIFICATE COMMON NAME

SACSID: jam

SACSID: jam

☐ Allow Trust Exceptions
Allow trust decisions and actions to be made by the user.

POST-LAUNCH QUALITY OF SERVICE (QoS) SETTINGS
Mark All Apps

JAMF PRO ADCS Full Setup Ver. 1.0

Certificate

Corporate

Options

Scope

General

Network
1 Payload Configured

Certificate
3 Payloads Configured

▼ Certificate

CERTIFICATE NAME Display name of the certificate credential
Issuing CA 2

CERTIFICATE SUBJECT Representation of a X.500 name (e.g. O=CompanyName, CN=FOO)
CN=\$USERNAME@ti.com

SUBJECT ALTERNATIVE NAME TYPE The type of a subject alternative name
None

TEMPLATE NAME The name of the certificate template, usually Machine or User
jamf2

▼ Certificate

CERTIFICATE NAME Display name of the certificate credential
Issuing Cert

CERTIFICATE
FILENAME
Issuing-2.cer

ISSUER NAME
CN=Tri Root CA

EXPIRATION DATE
03/20/2037

PASSWORD Password used to secure certificate credentials

VERIFY PASSWORD

▼ Certificate

CERTIFICATE NAME Display name of the certificate credential
Root CA

CERTIFICATE
FILENAME
Root.cer

ISSUER NAME
CN=Ti Root CA

EXPIRATION DATE
03/20/2057

JAMF PRO ADCS FULL SETUP VER. 1.0

19